

API.md — InternTrust v1.0 Endpoints

Base URL (local): `http://localhost:<port>/api` Base URL (production): set via frontend env var pointing at the deployed Render URL.

Auth convention: protected routes require `Authorization: Bearer <jwt>` header.

Auth

POST /api/auth/signup

- **Purpose:** create a new account
- **Request body:** `{ email, password }`
- **Response:** `201 { token, user: { id, email } }`
- **Validation:** valid email format, password $\geq$ 6 chars
- **Auth:** none required
- **Errors:** `400` invalid input, `409` email already exists

POST /api/auth/login

- **Purpose:** authenticate existing user
 - **Request body:** `{ email, password }`
 - **Response:** `200 { token, user: { id, email } }`
 - **Validation:** both fields required
 - **Auth:** none required
 - **Errors:** `400` missing fields, `401` invalid credentials
-

Profile

GET /api/profile/me

- **Purpose:** fetch the logged-in user's profile
- **Request:** none (JWT in header)
- **Response:** `200 { profile }` or `200 { profile: null }` if not yet created
- **Auth:** required
- **Errors:** `401` invalid/missing token

PUT /api/profile/me

- **Purpose:** create or update the logged-in user's profile
- **Request body:** `{ name, skills: [...], experienceLevel, locationPref, domainInterest }`
- **Response:** `200 { profile }`
- **Validation:** `skills` non-empty array; `experienceLevel`/`locationPref` must match allowed enums

- **Auth:** required
 - **Errors:** (400) invalid fields, (401) unauthorized
-

Postings

POST /api/postings

- **Purpose:** submit a new internship posting
- **Request body:** { title, company, description, requiredSkills, stipend, location, applyLink }
- **Response:** (201 { posting }) (includes AI-generated (legitimacyScore)/(legitimacyReason))
- **Validation:** required fields present, (applyLink) is a valid URL
- **Auth:** required
- **Errors:** (400) invalid input, (401) unauthorized, (502) if AI scoring fails (posting still saved with (legitimacyScore: null), status ("pending review"))

GET /api/postings

- **Purpose:** fetch the feed, ranked by fit against the logged-in user's profile
- **Request:** optional query params (?skill=), (?location=)
- **Response:** (200 { postings: [{ ...posting, matchScore, matchReasons }] })
- **Validation:** none (query params optional)
- **Auth:** required (returns unranked list if no profile exists yet)
- **Errors:** (401) unauthorized

GET /api/postings/:id

- **Purpose:** fetch a single posting's full detail
- **Request:** none
- **Response:** (200 { posting })
- **Auth:** required
- **Errors:** (404) not found, (401) unauthorized

POST /api/postings/:id/flag

- **Purpose:** flag a posting as suspicious
 - **Request:** none (user identified via JWT)
 - **Response:** (200 { posting }) with updated (flaggedBy)
 - **Validation:** user hasn't already flagged this posting
 - **Auth:** required
 - **Errors:** (404) not found, (409) already flagged by this user, (401) unauthorized
-

Health

GET /api/health

- **Purpose:** confirm backend is running (used in deployment checks)
- **Response:** 200 { status: "ok" }
- **Auth:** none