

SCHEMA.md — InternTrust Database Design

Database: MongoDB Atlas (free tier). ODM: Mongoose.

Collections

users

Field	Type	Notes
<code>_id</code>	ObjectId	Auto
<code>email</code>	String	Unique, required
<code>passwordHash</code>	String	bcrypt hash, required
<code>createdAt</code>	Date	Default now


profiles (1:1 with users)

Field	Type	Notes
<code>_id</code>	ObjectId	Auto
<code>userId</code>	ObjectId (ref: users)	Required, unique
<code>name</code>	String	Required
<code>skills</code>	[String]	Required, min 1
<code>experienceLevel</code>	String enum: <code>fresher</code> , <code>0-1yr</code>	Required
<code>locationPref</code>	String enum: <code>remote</code> , <code>onsite</code> , <code>either</code>	Required
<code>domainInterest</code>	String	Optional, default <code>"CS/General"</code>
<code>updatedAt</code>	Date	Default now

postings

Field	Type	Notes
<code>_id</code>	ObjectId	Auto
<code>title</code>	String	Required
<code>company</code>	String	Required
<code>description</code>	String	Required
<code>requiredSkills</code>	[String]	Required, min 1
<code>stipend</code>	String	Optional
<code>location</code>	String	Required
<code>applyLink</code>	String	Required, URL format
<code>submittedBy</code>	ObjectId (ref: users)	Required; <code>"seed"</code> for founder-seeded data
<code>legitimacyScore</code>	Number (0-100)	Set by AI, default null until scored
<code>legitimacyReason</code>	String	Set by AI
<code>flaggedBy</code>	[ObjectId] (ref: users)	Empty array by default
<code>createdAt</code>	Date	Default now

Relationships



Validation Against PRD User Stories

#	User Story	Covered By
1	Create profile with skills/experience	<code>profiles</code> collection, linked via <code>userId</code>
2	Browse feed with legitimacy score	<code>postings.legitimacyScore</code> + <code>legitimacyReason</code>
3	See postings ranked by match	Computed at query time from <code>profiles.skills</code> vs <code>postings.requiredSkills</code> (not stored — always fresh)
4	Submit a posting	<code>postings</code> collection, <code>submittedBy</code> field
5	Flag a suspicious posting	<code>postings.flaggedBy</code> array

All five PRD user stories map cleanly to this schema — no gaps found on review.