

21

POST

localhost/rental_mobil/public/...

+

...

No Environment

POST

localhost/rental_mobil/public/api/register

Send

Save

<input checked="" type="checkbox"/>	nama_petugas	Wak Kemi	
<input checked="" type="checkbox"/>	telp	0899999999	
<input checked="" type="checkbox"/>	level	admin	
<input checked="" type="checkbox"/>	username	kemi	
<input checked="" type="checkbox"/>	password	12345678	
<input checked="" type="checkbox"/>	password_confirmation	12345678	
	Key	Text	Description

Body

Cookies

Headers (11)

Test Results

Status: 201 Created

Time: 21.30s

Size: 879 B

Save Response

Pretty

Raw

Preview

Visualize

JSON

```

1  {
2    "user": {
3      "nama_petugas": "Wak Kemi",
4      "username": "kemi",
5      "level": "admin",
6      "telp": "0899999999",
7      "updated_at": "2020-04-10 16:47:23",
8      "created_at": "2020-04-10 16:47:23",
9      "id": 1
10 },
11   "token":
    "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJ3c3MiOiJodHRwOi1wvXc9sb2NhbnRhbG93RzRl3J1bnRhbG93b2JpbFwvchV1bG1jXC9hcG1l3J12Z1zdGVyIiwiaWF0IjoxMTg2NTM3MjQ5LCJ1eHAiOiJlODY1NDA4NDksIm51ZiI6MTU4NjUzZnNzI0OSwianRpIjoIQ3RZVEpk20Nkeld5Rm5BZyIsInN1YiI6Iiwic2l2IjoYjU0NDhEODAwOTc3YmM4MzB1ZGlmZjM1ZjhhMWF1ZTAxZWZwZjN2Q5MjI3.HTVzxcZCRvEcojYe3jORxxN0boaJMutmXOK6KSEqGKb-k"
  }

```


The screenshot shows the Postman application interface. The top bar includes the Postman logo and menu options: File, Edit, View, Help. Below the bar is a toolbar with buttons for 'New', 'Import', 'Runner', and 'My Workspace'. The main area is divided into a left sidebar and a right pane.

The left sidebar shows a list of requests under 'Today' and 'Yesterday' tabs. All requests are POST requests to the URL 'localhost:rental_mobil/public/api/login'.


The right pane displays the details of the selected request. The 'Body' tab is active, showing a JSON response. The response is a token string.

The status bar at the bottom shows 'Status: 200 OK', 'Time: 5.74s', 'Size: 704 B', and a 'Save Response' button.


Read Petugas





Edit Petugas



Hapus Petugas



ModelTabel Petugas



Controller Petugas

```

ninal  Help      PetugasController.php - rental_mobil - Visual Studio Code
tabel_petugas.php  PetugasController.php  app\Http\Controllers  api.php  PetugasController.php  C:\...\laundry\...  auth.php  ...
app > Http > Controllers > PetugasController.php > PetugasController > getAuthenticatedUser
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\tabel_petugas;
6  use Illuminate\Http\Request;
7  use Illuminate\Support\Facades\Hash;
8  use Illuminate\Support\Facades\Validator;
9  use JWTAuth;
10 use Tymon\JWTAuth\Exceptions\JWTException;
11
12 class PetugasController extends Controller
13 {
14     public function login(Request $request)
15     {
16         $credentials = $request->only('username', 'password');
17
18         try {
19             if (! $token = JWTAuth::attempt($credentials)) {
20                 return response()->json(['error' => 'invalid_credentials'], 400);
21             }
22         } catch (JWTException $e) {
23             return response()->json(['error' => 'could_not_create_token'], 500);
24         }
25
26         return response()->json(compact('token'));
27     }
28
29
30     public function register(Request $request)
31     {
32         $validator = Validator::make($request->all(), [
33             'nama_petugas' => 'required|string|max:255',
34             'username' => 'required|string|max:255',
35             'password' => 'required|string|min:6|confirmed',

```

```
inal Help PetugasController.php - rental_mobil - Visual Studio Code
tabel_petugas.php PetugasController.php app\Http\Controllers X api.php PetugasController.php C:\...laundry\... auth.php ...
app > Http > Controllers > PetugasController.php > PetugasController > getAuthenticatedUser
29
30 public function register(Request $request)
31 {
32     $validator = Validator::make($request->all(), [
33         'nama_petugas' => 'required|string|max:255',
34         'username' => 'required|string|max:255',
35         'password' => 'required|string|min:6|confirmed',
36         'level' => 'required',
37         'telp' => 'required|string|max:255',
38     ]);
39
40     if($validator->fails()){
41         return response()->json($validator->errors()->toJson(), 400);
42     }
43
44     $user = tabel_petugas::create([
45         'nama_petugas' => $request->get('nama_petugas'),
46         'username' => $request->get('username'),
47         'password' => Hash::make($request->get('password')),
48         'level' => $request->get('level'),
49         'telp' => $request->get('telp'),
50     ]);
51
52     $token = JWTAuth::fromUser($user);
53
54     return response()->json(compact('user','token'),201);
55 }
56
57 public function getAuthenticatedUser()
58 {
59     try {
60
61         if (! $user = JWTAuth::parseToken()->authenticate()) {
62             return response()->json(['user_not_found'], 404);
63         }
64     }
65 }
```

Ln 80, Col 6 Spaces: 4 UTF-8 LF PHP

```
inal Help PetugasController.php - rental_mobil - Visual Studio Code
tabel_petugas.php PetugasController.php app\Http\Controllers X api.php PetugasController.php C:\...laundry\... auth.php ...
app > Http > Controllers > PetugasController.php > PetugasController > getAuthenticatedUser
57 public function getAuthenticatedUser()
58 {
59     try {
60
61         if (! $user = JWTAuth::parseToken()->authenticate()) {
62             return response()->json(['user_not_found'], 404);
63         }
64
65     } catch (Tymon\JWTAuth\Exceptions\TokenExpiredException $e) {
66
67         return response()->json(['token_expired'], $e->getStatusCode());
68
69     } catch (Tymon\JWTAuth\Exceptions\TokenInvalidException $e) {
70
71         return response()->json(['token_invalid'], $e->getStatusCode());
72
73     } catch (Tymon\JWTAuth\Exceptions\JWTException $e) {
74
75         return response()->json(['token_absent'], $e->getStatusCode());
76
77     }
78
79     return response()->json(compact('user'));
80 }
81
82 }
```

```
al Help PetugasController.php - rental_mobil - Visual Studio Code
api.php routes tabel_petugas.php JenisController.php MobilController.php PetugasController.php app\Http\Controllers login
app > Http > Controllers > PetugasController.php > PetugasController > login
110
111 public function update($id, Request $request){
112     if(Auth::user()->level=="admin"){
113         $validator=Validator::make($request->all(),
114             [
115                 'nama_petugas' => 'required|string|max:255',
116                 'username' => 'required|string|max:255',
117                 'password' => 'required|string|min:6|confirmed',
118                 'level' => 'required',
119                 'telp' => 'required|string|max:255',
120             ]
121         );
122     }
123     if($validator->fails()){
124         return Response()->json($validator->errors());
125     }
126     $ubah=tabel_petugas::where('id',$id)->update([
127         'nama_petugas' => $request->get('nama_petugas'),
128         'username' => $request->get('username'),
129         'password' => Hash::make($request->get('password')),
130         'level' => $request->get('level'),
131         'telp' => $request->get('telp'),
132     ]);
133     $status=1;
134     $message="Data Petugas Berhasil Diubah";
135     if($ubah){
136         return Response()->json(compact('status','message'));
137     }else {
138         return Response()->json(['status'=>0]);
139     }
140 }
141 else {
142     return response()->json(['status'=>'anda bukan admin']);
143 }
144 }
```

Ln 20, Col 30 Spaces: 4 UTF-8 LF PHP

```
rminal Help PetugasController.php - rental_mobil - Visual Studio Code
api.php routes tabel_petugas.php JenisController.php MobilController.php PetugasController.php app\Http\Controllers login
app > Http > Controllers > PetugasController.php > PetugasController > login
110
111 public function destroy($id){
112     if(Auth::user()->level=="admin"){
113         $hapus=tabel_petugas::where('id',$id)->delete();
114         $status=1;
115         $message="Data Penyewa Berhasil Dihapus";
116         if($hapus){
117             return Response()->json(compact('status','message'));
118         }else {
119             return Response()->json(['status'=>0]);
120         }
121     }
122     else {
123         return response()->json(['status'=>'anda bukan admin']);
124     }
125 }
126 public function tampil(){
127     if(Auth::user()->level=="admin"){
128         $datas = tabel_petugas::get();
129         $count = $datas->count();
130         $petugas = array();
131         $status = 1;
132         foreach ($datas as $dt_jc){
133             $petugas[] = array(
134                 'id' => $dt_jc->id,
135                 'nama_petugas'=>$dt_jc->nama_petugas,
136                 'username'=>$dt_jc->username,
137                 'password'=>$dt_jc->password,
138                 'telp'=>$dt_jc->telp,
139                 'level'=>$dt_jc->level
140             );
141         }
142         return Response()->json(compact('count','petugas'));
143     } else {
144         return Response()->json(['status'=> 'Tidak bisa, anda bukan admin']);
145     }
146 }
```

Ln 20, Col 30 Spaces: 4 UTF-8 LF PHP

CRUD Tabel Pelanggan

Create

The screenshot shows a REST client interface with a workspace named "My Workspace". A POST request is configured to `localhost/rental_mobil/public/api/create_penyewa`. The request body is a JSON object with the following fields:

Key	Value
nama	Suhendi
nik	3510920111
foto_ktp	-
telp	0811111111
alamat	Jonggol

The response status is 200 OK, with a time of 7.63 s and a size of 408 B. The response body is a JSON object:

```
1 {
2   "status": 1,
3   "message": "Data Penyewa Berhasil Ditambahkan"
4 }
```

Read

The screenshot shows the same REST client interface. A GET request is configured to `localhost/rental_mobil/public/api/penyewa`. The response status is 200 OK, with a time of 7.63 s and a size of 408 B. The response body is a JSON object:

```
1 {
2   "count": 1,
3   "penyewa": [
4     {
5       "id": 1,
6       "nama": "Suhendi",
7       "nik": "3510920111",
8       "foto_ktp": "-",
9       "telp": "0811111111",
10      "alamat": "Jonggol"
11     }
12   ]
13 }
```

Update

My Workspace Invite

POST localhost/rental_mobil/public/... PUT localhost/rental_mobil/public/a... + ...

No Environment

PUT localhost/rental_mobil/public/api/update_penyewa/1 Send Save

<input checked="" type="checkbox"/>	nama	Suhendi	
<input checked="" type="checkbox"/>	nik	341211212	
<input checked="" type="checkbox"/>	foto_ktp	-	
<input checked="" type="checkbox"/>	telp	081245678	
<input checked="" type="checkbox"/>	alamat	Jonggol Utara	
	Key	Value	Description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 863 ms Size: 403 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": 1,
3   "message": "Data Penyewa Berhasil Diubah"
4 }
```

Delete

POST localhost/rental_mobil/public/... DEL localhost/rental_mobil/public/a... +

DELETE localhost/rental_mobil/public/api/hapus_penyewa/1

Pretty Raw Preview Visualize JSON

```
1 {
2   "status": 1,
3   "message": "Data Penyewa Berhasil Dihapus"
4 }
```

CRUD Tabel Mobil

Create

My Workspace Invite

POST localhost/rental_mobil/public/... POST localhost/rental_mobil/public/... + ...

No Environment

POST localhost/rental_mobil/public/api/create_jenis Send Save


<input checked="" type="checkbox"/>	nama_jenis	SUV	
<input checked="" type="checkbox"/>	harga_perhari	200000	
	Key	Value	Description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 6.25 s Size: 407 B Save Response


Pretty Raw Preview Visualize JSON

```
1 {
2   "status": 1,
3   "message": "Jenis Mobil Berhasil Ditambahkan"
4 }
```


Read



Update




Delete



CRUD Mobil

Create



Read

My Workspace Invite No Environment Sign In

POST localhost/rental_mobil/public/... GET localhost/rental_mobil/public/a... + ...

GET localhost/rental_mobil/public/api/mobil Send Save

<input checked="" type="checkbox"/>	nama_mobil	Avanza	
<input checked="" type="checkbox"/>	plat_mobil	B 2323 K	
<input checked="" type="checkbox"/>	kondisi	Baik	
<input checked="" type="checkbox"/>	id_jenis_mobil	3	
	Key	Value	Description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 726 ms Size: 469 B Save Response

Pretty Raw Preview Visualize JSON 🔍

```
1 {
2   "count": 1,
3   "mobil": [
4     {
5       "id_mobil": 2,
6       "nama_mobil": "Avanza",
7       "plat_mobil": "B 2323 K",
8       "kondisi": "Baik",
9       "id_jenis_mobil": 3
10    }
11  ]
12 }
```

Update

My Workspace Invite No Environment Sign In

POST localhost/rental_mobil/public/... PUT localhost/rental_mobil/public/a... + ...

PUT localhost/rental_mobil/public/api/update_mobil/2 Send Save


<input checked="" type="checkbox"/>	nama_mobil	Avanza	
<input checked="" type="checkbox"/>	plat_mobil	B 1111 K	
<input checked="" type="checkbox"/>	kondisi	Baik	
<input checked="" type="checkbox"/>	id_jenis_mobil	3	
	Key	Value	Description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 1805 ms Size: 402 B Save Response


Pretty Raw Preview Visualize JSON 🔍

```
1 {
2   "status": 1,
3   "message": "Jenis Mobil Berhasil Diubah"
4 }
```


Delete



Api.php




Model Penyewa



The screenshot shows the Visual Studio Code editor with a file explorer on the left and a code editor on the right. The code editor displays the file `tabel_penyewa.php` with the following PHP code:

```
1 <?php
2
3 namespace App;
4
5 use Illuminate\Database\Eloquent\Model;
6
7 class tabel_penyewa extends Model
8 {
9     protected $table="penyewa";
10    protected $tableprimaryKey="id";
11    public $timestamps=false;
12
13    protected $fillable = [
14        'nama', 'nik', 'foto_ktp','telp','alamat'
15    ];
16 }
17
```

Model Jenis Mobil



The screenshot shows the Visual Studio Code editor with a file explorer on the left and a code editor on the right. The code editor displays the file `tabel_jenis.php` with the following PHP code:

```
1 <?php
2
3 namespace App;
4
5 use Illuminate\Database\Eloquent\Model;
6
7 class tabel_jenis extends Model
8 {
9     protected $table="jenis_mobil";
10    protected $tableprimaryKey="id_jenis";
11    public $timestamps=false;
12
13    protected $fillable = [
14        'nama_jenis', 'harga_perhari'
15    ];
16 }
17
```

Model Mobil

```
File Edit Selection View Go Run Terminal Help
tabel_mobil.php

app > tabel_mobil.php > tabel_mobil
1 <?php
2
3 namespace App;
4
5 use Illuminate\Database\Eloquent\Model;
6
7 class tabel_mobil extends Model
8 {
9     protected $table="mobil";
10    protected $tableprimaryKey="id_mobil";
11    public $timestamps=false;
12
13    protected $fillable = [
14        'nama_mobil', 'plat_mobil', 'kondisi', 'id_jenis_mobil'
15    ];
16 }
17
```

Controller Penyewa

```
File Edit Selection View Go Run Terminal Help
PenyewaController.php - re

app > Http > Controllers > PenyewaController.php > PenyewaController > update
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use App\tabel_penyewa;
7 use Auth;
8 use DB;
9 use Illuminate\Support\Facades\Validator;
10
11 class PenyewaController extends Controller
12 {
13
14    public function index($id)
15    {
16        if(Auth::user()->level=="admin"){
17            $jeniscuci=DB::table('penyewa')
18                ->where('penyewa.id',$id)
19                ->get();
20            return response()->json($jeniscuci);
21        }else{
22            return response()->json(['status'=>'anda bukan admin']);
23        }
24    }
25    public function store(Request $req)
26    {
27        if(Auth::user()->level=="admin"){
28            $validator=Validator::make($req->all(),
29            [
30                'nama'=>'required',
31                'nik'=>'required',
32                'foto_ktp'=>'required',
33                'telp'=>'required',
34                'alamat'=>'required'
35            ]
36        )
37    }
38 }
```

```
File Edit Selection View Go Run Terminal Help PenyewaController.ph
:php tabel_penyewa.php PenyewaController.php X api.php routes
app > Http > Controllers > PenyewaController.php > PenyewaController > update
36     ]
37     };
38     if($validator->fails()){
39         return Response()->json($validator->errors());
40     }
41
42     $simpan=tabel_penyewa::create([
43         'nama'=>$req->nama,
44         'nik'=>$req->nik,
45         'foto_ktp'=>$req->foto_ktp,
46         'telp'=>$req->telp,
47         'alamat'=>$req->alamat
48     ]);
49
50     $status=1;
51     $message="Data Penyewa Berhasil Ditambahkan";
52     if($simpan){
53         return Response()->json(compact('status','message'));
54     }else {
55         return Response()->json(['status'=>0]);
56     }
57 }
58 else {
59     return response()->json(['status'=>'anda bukan admin']);
60 }
61 }
62 public function update($id,Request $request){
63     if(Auth::user()->level=="admin"){
64         $validator=Validator::make($request->all(),
65             [
66                 'nama'=>'required',
67                 'nik'=>'required',
68                 'foto_ktp'=>'required',
69                 'telp'=>'required',
```

```
File Edit Selection View Go Run Terminal Help PenyewaController.
:php tabel_penyewa.php PenyewaController.php X api.php routes
app > Http > Controllers > PenyewaController.php > PenyewaController > update
65     [
66         'nama'=>'required',
67         'nik'=>'required',
68         'foto_ktp'=>'required',
69         'telp'=>'required',
70         'alamat'=>'required'
71     ]
72 );
73
74     if($validator->fails()){
75         return Response()->json($validator->errors());
76     }
77
78     $ubah=tabel_penyewa::where('id',$id)->update([
79         'nama'=>$request->nama,
80         'nik'=>$request->nik,
81         'foto_ktp'=>$request->foto_ktp,
82         'telp'=>$request->telp,
83         'alamat'=>$request->alamat
84     ]);
85     $status=1;
86     $message="Data Penyewa Berhasil Diubah";
87     if($ubah){
88         return Response()->json(compact('status','message'));
89     }else {
90         return Response()->json(['status'=>0]);
91     }
92 }
93 else {
94     return response()->json(['status'=>'anda bukan admin']);
95 }
96 }
97 public function destroy($id){
98     if(Auth::user()->level=="admin"){
99         $hapus=tabel_penyewa::where('id',$id)->delete();
```

```
File Edit Selection View Go Run Terminal Help PenyewaController.php - rental_mobil - Visual
r.php tabel_penyewa.php PenyewaController.php x api.php routes JenisController.php
app > Http > Controllers > PenyewaController.php > PenyewaController > update
97 public function destroy($id){
98     if(Auth::user()->level=="admin"){
99         $hapus=tabel_penyewa::where('id',$id)->delete();
100         $status=1;
101         $message="Data Penyewa Berhasil Dihapus";
102         if($hapus){
103             return Response()->json(compact('status','message'));
104         }else {
105             return Response()->json(['status'=>0]);
106         }
107     }
108     else {
109         return response()->json(['status'=>'anda bukan admin']);
110     }
111 }
112 public function tampil(){
113     if(Auth::user()->level=="admin"){
114         $datas = tabel_penyewa::get();
115         $count = $datas->count();
116         $penyewa = array();
117         $status = 1;
118         foreach ($datas as $dt_jc){
119             $penyewa[] = array(
120                 'id' => $dt_jc->id,
121                 'nama'=>$dt_jc->nama,
122                 'nik'=>$dt_jc->nik,
123                 'foto_ktp'=>$dt_jc->foto_ktp,
124                 'telp'=>$dt_jc->telp,
125                 'alamat'=>$dt_jc->alamat
126             );
127         }
128         return Response()->json(compact('count','penyewa'));
129     } else {
130         return Response()->json(['status'=> 'Tidak bisa, anda bukan admin']);
131     }
132 }
```

Jenis Mobil Controller

```
File Edit Selection View Go Run Terminal Help JenisController.php - rental_mobil - Visual Studio Code
r.php tabel_penyewa.php PenyewaController.php x api.php routes JenisController.php x MobilController.php tabel_mobil.php tabel_jenis.php
app > Http > Controllers > JenisController.php > JenisController > destroy
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use App\tabel_jenis;
7 use App\tabel_mobil;
8 use Auth;
9 use DB;
10 use Illuminate\Support\Facades\Validator;
11
12 class JenisController extends Controller
13 {
14     public function index($id_jenis)
15     {
16         if(Auth::user()->level=="admin"){
17             $tabel_jenis=DB::table('jenis_mobil')
18             ->where('jenis_mobil.id_mobil',$id)
19             ->get();
20             $count = $datas->count();
21             return response()->json($tabel_jenis , $count);
22         }else{
23             return response()->json(['status'=>'anda bukan admin']);
24         }
25     }
26     public function store(Request $req)
27     {
28         if(Auth::user()->level=="admin"){
29             $validator=Validator::make($req->all(),
30             [
31                 'nama_jenis'=>'required',
32                 'harga_perhari'=>'required'
33             ]
34             );
35             if($validator->fails()){
```




```
File Edit Selection View Go Run Terminal Help
JenisController.php - rental_mobil - Visual Studio Code

app > Http > Controllers > JenisController.php > JenisController > destroy
35
36 if($validator->fails()){
37     return Response()->json($validator->errors());
38 }
39
40 $simpan=tabel_jenis::create([
41     'nama_jenis'=>$req->nama_jenis,
42     'harga_perhari'=>$req->harga_perhari
43 ]);
44 $status=1;
45 $message="Jenis Mobil Berhasil Ditambahkan";
46 if($simpan){
47     return Response()->json(compact('status','message'));
48 }else {
49     return Response()->json(['status'=>0]);
50 }
51 }
52 else {
53     return response()->json(['status'=>'anda bukan admin']);
54 }
55 }
56
57 public function update($id_jenis,Request $request){
58     if(Auth::user()->level=="admin"){
59         $validator=Validator::make($request->all(),
60             [
61                 'nama_jenis'=>'required',
62                 'harga_perhari'=>'required'
63             ]
64         );
65         if($validator->fails()){
66             return Response()->json($validator->errors());
67         }
68         $ubah=tabel_jenis::where('id_jenis',$id_jenis)->update([
69             'nama_jenis'=>$request->nama_jenis,
70             'harga_perhari'=>$request->harga_perhari
71         ]);
72         $status=1;
73         $message="Jenis Mobil Berhasil Diubah";
74         if($ubah){
75             return Response()->json(compact('status','message'));
76         }else {
77             return Response()->json(['status'=>0]);
78         }
79     }
80     else {
81         return response()->json(['status'=>'anda bukan admin']);
82     }
83 }
84
85 public function destroy($id_jenis){
86     if(Auth::user()->level=="admin"){
87         $hapus=tabel_jenis::where('id_jenis',$id_jenis)->delete();
88         $status=1;
89         $message="Jenis Mobil Berhasil Dihapus";
90         if($hapus){
91             return Response()->json(compact('status','message'));
92         }else {
93             return Response()->json(['status'=>0]);
94         }
95     }
96     else {
97         return response()->json(['status'=>'anda bukan admin']);
98     }
99 }
100
101 public function tampil(){
102     if(Auth::user()->level=="admin"){
103         $datas = tabel_jenis::get();
104         $count = $datas->count();
105         $jenismobil = array();
106         $status = 1;
107         foreach ($datas as $dt_jc){
108             $jenismobil[] = array(
109                 'id_jenis' => $dt_jc->id_jenis,
110                 'nama_jenis' => $dt_jc->nama_jenis,
111                 'harga_perhari' => $dt_jc->harga_perhari
112             );
113         }
114         return Response()->json(compact('count','jenismobil'));
115     } else {
116         return Response()->json(['status'=>'Tidak bisa, anda bukan admin']);
117     }
118 }
```

```
File Edit Selection View Go Run Terminal Help
JenisController.php - rental_mobil - Visual Studio Code

app > Http > Controllers > JenisController.php > JenisController > destroy
98
99 public function tampil(){
100     if(Auth::user()->level=="admin"){
101         $datas = tabel_jenis::get();
102         $count = $datas->count();
103         $jenismobil = array();
104         $status = 1;
105         foreach ($datas as $dt_jc){
106             $jenismobil[] = array(
107                 'id_jenis' => $dt_jc->id_jenis,
108                 'nama_jenis' => $dt_jc->nama_jenis,
109                 'harga_perhari' => $dt_jc->harga_perhari
110             );
111         }
112         return Response()->json(compact('count','jenismobil'));
113     } else {
114         return Response()->json(['status'=>'Tidak bisa, anda bukan admin']);
115     }
116 }
117
118 }
```

Mobil Controller



```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use App\tabel_mobil;
7 use App\tabel_jenis;
8 use Auth;
9 use DB;
10 use Illuminate\Support\Facades\Validator;
11
12 class MobilController extends Controller
13 {
14     public function index($id)
15     {
16         if(Auth::user()->level=="admin"){
17             $jeniscuci=DB::table('mobil')
18                 ->where('mobil.id',$id)
19                 ->get();
20             $count = $datas->count();
21             return response()->json($jeniscuci , $count);
22         }else{
23             return response()->json(['status'=>'anda bukan admin']);
24         }
25     }
26     public function store(Request $req)
27     {
28         if(Auth::user()->level=="admin"){
29             $validator=Validator::make($req->all(),
30             [
31                 'nama_mobil'=>'required',
32                 'plat_mobil'=>'required',
33                 'kondisi'=>'required',
34                 'id_jenis_mobil'=>'required'
35             ]
36         )
37     }
```

```
File Edit Selection View Go Run Terminal Help MobilController.php - rental_mobil - Visual Studio Code
tabel_penyewa.php PenyewaController.php api.php routes JenisController.php MobilController.php x tabel_mobil.php tabel_jenis.php
app > Http > Controllers > MobilController.php > MobilController > update
35 }
36 );
37 if($validator->fails()){
38     return Response()->json($validator->errors());
39 }
40
41 $simpan=tabel_mobil::create([
42     'nama_mobil'=>$req->nama_mobil,
43     'plat_mobil'=>$req->plat_mobil,
44     'kondisi'=>$req->kondisi,
45     'id_jenis_mobil'=>$req->id_jenis_mobil,
46 ]);
47
48 $status=1;
49 $message="Mobil Berhasil Ditambahkan";
50 if($simpan){
51     return Response()->json(compact('status','message'));
52 }else {
53     return Response()->json(['status'=>0]);
54 }
55 }
56 else {
57     return response()->json(['status'=>'anda bukan admin']);
58 }
59 }
60 public function update($id,Request $request){
61     if(Auth::user()->level=="admin"){
62         $validator=Validator::make($request->all(),
63             [
64                 'nama_mobil'=>'required',
65                 'plat_mobil'=>'required',
66                 'kondisi'=>'required',
67                 'id_jenis_mobil'=>'required'
68             ]
69         );
70     }
71     if($validator->fails()){
72         return Response()->json($validator->errors());
73     }
74
75     $ubah=tabel_mobil::where('id_mobil',$id)->update([
76         'nama_mobil'=>$request->nama_mobil,
77         'plat_mobil'=>$request->plat_mobil,
78         'kondisi'=>$request->kondisi,
79         'id_jenis_mobil'=>$request->id_jenis_mobil,
80     ]);
81     $status=1;
82     $message="Jenis Mobil Berhasil Diubah";
83     if($ubah){
84         return Response()->json(compact('status','message'));
85     }else {
86         return Response()->json(['status'=>0]);
87     }
88 }
89 else {
90     return response()->json(['status'=>'anda bukan admin']);
91 }
92 }
93 public function destroy($id){
94     if(Auth::user()->level=="admin"){
95         $hapus=tabel_mobil::where('id_mobil',$id)->delete();
96         $status=1;
97         $message="Jenis Mobil Berhasil Dihapus";
98         if($hapus){
99             return Response()->json(compact('status','message'));
100         }else {
101             return Response()->json(['status'=>0]);
102         }
103     }
104 }
```

```
File Edit Selection View Go Run Terminal Help MobilController.php - rental_mobil - Visual Studio Code
tabel_periyewa.php PenyewaController.php api.php routes JenisController.php MobilController.php x tabel_mobil.php tabel_jenis.php
app > Http > Controllers > MobilController.php > MobilController > update
103 }
104 else {
105     return response()->json(['status'=>'anda bukan admin']);
106 }
107 }
108 public function tampil(){
109     if(Auth::user()->level=="admin"){
110         $datas = tabel_mobil::get();
111         $count = $datas->count();
112         $mobil = array();
113         $status = 1;
114         foreach ($datas as $dt_jc){
115             $mobil[] = array(
116                 'id_mobil' => $dt_jc->id_mobil,
117                 'nama_mobil' => $dt_jc->nama_mobil,
118                 'plat_mobil' => $dt_jc->plat_mobil,
119                 'kondisi' => $dt_jc->kondisi,
120                 'id_jenis_mobil' => $dt_jc->id_jenis_mobil
121             );
122         }
123         return Response()->json(compact('count','mobil'));
124     } else {
125         return Response()->json(['status'=>'Tidak bisa, anda bukan admin']);
126     }
127 }
128 }
129 }
```

4 selections Spaces 4 UTF-8 LF PHP