

ATV 08 - SOR2

Rafael Pinheiro de Farias


1º Etapa: Ativar e iniciar o SSHD

```
Administrador: C:\WINDOWS\system32\cmd.exe
Microsoft Windows [versão 10.0.18363.1854]
(c) 2019 Microsoft Corporation. Todos os direitos reservados.



C:\WINDOWS\system32>sc config sshd start=auto
[SC] ChangeServiceConfig ÊXITO



C:\WINDOWS\system32>net start sshd
O serviço de OpenSSH SSH Server está sendo iniciado..
O serviço de OpenSSH SSH Server foi iniciado com êxito.

C:\WINDOWS\system32>
```



2º Etapa: Instalar o Putty





3º Etapa: Criação das chaves públicas e privadas

```
Administrador: C:\WINDOWS\system32\cmd.exe
O serviço de OpenSSH SSH Server foi iniciado com êxito.

C:\WINDOWS\system32>ssh-keygen
Generating public/private rsa key pair.
Enter file in which to save the key (C:\Users\User/.ssh/id_rsa):
Created directory 'C:\Users\User/.ssh'.
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in C:\Users\User/.ssh/id_rsa.
Your public key has been saved in C:\Users\User/.ssh/id_rsa.pub.
The key fingerprint is:
SHA256:2ocgUbIWXx50ITixtWko6JUvpsLMFa1Z90wIvEIWCoo user@DESKTOP-PRJN4N7
The key's randomart image is:
+---[RSA 2048]-----+
|. .+.O+* O.|
|+ .+.X+*. *|
|E .+.Oo=+=.|
| O =+..+|
| O+O . So|
|+ .. . + .|
|.+. . O .|
| . .|
+-----[SHA256]-----+
C:\WINDOWS\system32>
```