


28/10/26

Day - 10


CNI 0 → Kubernetes already defaultly create CNI 0



N/w Policy → CNI plugin

↓
Flannel
Calico

Ingress



intermediate b/w external traffic and internal traffic

IP Table → it is kube proxy responsibility

SVC

you can create multiple services.

create
service

static ip : port 192.28.0.3 : 30566


D1 → F(5) → Port : 30566

D2 → Backend (5)

D3 → Database (5)

Service Types:

1. Cluster IP → Internal Communication → default service
 2. Node Port → range → 30000 - 32767 → port expose
 3. Load balancer → this service enable parameter need cloud providers.
 4. External Name → record need for domain name configure → this external name parameter (e) record a little parameter
- Service → It works layer 4 Transport layer.



```

minikube kubectl -- get svc ⇒ http://192.168.49.2
minikube kubectl -- expose deployment nginxdeploy --type=NodePort --port=80
minikube kubectl -- get svc
minikube kubectl -- describe pod podname
minikube service nginxdeploy
minikube ip ⇒ 192.168.49.2
  
```

check minikube console again path - tunnel
 pod change again

```

1 ⇒ 127.0.0.1 : 65976
2 ⇒ 127.0.0.1 : 30909
  
```

192.168.49.2
 NAT ip
 10.0.0.1
 bridge ip

AWS EKS

master Node ⇒ AWS responsibility
 search EKS

choose custom configuration
 uncheck the EKS auto mode
 name

IAM role ⇒ create new role ^{default value} ⇒ click create role

version ⇒ 1.37

Policy ⇒ standard

Control plane scaling ⇒ disable

Control plane configuration ⇒ disable

cluster access ⇒ allow

mode ⇒ EKS API

EC2 zonal diff → default a traffic charge subdivision.
keep similar

VPC → default

subnet → min 2 different availability zones

cluster inside VPC

node group → ingress → all traffic

cluster endpoint access → public and private

control plane egress → AWS managed

Configure observability → don't choose anyone else next

Amazon EKS pod Identity agent → choose the

VPC CNI, Core DNS, kube proxy

community add-ons → don't choose anyone uncheck all
boxes

check create

Add node group

Create node IAM role → create role

AMI type → Linux

capacity type → on-demand

Instance type → t3.small

best practice → t3.medium

remaining default → a era Linux other no change

Subnets → 2 (or) 5 subnets

check create

create worker node → ~~it will give~~ EC2 → you can see the EC2

create one EC2 → connect the nodes

EC2 connect → type aws configure

press press key

profile → Security
credentials
create access

kops..kubectl download → getting started

→ Linux command copy
paste EC2 connect
kubectl get nodes

aws eks update-kubeconfig --name cluster name