

```
$ git push origin main
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 217 bytes | 108.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Ragavi-Rajakumar/demo-devops.git
* [new branch]      main -> main

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git branch master

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git checkout master
Switched to branch 'master'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git checkout main
Switched to branch 'main'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git checkout master
Switched to branch 'master'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git clone "https://github.com/Ragavi-Rajakumar/demo-devops.git"
Cloning into 'demo-devops'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ ls
demo-devops/  sam.txt

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ explorer .

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ start demo-devops

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git status
```

Untracked files:

(use "git add <file>..." to include in what will be committed)

demo-devops/

nothing added to commit but untracked files present (use "git add" to track)

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ git checkout main

Switched to branch 'main'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

\$ git checkout master

Switched to branch 'master'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ git add demo-devops

warning: adding embedded git repository: demo-devops

hint: You've added another git repository inside your current repository.

hint: Clones of the outer repository will not contain the contents of

hint: the embedded repository and will not know how to obtain it.

hint: If you meant to add a submodule, use:

hint:

hint: git submodule add <url> demo-devops

hint:

hint: If you added this path by mistake, you can remove it from the

hint: index with:

hint:

hint: git rm --cached demo-devops

hint:

hint: See "git help submodule" for more information.

hint: Disable this message with "git config set advice.addEmbeddedRepo false"

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ git status

On branch master

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: demo-devops

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ git checkout main

A demo-devops

Switched to branch 'main'

```
raja@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git status
On branch main
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   demo-devops
```

```
raja@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git commit -m "commit"
[main b165c5b] commit
1 file changed, 1 insertion(+)
create mode 160000 demo-devops
```

```
raja@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git status
On branch main
nothing to commit, working tree clean
```

```
raja@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git checkout master
warning: unable to rmdir 'demo-devops': Directory not empty
Switched to branch 'master'
```

```
raja@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    demo-devops/

nothing added to commit but untracked files present (use "git add" to track)
```

```
raja@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git checkout main
Switched to branch 'main'
```

```
raja@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git status
On branch main
nothing to commit, working tree clean
```

```
raja@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git log
```

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

\$ git log

commit b165c5b04c51207887a2698a72c5ea9f53eb8cd3 (HEAD -> main)

Author: Ragavi <ragavirajakumar0306@gmail.com>

Date: Fri Sep 25 11:06:37 2026 +0530

commit

commit 2ec75c39da0d8b80fc5f5e2c3819b9a652b2356b (origin/main, master)

Author: Ragavi <ragavirajakumar0306@gmail.com>

Date: Fri Sep 25 10:55:45 2026 +0530

demo commit

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

\$ git checkout master

warning: unable to rmdir 'demo-devops': Directory not empty

Switched to branch 'master'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ ls

demo-devops/ sam.txt

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ git checkout main

Switched to branch 'main'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

\$ ls

demo-devops/ sam.txt

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

\$ git status

On branch main

nothing to commit, working tree clean

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

\$ git checkout master

warning: unable to rmdir 'demo-devops': Directory not empty

Switched to branch 'master'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ git merge main

nothing to commit, working tree clean

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ git checkout master
```

```
warning: unable to rmdir 'demo-devops': Directory not empty  
Switched to branch 'master'
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git merge main
```

```
Updating 2ec75c3..b165c5b
```

```
Fast-forward
```

```
demo-devops | 1 +
```

```
1 file changed, 1 insertion(+)
```

```
create mode 160000 demo-devops
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ ls
```

```
demo-devops/  sam.txt
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git checkout main
```

```
Switched to branch 'main'
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ ls
```

```
demo-devops/  sam.txt
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ git checkout master
```

```
Switched to branch 'master'
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git checkout main
```

```
Switched to branch 'main'
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ vi test.txt
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ ls
```

```
demo-devops/  sam.txt  test.txt
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git checkout master
Switched to branch 'master'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git merge main
Already up to date.

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ ls
demo-devops/  sam.txt  test.txt

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git rebase main
Current branch master is up to date.

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ ls
demo-devops/  sam.txt  test.txt

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git rm test.txt
fatal: pathspec 'test.txt' did not match any files

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git rm -rf test.txt
fatal: pathspec 'test.txt' did not match any files

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
$ git checkout main
Switched to branch 'main'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git rm test.txt
fatal: pathspec 'test.txt' did not match any files

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git rm -rf test.txt
fatal: pathspec 'test.txt' did not match any files

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$
```

Switched to branch 'main'

ajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

ls

demo-devops/ sam.txt

ajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

git status

on branch main

nothing to commit, working tree clean

ajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

git checkout master

Warning: unable to rmdir 'demo-devops': Directory not empty

Switched to branch 'master'

ajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

git merge main

Updating 2ec75c3..b165c5b

fast-forward

demo-devops | 1 +

1 file changed, 1 insertion(+)

create mode 160000 demo-devops

ajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

ls

demo-devops/ sam.txt

ajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

git checkout main

Switched to branch 'main'

ajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

ls

demo-devops/ sam.txt

ajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

git checkout master

Switched to branch 'master'

ajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

git checkout main

Switched to branch 'main'

```
demo-devops/  sam.txt  test.txt
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ git checkout master
```

```
Switched to branch 'master'
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git merge main
```

```
Already up to date.
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ ls
```

```
demo-devops/  sam.txt  test.txt
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git rebase main
```

```
Current branch master is up to date.
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ ls
```

```
demo-devops/  sam.txt  test.txt
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git rm test.txt
```

```
fatal: pathspec 'test.txt' did not match any files
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git rm -rf test.txt
```

```
fatal: pathspec 'test.txt' did not match any files
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git checkout main
```

```
Switched to branch 'main'
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ git rm test.txt
```

```
fatal: pathspec 'test.txt' did not match any files
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ git rm -rf test.txt
```

```
fatal: pathspec 'test.txt' did not match any files
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ ls demo-devops
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ ls demo-devops
sam.txt

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git add test.txt
warning: in the working copy of 'test.txt', LF will be replaced by CRLF the next time Git touches it

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ ls
demo-devops/  sam.txt  test.txt

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git rm test.txt
error: the following file has changes staged in the index:
    test.txt
(use --cached to keep the file, or -f to force removal)

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git rm -rf test.txt
rm 'test.txt'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ ls
demo-devops/  sam.txt

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git commit -m "deleted file"
On branch main
nothing to commit, working tree clean

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git status
On branch main
nothing to commit, working tree clean

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
$ git push origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 266 bytes | 266.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)
```

```
$ git checkout master
Switched to branch 'master'
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ vi stash
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git add stash
```

```
warning: in the working copy of 'stash', LF will be replaced by CRLF the next time Git touches it
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git status
```

```
On branch master
```

```
Changes to be committed:
```

```
  (use "git restore --staged <file>..." to unstage)
```

```
    new file:   stash
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git stash
```

```
Saved working directory and index state WIP on master: b165c5b commit
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ ls
```

```
demo-devops/  sam.txt
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git stash pop
```

```
On branch master
```

```
Changes to be committed:
```

```
  (use "git restore --staged <file>..." to unstage)
```

```
    new file:   stash
```

```
Dropped refs/stash@{0} (8c9010f889763f3f7e1f01a50620364294350c66)
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ ls
```

```
demo-devops/  sam.txt  stash
```

```
rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)
```

```
$ git checkout main
```

```
A      stash
```

(use "git restore --staged <file>..." to unstage)

new file: stash

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ git stash

Saved working directory and index state WIP on master: b165c5b commit

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ ls

demo-devops/ sam.txt

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ git stash pop

On branch master

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: stash

Dropped refs/stash@{0} (8c9010f889763f3f7e1f01a50620364294350c66)

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ ls

demo-devops/ sam.txt stash

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (master)

\$ git checkout main

A stash

Switched to branch 'main'

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

\$ ls

demo-devops/ sam.txt stash

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

\$ git status

On branch main

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: stash

rajak@LAPTOP-MOPDSQKI MINGW64 ~/demo-devops (main)

\$ |

 demo-devops

Public



main

1 Branch

0 Tags

Go to file

T

Add file

<>

Code

 Ragavi-Rajakumar	commit	b165c5b · 1 hour ago	🕒 2 Commits
 demo-devops	commit		1 hour ago
 sam.txt	demo commit		1 hour ago

📖 README



Add a README

Help people interested in this repository understand your project.

Add a README

```
212 git add demo-devops
213 git status
214 git checkout main
215 git status
216 git commit -m "commit"
217 git status
218 git checkout master
219 git status
220 git checkout main
221 git status
222 git log
223 git checkout master
224 ls
225 git checkout main
226 ls
227 git status
228 git checkout master
229 git merge main
230 ls
231 git checkout main
232 ls
233 git checkout master
234 git checkout main
235 vi test.txt
236 ls
237 git checkout master
238 git merge main
239 ls
240 git rebase main
241 ls
242 git rm test.txt
243 git rm -rf test.txt
244 git checkout main
245 git rm test.txt
246 git rm -rf test.txt
247 ls demo-devops
248 git add test.txt
249 ls
250 git rm test.txt
251 git rm -rf test.txt
252 ls
253 git commit -m "deleted file"
254 git status
255 git push origin main
256 git checkout master
257 vi stash
258 git add stash
259 git status
260 git stash
261 ls
262 git stash pop
263 ls
264 git checkout main
265 ls
266 git status
267 git push origin main
268 cd demo-devops
269 history
```

```
203 git checkout main
204 git checkout master
205 git clone "https://github.com/Ragavi-Rajakumar/demo-devops.git"
206 ls
207 explorer .
208 start demo-devops
209 git status
210 git checkout main
211 git checkout master
212 git add demo-devops
213 git status
214 git checkout main
215 git status
216 git commit -m "commit"
217 git status
218 git checkout master
219 git status
220 git checkout main
221 git status
222 git log
223 git checkout master
224 ls
225 git checkout main
226 ls
227 git status
228 git checkout master
229 git merge main
230 ls
231 git checkout main
232 ls
233 git checkout master
234 git checkout main
235 vi test.txt
236 ls
237 git checkout master
238 git merge main
239 ls
240 git rebase main
241 ls
242 git rm test.txt
243 git rm -rf test.txt
244 git checkout main
245 git rm test.txt
246 git rm -rf test.txt
247 ls demo-devops
248 git add test.txt
249 ls
250 git rm test.txt
251 git rm -rf test.txt
252 ls
253 git commit -m "deleted file"
254 git status
255 git push origin main
256 git checkout master
257 vi stash
258 git add stash
259 git status
260 git stash
```