


```
bash: cd: usr/share/nginx/html: No such file or directory
```

```
root@demodeploy-7db556f88d-ghx2k:/# cd usr/share/nginx/html
root@demodeploy-7db556f88d-ghx2k:/usr/share/nginx/html# ls
50x.html  index.html
root@demodeploy-7db556f88d-ghx2k:/usr/share/nginx/html# cat index.html
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, nginx is successfully installed and working.
Further configuration is required for the web server, reverse proxy,
API gateway, load balancer, content cache, or other features.</p>
<p>For online documentation and support please refer to
<a href="https://nginx.org/">nginx.org</a>.<br/>
To engage with the community please visit
<a href="https://community.nginx.org/">community.nginx.org</a>.<br/>
For enterprise grade support, professional services, additional
security features and capabilities please refer to
<a href="https://f5.com/nginx">f5.com/nginx</a>.</p>
<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

It works!

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html>
<head>
<title>It works! Apache httpd</title>
</head>
<body>
<p>It works!</p>
</body>
</html>
root@deploy1-85b68fd8f4-jkgj2:/usr/local/apache2/htdocs# rm index.html
root@deploy1-85b68fd8f4-jkgj2:/usr/local/apache2/htdocs# echo "pod1" > index.html
root@deploy1-85b68fd8f4-jkgj2:/usr/local/apache2/htdocs# cat index.html
pod1
root@deploy1-85b68fd8f4-jkgj2:/usr/local/apache2/htdocs# exit
exit
[root@ip-172-31-38-231 ~]# kubectl exec -it deploy1-85b68fd8f4-t24vc -- /bin/bash
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2# cd htdocs
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs# cat index.html
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html>
<head>
<title>It works! Apache httpd</title>
</head>
<body>
<p>It works!</p>
</body>
</html>
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs# rm index.html
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs# echo "pod2" > index.html
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs# cat index.html
pod2
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs#
```

aws

Search

[Alt+S]

United States (N. Virginia)

RAGAVI R

```
<head>
<title>It works! Apache httpd</title>
</head>
<body>
<p>It works!</p>
</body>
</html>
root@deploy1-85b68fd8f4-jkgj2:/usr/local/apache2/htdocs# rm index.html
root@deploy1-85b68fd8f4-jkgj2:/usr/local/apache2/htdocs# echo "pod1" > index.html
root@deploy1-85b68fd8f4-jkgj2:/usr/local/apache2/htdocs# cat index.html
pod1
root@deploy1-85b68fd8f4-jkgj2:/usr/local/apache2/htdocs# exit
exit
[root@ip-172-31-38-231 ~]# kubectl exec -it deploy1-85b68fd8f4-t24vc -- /bin/bash
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2# cd htdocs
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs# cat index.html
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html>
<head>
<title>It works! Apache httpd</title>
</head>
<body>
<p>It works!</p>
</body>
</html>
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs# rm index.html
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs# echo "pod2" > index.html
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs# cat index.html
pod2
root@deploy1-85b68fd8f4-t24vc:/usr/local/apache2/htdocs# exit
exit
[root@ip-172-31-38-231 ~]#
```

pod2