

```

PS C:\Users\rajak> minikube version
minikube version: v1.39.0
commit: 7a9f6a841470a207de8cf4bafcccee0969d8ba10
PS C:\Users\rajak> minikube start
🐳 minikube v1.39.0 on Microsoft Windows 11 Home Single Language 25H2
🌟 Automatically selected the docker driver. Other choices: virtualbox, ssh
🔑 Using Docker Desktop driver with root privileges
👉 Starting "minikube" primary control-plane node in "minikube" cluster
📦 Pulling base image v0.0.51 ...
📦 Downloading Kubernetes v1.37.0 preload ...
> gcr.io/k8s-minikube/kicbase: 507.61 MiB / 507.61 MiB 100.00% 1.30 MiB p
🔥 Creating docker container (CPUs=2, Memory=3072MB) ...
🛑 Stopping node "minikube" ...
🔌 Powering off "minikube" via SSH ...
🔥 Deleting "minikube" in docker ...
👤 StartHost failed, but will try again: creating host: create: creating: prepare kic ssh: unable to execute icacfs to set permissions: : exit status 1
📧 Failed to start docker container. Running "minikube delete" may fix it: error loading existing host. Please try running [minikube delete], then run [minikube start] again: filestore "minikube": open C:\Users\rajak\.minikube\machines\minikube\config.json: The system cannot find the file specified.
❗ Startup with docker driver failed, trying with alternate driver virtualbox: Failed to start host: error loading existing host. Please try running [minikube delete], then run [minikube start] again: filestore "minikube": open C:\Users\rajak\.minikube\machines\minikube\config.json: The system cannot find the file specified.
🔥 Deleting "minikube" in docker ...
🔥 Removing C:\Users\rajak\.minikube\machines\minikube ...

❌ Exiting due to GUEST_FILE_IN_USE: unlinkat C:\Users\rajak\.minikube\machines\minikube\id_rsa: The process cannot access the file because it is being used by another process.
💡 Suggestion: Another program is using a file required by minikube. If you are using Hyper-V, try stopping the minikube VM from within the Hyper-V manager
📖 Documentation: https://minikube.sigs.k8s.io/docs/reference/drivers/hyperv/
🔗 Related issue: https://github.com/kubernetes/minikube/issues/7300

```

```

PS C:\Users\rajak> minikube kubectl -- get nodes
> kubectl.exe.sha256: 64 B / 64 B [-----] 100.00% ? p/s 0s
> kubectl.exe: 60.52 MiB / 60.52 MiB [-----] 100.00% 41.83 MiB p/s 1.6s
NAME      STATUS    ROLES    AGE   VERSION
minikube  Ready    control-plane  60m   v1.37.0
PS C:\Users\rajak> minikube kubectl -- get nodes -A
NAME      STATUS    ROLES    AGE   VERSION
minikube  Ready    control-plane  61m   v1.37.0
PS C:\Users\rajak> minikube kubectl -- get pods
No resources found in default namespace.

```



```

Optional: false
DownwardAPI: true
QoS Class: BestEffort
Node-Selectors: <none>
Tolerations: node.kubernetes.io/not-ready:NoExecute op=Exists for 300s
              node.kubernetes.io/unreachable:NoExecute op=Exists for 300s

Events:
  Type    Reason      Age   From          Message
  ----    -
Normal    Scheduled   38s   default-scheduler Successfully assigned default/apachepod to minikube
Normal    Pulling     38s   kubelet        spec.containers{apachepod}: Pulling image "httpd"
Normal    Pulled      27s   kubelet        spec.containers{apachepod}: Successfully pulled image "httpd" in 10.191s (10.191s including waiting). Image size: 45334220 bytes.
Normal    Created     27s   kubelet        spec.containers{apachepod}: Container created
Normal    Started     27s   kubelet        spec.containers{apachepod}: Container started

PS C:\Users\rajak> minikube kubectl -- logs apachepod
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, using 10.244.0.3. Set the 'ServerName' directive globally to suppress this message
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, using 10.244.0.3. Set the 'ServerName' directive globally to suppress this message
[Wed Oct 07 04:49:55.366195 2026] [mpm_event:notice] [pid 1:tid 1] AH00489: Apache/2.4.69 (Unix) configured -- resuming normal operations
[Wed Oct 07 04:49:55.367526 2026] [core:notice] [pid 1:tid 1] AH00094: Command line: 'httpd -D FOREGROUND'
PS C:\Users\rajak> minikube kubectl -- exec -it apachepod -- /bin/bash
root@apachepod:/usr/local/apache2# apt update
Hit:1 http://deb.debian.org/debian trixie InRelease
Get:2 http://deb.debian.org/debian trixie-updates InRelease [47.3 kB]
Get:3 http://deb.debian.org/debian-security trixie-security InRelease [43.4 kB]
Get:4 http://deb.debian.org/debian trixie/main amd64 Packages [9678 kB]
Get:5 http://deb.debian.org/debian trixie-updates/main amd64 Packages [4412 B]
Get:6 http://deb.debian.org/debian-security trixie-security/main amd64 Packages [264 kB]
Fetched 10.0 MB in 2s (5574 kB/s)
All packages are up to date.
root@apachepod:/usr/local/apache2# ls
bin build cgi-bin conf error htdocs icons include logs modules
root@apachepod:/usr/local/apache2# exit
exit
PS C:\Users\rajak> minikube kubectl -- delete pod apachepod
pod "apachepod" deleted from default namespace
PS C:\Users\rajak> minikube kubectl -- get pods
No resources found in default namespace.
PS C:\Users\rajak> |

```

```
PS C:\Users\rajak> notepad simplepod.yaml
PS C:\Users\rajak> ls
```

Directory: C:\Users\rajak

Mode	LastWriteTime		Length	Name
----	-----		-----	----
d-----	05-08-2025	15:57		.arduinoIDE
d-----	01-10-2026	13:42		.aws
d-----	25-09-2026	19:18		.config
d-----	17-08-2026	17:36		.copilot
d-----	07-10-2026	08:56		.docker
d-----	08-06-2026	13:22		.ghcp-appmod
d-----	08-06-2026	13:22		.ghcp-appmod-java
d-----	26-03-2026	09:47		.idlerc
d-----	07-10-2026	10:17		.kube
d-----	07-10-2026	09:16		.minikube
d-----	27-09-2025	10:12		.redhat
d-----	06-10-2026	12:03		.ssh
d-----	08-06-2026	14:02		.th-client
d-----	24-09-2026	18:16		.VirtualBox
d-----	05-10-2026	09:20		.vscode
d-----	10-06-2026	18:19		.vscode-shared
d-----	14-05-2026	16:59		a
d-----	14-05-2026	17:00		b
d-r---	16-12-2025	13:21		Contacts
d-----	14-05-2026	16:56		cpl
d-----	08-06-2026	12:11		crm-backend
d-----	25-09-2026	12:32		demo-devops
d-----	25-09-2026	10:34		devops
d-----	24-09-2026	19:03		devops-cmds
d-----	08-06-2025	18:18		Documents
d-r---	07-10-2026	08:52		Downloads
d-----	08-06-2026	12:41		EnterpriseCRM
d-r---	16-12-2025	13:21		Favorites
d-----	29-09-2026	14:31		frontend
d-r---	16-12-2025	13:21		Links
d-r---	16-12-2025	13:21		Music
d-----	23-02-2026	21:04		node_modules

	Created	Last-Modified	Size	Name
d-r---	13-04-2026	18:18		Videos
-a----	03-10-2026	12:15	4282	.bash_history
-a----	29-09-2026	10:51	162	.gitconfig
-a----	29-09-2026	10:55	26	.lessht
-a----	25-09-2026	12:29	8554	.viminfo
-a----	14-05-2026	17:08	0	a.txt
-a----	28-09-2026	12:54	76887040	demobackup.tar
-a----	30-09-2026	08:25	691	docker-compose.yaml
-a----	29-09-2026	08:12	77	file.txt.txt
-a----	29-09-2026	09:09	20	index.html
-a----	23-02-2026	21:04	37391	package-lock.json
-a----	23-02-2026	21:04	393	package.json
-a----	07-10-2026	11:05	154	simplepod.yaml

```

PS C:\Users\rajak> minikube kubectl -- apply -f simplepod.yaml
pod/nginx created
PS C:\Users\rajak> minikube kubectl -- get pods
NAME      READY   STATUS    RESTARTS   AGE
nginx     1/1     Running   0           7m46s
PS C:\Users\rajak> minikube kubectl -- delete -f simplepod.yaml
pod "nginx" deleted from default namespace
PS C:\Users\rajak> |

```

```

PS C:\Users\rajak> minikube kubectl -- create deployment nginxdeploy --image=nginx:1.30
deployment.apps/nginxdeploy created
PS C:\Users\rajak> minikube kubectl -- get deploy
NAME          READY    UP-TO-DATE    AVAILABLE    AGE
nginxdeploy   1/1      1             1            17s
PS C:\Users\rajak> minikube kubectl -- get pods
NAME          READY    STATUS      RESTARTS    AGE
nginxdeploy-6c997dd56f-csgjz  1/1      Running     0           24s
PS C:\Users\rajak> minikube kubectl -- scale deployment nginxdeploy --replicas=5
deployment.apps/nginxdeploy scaled
PS C:\Users\rajak> minikube kubectl -- get deploy
NAME          READY    UP-TO-DATE    AVAILABLE    AGE
nginxdeploy   5/5      5             5            84s
PS C:\Users\rajak> minikube kubectl -- get deploy -A
NAMESPACE     NAME          READY    UP-TO-DATE    AVAILABLE    AGE
default       nginxdeploy   5/5      5             5            89s
kube-system   coredns       1/1      1             1           149m
PS C:\Users\rajak> minikube kubectl -- get pods
NAME          READY    STATUS      RESTARTS    AGE
nginxdeploy-6c997dd56f-c75tb  1/1      Running     0           3m23s
nginxdeploy-6c997dd56f-cpsg4  1/1      Running     0           3m23s
nginxdeploy-6c997dd56f-csgjz  1/1      Running     0           4m33s
nginxdeploy-6c997dd56f-pmcm7  1/1      Running     0           3m23s
nginxdeploy-6c997dd56f-zqmzb  1/1      Running     0           3m23s
PS C:\Users\rajak> |

```

```

PS C:\Users\rajak> minikube kubectl -- get pods
NAME                                READY   STATUS    RESTARTS   AGE
nginxdeploy-6c997dd56f-c75tb        1/1     Running   0           3m23s
nginxdeploy-6c997dd56f-cpsg4        1/1     Running   0           3m23s
nginxdeploy-6c997dd56f-csgjz        1/1     Running   0           4m33s
nginxdeploy-6c997dd56f-pmcm7        1/1     Running   0           3m23s
nginxdeploy-6c997dd56f-zqmzb        1/1     Running   0           3m23s
PS C:\Users\rajak> minikube kubectl -- describe deploy nginxdeploy
Name:                               nginxdeploy
Namespace:                          default
CreationTimestamp:                  Wed, 07 Oct 2026 11:44:31 +0530
Labels:                             app=nginxdeploy
Annotations:                         deployment.kubernetes.io/revision: 1
Selector:                           app=nginxdeploy
Replicas:                           5 desired | 5 updated | 5 total | 5 available | 0 unavailable
StrategyType:                       RollingUpdate
MinReadySeconds:                    0
RollingUpdateStrategy:              25% max unavailable, 25% max surge
Pod Template:
  Labels:  app=nginxdeploy
  Containers:
    nginx:
      Image:          nginx:1.30
      Port:           <none>
      Host Port:      <none>
      Environment:    <none>
      Mounts:         <none>
  Volumes:           <none>
  Node-Selectors:    <none>
  Tolerations:       <none>
Conditions:
  Type           Status  Reason
  ----           -
  Progressing    True    NewReplicaSetAvailable
  Available      True    MinimumReplicasAvailable
OldReplicaSets: <none>
NewReplicaSet:  nginxdeploy-6c997dd56f (5/5 replicas created)
Events:
  Type     Reason             Age   From                  Message
  ----     -
  Normal   ScalingReplicaSet  43m   deployment-controller  Scaled up replica set nginxdeploy-6c997dd56f from 0 to 1

```

```
-----
Normal ScalingReplicaSet 43m deployment-controller Scaled up replica set nginxdeploy-6c997dd56f from 0 to 1
Normal ScalingReplicaSet 41m deployment-controller Scaled up replica set nginxdeploy-6c997dd56f from 1 to 5
PS C:\Users\rajak> minikube kubectl -- set image deployment/nginxdeploy nginx=nginx:1.30.5
deployment.apps/nginxdeploy image updated
PS C:\Users\rajak> minikube kubectl -- describe deploy nginxdeploy
Name: nginxdeploy
Namespace: default
CreationTimestamp: Wed, 07 Oct 2026 11:44:31 +0530
Labels: app=nginxdeploy
Annotations: deployment.kubernetes.io/revision: 2
Selector: app=nginxdeploy
Replicas: 5 desired | 5 updated | 5 total | 5 available | 0 unavailable
StrategyType: RollingUpdate
MinReadySeconds: 0
RollingUpdateStrategy: 25% max unavailable, 25% max surge
Pod Template:
  Labels: app=nginxdeploy
  Containers:
    nginx:
      Image: nginx:1.30.5
      Port: <none>
      Host Port: <none>
      Environment: <none>
      Mounts: <none>
  Volumes: <none>
  Node-Selectors: <none>
  Tolerations: <none>
Conditions:
  Type          Status Reason
  ----          -
  Available     True   MinimumReplicasAvailable
  Progressing   True   NewReplicaSetAvailable
OldReplicaSets: nginxdeploy-6c997dd56f (0/0 replicas created)
NewReplicaSet:  nginxdeploy-86765cb76d (5/5 replicas created)
Events:
  Type          Reason          Age    From          Message
  ----          -
  Normal        ScalingReplicaSet 49m    deployment-controller Scaled up replica set nginxdeploy-6c997dd56f from 0 to 1
  Normal        ScalingReplicaSet 48m    deployment-controller Scaled up replica set nginxdeploy-6c997dd56f from 1 to 5
  Normal        ScalingReplicaSet 45s    deployment-controller Scaled up replica set nginxdeploy-86765cb76d from 0 to 2
```

Events:					
Type	Reason	Age	From	Message	
----	-----	----	----	-----	
Normal	ScalingReplicaSet	49m	deployment-controller	Scaled up replica set nginxdeploy-6c997dd56f from 0 to 1	
Normal	ScalingReplicaSet	48m	deployment-controller	Scaled up replica set nginxdeploy-6c997dd56f from 1 to 5	
Normal	ScalingReplicaSet	45s	deployment-controller	Scaled up replica set nginxdeploy-86765cb76d from 0 to 2	
Normal	ScalingReplicaSet	45s	deployment-controller	Scaled down replica set nginxdeploy-6c997dd56f from 5 to 4	
Normal	ScalingReplicaSet	45s	deployment-controller	Scaled up replica set nginxdeploy-86765cb76d from 2 to 3	
Normal	ScalingReplicaSet	38s	deployment-controller	Scaled down replica set nginxdeploy-6c997dd56f from 4 to 3	
Normal	ScalingReplicaSet	38s	deployment-controller	Scaled up replica set nginxdeploy-86765cb76d from 3 to 4	
Normal	ScalingReplicaSet	35s	deployment-controller	Scaled down replica set nginxdeploy-6c997dd56f from 3 to 2	
Normal	ScalingReplicaSet	35s	deployment-controller	Scaled up replica set nginxdeploy-86765cb76d from 4 to 5	
Normal	ScalingReplicaSet	34s	deployment-controller	Scaled down replica set nginxdeploy-6c997dd56f from 2 to 1	
Normal	ScalingReplicaSet	31s	deployment-controller	Scaled down replica set nginxdeploy-6c997dd56f from 1 to 0	

```
PS C:\Users\rajak> minikube kubectl -- set image deployment/nginxdeploy nginx=httpd
deployment.apps/nginxdeploy image updated
```

```
PS C:\Users\rajak> minikube kubectl -- describe deploy nginxdeploy
```

```
Name:                nginxdeploy
Namespace:           default
CreationTimestamp:    Wed, 07 Oct 2026 11:44:31 +0530
Labels:              app=nginxdeploy
Annotations:         deployment.kubernetes.io/revision: 3
Selector:            app=nginxdeploy
Replicas:            5 desired | 5 updated | 5 total | 5 available | 0 unavailable
StrategyType:        RollingUpdate
MinReadySeconds:     0
RollingUpdateStrategy: 25% max unavailable, 25% max surge
```

```
Pod Template:
  Labels:  app=nginxdeploy
  Containers:
    nginx:
      Image:          httpd
      Port:           <none>
      Host Port:      <none>
      Environment:    <none>
      Mounts:         <none>
  Volumes:          <none>
  Node-Selectors:    <none>
  Tolerations:       <none>
```

Conditions:		
Type	Status	Reason

```
Normal ScalingReplicaSet 106s deployment-controller Scaled down replica set nginxdeploy-6c997dd56f from 1 to 0
Normal ScalingReplicaSet 9s (x9 over 17s) deployment-controller (combined from similar events): Scaled down replica set nginxdeploy-86765cb76d from 1
to 0
PS C:\Users\rajak> minikube kubectl -- get pods
NAME                                READY   STATUS    RESTARTS   AGE
nginxdeploy-5b995d68cc-88d5w        1/1     Running   0           2m53s
nginxdeploy-5b995d68cc-mgdgm        1/1     Running   0           2m48s
nginxdeploy-5b995d68cc-pf428        1/1     Running   0           2m53s
nginxdeploy-5b995d68cc-qwdvg        1/1     Running   0           2m52s
nginxdeploy-5b995d68cc-t9vs4        1/1     Running   0           2m49s
PS C:\Users\rajak> minikube kubectl -- delete pod nginxdeploy-5b995d68cc-88d5w nginxdeploy-5b995d68cc-mgdgm
pod "nginxdeploy-5b995d68cc-88d5w" deleted from default namespace
pod "nginxdeploy-5b995d68cc-mgdgm" deleted from default namespace
PS C:\Users\rajak> minikube kubectl -- get pods
NAME                                READY   STATUS    RESTARTS   AGE
nginxdeploy-5b995d68cc-gg5k2        1/1     Running   0           32s
nginxdeploy-5b995d68cc-n2l4w        1/1     Running   0           31s
nginxdeploy-5b995d68cc-pf428        1/1     Running   0           3m55s
nginxdeploy-5b995d68cc-qwdvg        1/1     Running   0           3m54s
nginxdeploy-5b995d68cc-t9vs4        1/1     Running   0           3m51s
PS C:\Users\rajak> minikube kubectl -- rollout status deployment nginxdeploy
deployment "nginxdeploy" successfully rolled out
PS C:\Users\rajak> minikube kubectl -- describe pod nginxdeploy-5b995d68cc-gg5k2
Name:                               nginxdeploy-5b995d68cc-gg5k2
Namespace:                         default
Priority:                           0
Service Account:                   default
Node:                               minikube/192.168.49.2
Start Time:                        Wed, 07 Oct 2026 12:38:16 +0530
Labels:                            app=nginxdeploy
                                   pod-template-hash=5b995d68cc
Annotations:                       <none>
Status:                             Running
IP:                                10.244.0.20
IPs:
  IP:                               10.244.0.20
Controlled By:                      ReplicaSet/nginxdeploy-5b995d68cc
Containers:
  nginx:
    Container ID:                    containerd://d916d434854054c7c1e910b07647b1c879cb5209570cf01a1ca15af993c5c0dc
    Image:                          httpd
```

```
Normal    Pulled      2m28s    kubelet    spec.containers{nginx}: Container image "httpd" already present on machine and can be accessed
Normal    Created      2m28s    kubelet    spec.containers{nginx}: Container created
Normal    Started      2m27s    kubelet    spec.containers{nginx}: Container started
PS C:\Users\rajak> minikube kubectl -- rollout undo deployment nginxdeploy
deployment.apps/nginxdeploy rolled back
PS C:\Users\rajak> minikube kubectl -- get pods
NAME                                READY   STATUS    RESTARTS   AGE
nginxdeploy-86765cb76d-886zz        1/1     Running   0           16s
nginxdeploy-86765cb76d-9h95n        1/1     Running   0           16s
nginxdeploy-86765cb76d-r7dqp        1/1     Running   0           16s
nginxdeploy-86765cb76d-tjrlc        1/1     Running   0           11s
nginxdeploy-86765cb76d-wzt2r        1/1     Running   0           14s
PS C:\Users\rajak> minikube kubectl -- describe pod nginxdeploy-86765cb76d-886zz
Name:                               nginxdeploy-86765cb76d-886zz
Namespace:                          default
Priority:                            0
Service Account:                    default
Node:                               minikube/192.168.49.2
Start Time:                         Wed, 07 Oct 2026 12:41:08 +0530
Labels:                             app=nginxdeploy
                                     pod-template-hash=86765cb76d
Annotations:                         <none>
Status:                             Running
IP:                                 10.244.0.23
IPs:
  IP:                               10.244.0.23
Controlled By:                      ReplicaSet/nginxdeploy-86765cb76d
Containers:
  nginx:
    Container ID:                    containerd://c27203cf3ae444453a8de8d7169f198ff9d97f45feaa69fca6e058c15d7e5f0b
    Image:                           nginx:1.30.5
    Image ID:                        docker.io/library/nginx@sha256:9bf97bd7714f5e24c1ccd545ecb9eb5435cb6d109c97cebb15e7e455e0239edb
    Port:                            <none>
    Host Port:                       <none>
    State:                           Running
      Started:                       Wed, 07 Oct 2026 12:41:12 +0530
    Ready:                           True
    Restart Count:                   0
    Environment:                     <none>
    Mounts:
      /var/run/secrets/kubernetes.io/serviceaccount from kube-api-access-hwkrc (ro)
```

```
Containers:
  nginx:
    Container ID:   containerd://c27203cf3aeeee453a8de8d7169f198ff9d97f45feaa69fca6e058c15d7e5f0b
    Image:          nginx:1.30.5
    Image ID:       docker.io/library/nginx@sha256:9bf97bd7714f5e24c1ccd545ecb9eb5435cb6d109c97cebb15e7e455e0239edb
    Port:          <none>
    Host Port:     <none>
    State:         Running
      Started:     Wed, 07 Oct 2026 12:41:12 +0530
    Ready:         True
    Restart Count:  0
    Environment:   <none>
    Mounts:
      /var/run/secrets/kubernetes.io/serviceaccount from kube-api-access-hwkr (ro)
```

```
Conditions:
  Type                               Status
  PodReadyToStartContainers         True
  Initialized                       True
  Ready                             True
  ContainersReady                   True
  PodScheduled                      True
```

```
Volumes:
  kube-api-access-hwkr:
    Type:          Projected (a volume that contains injected data from multiple sources)
    TokenExpirationSeconds: 3607
    ConfigMapName:  kube-root-ca.crt
    Optional:      false
    DownwardAPI:   true
```

```
QoS Class:           BestEffort
```

```
Node-Selectors:      <none>
```

```
Tolerations:         node.kubernetes.io/not-ready:NoExecute op=Exists for 300s
                     node.kubernetes.io/unreachable:NoExecute op=Exists for 300s
```

```
Events:
  Type    Reason      Age   From                Message
  ----    -
  Normal  Scheduled   30s   default-scheduler   Successfully assigned default/nginxdeploy-86765cb76d-886zz to minikube
  Normal  Pulled      28s   kubelet             spec.containers{nginx}: Container image "nginx:1.30.5" already present on machine and can
  Normal  Created     27s   kubelet             spec.containers{nginx}: Container created
  Normal  Started     26s   kubelet             spec.containers{nginx}: Container started
```

```
PS C:\Users\rajak> |
```

```
PS C:\Users\rajak> notepad nginxdeploy.yaml
PS C:\Users\rajak> minikube kubectl -- apply -f nginxdeploy.yaml
error: error validating "nginxdeploy.yaml": error validating data: failed to download openapi: Get "https://127.0.0.1:54742/openapi/v2?timeout=32s": dial tcp 127.0.0.1:54742: connectex: No connection could be made because the target machine actively refused it.; if you choose to ignore these errors, turn validation off with --validate=false
PS C:\Users\rajak> minikube start
🐳 minikube v1.39.0 on Microsoft Windows 11 Home Single Language 25H2
💎 Using the docker driver based on existing profile

🔴 Exiting due to PROVIDER_DOCKER_VERSION_EXIT_1: "docker version --format <no value>-<no value>:<no value>" exit status 1: failed to connect to the docker API at npipe:////./pipe/dockerDesktopLinuxEngine; check if the path is correct and if the daemon is running: open //./pipe/dockerDesktopLinuxEngine: The system cannot find the file specified.
📖 Documentation: https://minikube.sigs.k8s.io/docs/drivers/docker/
```

```
PS C:\Users\rajak> minikube kubectl -- apply -f nginxdeploy.yaml
```

```
deployment.apps/nginx-deployment created
```

```
PS C:\Users\rajak> minikube kubectl -- get pods
```

NAME	READY	STATUS	RESTARTS	AGE
nginx-deployment-54fd4d6d4c-4g4j5	1/1	Running	0	43s
nginx-deployment-54fd4d6d4c-mf87q	1/1	Running	0	43s
nginx-deployment-54fd4d6d4c-x7txh	1/1	Running	0	43s
nginxdeploy-86765cb76d-886zz	1/1	Running	1 (69s ago)	5h14m
nginxdeploy-86765cb76d-9h95n	1/1	Running	1 (69s ago)	5h14m
nginxdeploy-86765cb76d-r7dqp	1/1	Running	1 (69s ago)	5h14m
nginxdeploy-86765cb76d-tjrlc	1/1	Running	1 (69s ago)	5h14m
nginxdeploy-86765cb76d-wzt2r	1/1	Running	1 (69s ago)	5h14m

```
PS C:\Users\rajak> minikube kubectl -- delete deploy nginxdeploy
```

```
deployment.apps "nginxdeploy" deleted from default namespace
```

```
PS C:\Users\rajak> minikube kubectl -- get pods
```

NAME	READY	STATUS	RESTARTS	AGE
nginx-deployment-54fd4d6d4c-4g4j5	1/1	Running	0	4m3s
nginx-deployment-54fd4d6d4c-mf87q	1/1	Running	0	4m3s
nginx-deployment-54fd4d6d4c-x7txh	1/1	Running	0	4m3s

```
PS C:\Users\rajak> minikube kubectl -- delete deploy nginxdeploy
```

```
Error from server (NotFound): deployments.apps "nginxdeploy" not found
```

```
PS C:\Users\rajak> minikube kubectl -- delete deploy nginxdeployment
```

```
Error from server (NotFound): deployments.apps "nginxdeployment" not found
```

```
PS C:\Users\rajak> minikube kubectl -- get deploy
```

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
nginx-deployment	3/3	3	3	6m31s

```
PS C:\Users\rajak> minikube kubectl -- delete deploy nginx-deployment
```

```
deployment.apps "nginx-deployment" deleted from default namespace
```

```
PS C:\Users\rajak> minikube kubectl -- get deploy
```

```
No resources found in default namespace.
```