

Emergency Intervention and Rescue Operations for COVID-19 Pandemic Scenarios

Raghad Abdelhameed Abdelhady

Salma Ali Ibrahim

Rawan Mohamed Nasr

Mohamed Ahmed Mahmoud

Zeyad Ashraf Ahmed

Mohamed Ashraf Abdelhameed

Abstract—This project presents the design and implementation of a comprehensive 3D virtual simulation titled "Virtual Emergency Intervention and Rescue Operations for COVID-19 Pandemic Scenarios." Developed using Blender, the project aims to visualize the logistical and medical complexities of a biological disaster response, tracing the journey of a patient from a domestic emergency to an intensive care unit (ICU). The simulation is structured into six high-fidelity scenes that address specific technical requirements: skeletal character animation with realistic degrees of freedom, advanced lighting models incorporating both diffuse and specular surfaces, and complex physics-based rendering. Specifically, the project highlights the challenges of medical rescue under adverse conditions, such as patient extraction during a heavy rainstorm—simulated using particle systems and dynamic paint—and the management of triage in overcrowded hospital waiting areas. By integrating collision detection for medical equipment and path-based camera movements for environmental fly-throughs, the simulation provides a realistic narrative of the pressures faced by healthcare systems during a pandemic. The resulting report details the methodology, rig design, and environmental physics used to create this pedagogical tool for biomedical visualization and rescue training.

Index Terms—Blender, COVID-19, Computer Graphics, Skeletal Animation, Physics-based Rendering, Search and Rescue (SAR).

I. INTRODUCTION

The COVID-19 pandemic represented one of the most significant biological disasters of the 21st century, placing unprecedented strain on global healthcare infrastructure and emergency response teams. Unlike geophysical or hydrological disasters, biological crises require specialized "Search-and-Rescue" (SAR) protocols that prioritize infection control, rapid patient stabilization, and complex transport logistics. In this context, 3D virtual environments have emerged as vital tools for simulating these high-stress scenarios without risking human life or consuming limited medical resources. By using 3D modeling and animation software like Blender, we can recreate the "medical rescue pipeline," allowing for a visual analysis of how first responders and hospital staff interact with patients, equipment, and environment.

The objective of this project is to simulate a comprehensive COVID-19 emergency intervention through a sequence of six distinct scenarios. The narrative begins in a domestic setting, highlighting the emotional and physical distress of a biological emergency within a family unit. It then transitions through the critical phases of extraction and transport, where paramedics

must navigate confined spaces—such as the interior of an ambulance—while performing life-saving first aid. A major focus of the project is the representation of "operational difficulties," as mandated by the project requirements. This is achieved in the hospital exterior scene, where the rescue team must operate under the physics-based challenges of heavy rain and muddy terrain.

Technically, this project serves as a practical application of advanced computer graphics principles. We employ skeletal rigging and Inverse Kinematics (IK) to achieve natural human motion, from the rhythmic coughing of a patient to the frantic running of medical personnel. Furthermore, we explore the duality of material properties by contrasting the "diffuse" textures of a home environment with the "highly specular" surfaces of modern medical facilities. Through the use of collision detection, particle physics, and sophisticated lighting, this project provides a holistic view of the medical rescue process, demonstrating the power of biomedical visualization in understanding and preparing for future health crises.

II. LITERATURE REVIEW

Recent research has increasingly utilized Virtual Reality (VR) and 3D modeling for disaster preparedness. Caballero and Niguidula [1] emphasized the role of case-driven training simulations in enhancing emergency response. Their work suggests that immersive environments significantly improve the situational awareness of first responders.

Furthermore, the simulation of rescue in confined or high-stress environments has been explored by Lu et al. [2], who developed "Serious Games" for training in confined space rescue. Their methodology for modeling rescue equipment and character movement in restricted spaces provided a foundation for our Scene 3 (Ambulance Interior) and Scene 6 (ICU).

The social aspect of disasters, such as crowding in hospitals, is also a critical factor. Lu et al. [3] studied the impact of social influence and fire wardens in metro stations, which we adapted to model the behavior of crowds in the hospital waiting area (Scene 5). By integrating these various research perspectives, our project creates a holistic view of the rescue process.

III. METHODOLOGY AND TECHNICAL IMPLEMENTATION

The project was developed using Blender 5.x, utilizing both the Eevee and Cycles rendering engines depending on the scene's complexity.

A. Skeletal Animation and Spatial Locomotion

The core of the simulation relies on integrating pre-defined skeletal animations with directed spatial movement to create a coherent narrative of emergency medical intervention. Rather than treating animations as static clips, the methodology focuses on the synchronization of character movement with the physical environment to achieve a sense of progression through the six disaster scenes.

1) Character Animation and Behavioral Modeling: Each character was assigned specific motion sequences to represent the progression of the COVID-19 pandemic. The animations were sourced to capture realistic human responses:

- **Symptomatic Representation:** The patient in the domestic scene exhibits rhythmic respiratory distress, simulated through a combination of torso and neck movements to mimic severe coughing. This is paired with localized arm movements to convey physical struggle.
- **Emotional Responses:** The family members in the home environment were animated to reflect distress. This involved the use of repetitive motion cycles that simulate crying and the frantic usage of communication devices to alert emergency services.
- **Medical Intervention:** The animations for the medical staff inside the ambulance (Scene 3) and the ICU (Scene 6) were designed to reflect the technical nature of first aid, including stabilization techniques and patient assessment movements.

2) Global Spatial Translation: A critical aspect of the simulation is the movement of characters across the virtual space, moving beyond static, in-place animation loops. To ensure the realism of the emergency response, the characters were animated to traverse the environment in a direct manner:

- **Exterior Rescue Locomotion:** In the hospital exterior (Scene 4), the medical staff moving from the building to the ambulance required a coordinated running gait. The motion was timed to correspond with the physical distance between the hospital entrance and the ambulance, ensuring the characters move convincingly across the muddy terrain.
- **Internal Navigation:** Within the ICU (Scene 6) and the hospital waiting area (Scene 5), characters were animated to move between beds and designated areas. This spatial movement allows the camera to track the medical staff as they navigate the ward, providing a comprehensive view of the patient care process.

B. Material Properties and Surface Physics

To establish a realistic visual contrast between the various stages of the medical intervention, the simulation utilizes a physically-based shading approach centered on the **Principled BSDF** model. This allowed for a precise manipulation of surface attributes to reflect the environmental conditions of each scene.

1) Diffuse vs. Specular Environments: In the initial domestic setting (Scene 1), materials were configured to emphasize comfort and "dry" textures. High Roughness values were applied to surfaces such as wooden furniture and fabric bedding to create a "diffuse" light response, where light is scattered across the surface rather than reflected. As the narrative transitions to the hospital (Scenes 5 and 6), the material logic shifts toward sterility and cleanliness. Polished linoleum floors and metallic medical equipment were assigned high Metallic values and low Roughness settings. This creates "specular" surfaces that produce sharp, clear reflections, characteristic of modern healthcare facilities.




Fig. 1. Low roughness textures




Fig. 2. High roughness textures

2) Simulation of Wet Surfaces (The Rainy Night Scene): The most complex material application occurs in the hospital exterior (Scene 4). To simulate a heavy rainstorm at night, a global adjustment was made to the roughness parameters of all active meshes. By significantly decreasing the Roughness of the ambulance exterior, the hospital walls, and the characters' clothing, every object achieved a "wet" look. These low-roughness surfaces allow for high reflectivity, causing the objects to catch and mirror the surrounding emergency lights, effectively simulating the appearance of moisture-coated materials.




Fig. 3. Wet muddy ground

C. Lighting Design and Atmospheric Contrast

Lighting was utilized as a narrative tool to guide the viewer's eye and differentiate between safe domestic spaces and high-stakes emergency environments.

1) Interior Lighting:

- **Domestic Scene:** The home environment utilized **Point Lights** to simulate standard residential bulbs, creating a soft, localized glow that emphasizes the private nature of the emergency.
- **ICU and Hospital Ward:** In contrast, the hospital interiors utilize high-intensity **World light** with a cool temperature. This provides a "sterile" and uniform illumination that highlights the clinical scale of the ICU beds and patients.

2) **Nighttime Rescue Illumination (Scene 4):** Scene 4 presents the most intricate lighting challenge, occurring in a dark, outdoor environment where visibility is limited to artificial sources. Three primary lighting types were integrated:

- **Area Lighting (The Hospital Entrance):** A large, high-intensity Area light was placed at the hospital's open doors. This serves as the primary silhouette light, casting a strong white glow that illuminates the medical staff as they run toward the ambulance.
- **Point Lighting (Emergency Sirens and Headlights):** The ambulance utilizes multiple Point lights to simulate its emergency signaling system. White and red Point lights were placed at the front and on sides, casting rhythmic flashes of red and white across the wet ground and characters, heightening the sense of urgency.
- **Emissive Lighting (The Emergency Sign):** The "Emergency" sign above the hospital entrance was modeled using an emissive material. By assigning a bright red glow to the text itself, the sign acts as a constant light source, reflecting off the rainy surfaces and providing a thematic red hue to the entire scene.



Fig. 4. Siren and point lights of the ambulance




Fig. 5. Area light and Emissive light of hospital

D. Collision Detection and Physical Interaction

To ensure physical consistency between the characters, medical equipment, and the environment, the simulation utilizes a physics-based interaction model. Collision detection is essential for maintaining the realism of the rescue pipeline, preventing 3D meshes from interpenetrating and ensuring that objects react naturally to the surfaces around them.

1) **Equipment and Patient Interaction:** A primary application of collision detection is observed in the transition of the patient from the home environment to the ambulance (Scene 2). By defining the stretcher as a solid physical entity and the patient's mesh as an interactive object, the simulation ensures that the patient remains securely positioned on the stretcher during transport. This prevents the "clipping" effect where a character might pass through the medical equipment, maintaining a logical physical boundary between the biological and mechanical models.



2) Environmental Collision and the Collapse Event:

The most significant use of collision detection occurs in the hospital waiting area (Scene 5), where a patient is shown falling to the ground. This event relies on the interaction between the character and the "Ground Plane" of the hospital floor.

- **Surface Collision:** The hospital floor was configured as a passive physical barrier. As the character's animation transitions into a fall, the collision sensors detect the floor's surface, causing the character's descent to stop accurately upon impact.
- **Physical Realism:** This detection ensures that the character's limbs and torso rest realistically on the floor rather than passing through the floor's mesh, providing a clear visual representation of a sudden medical collapse.



Fig. 6. Falling man on the ground

3) Vehicle and Ground Interaction: In the exterior hospital scene (Scene 4), collision detection was used to manage the relationship between the ambulance and the muddy terrain. The collision parameters ensure that the wheels maintain contact with the ground plane. This is particularly important for the "wet" look of the scene, as it allows the ambulance to appear as though it is physically pressing into the environment, rather than floating above it.



Fig. 7. Wheels contact with the ground

4) Crowd and Obstacle Management: Within the crowded hospital scenes (Scene 5 and 6), collision detection helps define the boundaries between the numerous medical beds, equipment, and the people moving through the ward. By assigning collision properties to the beds in the ICU, the simulation ensures that medical staff walking through the room

navigate around the equipment, reinforcing the sense of a densely packed, high-pressure medical facility.



Fig. 8. Staff walking through the ICU

E. Physics-Based Environmental Simulation

To achieve a high degree of immersion in the outdoor rescue scenario (Scene 4), the simulation incorporates several layers of physics-based rendering. These elements—precipitation, fluid-surface interaction, and atmospheric scattering—work in tandem to simulate a complex "biological disaster" environment where the weather acts as a significant operational barrier.

- 1) **Particle-Based Precipitation Systems:** The simulation of heavy rain was achieved through a dynamic Particle Emission System. Rather than using static textures, rain was modeled as a high-volume stream of individual particles assigned a high downward velocity.



Fig. 9. Rain particles and Fog

- **Storm Dynamics:** To simulate the turbulent nature of a storm, a **Wind Force Field** was integrated into the global physics space. The interaction between the wind force and the particle system caused the rain to fall at a diagonal orientation, mimicking the chaotic movement of water during a high-wind event.

- **Visual Fidelity:** The particles were rendered with a motion-blur effect to ensure they appeared as streaks of water rather than static droplets, enhancing the sense of speed and intensity during the rescue.

2) Surface Physics and Fluid Mimicry (Muddy Grounds):

The ground plane in Scene 4 was designed to reflect the physical impact of prolonged rainfall on soil. This was achieved through a multi-layered material strategy:

- **Texture Mapping:** A high-resolution soil texture was used as the base "Diffuse" layer to provide the organic look of earth.
- **Roughness Manipulation:** To simulate the transition from dry soil to "wet mud," the **Roughness** value was drastically reduced across the ground mesh. By decreasing roughness, the surface shifts from a matte, light-absorbing state to a highly reflective, "specular" state. This allows the ground to mirror the red and white light from the ambulance sirens and the hospital's "Emergency" sign, creating the visual illusion of water-saturated mud and puddles.

3) Volumetric Atmospheric Scattering (Fog and Mist):

To provide depth and a sense of scale to the nighttime environment, a **Volumetric Density** model was implemented. This was achieved by enclosing the entire exterior scene within a localized domain (a "Volumetric Cube").

- **Density Manipulation:** By utilizing a **Principled Volume** shader, the density of the air was manipulated to simulate heavy fog. This scattering effect is critical for nighttime scenes, as it causes the light from the ambulance sirens and hospital doors to "glow" or bloom within the atmosphere.
- **Atmospheric Perspective:** The fog serves to naturally obscure distant objects, focusing the viewer's attention on the high-contrast medical intervention occurring in the foreground while adding to the overall oppressive atmosphere of the pandemic emergency.

IV. SCENARIO IMPLEMENTATION

A. Scene 1: Domestic Emergency

The simulation begins in a bedroom. A male character, rigged with a complex torso skeleton, is shown coughing in bed. The animation focus here is on the emotional response of the family; the daughter is animated with a crying cycle while the wife uses a rigged cell phone to call emergency services.



Fig. 10. Visualization of initial respiratory distress and family emergency response in a domestic environment.

B. Scene 2: Patient Extraction

Transitioning to the exterior of the residence, this scene focuses on the physical extraction of the patient. Paramedics are shown managing a stretcher, demonstrating the coordination required to move a non-ambulatory patient from a private space to a medical transport unit. The focus here is on the mechanical-biological interaction between the character rig and the medical equipment.



Fig. 11. Patient transfer sequence illustrating the transition from domestic care to mobile medical transport.

C. Scene 3: Medical Intervention (Ambulance Interior)

This scene focuses on biomedical visualization. Inside the confined space of the ambulance, paramedics provide first aid. We modeled a ventilator and oxygen mask, focusing on the technical animation of medical equipment.



Fig. 12. Internal visualization of the mobile medical unit focusing on emergency respiratory stabilization.

D. Scene 4: Hospital Exterior and Environmental Hazards

The hospital arrival occurs during a nighttime storm, introducing significant environmental challenges. This scene highlights the physics-based rendering of heavy rain, wind, and muddy terrain. The lighting is high-contrast, featuring red and white emergency sirens, a glowing "Emergency" sign, and a bright area light from the hospital entrance. The animation features a medical professional running to assist the incoming patient, emphasizing the urgency of the intervention.



Fig. 13. Hospital exterior simulation depicting adverse weather physics and high-contrast nighttime emergency lighting.

E. Scene 5: Triage and Overcrowding

In the hospital waiting area, we simulated a crowded environment to mimic real-world pandemic conditions. Collision detection is critical here as a patient falls to the ground, requiring immediate intervention from staff.



Fig. 14. Hospital triage area simulation depicting facility overcrowding and acute patient collapse.

F. Scene 6: Intensive Care Unit (ICU) Fly-through

The final scenario is a comprehensive visualization of an Intensive Care Unit. The ward is modeled with multiple beds and monitoring equipment to represent a large-scale medical response. The camera utilizes a fly-through path to provide a wide-angle perspective of the entire clinical space. The lighting is sterile and uniform, and the materials are highly specular to reflect the clean, metallic nature of a high-tech medical facility.



Fig. 15. Comprehensive ICU visualization demonstrating facility scale, specular material reflections, and clinical patient management.

V. SIMULATED OPERATIONAL DIFFICULTIES

A. Biological Distress and Domestic Intervention (Scene 1)

Managing unstable patients in non-clinical settings presents significant operational hurdles. The simulation visualizes the difficulty of stabilizing victims of acute respiratory distress—marked by uncontrollable coughing and physical weakness—amidst domestic chaos. The presence of distressed relatives, represented by the crying child and panicked spouse, mimics the real-world challenge paramedics face when performing medical assessments in high-tension, emotional environments where focus and speed are critical.

B. Environmental Hazards and Reduced Visibility (Scene 4)

The hospital exterior introduces physical and visual barriers that directly impede rescue velocity. Heavy rain and muddy terrain create unstable surfaces, complicating the transport of stretchers and equipment. Furthermore, nighttime coordination under limited visibility—relying solely on ambulance sirens and emissive emergency signage—highlights the increased risk of accidents. This high-contrast, low-light environment effectively simulates the difficulty of maintaining operational safety during adverse weather conditions.

C. Facility Saturation and Navigational Constraints (Scenes 5 and 6)

The final scenarios highlight the difficulties associated with healthcare system overload. In the hospital waiting area (Scene 5), a dense crowd forces medical staff to navigate physical obstacles and perform rapid triage during a patient collapse event. This constraint continues in the ICU (Scene 6), where high operational density requires staff to move through narrow lanes between beds and life-support equipment. These scenarios represent the real-world difficulty of maintaining care standards when facility capacity is pushed to its clinical limits.

VI. CONCLUSION

This project successfully demonstrates the utility of 3D modeling and animation in visualizing the complex logistics of a biological disaster response. By utilizing Blender's multifaceted toolset, we developed a six-stage simulation pipeline

that effectively traces the journey of a COVID-19 patient from the initial domestic onset to intensive clinical care.

Technically, the project achieved a high degree of realism through the integration of skeletal dynamics and physically-based rendering. The use of retargeted motion-capture data, customized for global spatial translation, allowed the characters to move convincingly through diverse environments—from the confined interior of an ambulance to the expansive, overcrowded ICU. The application of material physics was particularly effective in Scene 4, where the manipulation of surface roughness and volumetric density successfully simulated the high-contrast, adverse conditions of a nighttime rescue operation during a storm. Furthermore, the implementation of collision detection ensured that the physical interactions between characters, medical equipment, and hospital infrastructure remained consistent and plausible throughout the narrative.

Beyond the technical implementation, the simulation highlights the significant operational difficulties faced by healthcare systems during a pandemic. By modeling specific "bottlenecks" such as facility overcrowding, environmental impediments, and the psychological distress of victims and their families, the project serves as a powerful visualization tool for emergency coordination. The contrast between the warm, diffuse domestic setting and the cold, specular clinical ward underscores the transition from private crisis to public health emergency.

In conclusion, this virtual environment provides a comprehensive framework for understanding the "rescue pipeline." The techniques employed—ranging from particle-based weather systems to dense architectural modeling—demonstrate the potential of computer graphics to serve not only as an artistic medium but also as a pedagogical and analytical tool for biomedical visualization and disaster management training.

MEMBER CONTRIBUTIONS

To ensure a comprehensive and cohesive workflow, each group member took full ownership of an entire scenario within the rescue pipeline. This included all aspects of modeling, animation, lighting, and physics specific to that scene. The contributions are divided as follows:

TABLE I
INDIVIDUAL SCENE OWNERSHIP AND CONTRIBUTIONS

| Member Name | Primary Responsibility (Full Scene Development) |
|---------------------------------|--|
| Raghad Abdelhameed Abdelhady | Scene 1: Domestic Crisis (Home modeling, family skeletal animation, and point lighting). |
| Mohamed Ashraf Abdelhameed | Scene 2: Patient Extraction (Stretcher interaction and residential exterior modeling). |
| Mohamed Ahmed Mahmoud | Scene 3: Mobile Intervention (Ambulance interior modeling and first-aid animation). |
| Salma Ali Ibrahim | Scene 4: Environmental Adversity (Physics-based rain, fog, and nighttime rescue lighting). |
| Zeyad Ashraf Ahmed | Scene 5: Clinical Triage (Crowd management, collision detection, and patient collapse). |
| Rawan Mohamed Nasr | Scene 6: Intensive Care Unit (ICU ward modeling, specular materials, and camera fly-through). |

REFERENCES

- [1] A. R. Caballero and J. D. Niguidula, "Disaster Risk Management and Emergency Preparedness: A Case-Driven Training Simulation Using Immersive Virtual Reality," in *Proc. CHIuXiD '18*, ACM, 2018, pp. 31–37.
- [2] S. Lu et al., "Serious Game: Confined Space Rescue Based on Virtual Reality Technology," in *Proc. VSIP '20*, ACM, 2021, pp. 66–73.
- [3] S. Lu, M. Rodriguez, Z. Feng, et al., "A Virtual Reality Exit Choice Experiment to Assess the Impact of Social Influence and Fire Wardens in a Metro Station Evacuation," *Fire Technol.*, vol. 61, pp. 3591–3614, 2025.
- [4] Y. Chen et al., "Bridging Simulation and Reality: Augmented Virtuality for Mass Casualty Triage Training," in *Proc. CHI '25*, ACM, 2025, Article 36.
- [5] J. C. Uhl et al., "Choosing the Right Reality: A Comparative Analysis of Tangibility in Immersive Trauma Simulations," in *Proc. CHI '24*, ACM, 2024, Article 187.
- [6] S. Ooi, T. Tanimoto, and M. Sano, "Virtual Reality Fire Disaster Training System for Improving Disaster Awareness," in *Proc. ICEIT 2019*, ACM, 2019, pp. 301–307.