

TestSuite1

Execution Environment

Host name	Administrator - ip-172-20-128-1.ec2.internal
OS	Windows Server 2016 64bit
Katalon version	6.1.5.3
Browser	Chrome 74.0.3729.157

Summary

ID	Test Suites/Day1/TestSuite1		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Start	2019-05-21 05:09:02	End	2019-05-21 05:09:37
Elapsed	35.615s		

#	ID	Description	Status
1	Test Cases/Day1/Test1		FAILED
2	Test Cases/Day1/Test2		FAILED

Test1

Information

ID	Test Cases/Day1/Test1		
Description			
Tag			
Start	2019-05-21 05:09:02	End	2019-05-21 05:09:30
Elapsed	28.291s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.443s	PASSED
2	navigateToUrl("https://www.google.com/") Navigate to 'https://www.google.com/' successfully	0.986s	PASSED
3	setText(findTestObject("Object Repository/Day1/Page_Google/input_Sign in_q"), "automation") Text 'automation' is set on object 'Object Repository/Day1/Page_Google/input_Sign in_q'	0.297s	PASSED
4	sendKeys(findTestObject("Object Repository/Day1/Page_Google/input_Sign in_q"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Day1/Page_Google/input_Sign in_q'	2.471s	PASSED

Test1

#	Description	Elapsed	Status
5	setText(findTestObject("Day1/Page_OrangeHRM/input_LOGIN Panel_txtUsername"), "") Unable to set text " " of object 'Object Repository/Day1/Page_OrangeHRM/input_LOGIN Panel_txtUsername' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text " " of object 'Object Repository/Day1/Page_OrangeHRM/input_LOGIN Panel_txtUsername' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call (Unknown Source) at Test1.run (Test1:25) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:133) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:116) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:83) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1558395539749.run (TempTestSuite1558395539749.groovy:35) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Day1/Page_OrangeHRM/input_LOGIN Panel_txtUsername' located by 'By.xpath: //input[@id='txtUsername']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1097) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall (SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.call (SetTextKeyword.groovy)	20.806s	FAILED

Test1

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call (Unknown Source) at Script1558359784773.run(Script1558359784773.groovy:25) ... 13 more)</pre>		
			

Test2

Information

ID	Test Cases/Day1/Test2		
Description			
Tag			
Start	2019-05-21 05:09:30	End	2019-05-21 05:09:37
Elapsed	7.045s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.850s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/") Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	0.575s	PASSED
3	click(findTestObject("Object Repository/Day1/Page_OrangeHRM/span_Username")) Object: 'Object Repository/Day1/Page_OrangeHRM/span_Username' is clicked on	0.160s	PASSED
4	setText(findTestObject("Object Repository/Day1/Page_OrangeHRM/input_LOGIN Panel_txtUsername"), "Admin") Text 'Admin' is set on object 'Object Repository/Day1/Page_OrangeHRM/input_LOGIN Panel_txtUsername'	0.109s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Day1/Page_OrangeHRM/input_Username_txtPassword"), "hUKwJTbofgPU9eVlw/CnDQ==") Text ***** has been set on object 'Object Repository/Day1/Page_OrangeHRM/input_Username_txtPassword'	0.190s	PASSED
6	click(findTestObject("Object Repository/Day1/Page_OrangeHRM/input_Password_Submit")) Object: 'Object Repository/Day1/Page_OrangeHRM/input_Password_Submit' is clicked on	0.735s	PASSED

Test2

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Day1/Page_OrangeHRM/b_Admin")) Object: 'Object Repository/Day1/Page_OrangeHRM/b_Admin' is clicked on	0.610s	PASSED
8	click(findTestObject("Object Repository/Day1/Page_OrangeHRM/b_Leave")) Object: 'Object Repository/Day1/Page_OrangeHRM/b_Leave' is clicked on	0.507s	PASSED
9	click(findTestObject("Object Repository/Day1/Page_OrangeHRM/b_Dashboard")) Object: 'Object Repository/Day1/Page_OrangeHRM/b_Dashboard' is clicked on	0.285s	PASSED
10	click(findTestObject("Object Repository/Day1/Page_OrangeHRM/a_Welcome Admin")) Object: 'Object Repository/Day1/Page_OrangeHRM/a_Welcome Admin' is clicked on	0.331s	PASSED
11	verifyElementPresent(findTestObject("Day1/Page_OrangeHRM/a_Logout"), 5) Object 'Object Repository/Day1/Page_OrangeHRM/a_Logout' is present	0.053s	PASSED

Test2

#	Description	Elapsed	Status
12	click(findTestObject("Object Repository/Day1/Page_OrangeHRM/a_Logout")) Unable to click on object 'Object Repository/Day1/Page_OrangeHRM/a_Logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Day1/Page_OrangeHRM/a_Logout' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Test2.run(Test2:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:133) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:116) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:83) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1558395539749.run(TempTestSuite1558395539749.groovy:35) Caused by: org.openqa.selenium.ElementNotVisibleException: element not interactable (Session info: chrome=74.0.3729.157) (Driver info: chromedriver=74.0.3729.6 (255758eccf3d244491b8a1317aa76e1ce10d57e9-refs/branch-heads/3729@{#29}),platform=Windows NT 10.0.14393 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds Build info: version: '3.7.1', revision: '8a0099a', time: '2017-11-06T21:07:36.161Z' System info: host: 'EC2AMAZ-NDM7R0M', ip: '172.20.128.1', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled: false, browserConnectionEnabled: false, browserName: chrome, chrome: {chromedriverVersion: 74.0.3729.6 (255758eccf3d24..., userDataDir: C:\Users\ADMINI~1\AppData\Local\..., cssSelectorsEnabled: true, databaseEnabled: false, goog:	0.398s	FAILED

Test2

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:58889}, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, takesHeapSnapshot: true, takesScreenshot: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unexpectedAlertBehaviour: ignore, unhandledPromptBehavior: ignore, version: 74.0.3729.157, webStorageEnabled: true} Session ID: 26bce5d5fdd934f770b3978d3620ce04 at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java: 214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed (ErrorHandler.java:166) at org.openqa.selenium.remote.http.JsonHttpResponseCodec.reconstructValue (JsonHttpResponseCodec.java:40) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode (AbstractHttpResponseCodec.java:80) at org.openqa.selenium.remote.http.AbstractHttpResponseCodec.decode (AbstractHttpResponseCodec.java:44) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:600) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:279) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:83) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Script1558361022414.run(Script1558361022414.groovy:38) ... 13 more)</pre>		

Test2

#	Description	Elapsed	Status
	<pre>click(findTestObject("Object Repository/Day1/Page_OrangeHRM/a_Logout")) Unable to click on object 'Object Repository/Day1/Page_OrangeHRM/a_Logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Day1/Page_OrangeHRM/a_Logout' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Test2.run(Test2:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:133) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:116) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 83) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1558395539749.run(TempTestSuite1558395539749.groovy:35) Caused by: org.openqa.selenium.ElementNotVisibleException: element not interactable (Session info: chrome=74.0.3729.157) (Driver info: chromedriver=74.0.3729.6 (255758eccf3d244491b8a1317aa76e1ce10d57e9- refs/branch-heads/3729@{#29}),platform=Windows NT 10.0.14393 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 0 milliseconds Build info: version: '3.7.1', revision: '8a0099a', time: '2017-11-06T21:07:36.161Z' System info: host: 'EC2AMAZ-NDM7R0M', ip: '172.20.128.1', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, acceptSslCerts: false, applicationCacheEnabled: false, browserConnectionEnabled: false, browserName: chrome, chrome: {chromedriverVersion: 74.0.3729.6 (255758eccf3d24..., userDataDir: C: \Users\ADMINI~1\AppData\L..., cssSelectorsEnabled: true, databaseEnabled: false, goog:</pre>		

Test2

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:58889}, handlesAlerts: true, hasTouchScreen: false, javascriptEnabled: true, locationContextEnabled: true, mobileEmulationEnabled: false, nativeEvents: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(direct), rotatable: false, setWindowRect: true, strictFileInteractability: false, takesHeapSnapshot: true, takesScreenshot: true, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unexpectedAlertBehaviour: ignore, unhandledPromptBehavior: ignore, version: 74.0.3729.157, webStorageEnabled: true} Session ID: 26bce5d5fdd934f770b3978d3620ce04 at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java: 214) at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed (ErrorHandler.java:166) at org.openqa.selenium.remote.http.JsonHttpResponseBodyCodec.reconstructValue (JsonHttpResponseBodyCodec.java:40) at org.openqa.selenium.remote.http.AbstractHttpResponseBodyCodec.decode (AbstractHttpResponseBodyCodec.java:80) at org.openqa.selenium.remote.http.AbstractHttpResponseBodyCodec.decode (AbstractHttpResponseBodyCodec.java:44) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:600) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:279) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:83) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:616) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Script1558361022414.run(Script1558361022414.groovy:38) ... 13 more)</pre>		
	