

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

View monitoringVisualize Your Data

Documents8AggregationsSchemaIndexes1Validation

{}

Generate queryExplainResetFindOptions

ADD DATABULKEXPORT CODE

251 - 8 of 8

{

"_id": {},

"customer_id": 101,

"name": "Ravi Kumar",

"city": "Hyderabad",

"account_type": "Savings",

"balance": 85000,

"status": "Active"

}

{

"_id": {},

"customer_id": 102,

"name": "Priya Sharma",

"city": "Vijayawada",

"account_type": "Current",

"balance": 125000,

"status": "Active"

}

{

"_id": {},

"customer_id": 103,

"name": "Arjun Reddy",

"city": "Hyderabad",

"account_type": "Savings",

"balance": 125000,

"status": "Active"

}

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

View monitoringVisualize Your Data

Documents8AggregationsSchemaIndexes1Validation

{

"status": "Active"

}

Generate queryExplainResetFindOptions

ADD DATABULKEXPORT CODE

251 - 7 of 7

_id: ObjectId('6a89140bce9950b31e66b8ee')

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')

customer_id: 102

name: "Priya Sharma"

city: "Vijayawada"

account_type: "Current"

balance: 125000

status: "Active"

_id: ObjectId('6a891424ce9950b31e66b8f2')

customer_id: 103

name: "Arjun Reddy"

city: "Hyderabad"

account_type: "Savings"

balance: 125000

status: "Active"

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

+

customers

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1 - 5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a89140bce9950...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a891424ce9950...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
3	ObjectId('6a89142ece9950...	104	"Sneha Rao"	"Marangal"	"Savings"	210000	
4	ObjectId('6a8914b3ce9950...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
5	ObjectId('6a8914cbce9950...	108	"Meena Devi"	"Chennai"	"Savings"	320000	

PAPPULA GNANESH...

Project 0

+

transactions

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1 - 9 of 9

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9950...	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9950...	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9950...	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9950...	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a8915fdce9950...	1008	104	"Withdrawal"	25000	"ATM"	
6	ObjectId('6a89160fce9950...	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce9950...	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9950...	1014	108	"Deposit"	150000	"NEFT"	
9	ObjectId('6a89163ace9950...	1015	108	"Withdrawal"	30000	"ATM"	

PAPPULA GNANESH...

Project 0

+

transactions

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1 - 8 of 8

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce9950...	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce9950...	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce9950...	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce9950...	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a891607ce9950...	1009	105	"Deposit"	15000	"UPI"	
6	ObjectId('6a89160fce9950...	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce9950...	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce9950...	1014	108	"Deposit"	150000	"NEFT"	

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1-7 of 7

	transactions						
	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId("6a8915c2ce99595a...")	1002	101	"Withdrawal"	10000	"ATM"	
2	ObjectId("6a8915d6ce99595a...")	1004	102	"Withdrawal"	15000	"ATM"	
3	ObjectId("6a8915e6ce99595a...")	1006	103	"Withdrawal"	5000	"ATM"	
4	ObjectId("6a8915f6ce99595a...")	1008	104	"Withdrawal"	25000	"ATM"	
5	ObjectId("6a891619ce99595a...")	1011	106	"Withdrawal"	20000	"ATM"	
6	ObjectId("6a891629ce99595a...")	1013	107	"Withdrawal"	12000	"ATM"	
7	ObjectId("6a89163ace99595a...")	1015	108	"Withdrawal"	30000	"ATM"	

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain

ADD DATA

BULK

EXPORT CODE

25 1-3 of 3

{
 "type": "Deposit",
 "amount": {
 "\$gt": 50000
 }
}

{
 "_id": {},
 "transaction_id": 1007,
 "customer_id": 104,
 "type": "Deposit",
 "amount": 100000,
 "mode": "NEFT",
 "date": "2026-08-04",
 "status": "Success"
}

{
 "_id": {},
 "transaction_id": 1010,
 "customer_id": 106,
 "type": "Deposit",
 "amount": 75000,
 "mode": "NEFT",
 "date": "2026-08-06",
 "status": "Success"
}

{
 "_id": {},
 "transaction_id": 1014,
 "customer_id": 108,
 "type": "Deposit",
 "amount": 150000
}

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{

"city": "Hyderabad",

"balance": {

"\$gt": 100000

}

}

ADD DATA

BULK

EXPORT CODE

{

"_id": {},

"customer_id": 106,

"name": "Anjali Singh",

"city": "Hyderabad",

"account_type": "Savings",

"balance": 175000,

"status": "Active"

}

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

local

sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Sort

Generate aggregation

Explain

Run

Options

Untitled - modified

SAVE

CREATE NEW

EXPORT CODE

PREVIEW

STAGES

TEXT

WIZARD

Stage 1 \$sort

1 {

2 "balance": -1

3 }

Output preview after \$sort stage (Sample of 8 documents)

_id: ObjectId('6a8914cbce9950b31e66b8fe')

customer_id: 108

name: "Meena Devi"

city: "Chennai"

account_type: "Savings"

balance: 320000

status: "Active"

_id: ObjectId('6a89142ece5')

customer_id: 104

name: "Sneha Rao"

city: "Marangal"

account_type: "Savings"

balance: 210000

status: "Active"

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

\$sort

Generate aggregation Explain Run Options

Sort Customer... SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage1 \$sort

```
1 {
2   "balance": -1
3 }
```

Output preview after \$sort stage (Sample of 8 documents)

```
{
  "_id": ObjectId("6a8914cbce9950b31e66b8fe"),
  "customer_id": 108,
  "name": "Meena Devi",
  "city": "Chennai",
  "account_type": "Savings",
  "balance": 320000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a89142cece..."),
  "customer_id": 104,
  "name": "Sneha Rao",
  "city": "Warangal",
  "account_type": "Savings",
  "balance": 210000,
  "status": "Active"
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group

Generate aggregation Explain

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT

15 Documents in the collection

Stage1 \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "total_amount": 602000
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

\$group

Generate aggregation Explain

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT

15 Documents in the collection

Stage1 \$group

```
1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "average_amount": 40133.333333333336
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 2 documents)

_id: "Deposit"	_id: "Withdrawal"
total_amount: 485000	total_amount: 117000

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

_id: 103	_id: 102
transaction_count: 2	transaction_count: 2

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer_details"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

_id: ObjectId('6a915b8ce9950b31e6b902')	_id: ObjectId('6a915c2ce9950b31e6b904')
transaction_id: 1001	transaction_id: 1002
customer_id: 101	customer_id: 101
type: "Deposit"	type: "Withdrawal"
amount: 25000	amount: 10000
mode: "UPI"	mode: "ATM"
date: "2026-08-01"	date: "2026-08-02"
status: "Success"	status: "Success"
customer details: Array (1)	customer details: Array (1)

Stage 2 \$unwind

```
1 "$customer_details"
```

Output preview after \$unwind stage (Sample of 10 documents)

_id: ObjectId('6a915b8ce9950b31e6b902')	_id: ObjectId('6a915c2ce9950b31e6b904')
transaction_id: 1001	transaction_id: 1002
customer_id: 101	customer_id: 101
type: "Deposit"	type: "Withdrawal"
amount: 25000	amount: 10000
mode: "UPI"	mode: "ATM"
date: "2026-08-01"	date: "2026-08-02"

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

Stage 1 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

```
{
  "_id": ObjectId('6a8915b8ce9950b31e66b902'),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01",
  "status": "Success",
  "customer": Array (1)
}
```

Stage 2 \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 10 documents)

```
{
  "_id": ObjectId('6a8915b8ce9950b31e66b902'),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01"
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$customer_id",
3   "total_transaction": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

```
{ "_id": 101, "total_transaction": 35000 }
{ "_id": 106, "total_transaction": 95000 }
{ "_id": 104, "total_transaction": 95000 }
```

Stage 2 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000,
  "customer": Array (1)
}
```

Stage 3 \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 8 documents)

```
{
  "_id": 101,
  "total_transaction": 35000,
  "customer": Object (7)
}
```

Stage 4 \$project

```
1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

Output preview after \$project stage (Sample of 8 documents)

```
{
  "total_transaction": 65000,
  "customer_id": 102,
  "customer_name": "Priya Sharma"
}
```


Organization: PAPPULA GNANESH... Project: Project 0

Data Explorer

- My Queries
- Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents: 18 Aggregations Schema Indexes: 1 Validation

Generate aggregation **Run** Options

Preview STAGES TEXT WIZARD

Untitled - modified **SAVE** **CREATE NEW** **EXPORT CODE**

```
1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

Output preview after **\$group** stage (Sample of 3 documents)

total_transaction: 65000 customer_id: 102 customer_name: "Priya Sharma"	total_transaction: 95000 customer_id: 106 customer_name: "Anjali Singh"	total_transaction: 125000 customer_id: 104 customer_name: "Sneha Rao"
---	---	---

Stage 5 **Sort**

```
1 {
2   "total_transaction": -1
3 }
```

Output preview after **\$sort** stage (Sample of 3 documents)

total_transaction: 180000 customer_id: 108 customer_name: "Meena Devi"	total_transaction: 125000 customer_id: 104 customer_name: "Sneha Rao"	total_transaction: 95000 customer_id: 106 customer_name: "Anjali Singh"
--	---	---

Organization: PAPPULA GNANESH... Project: Project 0

Data Explorer

- My Queries
- Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > customers

Documents: 8 Aggregations Schema Indexes: 1 Validation

Generate aggregation **Run** Options

Preview STAGES TEXT WIZARD

Sort Customer... - modified **SAVE** **CREATE NEW** **EXPORT CODE**

8 Documents in the collection

Stage 1 **\$match**

```
1 {
2   "status": "Active",
3   "balance": {
4     "$gt": 80000
5   }
6 }
```

Output preview after **\$match** stage (Sample of 6 documents)

_id: ObjectId('6a89140bce9950b31e66b8ee') customer_id: 101 name: "Ravi Kumar" city: "Hyderabad" account_type: "Savings" balance: 85000 status: "Active"	_id: ObjectId('6a891419ce9950b31e66b8f0') customer_id: 102 name: "Priya Sharma" city: "Vijayawada" account_type: "Current" balance: 125000 status: "Active"	_id: ObjectId('6a891419ce9950b31e66b8f0') customer_id: 102 name: "Priya Sharma" city: "Vijayawada" account_type: "Current" balance: 125000 status: "Active"
---	---	---

Stage 2 **\$lookup**

```
1 {
2   "from": "transactions",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "transactions"
6 }
```

Output preview after **\$lookup** stage (Sample of 6 documents)

_id: ObjectId('6a89140bce9950b31e66b8ee') customer_id: 101 name: "Ravi Kumar" city: "Hyderabad" account_type: "Savings" balance: 85000 transactions: [{"_id": "transaction_id", "amount": 1000, "date": "2023-01-01"}]	_id: ObjectId('6a891419ce9950b31e66b8f0') customer_id: 102 name: "Priya Sharma" city: "Vijayawada" account_type: "Current" balance: 125000 transactions: [{"_id": "transaction_id", "amount": 2000, "date": "2023-01-02"}]	_id: ObjectId('6a891419ce9950b31e66b8f0') customer_id: 102 name: "Priya Sharma" city: "Vijayawada" account_type: "Current" balance: 125000 transactions: [{"_id": "transaction_id", "amount": 2000, "date": "2023-01-02"}]
--	--	--

Alert Custom Stream All/Quick

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankub
- customers
 - transactions
- local
- oplog.rs
- sample_mflix

Cluster0 > bankub > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Smatch

Slookup

Sunwind

Sgroup

Ssort

Generate aggregation + Explain Run Options

Sort Customer... - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 3 Sunwind

1 * \$transactions

Output preview after Sunwind if stage (Sample of 10 documents)

1

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

2

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

3

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

4

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

5

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

6

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

7

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

8

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

9

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

10

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

transactions: Object (8)

Stage 4 Sgroup

1 * {
2 "\$customer_id",
3 "\$customer_name": {
4 "\$first": "\$name"
5 },
6 "\$city": {
7 "\$first": "\$city"
8 },
9 "\$balance": {
10 "\$first": "\$balance"
11 },
12 "\$total_transactions": {
13 "\$sum": "\$transactions.amount"
14 },
15 "\$transaction_count": {
16 "\$sum": 1
17 }
18 }

Output preview after Sgroup if stage (Sample of 6 documents)

1

customer_id: 104

customer_name: "Sneha Rao"

city: "Warangal"

balance: 210000

total_transactions: 125000

transaction_count: 2

2

customer_id: 106

customer_name: "Anjali Singh"

city: "Hyderabad"

balance: 175000

total_transactions: 95000

transaction_count: 2

3

customer_id: 107

customer_name: "Priya"

city: "Bengaluru"

balance: 95000

total_transactions: 125000

transaction_count: 2

4

customer_id: 108

customer_name: "Meena Devi"

city: "Chennai"

balance: 320000

total_transactions: 180000

transaction_count: 2

5

customer_id: 109

customer_name: "Ravi Kumar"

city: "Hyderabad"

balance: 85000

total_transactions: 85000

transaction_count: 1

6

customer_id: 110

customer_name: "Sneha Rao"

city: "Warangal"

balance: 210000

total_transactions: 125000

transaction_count: 2

Alert System Status: All Good

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankub
- customers
 - transactions
- local
- oplog.rs
- sample_mflix

Cluster0 > bankub > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Smatch

Slookup

Sunwind

Sgroup

Ssort

Generate aggregation + Explain Run Options

Sort Customer... - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 5 Ssort

1 * {
2 "\$total_transactions": -1
3 }

Output preview after Ssort if stage (Sample of 6 documents)

1

customer_id: 108

customer_name: "Meena Devi"

city: "Chennai"

balance: 320000

total_transactions: 180000

transaction_count: 2

2

customer_id: 104

customer_name: "Sneha Rao"

city: "Warangal"

balance: 210000

total_transactions: 125000

transaction_count: 2

3

customer_id: 106

customer_name: "Anjali Singh"

city: "Hyderabad"

balance: 175000

total_transactions: 95000

transaction_count: 2

4

customer_id: 107

customer_name: "Priya"

city: "Bengaluru"

balance: 95000

total_transactions: 125000

transaction_count: 2

5

customer_id: 109

customer_name: "Ravi Kumar"

city: "Hyderabad"

balance: 85000

total_transactions: 85000

transaction_count: 1

6

customer_id: 110

customer_name: "Sneha Rao"

city: "Warangal"

balance: 210000

total_transactions: 125000

transaction_count: 2