Hadoop exercise

→ Start Hadoop.
  $ start -all.sh

→ create directory

ndfs dfs mkdir /bda_hadoop

→ List contents

hadoop fs - ls l

→ put - copy from local to HDFS :

ndfs dfs -copy from local /home /Desktop/
  bda_local.text /bda hadoop/ file.text

→ cat - display frite contents.

ndfs dfs_cat /bda_hadoop /file.txt
  " Hello. BMSCE "

ndfs dfs_cat /bda_hadoop /file.txt
  get (download from HDFS)

ndfs dfs_get /bda_hadoop (file.ta t
  /home /Desktop/ downloaded-file toct

→ get merge(multiple files)

ndfs dfs_get merge: /bda_hadoop/
  file.txt

→ get fact

hadoop fs -get fact : (bda_ hadoop)

→ copy to local.

hdfs dfs - copy TO local /abc/ wc-txt
(home /Desktop)

→ MV (move file / directory)

hadoop fs _mv /bda_hadoop /abc

get fact output :
fate : (bda_ hadoop?
owner : hadoop
group : Supergroup.

user : : rw x
group : : r-x
other : : r-x

→ CP (copies a file from one directory
to another directory)

hadoop fs -cp /home/ Desktop/ bda_
hadoop