



Search any case

SEARCH

KNOWLEDGE BASE

MY CASES



Analysis Results

53 Clinically relevant variants



Case Summary

0 drugs | 0 clinical trials



Biomarkers

Add biomarker



TMB: N/A

MSI: N/A

See details

Variants

53 clinically relevant variants detected

Add variant

Waiting for assessment

☐ ALL

★ We found 3 Variant articles

☐	Tier 3 p	SYNE1 p.R31*	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr6:15253998-G-A NM_182961.4 c.91C>T Exon 4									
WB R									
☐	Tier 3 VUS	COL22A1 Splice Donor (+2)	FREQUENCY N/A	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr8:138833037-A-C NM_152888.3 c.845+2T>G Closest exon: 5									
WB R									
☐	Tier 3 VUS	HCCS p.R265C	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr9:11121796-C-T NM_005333.5 c.793C>T Exon 7									
WB R									
☐	Tier 3 VUS	SH3GLB2 p.R222C	FREQUENCY 0.01%	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr9:129010194-G-A NM_020145.4 c.664C>T Exon 8									
WB R									
☐	Tier 3 VUS	COL22A1 Splice Region (+-10)	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr8:138833031-C-T NM_152888.3 c.845+8G>A Closest exon: 5									
WB R									
☐	Tier 3 VUS	SH3GLB2 p.Q219P	FREQUENCY N/A	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr9:129010202-T-G NM_020145.4 c.656A>C Exon 8									
WB R									
☐	Tier 3 VUS	NRAP p.A1149E	FREQUENCY N/A	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr10:113612286-G-T NM_198060.4 c.3446C>A Exon 30									
WB R									
☐	Tier 3 VUS	ADAMTS9 p.R1594C	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr3:64550981-G-A NM_182920.2 c.4780C>T Exon 31									
WB R									
☐	Tier 3 VUS	LOXHD1 Splice Region (+-10)	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr18:46534335-G-A NM_001384474.1 c.4212C>T Closest exon: 27									
WB R									
☐	Tier 3 VUS	MRPS30 p.P193T	FREQUENCY N/A	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr5:44809539-C-A NM_016640.4 c.577C>A Exon 1									
WB R									
☐	Tier 3 VUS	MRPS30 p.P190T	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr5:44809530-C-A NM_016640.4 c.568C>A Exon 1									
WB R									
☐	Tier 3 VUS	RECK p.I54F	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VPF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		▼
Chr9:36058827-A-T NM_021111.3 c.160A>T Exon 3									
WB R									

☐	Tier 3 VUS	SYNE1 Intronic	FREQUENCY 0%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr6:152444312-C-A NM_182961.4 c.3837+99G>T Closest exon: 30 WB R									
☐	Tier 3 VUS	SYNE1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr6:152435861-T-G NM_182961.4 c.4310+80A>C Closest exon: 33 WB R									
☐	Tier 3 VUS	COL22A1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr8:138724410-G-T NM_152888.3 c.2247+205C>A Closest exon: 25 WB R									
☐	Tier 3 VUS	PAEP Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr9:135562627-C-T NM_002571.4 c.237-193C>T Closest exon: 3 WB R									
☐	Tier 3 VUS	PAEP Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr9:135562625-C-T NM_002571.4 c.236+192C>T Closest exon: 2 WB R									
☐	Tier 3 VUS	RAPGEF1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr9:131598730-C-A NM_001377935.1 c.2502-420G>T Closest exon: 16 WB R									
☐	Tier 3 VUS	RAPGEF1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr9:131598713-A-C NM_001377935.1 c.2502-403T>G Closest exon: 16 WB R									
☐	Tier 3 VUS	SLC27A4 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr9:128343067-G-A NM_005094.4 c.-6-60G>A Closest exon: 2 WB R									
☐	Tier 3 VUS	SLC27A4 Intronic	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr9:128343056-C-T NM_005094.4 c.-6-71C>T Closest exon: 2 WB R									
☐	Tier 3 VUS	ABLM1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr10:114465855-C-A NM_002313.7 c.1312-28G>T Closest exon: 12 WB R									
☐	Tier 3 VUS	ABLM1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr10:114465845-C-A NM_002313.7 c.1312-18G>T Closest exon: 12 WB R									
☐	Tier 3 VUS	ABLM1 Intronic	FREQUENCY 0.11%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr10:114436384-G-A NM_002313.7 c.2224-11C>T Closest exon: 23 WB R									
☐	Tier 3 VUS	NRAP Intronic	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr10:113632025-G-A NM_198060.4 c.1633-61C>T Closest exon: 17 WB R									
☐	Tier 3 VUS	NRAP p.S1147=	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr10:113612291-G-T NM_198060.4 c.3441C>A Exon 30 WB R									
☐	Tier 3 VUS	MUSK Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr9:110762159-C-T NM_005592.4 c.914-43C>T Closest exon: 8 WB R									
☐	Tier 3 VUS	MUSK Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
📍 Chr9:110762137-T-G NM_005592.4 c.914-65T>G Closest exon: 8 WB R									

☐	Tier 3 VUS	WNK2 Intronic	FREQUENCY 0%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr9:93256826-G-A NM_006648.4 c.2191-122G>A Closest exon: 11									
☐	Tier 3 VUS	WNK2 Intronic	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr9:93256817-G-A NM_006648.4 c.2191-131G>A Closest exon: 11									
☐	Tier 3 VUS	NMRK1 Intronic	FREQUENCY 0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr9:75083278-G-A NM_017881.3 c.-35-128C>T Closest exon: 2									
☐	Tier 3 VUS	NMRK1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr9:75083268-G-A NM_017881.3 c.-35-118C>T Closest exon: 2									
☐	Tier 3 VUS	SGK3 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr8:66814179-A-C NM_001033578.3 c.329+251A>C Closest exon: 5									
☐	Tier 3 VUS	SGK3 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr8:66814166-G-C NM_001033578.3 c.329+238G>C Closest exon: 5									
☐	Tier 3 VUS	ADAMTS9 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr3:64603755-C-A NM_182920.2 c.3747+167G>T Closest exon: 25									
☐	Tier 3 VUS	ADAMTS9 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr3:64603753-C-A NM_182920.2 c.3747+169G>T Closest exon: 25									
☐	Tier 3 VUS	SPIDR Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr8:47654230-A-C NM_001080394.4 c.1545-19571A... Closest exon: 11									
☐	Tier 3 VUS	SPIDR Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr8:47654221-A-C NM_001080394.4 c.1545-19580A... Closest exon: 11									
☐	Tier 3 VUS	LOXHD1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr18:46639374-T-C NM_001384474.1 c.511+242A>G Closest exon: 4									
☐	Tier 3 VUS	LOXHD1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr18:46639370-T-C NM_001384474.1 c.511+246A>G Closest exon: 4									
☐	Tier 3 VUS	MRPS30 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr5:44814700-G-A NM_016640.4 c.1031-213G>A Closest exon: 5									
☐	Tier 3 VUS	ST8SIA1 Intronic	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr12:22287467-C-T NM_003034.4 c.237-174G>A Closest exon: 2									
☐	Tier 3 VUS	ST8SIA1 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr12:22248748-T-G NM_003034.4 c.584+258A>C Closest exon: 4									
☐	Tier 3 VUS	DENND4C Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0		
Chr9:19334813-G-A NM_001330640.2 c.2461-164G>A Closest exon: 18									

☐	Tier 3 VUS	DENND4C Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0			
Chr9:19334811-G-A NM_001330640.2 c.2461-166G>A Closest exon: 18										
☐	Tier 3 VUS	AMELX Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0			
Chr:11296996-G-A NM_001142.2 c.102+170G>A Closest exon: 3										
☐	Tier 3 VUS	AMELX Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0			
Chr:11296994-C-T NM_001142.2 c.102+168C>T Closest exon: 3										
☐	Tier 3 VUS	DPP9 Intronic	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0			
Chr19:4714387-G-A NM_139159.5 c.57-50C>T Closest exon: 4										
☐	Tier 3 VUS	DPP9 Intronic	FREQUENCY N/A	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0			
Chr19:4714373-A-G NM_139159.5 c.57-36T>C Closest exon: 4										
☐	Tier 3 VUS	DAPK1 Intronic	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0			
Chr9:87705875-C-G NM_004938.4 c.3061-257C>G Closest exon: 26										
☐	Tier 3 VUS	RECK p.F55=	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0			
Chr9:36058832-C-T NM_021111.3 c.165C>T Exon 3										
☐	Tier 3 VUS	ST8SIA1 Intronic	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0			
Chr12:22287472-C-A NM_003034.4 c.237-179G>T Closest exon: 2										
☐	Tier 3 VUS	HCCS p.A262T	FREQUENCY <0.01%	INTERNAL 0% 0 Cases	VAF 0% Depth: -1	CONFIDENCE High	EVIDENCE Ther. / 0/0 Diag. / 0/0 Prog. / 0/0			
Chr:11121787-G-A NM_005333.5 c.784G>A Exon 7										