

# Assignment Operators and Operator Precedence

1. Which of these have highest precedence?

- a) () ☒
- b) ++
- c) \*
- d) >>

2. What should be expression1 evaluate to in using ternary operator as in this line?

expression1 ? expression2 : expression3

- a) Integer
- b) Floating – point numbers
- c) **Boolean** ☒
- d) None of the mentioned

3. What is the value stored in x in the following lines of Java code?

```
int x, y, z;  
x = 0;  
y = 1;  
x = y = z = 8;
```

- a) 0
- b) 1
- c) 9
- d) **8** ☒

4. What is the order of precedence (highest to lowest) of following operators?

- 1. &
- 2. ^
- 3. ?:

- a) **1 -> 2 -> 3** ☒
- b) 2 -> 1 -> 3
- c) 3 -> 2 -> 1
- d) 2 -> 3 -> 1

5. Which of these statements are incorrect?

- a) Equal to operator has least precedence
- b) Brackets () have highest precedence
- c) **Division operator, /, has higher precedence than multiplication operator** ☒
- d) Addition operator, +, and subtraction operator have equal precedence

6. What will be the output of the following Java code?

```
class operators  
{  
    public static void main(String args[])  
    {
```

```

    int var1 = 5;
    int var2 = 6;
    int var3;
    var3 = ++ var2 * var1 / var2 + var2;
    System.out.print(var3);
}
}

```

a) 10  
b) 11  
c) 12 ☒  
d) 56

7. What will be the output of the following Java code?

```

class operators
{
    public static void main(String args[])
    {
        int x = 8;
        System.out.println(++x * 3 + " " + x);
    }
}

```

a) 24 8  
b) 24 9  
c) 27 8  
d) 27 9 ☒

8. What will be the output of the following Java code?

```

class Output
{
    public static void main(String args[])
    {
        int x=y=z=20;
    }
}

```

a) compile and runs fine  
b) 20  
c) run time error  
d) compile time error ☒

9. Which of these lines of Java code will give better performance?

1. `a | 4 + c >> b & 7;`
  2. `(a | ((( 4 * c ) >> b ) & 7 ))`
- a) 1 will give better performance as it has no parentheses  
b) 2 will give better performance as it has parentheses  
c) Both 1 & 2 will give equal performance ☒  
d) Dependent on the computer system

**10.** What will be the output of the following Java program?

class Output

```
{  
    public static void main(String args[])  
    {  
        int a,b,c,d;  
        a=b=c=d=20  
        a+=b-=c*=d/=20  
        System.out.println(a+" "+b+" "+c+" "+d);  
    }  
}
```

a) compile time error

b) runtime error

**c) a=20 b=0 c=20 d=1 ☒**

d) none of the mentioned