df.head()

```
from google.colab import files
import pandas as pd
# Load the dataset into a DataFrame
```

df = pd.read_csv('diabetes.csv')

Next steps: (Generate code with df

Distribution of key numeric features
sns.histplot(df['Glucose'], kde=True)
plt.title("Glucose Distribution")

sns.heatmap(df.corr(), annot=True, cmap='coolwarm')

plt.show()

plt.show()

Correlation heatmap
plt.figure(figsize=(10, 6))

plt.title("Feature Correlation")


₹		Pregnancies	Glucose	BloodPressure	SkinThickness	Insulin	BMI	DiabetesPedigreeFunction	Age	Outcome	
	0	6	148	72	35	0	33.6	0.627	50	1	11.
	1	1	85	66	29	0	26.6	0.351	31	0	
	2	8	183	64	0	0	23.3	0.672	32	1	
	3	1	89	66	23	94	28.1	0.167	21	0	
	4	0	137	40	35	168	43.1	2.288	33	1	


New interactive sheet

df.info()
df.describe()
df.shape
df.columns

```
<class 'pandas.core.frame.DataFrame'>
    RangeIndex: 768 entries, 0 to 767
    Data columns (total 9 columns):
                               Non-Null Count Dtype
    # Column
    ---
    0
        Pregnancies
                               768 non-null
        Glucose
                               768 non-null
                                             int64
        BloodPressure
                               768 non-null
                                             int64
        SkinThickness
                               768 non-null
                                             int64
        Insulin
                               768 non-null
                                             int64
                               768 non-null
    5
        BMT
                                             float64
        DiabetesPedigreeFunction
    6
                               768 non-null
                                             float64
                               768 non-null
                                             int64
        Age
        Outcome
                               768 non-null
                                             int64
    dtypes: float64(2), int64(7)
    memory usage: 54.1 KB
    dtype='object')
df.isnull().sum()
df.duplicated().sum()
→ np.int64(0)
import seaborn as sns
import matplotlib.pyplot as plt
```

View recommended plots





```
\# In the diabetes dataset, the target is usually the 'Outcome' X = df.drop('Outcome', axis=1)
```

 ${\it from sklearn.preprocessing import Standard Scaler}$

```
scaler = StandardScaler()
X_scaled = scaler.fit_transform(X)
```

from sklearn.model_selection import train_test_split

y = df['Outcome']

```
X_train, X_test, y_train, y_test = train_test_split(X_scaled, y, test_size=0.2, random_state=42)
from sklearn.linear_model import LogisticRegression
model = LogisticRegression()
model.fit(X_train, y_train)
      ▼ LogisticRegression ① ?
     LogisticRegression()
from sklearn.metrics import accuracy score, classification report
y_pred = model.predict(X_test)
print("Accuracy:", accuracy_score(y_test, y_pred))
print(classification_report(y_test, y_pred))
Accuracy: 0.7532467532467533
                                recall f1-score
                   precision
                                                   support
                                            0.81
                0
                        0.81
                                  0.80
                                                        99
                                  0.67
                                            0.66
                                                        55
                1
                        0.65
                                            0.75
                                                       154
         accuracy
                        0.73
                                  0.74
                                            0.73
                                                       154
        macro avg
     weighted avg
                        0.76
                                  0.75
                                            0.75
                                                       154
new_input = [[6, 148, 72, 35, 0, 33.6, 0.627, 50]] # example values
scaled_input = scaler.transform(new_input)
model.predict(scaled_input)
    /usr/local/lib/python3.11/dist-packages/sklearn/utils/validation.py:2739: UserWarning: X does not have valid feature names, but Standarc
       warnings.warn(
     array([1])
prediction = model.predict(scaled_input)
print("Prediction:", "Diabetic" if <math>prediction[0] == 1 else "Non-Diabetic")
→ Prediction: Diabetic
def predict_diabetes(Pregnancies, Glucose, BloodPressure, SkinThickness,
                     Insulin, BMI, DiabetesPedigreeFunction, Age):
    input_data = [[Pregnancies, Glucose, BloodPressure, SkinThickness,
                   Insulin, BMI, DiabetesPedigreeFunction, Age]]
    scaled = scaler.transform(input_data)
    result = model.predict(scaled)
    return "Diabetic" if result[0] == 1 else "Non-Diabetic"
!pip install gradio
import gradio as gr
interface = gr.Interface(
    fn=predict_diabetes,
    inputs=[
        gr.Number(label="Pregnancies"),
        gr.Number(label="Glucose"),
        gr.Number(label="BloodPressure"),
        gr.Number(label="SkinThickness"),
        gr.Number(label="Insulin"),
        gr.Number(label="BMI"),
        gr.Number(label="DiabetesPedigreeFunction"),
        gr.Number(label="Age")
    outputs="text",
    title="♠ Student Performance Predictor (Diabetes Version)",
    description="Enter values to predict if the person is diabetic or not."
```

interface.launch()

```
→ Collecting gradio
      Downloading gradio-5.29.0-py3-none-any.whl.metadata (16 kB)
    Collecting aiofiles<25.0,>=22.0 (from gradio)
      Downloading aiofiles-24.1.0-py3-none-any.whl.metadata (10 kB)
    Requirement already satisfied: anyio<5.0,>=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.9.0)
    Collecting fastapi<1.0,>=0.115.2 (from gradio)
      Downloading fastapi-0.115.12-py3-none-any.whl.metadata (27 kB)
    Collecting ffmpy (from gradio)
      Downloading ffmpy-0.5.0-py3-none-any.whl.metadata (3.0 kB)
    Collecting gradio-client==1.10.0 (from gradio)
      Downloading gradio_client-1.10.0-py3-none-any.whl.metadata (7.1 kB)
    Collecting groovy~=0.1 (from gradio)
      Downloading groovy-0.1.2-py3-none-any.whl.metadata (6.1 kB)
    Requirement already satisfied: httpx>=0.24.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.28.1)
    Requirement already satisfied: huggingface-hub>=0.28.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.31.1)
    Requirement already satisfied: jinja244.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.1.6)
    Requirement already satisfied: markupsafe<4.0,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.0.2)
    Requirement already satisfied: numpy<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.0.2)
    Requirement already satisfied: orjson~=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.10.18)
    Requirement already satisfied: packaging in /usr/local/lib/python3.11/dist-packages (from gradio) (24.2)
    Requirement already satisfied: pandas<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.2.2)
    Requirement already satisfied: pillow<12.0,>=8.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (11.2.1)
    Requirement already satisfied: pydantic<2.12,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.11.4)
    Collecting pydub (from gradio)
      Downloading pydub-0.25.1-py2.py3-none-any.whl.metadata (1.4 kB)
    Collecting python-multipart>=0.0.18 (from gradio)
      Downloading python multipart-0.0.20-py3-none-any.whl.metadata (1.8 kB)
    Requirement already satisfied: pyyaml<7.0,>=5.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (6.0.2)
    Collecting ruff>=0.9.3 (from gradio)
      Downloading ruff-0.11.9-py3-none-manylinux 2 17 x86 64.manylinux2014 x86 64.whl.metadata (25 kB)
    Collecting safehttpx<0.2.0,>=0.1.6 (from gradio)
      Downloading safehttpx-0.1.6-py3-none-any.whl.metadata (4.2 kB)
    Collecting semantic-version~=2.0 (from gradio)
      Downloading semantic version-2.10.0-py2.py3-none-any.whl.metadata (9.7 kB)
    Collecting starlette<1.0,>=0.40.0 (from gradio)
      Downloading starlette-0.46.2-py3-none-any.whl.metadata (6.2 kB)
    Collecting tomlkit<0.14.0,>=0.12.0 (from gradio)
      Downloading tomlkit-0.13.2-py3-none-any.whl.metadata (2.7 kB)
    Requirement already satisfied: typer<1.0,>=0.12 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.15.3)
    Requirement already satisfied: typing-extensions~=4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.13.2)
    Collecting uvicorn>=0.14.0 (from gradio)
      Downloading uvicorn-0.34.2-py3-none-any.whl.metadata (6.5 kB)
    Requirement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.10.0->gradio) (2025.3.2)
    Requirement already satisfied: websockets<16.0,>=10.0 in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.10.0->gradio) (1
    Requirement already satisfied: idna>=2.8 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (3.10)
    Requirement already satisfied: sniffio>=1.1 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (1.3.1)
    Requirement already satisfied: certifi in /usr/local/lib/python3.11/dist-packages (from httpx>=0.24.1->gradio) (2025.4.26)
    Requirement already satisfied: httpcore==1.* in /usr/local/lib/python3.11/dist-packages (from httpx>=0.24.1->gradio) (1.0.9)
    Requirement already satisfied: h11>=0.16 in /usr/local/lib/python3.11/dist-packages (from httpcore==1.*->httpx>=0.24.1->gradio) (0.16.0)
    Requirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (3.18.0)
    Requirement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (2.32.3)
    Requirement already satisfied: tqdm>=4.42.1 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (4.67.1)
    Requirement already satisfied: hf-xet<2.0.0,>=1.1.0 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (1
    Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2.9.0.
    Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
    Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
    Requirement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (0.7
    Requirement already satisfied: pydantic-core==2.33.2 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (2.33
    Requirement already satisfied: typing-inspection>=0.4.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (@
    Requirement already satisfied: click>=8.0.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (8.1.8)
    Requirement already satisfied: shellingham>=1.3.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (1.5.4)
    Requirement already satisfied: rich>=10.11.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (13.9.4)
    Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.8.2->pandas<3.0,>=1.0->gradi
    Requirement already satisfied: markdown-it-py>=2.2.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12->g
    Requirement already satisfied: pygments<3.0.0,>=2.13.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12-
    Requirement already satisfied: charset-normalizer<4.>=2 in /usr/local/lib/nython3.11/dist-nackages (from requests->huggingface-hub>=0.28
```