


## EX.NO:1

### 8- QUEENS PROBLEM

#### AIM :

To implement an 8-Queens problem using Python.

You are given an 8x8 board; find a way to place 8 queens such that no queen can attack any other queen on the chessboard. A queen can only be attacked if it lies on the same row, same column, or the same diagonal as any other queen. Print all the possible configurations. To solve this problem, we will make use of the Backtracking algorithm. The backtracking algorithm, in general checks all possible configurations and test whether the required result is obtained or not. For the given problem, we will explore all possible positions the queens can be relatively placed at. The solution will be correct when the number of placed queens = 8.



## SOURCE CODE :

```
print ("Enter the number of queens")
N = int(input())
board = [[0]*N for _ in
range(N)]
def attack(i,
j):
    for k in range(0,N):
        if
board[i][k]==1 or board[k][j]==1:
            return True
    for k in
range(0,N):
        for l in range(0,N):
            if (k+l==i+j) or (k-l==i-j):
                if board[k][l]==1:
                    return True
    return False
def
N_queens(n):
    if n==0:
        return True
    for i in range(0,N):
        for j in range(0,N):
            if (not(attack(i,j)))
and (board[i][j]!=1):
                board[i][j] = 1
            if N_queens(n-1)==True:
                return True
    board[i][j] = 0
    return
False

N_queens(N)
for i in board:
    print (i)
```

**OUTPUT:**

Enter the number of queens

8

```
[1, 0, 0, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 1, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 0, 1]
[0, 0, 0, 0, 0, 1, 0, 0]
[0, 0, 1, 0, 0, 0, 0, 0]
[0, 0, 0, 0, 0, 0, 1, 0]
[0, 1, 0, 0, 0, 0, 0, 0] [0,
0, 0, 1, 0, 0, 0, 0]
```

**RESULT:**


Thus the python code is implement successfully and the output is verified.

## EX.NO:2

### DEPTH-FIRST SEARCH

- Depth-first search (DFS) algorithm or searching technique starts with the root node of graph G, and then travel deeper and deeper until we find the goal node or the node which has no children by visiting different node of the tree.
- The algorithm, then backtracks or returns back from the dead end or last node towards the most recent node that is yet to be completely unexplored.
- The data structure (DS) which is being used in DFS Depth-first search is stack. The process is quite similar to the BFS algorithm.
- In DFS, the edges that go to an unvisited node are called discovery edges while the edges that go to an already visited node are called block edges.

### Depth First Search



### AIM :

To implement a depth-first search problem using Python.

### SOURCE CODE :

```
import networkx as nx
```

```

#FUNCTION TO SOLVE DFS
def solveDFS(graph, v, visited) :
    visited.add(v)    print(v,
end=' ')    for neighbour in
graph[v] :        if neighbour not
in visited :
        solveDFS(graph, neighbour, visited)
    g =
nx.DiGraph()

#CREATE A GRAPH USING NETWORKX
g.add_edges_from([('A', 'B'), ('A', 'C'), ('C', 'G'), ('B', 'D'), ('B', 'E'), ('D', 'F'), ('A', 'E')])
# Add edges for that graph nx.draw(g,
with_labels=True) # Graph Visualization

#SOLVE DFS FOR THAT GRAPH print("Following is DFS from
(starting from vertex A)") visited = set() solveDFS(g,
'A', visited)


```

### **OUTPUT:**

```

Following is DFS from (starting from vertex A)
A B D F E C G

```




### **RESULT:**

Thus the python code is implement successfully and the output is verified.

### EX.NO:3

#### DEPTH FIRST SEARCH – WATER JUG PROBLEM

In the **water jug problem in Artificial Intelligence**, we are provided with two jugs: one having the capacity to hold 3 gallons of water and the other has the capacity to hold 4 gallons of water. There is no other measuring equipment available and the jugs also do not have any kind of marking on them. So, the agent's task here is to fill the 4-gallon jug with 2 gallons of water by using only these two jugs and no other material. Initially, both our jugs are empty.



#### AIM :

To implement a python program for Water Jug problem using depth first search problem

#### SOURCE CODE :

```
from collections import deque
```

```
def DFS(a, b, target):
```

```

    m = {}
    isSolvable = False
    path = []
    q = deque()

    q.append((0, 0))

    while (len(q) > 0):
        u = q.popleft()
        if ((u[0], u[1]) in m):
            continue

        if ((u[0] > a or u[1] > b or
            u[0] < 0 or u[1] < 0)):
            continue

        path.append([u[0], u[1]])

        m[(u[0], u[1])] = 1

        if (u[0] == target or u[1] == target):
            isSolvable = True

            if (u[0] == target):
                if (u[1] != 0):
                    path.append([u[0], 0])
                else:
                    path.append([0, u[1]])
            sz = len(path)
            for i in range(sz):
                print("(", path[i][0], ", ", path[i][1], ")")
            break

            q.append([u[0], b])
            q.append([a, u[1]])
            for ap in range(max(a, b) + 1):
                c = u[0] + ap
                d = u[1] - ap

                if (c == a or (d == 0 and d >= 0)):
                    q.append([c, d])

```

```
        c = u[0] - ap
    d = u[1] + ap
    if ((c == 0 and c >=
0) or d == b):
        q.append([c, d])

        q.append([a, 0])
        q.append([0, b])
    if (not isSolvable):
        print ("No solution")

Jug1, Jug2, target = 4, 3, 2
print("Path from initial state ""to solution state ::")
DFS(Jug1, Jug2, target)
```

### **OUTPUT :**

```
Path from initial state to solution state ::
( 0 , 0 )
( 0 , 3 )
( 4 , 0 )
( 4 , 3 )
( 3 , 0 )
( 1 , 3 )
( 3 , 3 )
( 4 , 2 )
( 0 , 2 )
```

### **RESULT :**


Thus the python code is implement successfully and the output is verified.



## EX.NO:4

### MINIMAX ALGORITHM

- A simple example can be used to explain how the minimax algorithm works. We've included an example of a game-tree below, which represents a two-player game.
- There are two players in this scenario, one named Maximizer and the other named Minimizer.
- Maximizer will strive for the highest possible score, while Minimizer will strive for the lowest possible score.
- Because this algorithm uses DFS, we must go all the way through the leaves to reach the terminal nodes in this game-tree.
- The terminal values are given at the terminal node, so we'll compare them and retrace the tree till we reach the original state.



### AIM :

To implement MINIMAX Algorithm problem using Python.

### SOURCE CODE :

```

from math import inf as infinity
from random import choice
import platform import time
from os import system
HUMAN = -1 COMP
= +1
board = [
    [0, 0, 0],
    [0, 0, 0],
    [0, 0, 0],
]
def evaluate(state): if
wins(state, COMP):
score = +1 elif wins(state,
HUMAN): score = -1
else: score = 0 return
score

def wins(state, player):

    win_state = [
        [state[0][0], state[0][1], state[0][2]],
        [state[1][0], state[1][1], state[1][2]],
        [state[2][0], state[2][1], state[2][2]],
        [state[0][0], state[1][0], state[2][0]],
        [state[0][1], state[1][1], state[2][1]],
        [state[0][2], state[1][2], state[2][2]],
        [state[0][0], state[1][1], state[2][2]],
        [state[2][0], state[1][1], state[0][2]],
    ]
    if [player, player, player] in win_state:
        return True else: return False def
game_over(state): return wins(state, HUMAN) or
wins(state, COMP)
def empty_cells(state): cells =
[] for x, row in
enumerate(state): for y, cell
in enumerate(row): if cell
== 0:
        cells.append([x, y])

```

```

    return cells def
valid_move(x, y):

    if [x, y] in empty_cells(board):
        return True
    else:
        return False def
set_move(x, y, player):

    if valid_move(x, y):
        board[x][y] = player
        return True    else:
        return False def
minimax(state, depth, player):
if player == COMP:
    best = [-1, -1, -infinity]
else:
    best = [-1, -1, +infinity]

    if depth == 0 or game_over(state):
        score = evaluate(state)    return [-1, -1,
score]    for cell in empty_cells(state):        x,
y = cell[0], cell[1]        state[x][y] = player
score = minimax(state, depth - 1, -player)
        state[x][y] = 0
score[0], score[1] = x, y

        if player == COMP:
if score[2] > best[2]:
    best = score # max value
else:
    if score[2] < best[2]:
        best = score # min value

    return best

def clean():

```

```

    os_name = platform.system().lower()
    if 'windows' in os_name:
        system('cls')
    else:
        system('clear')

def render(state, c_choice, h_choice):

    chars = {
        1: h_choice,
        +1: c_choice,
        0: ' ' }
    str_line =
    '-----'

    print("\n" + str_line)
    for row in state:
        for cell in row:
            symbol = chars[cell]
            print(f'| {symbol} |', end="")
            print("\n" + str_line)

def ai_turn(c_choice, h_choice):

    depth = len(empty_cells(board))
    if depth == 0 or game_over(board):
        return

    clean()
    print(f'Computer turn [{c_choice}]')
    render(board, c_choice, h_choice)

    if depth == 9:
        x = choice([0, 1, 2])
        y = choice([0, 1, 2])
    else:
        move = minimax(board, depth, COMP)
        x, y = move[0], move[1]

    set_move(x, y, COMP)
    time.sleep(1)

```

```

def human_turn(c_choice, h_choice):

    depth = len(empty_cells(board))
    if depth == 0 or game_over(board):
        return

    # Dictionary of valid moves
    move = -1    moves = {
        1: [0, 0], 2: [0, 1], 3: [0, 2],
        4: [1, 0], 5: [1, 1], 6: [1, 2],
        7: [2, 0], 8: [2, 1], 9: [2, 2],
    }

    clean()
    print(f'Human turn [{h_choice}]')
    render(board, c_choice, h_choice)

    while move < 1 or move > 9:
        try:
            move = int(input('Use numpad (1..9): '))
            coord = moves[move]
            can_move = set_move(coord[0], coord[1], HUMAN)

            if not can_move:
                print('Bad move')
                move = -1
        except (EOFError, KeyboardInterrupt):
            print('Bye')
            exit()
        except (KeyError, ValueError):
            print('Bad choice')

def main():

    clean()    h_choice = " # X or
O    c_choice = " # X or O
    first = " # if human is the first

    # Human chooses X or O to play    while
h_choice != 'O' and h_choice != 'X':
    try:

```

```

    print("")
    h_choice = input('Choose X or O\nChosen: ').upper()
except (EOFError, KeyboardInterrupt):    print('Bye')
exit()    except (KeyError, ValueError):
    print('Bad choice')

# Setting computer's choice
if h_choice == 'X':
    c_choice = 'O'    else:
        c_choice = 'X'

# Human may starts first
clean()    while first != 'Y' and
first != 'N':    try:
        first = input('First to start?[y/n]: ').upper()
except (EOFError, KeyboardInterrupt):
    print('Bye')    exit()    except (KeyError,
ValueError):
    print('Bad choice')

# Main loop of this game    while len(empty_cells(board)) >
0 and not game_over(board):    if first == 'N':
        ai_turn(c_choice, h_choice)
first = "

    human_turn(c_choice, h_choice)
ai_turn(c_choice, h_choice)

if wins(board, HUMAN):
    clean()
    print(f'Human turn [{h_choice}]')
    render(board, c_choice, h_choice)
    print('YOU WIN!')    elif wins(board,
COMP):
    clean()
    print(f'Computer turn [{c_choice}]')
    render(board, c_choice, h_choice)    print('YOU
LOSE!')
    else:
        clean()

```

```
    render(board, c_choice, h_choice)
print('DRAW!')
```

```
    exit() if __name__ ==
'__main__':
    main()
```

## **OUTPUT:**

```
varun@Varuns-MacBook-Air CN % python3 minimax.py
Choose X or O
Chosen: x
First to start?[y/n]: y
Human turn [X]

-----
| | | |
-----
| | | |
-----
| | | |
-----
Use numpad (1..9): 4
Computer turn [O]

-----
| | | |
-----
| X | | |
-----
| | | |
-----
Human turn [X]

-----
| O | | |
-----
| X | | |
-----
| | | |
-----
Use numpad (1..9): 2
Computer turn [O]

-----
| O | X | |
-----
| X | | |
-----
| | | |
-----
Human turn [X]

-----
| O | X | |
-----
| X | O | |
-----
| | | |
-----
Use numpad (1..9): 3
Computer turn [O]

-----
| O | X | X |
-----
| X | O | |
-----
| | | |
-----
Computer turn [O]

-----
| O | X | X |
-----
| X | O | |
-----
| | | O |
-----
YOU LOSE!
varun@Varuns-MacBook-Air CN %
```

## **RESULT :**


Thus the python code is implement successfully and the output is verified.

## EX.NO :5

### A\* SEARCH ALGORITHM

A heuristic algorithm sacrifices optimality, with precision and accuracy for speed, to solve problems faster and more efficiently.

All graphs have different nodes or points which the algorithm has to take, to reach the final node. The paths between these nodes all have a numerical value, which is considered as the weight of the path. The total of all paths transverse gives you the cost of that route. Initially, the Algorithm calculates the cost to all its immediate neighboring nodes,  $n$ , and chooses the one incurring the least cost. This process repeats until no new nodes can be chosen and all paths have been traversed. Then, you should consider the best path among them. If  $f(n)$  represents the final cost, then it can be denoted as :  $f(n) = g(n) + h(n)$ , where :  $g(n)$  = cost of traversing from one node to another. This will vary from node to node  $h(n)$  = heuristic approximation of the node's value. This is not a real value but an approximation cost.



### **AIM :**

To implement an A\* search algorithm using Python.

### SOURCE CODE:

```
from collections import deque
```

```
class Graph:    def
__init__(self, adjac_lis):
self.adjac_lis = adjac_lis
```



```
def get_neighbors(self, v):  
return self.adjac_lis[v]
```

```
def h(self, n):  
H = {  
    'A': 1,  
    'B': 1,  
    'C': 1,  
    'D': 1  
}  
return H[n]
```

```
def a_star_algorithm(self, start, stop):  
open_lst = set([start])    closed_lst =  
set([])    poo = { }    poo[start] = 0  
par = { }    par[start] = start
```

```
while len(open_lst) > 0:  
    n = None    for v in open_lst:    if n ==  
None or poo[v] + self.h(v) < poo[n] + self.h(n):    n =  
v;
```

```
    if n == None:  
print('Path does not exist!')  
return None
```

```
    if n == stop:  
reconst_path = []
```

```
    while par[n] != n:  
reconst_path.append(n)  
n = par[n]
```

```
reconst_path.append(start)
```

```
reconst_path.reverse()
```

```
print('Path found: {}'.format(reconst_path))  
return reconst_path
```

```

        for (m, weight) in self.get_neighbors(n):
            # if the current node is not present in both open_lst and closed_lst
            if m not in open_lst and m not in closed_lst:
                open_lst.add(m)
            par[m] = n
            poo[m] = poo[n] + weight
            else:
                if poo[m] > poo[n] + weight:
                    poo[m] = poo[n] + weight
                    par[m] = n

            if m in closed_lst:
                closed_lst.remove(m)
                open_lst.add(m)
                open_lst.remove(n)
                closed_lst.add(n)

        print('Path does not exist!')
        return None

adjac_lis = {
    'A': [('B', 1), ('C', 3), ('D', 7)],
    'B': [('D', 5)],
    'C': [('D', 12)]
}
graph1 = Graph(adjac_lis)
graph1.a_star_algorithm('A', 'D')

```

### **OUTPUT:**

```
Path found: ['A', 'B', 'D']
```

### **RESULT:**

Thus the python code is implement successfully and the output is verified.

## **EX.NO :6**

### **PROLOG**

#### **AIM :**

To develop a family tree program using PROLOG with all possible facts, rules, and queries.

#### **SOURCE CODE:**

#### **KNOWLEDGE BASE:**

```
/*FACTS :: */
```

```
male(peter).
```

```
male(john). male(chris).
```

```
male(kevin).
```

```
female(betty).
```

```
female(jeny). female(lisa).
```

```
female(helen).
```

```
parentOf(chris,peter).
```

```
parentOf(chris,betty).
```

```
parentOf(helen,peter).
```

```
parentOf(helen,betty).
```

```
parentOf(kevin,chris).
```

```
parentOf(kevin,lisa). parentOf(jeny,john).
```

```
parentOf(jeny,helen).
```

```
/*RULES :: */
```

```
/* son,parent
```

```
* son,grandparent*/
```

```
father(X,Y):- male(Y), parentOf(X,Y).
```

```
mother(X,Y):- female(Y),
```

```
parentOf(X,Y).
```

grandfather(X,Y):- male(Y),  
parentOf(X,Z), parentOf(Z,Y).

grandmother(X,Y):- female(Y),  
parentOf(X,Z), parentOf(Z,Y).

brother(X,Y):- male(Y),  
father(X,Z),  
father(Y,W), Z==W.

sister(X,Y):- female(Y),  
father(X,Z),  
father(Y,W), Z==W.

**OUTPUT :**

```

male(peter)
true

father(chris,peter)
true

father(chris,betty)
false

grandfather(kevin,peter)
true

grandfather(jeny,peter)
true

grandmother(jeny,peter)
false

mother(chris,X)
X = betty

brother(helen,chris)
true

brother(chris,helen)
false

father(X,Y)
X = chris,
Y = peter
X = helen,
Y = peter
X = jenny,
Y = john
X = kevin,
Y = chris

mother(X,Y)
X = chris,
Y = betty
X = helen,
Y = betty
X = kevin,
Y = lisa
X = jenny,
Y = helen

grandmother(X,Y)
X = kevin,
Y = betty
X = jenny,
Y = betty

grandfather(X,Y)
X = kevin,
Y = peter
X = jenny,
Y = peter

```

```

brother(X,Y)
X = Y, Y = chris
X = helen,
Y = chris
X = Y, Y = kevin

sister(X,Y)
X = Y, Y = jenny
X = chris,
Y = helen
X = Y, Y = helen

```

## **RESULT :**

Thus the python code is implement successfully and the output is verified.

## **EX.NO:7**

### **INTRODUCTION TO PROLOG AIM**

To learn PROLOG terminologies and write basic programs.

### **TERMINOLOGIES**

1. Atomic Terms: -

Atomic terms are usually strings made up of lower- and uppercase letters, digits, and the underscore, starting with a lowercase letter.

Ex:

dog  
ab\_c\_321

2. Variables: -

Variables are strings of letters, digits, and the underscore, starting with a capital letter or an underscore.

Ex:

Dog  
Apple\_420

3. Compound Terms: -

Compound terms are made up of a PROLOG atom and a number of arguments (PROLOG terms, i.e., atoms, numbers, variables, or other compound terms) enclosed in parentheses and separated by commas.

Ex:

is\_bigger(elephant,X)  
f(g(X,\_),7)

4. Facts: -

A fact is a predicate followed by a dot.

Ex:

bigger\_animal(whale).  
life\_is\_beautiful.

5. Rules: -

A rule consists of a head (a predicate) and a body (a sequence of predicates separated by commas).

Ex:

is\_smaller(X,Y):-is\_bigger(Y,X).  
aunt(Aunt,Child):-sister(Aunt,Parent),parent(Parent,Child).

### **SOURCE CODE:**

**KB1:**

woman(mia).  
woman(jody). woman(yolanda).  
playsAirGuitar(jody).  
party.  
Query 1: ?-woman(mia).  
Query 2: ?-playsAirGuitar(mia).  
Query 3: ?-party.  
Query 4: ?-concert.

**OUTPUT: -**

```
?- woman(mia).  
true.  
  
?- playsAirGuitar(mia).  
false.  
  
?- party.  
true.  
  
?- concert.  
ERROR: Unknown procedure: concert/0 (DWIM could not correct goal)  
?- ■
```

**KB2:**

happy(yolanda). listens2music(mia).  
Listens2music(yolanda):-happy(yolanda). playsAirGuitar(mia):-listens2music(mia).  
playsAirGuitar(Yolanda):-listens2music(yolanda).

**OUTPUT: -**

```
?- playsAirGuitar(mia).  
true.  
  
?- playsAirGuitar(yolanda).  
true.  
  
?- ■
```

**KB3:** likes(dan,sally). likes(sally,dan).  
likes(john,brittney). married(X,Y) :-  
likes(X,Y) , likes(Y,X). friends(X,Y) :-  
likes(X,Y) ; likes(Y,X).

**OUTPUT: -**

```
?- likes(dan,X).  
X = sally.  
  
?- married(dan,sally).  
true.  
  
?- married(john,brittney).  
false.
```

**KB4:** food(burger).  
food(sandwich).  
food(pizza).  
lunch(sandwich).  
dinner(pizza).  
meal(X):-food(X).

#### **OUTPUT:**

```
?-  
|   food(pizza).  
true.  
  
?- meal(X),lunch(X).  
X = sandwich ,  
  
?- dinner(sandwich).  
false.  
  
?-
```

#### **KB5:**

owns(jack,car(bmw)).  
owns(john,car(chevy)).  
owns(olivia,car(civic)).  
owns(jane,car(chevy)).  
sedan(car(bmw)). sedan(car(civic)).  
truck(car(chevy)).

#### **OUTPUT:**



```
?-  
|   owns(john,X).  
X = car(chevy).  
  
?- owns(john,_).  
true.  
  
?- owns(Who,car(chevy)).  
Who = john .  
  
?- owns(jane,X),sedan(X).  
false.  
  
?- owns(jane,X),truck(X).  
X = car(chevy).
```

**RESULT:**

Thus the python code is implement successfully and the output is verified.

## **EX.NO :8**

### **UNIFICATION AND RESOLUTION**

#### **AIM:**

To execute programs based on Unification and Resolution.

Deduction in prolog is based on the Unification and Instantiation. Let's understand these terminologies by examples rather than by definitions. Remember one thing, matching terms are unified and variables get instantiated. In other words, "Unification leads to Instantiation".

Example 1: Let's see for below prolog program - how unification and instantiation take place after querying.

Facts :

likes(john, jane).

likes(jane, john).

Query :

?- likes(john, X).

Answer : X = jane.

Here upon asking the query first prolog start to search matching terms in 'Facts' in top-down manner for 'likes' predicate with two arguments and it can match likes(john, ... ) i.e.

Unification. Then it looks for the value of X asked in query and it returns answer X = jane i.e.

Instantiation - X is instantiated to 'jane'.

Example 2 : At the prolog query prompt, when you write below query, ?-

owns(X, car(bmw)) = owns(Y, car(C)).

You will get Answer : X = Y, C = bmw.

Here owns(X, car(bmw)) and owns(Y, car(C)) unifies -- because (i) predicate names 'owns' are same on both side (ii) number of arguments for that predicate, i.e. 2, are equal both side. (iii) 2nd argument with 'car' predicate inside the brackets are same both side and even in that predicate again number of arguments are same. So, here terms unify in which X=Y. So, Y is substituted with X -- i.e. written as {X | Y} and C is instantiated to bmw, -- written as {bmw | C} and this is called Unification with Instantiation.

But when you write ?- owns(X, car(bmw)) = likes(Y, car(C)). then prolog will return 'false'.

since it can not match the 'owns' and 'likes' predicates.

Resolution is one kind of proof technique that works this way - (i) select two clauses that contain conflicting terms (ii) combine those two clauses and (iii) cancel out the conflicting terms.

For example we have following statements,

(1) If it is a pleasant day you will do strawberry picking

(2) If you are doing strawberry picking you are happy.

Above statements can be written in propositional logic like this -

(1) strawberry\_picking  $\leftarrow$  pleasant

(2) happy  $\leftarrow$  strawberry\_picking

And again these statements can be written in CNF like this -

(1) (strawberry\_picking  $\vee$   $\sim$ pleasant)  $\wedge$

(2) (happy  $\vee$   $\sim$ strawberry\_picking)

By resolving these two clauses and cancelling out the conflicting terms

'strawberry\_picking' and '~strawberry\_picking', we can have one new clause,


(3)  $\sim$ pleasant  $\vee$  happy

How ? See the figure on right.

When we write above new clause in infer or implies form, we have

'pleasant  $\rightarrow$  happy'; or 'happy  $\leftarrow$  pleasant'; i.e.

If it is a pleasant day you are happy.



But sometimes from the collection of the statements we have, we want to know the answer of this question - 'Is it possible to prove some other statements from what we actually know?'; In order to prove this we need to make some inferences and those other statements

can be shown true using Refutation proof method i.e. proof by contradiction using Resolution. So for the asked goal we will negate the goal and will add it to the given statements to prove the contradiction.

Let's see an example to understand how Resolution and Refutation work. In below example, Part(I) represents the English meanings for the clauses, Part(II) represents the

propositional logic statements for given english sentences, Part(III) represents the Conjunctive Normal Form (CNF) of Part(II) and Part(IV) shows some other statements we want to prove using Refutation proof method.

Part(I) : English Sentences

- (1) If it is sunny and warm day you will enjoy.
- (2) If it is warm and pleasant day you will do strawberry picking

(3) If it is raining then no strawberry picking.

(4) If it is raining you will get wet.

(5) It is warm day

(6) It is raining

(7) It is sunny

Part(II) : Propositional Statements

(1)  $\text{enjoy} \leftarrow \text{sunny} \wedge \text{warm}$

(2)  $\text{strawberry\_picking} \leftarrow \text{warm} \wedge \text{pleasant}$

(3)  $\sim \text{strawberry\_picking} \leftarrow \text{raining}$

(4)  $\text{wet} \leftarrow \text{raining}$

(5) warm

(6) raining

(7) sunny

Part(III) : CNF of Part(II)

(1)  $(\text{enjoy} \vee \sim \text{sunny} \vee \sim \text{warm}) \wedge$

(2)  $(\text{strawberry\_picking} \vee \sim \text{warm} \vee \sim \text{pleasant}) \wedge$

(3)  $(\sim \text{strawberry\_picking} \vee \sim \text{raining}) \wedge$

(4)  $(\text{wet} \vee \sim \text{raining}) \wedge$

(5)  $(\text{warm}) \wedge$

(6)  $(\text{raining}) \wedge$

(7)  $(\text{sunny})$

Part(IV) : Other statements we want to prove by Refutation (Goal

1) You are not doing strawberry picking.


(Goal 2) You will enjoy.

(Goal 3) Try it yourself : You will get wet.

Goal 1 : You are not doing strawberry picking.

Prove :  $\sim \text{strawberry\_picking}$


Assume :  $\text{strawberry\_picking}$  (negate the goal and add it to given clauses).



Goal 2 : You will enjoy.

Prove : enjoy

Assume : ~enjoy (negate the goal and add it to given clauses)



**SOURCE CODE:**

enjoy:-sunny,warm. strawberry\_picking:-warm,plesant.  
notstrawberry\_picking:-raining. wet:-raining. warm.  
raining. sunny.

**OUTPUT:**

```
?- notstrawberry_picking.  
true.  
?- enjoy.  
true.  
?- wet.  
true.
```

**RESULT:**

Thus the python code is implement successfully and the output is verified.

## EX.NO :9

### FUZZY LOGIC – IMAGE PROCESSING

An edge is a boundary between two uniform regions. You can detect an edge by comparing the intensity of neighbouring pixels. However, because uniform regions are not crisply defined, small intensity differences between two neighbouring pixels do not always represent an edge. Instead, the intensity difference might represent a shading effect. The fuzzy logic approach for image processing allows you to use membership functions to define the degree to which a pixel belongs to an edge or a uniform region.

Import RGB Image and Convert to Grayscale

Import the image.

```
Irgb = imread('peppers.png');
```

Irgb is a 384 x 512 x 3 uint8 array. The three channels of Irgb (third array dimension) represent the red, green, and blue intensities of the image.


Convert Irgb to grayscale so that you can work with a 2-D array instead of a 3-D array. To do so, use the rgb2gray function.

```
Igray = rgb2gray(Irgb);
```

```
figure
```

```
image(Igray,'CDataMapping','scaled') colormap('gray')
```

```
title('Input Image in Grayscale')
```



## Convert Image to Double-Precision Data

The `evalfis` function for evaluating fuzzy inference systems supports only single-precision and double-precision data.

Therefore, convert `Igray` to a double array using the `im2double` function.

```
I = im2double(Igray);
```

## Obtain Image Gradient


The fuzzy logic edge-detection algorithm for this example relies on the image gradient to locate breaks in uniform regions. Calculate the image gradient along the x-axis and y-axis.

`Gx` and `Gy` are simple gradient filters. To obtain a matrix containing the x-axis gradients of `I`, you convolve `I` with `Gx` using the `conv2` function. The gradient values are in the `[-1 1]` range. Similarly, to obtain the y-axis gradients of `I`, convolve `I` with `Gy`.

```
Gx = [-1 1];  
Gy = Gx';  
Ix = conv2(I,Gx,'same');  
Iy = conv2(I,Gy,'same');
```

Plot the image gradients.


```
figure  
image(Ix,'CDataMapping','scaled')  
colormap('gray') title('Ix')
```



figure



```
image(Iy,'CDDataMapping','scaled') colormap('gray')
title('Iy')
```



Define Fuzzy Inference System (FIS) for Edge Detection  
Create a fuzzy inference system (FIS) for edge detection, edgeFIS.

```
edgeFIS = mamfis('Name','edgeDetection');
Specify the image gradients, Ix and Iy, as the inputs of edgeFIS.
edgeFIS = addInput(edgeFIS,[-1 1],'Name','Ix'); edgeFIS =
addInput(edgeFIS,[-1 1],'Name','Iy');
```

Specify a zero-mean Gaussian membership function for each input. If the gradient value for a pixel is 0, then it belongs to the zero membership function with a degree of 1.  
 $sx = 0.1$ ;  $sy = 0.1$ ; `edgeFIS = addMF(edgeFIS,'Ix','gaussmf',[sx 0],'Name','zero');` `edgeFIS = addMF(edgeFIS,'Iy','gaussmf',[sy 0],'Name','zero');`  $sx$  and  $sy$  specify the standard deviation for the zero membership function for the  $Ix$  and  $Iy$  inputs.

To adjust the edge detector performance, you can change the values of  $sx$  and  $sy$ . Increasing the values makes the algorithm less sensitive to the edges in the image and decreases the intensity of the detected edges.

Specify the intensity of the edge-detected image as an output of edgeFIS.  
`edgeFIS = addOutput(edgeFIS,[0 1],'Name','Iout');`


Specify the triangular membership functions, white and black, for Iout.  
 $wa = 0.1$ ;  $wb = 1$ ;  $wc = 1$ ;  $ba = 0$ ;  $bb = 0$ ;  $bc = 0.7$ ;

```
edgeFIS = addMF(edgeFIS,'Iout','trimf',[wa wb wc],'Name','white'); edgeFIS
= addMF(edgeFIS,'Iout','trimf',[ba bb bc],'Name','black');
```

As you can with `sx` and `sy`, you can change the values of `wa`, `wb`, `wc`, `ba`, `bb`, and `bc` to adjust the edge detector performance. The triplets specify the start, peak, and end of the triangles of the membership functions. These parameters influence the intensity of the detected edges.

Plot the membership functions of the inputs and outputs of `edgeFIS`.

```
figure subplot(2,2,1) plotmf(edgeFIS,'input',1) title('Ix')
subplot(2,2,2) plotmf(edgeFIS,'input',2)
title('Iy') subplot(2,2,[3
4])
plotmf(edgeFIS,'output',1)
title('Iout')
```



### Specify FIS Rules

Add rules to make a pixel white if it belongs to a uniform region and black otherwise. A pixel is in a uniform region when the image gradient is zero in both directions. If either direction has a nonzero gradient, then the pixel is on an edge.

```
r1 = "If Ix is zero and Iy is zero then Iout is white"; r2 =
"If Ix is not zero or Iy is not zero then Iout is black";
edgeFIS = addRule(edgeFIS,[r1 r2]); edgeFIS.Rules ans
=
```

1x2 fisrule array with properties:

Description

Antecedent

Consequent

Weight

Connection Details:

Description

---


```
1 "Ix==zero & Iy==zero => Iout=white (1)"
2 "Ix~=zero | Iy~=zero => Iout=black (1)"
```

Evaluate FIS

Evaluate the output of the edge detector for each row of pixels in I using corresponding rows of Ix and Iy as inputs. Ieval = zeros(size(I)); for ii = 1:size(I,1) Ieval(ii,:) = evalfis(edgeFIS,[Ix(ii,:);Iy(ii,:)]'); end


Plot Results

Plot the original grayscale image. figure  
image(I,'CDataMapping','scaled') colormap('gray')  
title('Original Grayscale Image')



Plot the detected edges.

figure  
image(Ieval,'CDataMapping','scaled') colormap('gray')  
title('Edge Detection Using Fuzzy Logic')



**RESULT:**

Thus the python code is implement successfully and the output is verified.

## EX.NO :10

### IMPLEMENTING ARTIFICIAL NEURAL NETWORKS FOR AN APPLICATION USING PYTHON - CLASSIFICATION AIM

:


To implementing artificial neural networks for an application in classification using python.

#### Source Code :

```
from sklearn.neural_network import MLPClassifier
from sklearn.model_selection import train_test_split
from sklearn.datasets import make_circles import
numpy as np import matplotlib.pyplot as plt import
seaborn as sns
%matplotlib inline
```

```
X, y = make_circles(n_samples=1000, noise=0.05)
```

```
ns.scatterplot(X_train[:,0], X_train[:,1], hue=y_train)
plt.title("Train Data") plt.show()
```




```
clf = MLPClassifier(max_iter=1000)
clf.fit(X_train, y_train)
print(f"R2 Score for Training Data = {clf.score(X_train, y_train)}")
```

```
print(f"R2 Score for Test Data = {clf.score(X_test, y_test)}")
```

```
y_pred = clf.predict(X_test)
```

```
fig, ax = plt.subplots(1,2)
sns.scatterplot(X_test[:,0], X_test[:,1], hue=y_pred, ax=ax[0])
ax[1].title.set_text("Predicted Data")
sns.scatterplot(X_test[:,0], X_test[:,1], hue=y_test, ax=ax[1])
ax[0].title.set_text("Test Data") plt.show()
```

### **OUTPUT :**



### **RESULT :**

Thus the python code is implement successfully and the output is verified.

## **EX.NO :11**

### **IMPLEMENTING ARTIFICIAL NEURAL NETWORKS FOR AN APPLICATION USING PYTHON - REGRESSION**

#### **AIM :**

To implementing artificial neural networks for an application in Regression using python.

#### **SOURCE CODE :**

```
from sklearn.neural_network import MLPRegressor
from sklearn.model_selection import train_test_split
from sklearn.datasets import make_regression
import numpy as np import matplotlib.pyplot as plt
import seaborn as sns
%matplotlib inline

X, y = make_regression(n_samples=1000, noise=0.05, n_features=100)

X.shape, y.shape // ((1000, 100), (1000,))

X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, shuffle=True, random_state=42)

clf = MLPRegressor(max_iter=1000) clf.fit(X_train, y_train)
print(f"R2 Score for Training Data = {clf.score(X_train, y_train)}")

print(f"R2 Score for Test Data = {clf.score(X_test, y_test)}")
```

#### **OUTPUT :**

R2 Score for Test Data = 0.9686558466621529

#### **RESULT :**

Thus the python code is implement successfully and the output is verified.

## **EX.NO :12**

### **DECISION TREE CLASSIFICATION**

#### **AIM:**

To classify the Social Network dataset using Decision tree analysis

#### **Source Code :**

```
# Importing the
libraries import
numpy as np
import matplotlib.pyplot as plt import
pandas as pd

# Importing the dataset
dataset = pd.read_csv('Social_Network_Ads.csv')
X = dataset.iloc[:, [2, 3]].values y
= dataset.iloc[:, -1].values

# Splitting the dataset into the Training set and
Test set from sklearn.model_selection import
train_test_split
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size = 0.25, random_state = 0)

# Feature Scaling
from sklearn.preprocessing import StandardScaler
sc = StandardScaler()
X_train = sc.fit_transform(X_train)
X_test = sc.transform(X_test)

# Training the Decision Tree Classification model on
the Training set from sklearn.tree import
DecisionTreeClassifier
classifier = DecisionTreeClassifier(criterion = 'entropy', random_state = 0)

classifier.fit(X_train, y_train)
```



```

# Predicting the Test set results y_pred
= classifier.predict(X_test) # Making
the Confusion Matrix from
sklearn.metrics import
confusion_matrix cm =
confusion_matrix(y_test, y_pred)
print(cm)

# Visualising the Training set results from
matplotlib.colors import ListedColormap
X_set, y_set = X_train, y_train
X1, X2 = np.meshgrid(np.arange(start = X_set[:, 0].min() - 1, stop = X_set[:, 0].max() +
1, step =
0.01), np.arange(start = X_set[:, 1].min() - 1, stop = X_set[:, 1].max() + 1, step = 0.01))


plt.contourf(X1, X2, classifier.predict(np.array([X1.ravel(),
X2.ravel()]).T).reshape(X1.shape), alpha = 0.75, cmap = ListedColormap(('red',
'green')))
plt.xlim(X1.min(), X1.max()) plt.ylim(X2.min(),
X2.max()) for i, j in
enumerate(np.unique(y_set)):
plt.scatter(X_set[y_set == j, 0], X_set[y_set == j,
1],
c = ListedColormap(('red', 'green'))(i), label =
j) plt.title('Decision Tree Classification
(Training set)') plt.xlabel('Age')
plt.ylabel('Estimated Salary') plt.legend()
plt.show()
# Visualising the Test set results
from matplotlib.colors import ListedColormap
X_set, y_set = X_test, y_test
X1, X2 = np.meshgrid(np.arange(start = X_set[:, 0].min() - 1, stop = X_set[:, 0].max() +
1, step =
0.01), np.arange(start = X_set[:, 1].min() - 1, stop = X_set[:, 1].max() + 1, step = 0.01))

plt.contourf(X1, X2, classifier.predict(np.array([X1.ravel(),
X2.ravel()]).T).reshape(X1.shape), alpha = 0.75, cmap = ListedColormap(('red',
'green')))

```

```
plt.xlim(X1.min(), X1.max()) plt.ylim(X2.min(),  
X2.max()) for i, j in enumerate(np.unique(y_set)):  
plt.scatter(X_set[y_set == j, 0], X_set[y_set == j, 1],  
c = ListedColormap(('red', 'green'))(i), label = j)  
plt.title('Decision Tree Classification (Test set)')  
plt.xlabel('Age')  
plt.ylabel('Estimated Salary')  
plt.legend() plt.show()
```

**OUTPUT :**



**RESULT :**

Thus the python code is implement successfully and the output is verified.

## **EX.NO : 13**

### **IMPLEMENTATION OF DECISION TREE CLASSIFICATION TECHNIQUES**

#### **AIM:**

To implement a decision tree classification technique for gender classification using python.

#### **EXPLANATION:**

- Import tree from sklearn.
- Call the function DecisionTreeClassifier() from tree
- Assign values for X and Y.
- Call the function predict for Predicting on the basis of given random values for each given feature.
- Display the output.

#### **SOURCE CODE:**

```
from sklearn import tree
#Using DecisionTree classifier for prediction clf
= tree.DecisionTreeClassifier()

#Here the array contains three values which are height,weight and shoe size
X = [[181, 80, 91], [182, 90, 92], [183, 100, 92], [184, 200, 93], [185, 300, 94], [186,
400, 95], [187, 500, 96], [189, 600, 97], [190, 700, 98], [191, 800, 99], [192, 900, 100],
[193, 1000, 101]]
Y = ['male', 'male', 'female', 'male', 'female', 'male', 'female', 'male', 'female', 'male',
'female', 'male']
clf = clf.fit(X, Y)

#Predicting on basis of given random values for each given feature
predictionf = clf.predict([[181, 80, 91]])
predictionm =
clf.predict([[183, 100, 92]])
```

```
#Printing final prediction
print(predictionf)
print(predictionm)
```

#### **OUTPUT:**

['male']  
['female']

220701210

**RESULT:**

Thus the python code is implement successfully and the output is verified.

**EX NO :14**

**VIMPLEMENTATION OF CLUSTERING TECHNIQUES**  
**K - MEANS**

**AIM:**

To implement a K - Means clustering technique using python language.


**EXPLANATION:**

- Import KMeans from sklearn.cluster
- Assign X and Y.
- Call the function KMeans().
- Perform scatter operation and display the output.

**SOURCE CODE:**

```
Import numpy as np
import pandas as pd
from matplotlib import pyplot as plt
from sklearn.datasets.samples_generator import make_blobs
from sklearn.cluster import KMeans
X, y = make_blobs(n_samples=300, centers=4, cluster_std=0.60, random_state=0)
plt.scatter(X[:,0], X[:,1])
wcss = []
for i in range(1, 11):
    kmeans = KMeans(n_clusters=i, init='k-means++', max_iter=300, n_init=10,
                    random_state=0)
    kmeans.fit(X)
    wcss.append(kmeans.inertia_)
plt.plot(range(1, 11), wcss)
plt.title('Elbow Method')
plt.xlabel('Number of clusters')
plt.ylabel('WCSS')
plt.show()
kmeans = KMeans(n_clusters=4, init='k-means++', max_iter=300, n_init=10,
                random_state=0)
pred_y = kmeans.fit_predict(X)
plt.scatter(X[:,0], X[:,1])
plt.scatter(kmeans.cluster_centers_[0], kmeans.cluster_centers_[1], s=300, c='red')
plt.show()
```

## **OUTPUT :**



## **RESULT:**

Thus the python code is implement successfully and the output is verified.