

```
SELECT * FROM campusx.flights;
```

```
--      1. Find the month with most number of flights
```

```
SELECT MONTHNAME(date_of_journey),COUNT(*)  
FROM flights  
GROUP BY MONTHNAME(date_of_journey)  
ORDER BY COUNT(*) DESC LIMIT 1;
```

```
--      2. Which week day has most costly flights
```

```
SELECT DAYNAME(date_of_journey),AVG(price) FROM flights  
GROUP BY DAYNAME(date_of_journey)  
ORDER BY AVG(price) DESC LIMIT 1;
```

```
-- Find number of indigo flights every month
```

```
SELECT MONTHNAME(date_of_journey),COUNT(*) FROM flights  
WHERE airline = 'Indigo'  
GROUP BY MONTHNAME(date_of_journey)  
ORDER BY MONTH(date_of_journey) ASC;
```

```
--      4. Find list of all flights that depart between 10AM and 2PM from Delhi to Bangalore
```

```
SELECT * FROM flights  
WHERE source = 'Bangalore' AND  
destination = 'Delhi' AND  
dep_time > '10:00:00' AND dep_time < '14:00:00';
```

```
-- Find the number of flights departing on weekends from Bangalore
```

```
SELECT COUNT(*) FROM flights  
WHERE source = 'bangalore' AND  
DAYNAME(date_of_journey) IN ('saturday','sunday');
```

```
-- Calculate the arrival time for all flights by adding the duration to the departure time.
```

```
ALTER TABLE flights ADD COLUMN departure DATETIME;
```

```
UPDATE flights
```

```
SET departure = STR_TO_DATE(CONCAT(date_of_journey,' ',dep_time),'%Y-%m-%d %H:%i');
```

```
ALTER TABLE flights
```

```
ADD COLUMN duration_mins INTEGER,  
ADD COLUMN arrival DATETIME;
```

```
SELECT Duration,
```

```
REPLACE(SUBSTRING_INDEX(duration,' ',1),'h','')*60 +
```

```

CASE
    WHEN SUBSTRING_INDEX(duration,' ',-1) = SUBSTRING_INDEX(duration,' ',1) THEN
0
    ELSE REPLACE(SUBSTRING_INDEX(duration,' ',-1),'m','")
END AS 'mins'
FROM flights;

```

```

UPDATE flights
SET duration_mins = REPLACE(SUBSTRING_INDEX(duration,' ',1),'h','")*60 +
CASE
    WHEN SUBSTRING_INDEX(duration,' ',-1) = SUBSTRING_INDEX(duration,' ',1) THEN
0
    ELSE REPLACE(SUBSTRING_INDEX(duration,' ',-1),'m','")
END;

```

```

SELECT * FROM flights;

```

```

UPDATE flights
SET arrival = DATE_ADD(departure,INTERVAL duration_mins MINUTE);

```

```

SELECT * FROM flights;

```

```

SELECT TIME(arrival) FROM flights;

```

```

--      7. Calculate the arrival date for all the flights

```

```

SELECT DATE(arrival) FROM flights;

```

```

SELECT * FROM flights;

```

```

-- Find the number of flights which travel on multiple dates.

```

```

SELECT COUNT(*) FROM flights
WHERE DATE(departure) != DATE(arrival);

```

```

-- Calculate the average duration of flights between all city pairs. The answer should In xh ym
format

```

```

SELECT source,destination,
TIME_FORMAT(SEC_TO_TIME(AVG(duration_mins)*60),'%kh %im') AS 'avg_duration' FROM
flights
GROUP BY source,destination;

```

```

-- Find all flights which departed before midnight but arrived at their destination after midnight
having only 0 stops.

```

```
SELECT * FROM flights
WHERE total_stops = 'non-stop' AND
DATE(departure) < DATE(arrival);
```

-- Find quarter wise number of flights for each airline

```
SELECT airline,QUARTER(departure),COUNT(*)
FROM flights
GROUP BY airline,QUARTER(departure);
```

-- Average time duration for flights that have 1 stop vs more than 1 stops

```
WITH temp_table AS (SELECT *,
CASE
    WHEN total_stops = 'non-stop' THEN 'non-stop'
    ELSE 'with stop'
END AS 'temp'
FROM flights)
```

```
SELECT temp,
TIME_FORMAT(SEC_TO_TIME(AVG(duration_mins)*60),'%kh %im') AS 'avg_duration',
AVG(price) AS 'avg_price'
FROM temp_table
GROUP BY temp;
```

-- 14. Find all Air India flights in a given date range originating from Delhi

-- 1st Mar 2019 to 10th Mar 2019

```
SELECT * FROM flights
WHERE source = 'Delhi' AND
DATE(departure) BETWEEN '2019-03-01' AND '2019-03-10';
```

-- Find the longest flight of each airline

```
SELECT airline,
TIME_FORMAT(SEC_TO_TIME(MAX(duration_mins)*60),'%kh %im') AS 'max_duration'
FROM flights
GROUP BY airline
ORDER BY MAX(duration_mins) DESC;
```

-- 16. Find all the pair of cities having average time duration > 3 hours

```
SELECT source,destination,
TIME_FORMAT(SEC_TO_TIME(AVG(duration_mins)*60),'%kh %im') AS 'avg_duration' FROM
flights
GROUP BY source,destination
```

HAVING AVG(duration_mins) > 180;

-- 17. Make a weekday vs time grid showing frequency of flights from Bangalore and Delhi

```
SELECT DAYNAME(departure),
SUM(CASE WHEN HOUR(departure) BETWEEN 0 AND 5 THEN 1 ELSE 0 END) AS '12AM -
6AM',
SUM(CASE WHEN HOUR(departure) BETWEEN 6 AND 11 THEN 1 ELSE 0 END) AS '6AM -
12PM',
SUM(CASE WHEN HOUR(departure) BETWEEN 12 AND 17 THEN 1 ELSE 0 END) AS '12PM
- 6PM',
SUM(CASE WHEN HOUR(departure) BETWEEN 18 AND 23 THEN 1 ELSE 0 END) AS '6PM -
12PM'
FROM flights
WHERE source = 'Bangalore' AND destination = 'Delhi'
GROUP BY DAYNAME(departure)
ORDER BY DAYOFWEEK(departure) ASC;
```

-- 18. Make a weekday vs time grid showing avg flight price from Bangalore and Delhi

```
SELECT DAYNAME(departure),
AVG(CASE WHEN HOUR(departure) BETWEEN 0 AND 5 THEN price ELSE NULL END) AS
'12AM - 6AM',
AVG(CASE WHEN HOUR(departure) BETWEEN 6 AND 11 THEN price ELSE NULL END) AS
'6AM - 12PM',
AVG(CASE WHEN HOUR(departure) BETWEEN 12 AND 17 THEN price ELSE NULL END) AS
'12PM - 6PM',
AVG(CASE WHEN HOUR(departure) BETWEEN 18 AND 23 THEN price ELSE NULL END) AS
'6PM - 12PM'
FROM flights
WHERE source = 'Bangalore' AND destination = 'Delhi'
GROUP BY DAYNAME(departure)
ORDER BY DAYOFWEEK(departure) ASC;
```