

## 10. Examination & Results Test Cases

| Test Case ID  | Requirement ID | Test Scenario                     | Test Data                   | Test Steps                      | Expected Result                                          | Priority |
|---------------|----------------|-----------------------------------|-----------------------------|---------------------------------|----------------------------------------------------------|----------|
| TC-EXAM-001   | F08            | Create examination                | Exam details                | Enter exam details → Save       | Examination record is created.                           | High     |
| TC-EXAM-002   | F08            | View examination schedule         | Exam schedule               | Student opens Exams             | Correct examination schedule is displayed.               | High     |
| TC-EXAM-003   | F27            | Enter valid marks                 | Valid marks                 | Enter marks → Save              | Marks are saved successfully.                            | Critical |
| TC-EXAM-004   | F27            | Enter invalid marks               | Marks outside allowed range | Save marks                      | Invalid marks are rejected.                              | Critical |
| TC-RESULT-001 | F10            | Publish result                    | Result                      | Authorized user selects Publish | Result becomes available according to publication rules. | Critical |
| TC-RESULT-002 | F10            | Student views published result    | Student account             | Open Results                    | Correct result is displayed.                             | Critical |
| TC-RESULT-003 | BR-09          | Student views unpublished result  | Unpublished result          | Open Results                    | Result remains hidden.                                   | Critical |
| TC-RESULT-004 | BR-17          | Student attempts to modify result | Result record               | Attempt modification            | Modification is denied.                                  | Critical |

## 11. AI Doubt Solver Test Cases

The platform includes AI-assisted academic support, and your current backend also has a server-side AI endpoint for academic doubt resolution. The backend source shows `POST /api/ai/solve` and keeps the Gemini API key server-side.

| Test Case ID | Requirement ID | Test Scenario                   | Test Data                | Test Steps                               | Expected Result                                                           | Priority |
|--------------|----------------|---------------------------------|--------------------------|------------------------------------------|---------------------------------------------------------------------------|----------|
| TC-AI-001    | F17            | Ask valid academic question     | "Explain binary search." | Enter question → Submit                  | AI response is returned and displayed to student.                         | High     |
| TC-AI-002    | F17            | Submit empty question           | Blank question           | Click Submit                             | Validation message appears and AI request is not sent.                    | Medium   |
| TC-AI-003    | F17            | AI service unavailable          | Valid question           | Submit question                          | User receives controlled error message instead of application crash.      | High     |
| TC-AI-004    | F17            | Backend AI endpoint unavailable | Valid question           | Submit question                          | Frontend handles failure gracefully and displays appropriate error.       | Critical |
| TC-AI-005    | BR-11          | Unauthorized AI request         | API request              | Send request without valid authorization | Request is rejected.                                                      | Critical |
| TC-AI-006    | F17            | Ask follow-up question          | Follow-up question       | Ask first question → ask follow-up       | System maintains the supported conversation context and returns response. | Medium   |
| TC-AI-007    | F17            | Escalate unresolved doubt       | Unresolved doubt         | Select Escalate to Faculty               | Doubt is submitted to appropriate faculty workflow.                       | High     |

| Test Case ID | Requirement ID | Test Scenario                       | Test Data        | Test Steps                    | Expected Result                                             | Priority |
|--------------|----------------|-------------------------------------|------------------|-------------------------------|-------------------------------------------------------------|----------|
| TC-AI-008    | F14/F17        | Faculty responds to escalated doubt | Faculty response | Faculty opens doubt → Respond | Response is saved and made available to authorized student. | High     |

|           |       |                                  |                             |                                              |                                                    |          |
|-----------|-------|----------------------------------|-----------------------------|----------------------------------------------|----------------------------------------------------|----------|
| TC-AI-009 | BR-11 | Verify AI API key is not exposed | Browser DevTools/network rk | Inspect frontend source and network requests | Secret API key is not exposed to client-side code. | Critical |
|-----------|-------|----------------------------------|-----------------------------|----------------------------------------------|----------------------------------------------------|----------|

## 12. Study Group Test Cases

The BRD requirement is a maximum of **5 students per study group**.

| Test Case ID | Requirement ID | Test Scenario              | Test Data           | Test Steps                     | Expected Result                                 | Priority |
|--------------|----------------|----------------------------|---------------------|--------------------------------|-------------------------------------------------|----------|
| TC-STUDY-001 | F18            | Create study group         | Group name          | Create group                   | Study group is created successfully.            | High     |
| TC-STUDY-002 | F18            | Join study group           | Student account     | Open group → Join              | Student becomes a group member.                 | High     |
| TC-STUDY-003 | BR-07          | Add fifth member           | Fifth student       | Fifth student joins            | Fifth student is successfully added. Total = 5. | Critical |
| TC-STUDY-004 | BR-08          | Add sixth member           | Sixth student       | Sixth student attempts to join | Join request is rejected. Total remains 5.      | Critical |
| TC-STUDY-005 | BR-07          | Duplicate group membership | Same student        | Attempt Join again             | Duplicate membership is prevented.              | High     |
| TC-STUDY-006 | F18            | Leave study group          | Existing membership | Select Leave                   | Student is removed from group.                  | Medium   |

| Test Case ID | Requirement ID | Test Scenario             | Test Data     | Test Steps                         | Expected Result                                   | Priority |
|--------------|----------------|---------------------------|---------------|------------------------------------|---------------------------------------------------|----------|
| TC-STUDY-007 | BR-08          | Add member after vacancy  | New student   | New student joins                  | New student can join and total does not exceed 5. | High     |
| TC-STUDY-008 | BR-03          | Unauthorized group access | Private group | Attempt to access restricted group | Unauthorized access is denied.                    | High     |

**Important boundary case:** test concurrent sixth-member attempts as well. The database/security logic must prevent the final membership count from becoming 6 even if two users attempt to join simultaneously.

### 13. File Upload Test Cases

Your architecture uses Cloudinary for file storage, while application metadata is associated with the platform's academic records.

| Test Case ID | Requirement ID | Test Scenario            | Test Data        | Test Steps                       | Expected Result                                                                             | Priority |
|--------------|----------------|--------------------------|------------------|----------------------------------|---------------------------------------------------------------------------------------------|----------|
| TC-FILE-001  | BR-16          | Upload valid file        | Valid PDF        | Select file → Upload             | File is validated and uploaded successfully.                                                | High     |
| TC-FILE-002  | BR-16          | Upload invalid file type | Unsupported file | Select unsupported file → Upload | File is rejected with validation message.                                                   | High     |
| TC-FILE-003  | BR-16          | File upload failure      | Valid file       | Attempt upload                   | Failure is handled gracefully; incomplete record is not presented as successfully uploaded. | High     |
| TC-FILE-004  | BR-03          | Unauthorized file access | Restricted file  | Attempt direct access            | Unauthorized user cannot access file.                                                       | Critical |

| Test Case ID | Requirement ID | Test Scenario         | Test Data                       | Test Steps              | Expected Result                                            | Priority |
|--------------|----------------|-----------------------|---------------------------------|-------------------------|------------------------------------------------------------|----------|
| TC-FILE-005  | BR-16          | Verify file metadata  | File name/type/academic mapping | Inspect stored metadata | Metadata corresponds to correct file and academic context. | High     |
| TC-FILE-006  | BR-16          | Upload oversized file | File above configured limit     | Upload                  | Upload is rejected.                                        | High     |

For **TC-FILE-006**, the exact maximum file size should be taken from the SRS/technical specification. If it has not been defined, record it as an open issue rather than inventing a value.

## 14. Notification Test Cases

| Test Case ID | Requirement ID | Test Scenario                 | Test Data            | Test Steps          | Expected Result                                                                        | Priority |
|--------------|----------------|-------------------------------|----------------------|---------------------|----------------------------------------------------------------------------------------|----------|
| TC-NOTIF-001 | F16            | Assignment notification       | Published assignment | Publish assignment  | Relevant student receives notification according to configured notification mechanism. | High     |
| TC-NOTIF-002 | F16            | Examination notification      | Exam event           | Create/publish exam | Relevant users receive notification.                                                   | High     |
| TC-NOTIF-003 | F16            | Result notification           | Result event         | Publish result      | Student receives configured notification.                                              | High     |
| TC-NOTIF-004 | F17            | Faculty response notification | Faculty response     | Faculty responds    | Student receives response notification if configured.                                  | Medium   |

| Test Case ID | Requirement ID | Test Scenario | Test Data | Test Steps | Expected Result | Priority |
|--------------|----------------|---------------|-----------|------------|-----------------|----------|
|--------------|----------------|---------------|-----------|------------|-----------------|----------|

|              |     |                           |              |                   |                                      |     |
|--------------|-----|---------------------------|--------------|-------------------|--------------------------------------|-----|
| TC-NOTIF-005 | F16 | Mark notification as read | Notification | Open notification | Notification status changes to read. | Low |
|--------------|-----|---------------------------|--------------|-------------------|--------------------------------------|-----|

## 15. Google Meet / Online Class Test Cases

The BRD includes online classes and faculty meeting scheduling.

| Test Case ID | Requirement ID | Test Scenario | Test Data | Test Steps | Expected Result | Priority |
|--------------|----------------|---------------|-----------|------------|-----------------|----------|
|--------------|----------------|---------------|-----------|------------|-----------------|----------|

|             |     |                                |                                      |                       |                                                 |      |
|-------------|-----|--------------------------------|--------------------------------------|-----------------------|-------------------------------------------------|------|
| TC-MEET-001 | F28 | Faculty schedules online class | Subject, date, time, meeting details | Create online session | Online class information is saved successfully. | High |
|-------------|-----|--------------------------------|--------------------------------------|-----------------------|-------------------------------------------------|------|

|             |     |                            |                 |                     |                                                   |      |
|-------------|-----|----------------------------|-----------------|---------------------|---------------------------------------------------|------|
| TC-MEET-002 | F15 | Student views online class | Student account | Open class schedule | Student can view authorized online class details. | High |
|-------------|-----|----------------------------|-----------------|---------------------|---------------------------------------------------|------|

|             |     |                       |              |            |                                                       |      |
|-------------|-----|-----------------------|--------------|------------|-------------------------------------------------------|------|
| TC-MEET-003 | F15 | Student opens meeting | Meeting link | Click Join | Student is directed to the configured online meeting. | High |
|-------------|-----|-----------------------|--------------|------------|-------------------------------------------------------|------|

|             |       |                                    |             |                |                                                                        |          |
|-------------|-------|------------------------------------|-------------|----------------|------------------------------------------------------------------------|----------|
| TC-MEET-004 | BR-03 | Unauthorized user accesses meeting | Meeting URL | Attempt access | Application does not expose meeting information to unauthorized users. | Critical |
|-------------|-------|------------------------------------|-------------|----------------|------------------------------------------------------------------------|----------|

16. Security Test Cases

| Test Case ID | Requirement ID | Test Scenario                       | Test Data                    | Test Steps                             | Expected Result                                    | Priority |
|--------------|----------------|-------------------------------------|------------------------------|----------------------------------------|----------------------------------------------------|----------|
| TC-SEC-001   | BR-14          | Unauthorized Firestore read         | Restricted document          | Attempt read                           | Firestore Security Rules reject unauthorized read. | Critical |
| TC-SEC-002   | BR-14          | Unauthorized Firestore write        | Restricted document          | Attempt write                          | Write operation is rejected.                       | Critical |
| TC-SEC-003   | BR-17          | Student modifies marks              | Result record                | Attempt write/update                   | Request is rejected.                               | Critical |
| TC-SEC-004   | BR-17          | Student modifies attendance         | Attendance record            | Attempt write/update                   | Request is rejected.                               | Critical |
| TC-SEC-005   | BR-05          | Faculty accesses another department | Other department data        | Attempt read                           | Access is denied.                                  | Critical |
| TC-SEC-006   | BR-06          | HOD accesses another department     | Other department data        | Attempt read                           | Access is denied.                                  | Critical |
| TC-SEC-007   | BR-12          | Deactivated user accesses portal    | Existing credentials/session | Attempt login/access                   | Access is blocked.                                 | Critical |
| TC-SEC-008   | BR-11          | AI API secret exposure              | Gemini/API configuration     | Inspect client source/network          | Server-side secret is not exposed.                 | Critical |
| TC-SEC-009   | BR-03          | Direct URL manipulation             | Unauthorized route           | Change URL manually                    | Unauthorized route is blocked.                     | Critical |
| TC-SEC-010   | BR-15          | Critical action audit               | User creation/role change    | Perform critical action → inspect logs | Action generates an appropriate audit record.      | High     |

## 17. Business Rule Test Cases

The BRD explicitly defines business rules BR-01 through BR-18, so these should have a dedicated test suite rather than being tested only indirectly.

| Test Case ID | Business Rule | Test Scenario                                | Test Steps                                           | Expected Result                                         | Priority |
|--------------|---------------|----------------------------------------------|------------------------------------------------------|---------------------------------------------------------|----------|
| TC-BR-001    | BR-01         | Public self-registration                     | Open registration route as unauthenticated user      | Unrestricted public registration is not provided.       | Critical |
| TC-BR-002    | BR-02         | Unauthorized user creates account            | Attempt account creation without admin authorization | Account creation is rejected.                           | Critical |
| TC-BR-003    | BR-03         | User accesses unauthorized data              | Attempt access outside role/scope                    | Access is denied.                                       | Critical |
| TC-BR-004    | BR-04         | Student accesses another academic context    | Change student academic identifier/context           | Unauthorized academic information remains inaccessible. | Critical |
| TC-BR-005    | BR-05         | Faculty accesses unassigned responsibility   | Attempt access to unassigned class/subject           | Access is denied.                                       | Critical |
| TC-BR-006    | BR-06         | HOD accesses another department              | Attempt access to another department                 | Access is denied.                                       | Critical |
| TC-BR-007    | BR-07         | Study group reaches five members             | Add members sequentially                             | Fifth member is allowed; group contains maximum 5.      | Critical |
| TC-BR-008    | BR-08         | Sixth member joins full group                | Attempt sixth membership                             | Sixth member is rejected.                               | Critical |
| TC-BR-009    | BR-09         | Unpublished result visibility                | Open unpublished result as student                   | Result remains hidden.                                  | Critical |
| TC-BR-010    | BR-10         | Unauthorized academic structure modification | Unauthorized role modifies program/semester/section  | Modification is rejected.                               | Critical |

| Test Case ID | Business Rule | Test Scenario                                       | Test Steps                                                                       | Expected Result                                                                        | Priority |
|--------------|---------------|-----------------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------|
| TC-BR-011    | BR-11         | AI request without controlled backend authorization | Attempt direct unauthorized AI request                                           | Request is rejected and secret credentials remain protected.                           | Critical |
| TC-BR-012    | BR-12         | Deactivated account login                           | Attempt login after deactivation                                                 | Authentication/access is blocked.                                                      | Critical |
| TC-BR-013    | BR-13         | Verify deactivated records                          | Deactivate user → inspect authorized records                                     | Required records are retained according to audit/institutional retention requirements. | High     |
| TC-BR-014    | BR-14         | Sensitive academic data exposure                    | Attempt unauthorized API/database access                                         | Sensitive data is not exposed.                                                         | Critical |
| TC-BR-015    | BR-15         | Audit critical action                               | Perform critical administrative action                                           | Appropriate audit entry is generated.                                                  | High     |
| TC-BR-016    | BR-16         | File validation                                     | Upload valid/invalid files                                                       | Files are validated before availability.                                               | High     |
| TC-BR-017    | BR-17         | Unauthorized modification                           | Modify record outside user's scope                                               | Modification is rejected.                                                              | Critical |
| TC-BR-018    | BR-18         | Academic relationship integrity                     | Create Institution → Department → Program → Semester → Section → Subject mapping | Relationships are maintained correctly and invalid mappings are rejected.              | Critical |

## 18. Negative Test Cases

| Test Case ID | Module | Negative Scenario  | Test Steps               | Expected Result                                              | Priority |
|--------------|--------|--------------------|--------------------------|--------------------------------------------------------------|----------|
| TC-NEG-001   | Login  | Incorrect password | Enter incorrect password | Authentication fails without exposing sensitive information. | High     |

| Test Case ID | Module          | Negative Scenario        | Test Steps                      | Expected Result                                                | Priority |
|--------------|-----------------|--------------------------|---------------------------------|----------------------------------------------------------------|----------|
| TC-NEG-002   | Login           | Empty required fields    | Submit empty form               | Validation messages appear.                                    | Medium   |
| TC-NEG-003   | User Management | Duplicate email          | Create user with existing email | Duplicate account is rejected.                                 | High     |
| TC-NEG-004   | Assignment      | Missing assignment title | Submit assignment without title | Validation prevents submission.                                | High     |
| TC-NEG-005   | Assignment      | Invalid deadline         | Enter invalid deadline          | System rejects invalid date/time according to configured rule. | High     |
| TC-NEG-006   | File Upload     | Unsupported file         | Upload unsupported format       | Upload is rejected.                                            | High     |
| TC-NEG-007   | Attendance      | Invalid attendance value | Submit invalid attendance       | Record is rejected.                                            | High     |
| TC-NEG-008   | Examination     | Invalid marks            | Enter invalid marks             | Marks are rejected.                                            | Critical |
| TC-NEG-009   | Study Group     | Sixth member             | Join full group                 | Membership rejected.                                           | Critical |
| TC-NEG-010   | AI              | AI backend unavailable   | Submit question during outage   | User receives controlled error.                                | High     |
| TC-NEG-011   | Authorization   | Unauthorized URL         | Enter restricted URL            | Access denied/redirected.                                      | Critical |
| TC-NEG-012   | Database        | Unauthorized write       | Attempt direct write            | Security rules reject operation.                               | Critical |

19. Boundary Test Cases

| Test Case ID | Requirement     | Boundary                      | Test Data                          | Expected Result                                       | Priority |
|--------------|-----------------|-------------------------------|------------------------------------|-------------------------------------------------------|----------|
| TC-BND-001   | BR-07           | Study group below maximum     | 4 members                          | Fifth member can join.                                | High     |
| TC-BND-002   | BR-07           | Study group maximum           | 5 members                          | Group remains valid at 5.                             | Critical |
| TC-BND-003   | BR-08           | Above maximum                 | 6th member                         | Sixth member cannot join.                             | Critical |
| TC-BND-004   | Assignment      | Before deadline               | Submission shortly before deadline | Submission follows normal submission rule.            | High     |
| TC-BND-005   | Assignment      | At deadline                   | Submission at configured deadline  | Behavior follows defined deadline rule.               | High     |
| TC-BND-006   | Assignment      | After deadline                | Submission after deadline          | System applies configured late-submission behavior.   | High     |
| TC-BND-007   | File Upload     | At configured file-size limit | File exactly at limit              | Upload behavior follows configured limit.             | Medium   |
| TC-BND-008   | File Upload     | Above configured limit        | File larger than limit             | Upload is rejected.                                   | High     |
| TC-BND-009   | Required Fields | Minimum valid input           | Minimum permitted values           | Record is accepted if all requirements are satisfied. | Medium   |
| TC-BND-010   | Required Fields | Missing required value        | Blank required field               | Validation prevents submission.                       | High     |

## 20. Integration Test Cases

| Test Case ID | Integration             | Test Scenario            | Test Steps                     | Expected Result                                                             | Priority |
|--------------|-------------------------|--------------------------|--------------------------------|-----------------------------------------------------------------------------|----------|
| TC-INT-001   | Firebase Authentication | Login integration        | Login with valid account       | Firebase authenticates user and application establishes authorized session. | Critical |
| TC-INT-002   | Firestore               | User profile retrieval   | Login → Dashboard              | Correct Firestore user data is retrieved.                                   | Critical |
| TC-INT-003   | Firestore               | Assignment persistence   | Create assignment              | Assignment is persisted and retrievable.                                    | Critical |
| TC-INT-004   | Cloud Functions         | AI integration           | Submit AI question             | Request reaches controlled backend and response is returned.                | Critical |
| TC-INT-005   | Cloudinary              | File integration         | Upload academic file           | File is uploaded and metadata is associated correctly.                      | High     |
| TC-INT-006   | FCM                     | Notification integration | Trigger notification event     | Notification is delivered according to configured behavior.                 | High     |
| TC-INT-007   | Google Meet             | Meeting integration      | Faculty creates online session | Meeting information is stored and available to authorized students.         | High     |

## 21. End-to-End Test Cases

| Test Case ID | E2E Scenario                 | Test Steps                                                                                                    | Expected Result                                                                                                         | Priority |
|--------------|------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|----------|
| TC-E2E-001   | Student onboarding           | Create student → provision credentials → student logs in → open dashboard                                     | Student account is created, credentials delivered through configured process, and student reaches authorized dashboard. | Critical |
| TC-E2E-002   | Assignment lifecycle         | Faculty creates assignment → publishes → student views → submits → faculty evaluates → student views feedback | Complete assignment workflow works correctly.                                                                           | Critical |
| TC-E2E-003   | AI doubt lifecycle           | Student asks AI → AI responds → unresolved doubt escalated → faculty responds                                 | Complete doubt-resolution workflow works correctly.                                                                     | High     |
| TC-E2E-004   | Study group lifecycle        | Create group → students join → fifth joins → sixth attempts → member leaves → new member joins                | Capacity rule remains enforced throughout lifecycle.                                                                    | Critical |
| TC-E2E-005   | Academic structure lifecycle | Create department → program → semester → section → subject → faculty/student mapping                          | Academic hierarchy is created and relationships remain consistent.                                                      | Critical |

## 22. Non-Functional Test Cases

### Performance

| Test Case ID | Requirement | Test Scenario        | Test Steps                                        | Expected Result                                              | Priority |
|--------------|-------------|----------------------|---------------------------------------------------|--------------------------------------------------------------|----------|
| TC-PERF-001  | NFR-PERF    | Login response       | Perform valid login under normal test environment | Response meets the performance target defined in SRS.        | High     |
| TC-PERF-002  | NFR-PERF    | Dashboard loading    | Open student dashboard                            | Dashboard loads within the defined target.                   | High     |
| TC-PERF-003  | NFR-PERF    | Assignment retrieval | Open assignment list with representative data     | Assignment list loads within defined target.                 | High     |
| TC-PERF-004  | NFR-PERF    | Concurrent access    | Simulate expected concurrent users                | System remains functional within defined performance limits. | High     |

The actual numeric performance target should come from the SRS. It should not be invented in the test document.

### Responsive Design

| Test Case ID | Test Scenario                      | Test Steps                                     | Expected Result                                             | Priority |
|--------------|------------------------------------|------------------------------------------------|-------------------------------------------------------------|----------|
| TC-RESP-001  | Desktop student portal             | Open student dashboard on desktop browser      | Layout displays correctly without clipping or overlap.      | Medium   |
| TC-RESP-002  | Tablet student portal              | Open portal on tablet viewport                 | Navigation and content remain usable.                       | Medium   |
| TC-RESP-003  | Mobile student portal              | Open portal on mobile viewport                 | Responsive layout is usable and content is accessible.      | High     |
| TC-RESP-004  | Faculty portal responsive behavior | Open faculty pages at different viewport sizes | Faculty pages remain usable without layout-breaking issues. | Medium   |

Accessibility

| Test Case ID | Test Scenario       | Test Steps                         | Expected Result                                                           | Priority |
|--------------|---------------------|------------------------------------|---------------------------------------------------------------------------|----------|
| TC-ACC-001   | Keyboard navigation | Navigate login using keyboard only | All important controls can be reached and operated.                       | Medium   |
| TC-ACC-002   | Form labels         | Inspect login/user forms           | Inputs have meaningful labels or accessible names.                        | Medium   |
| TC-ACC-003   | Error messages      | Submit invalid form                | Validation errors are understandable and associated with relevant fields. | Medium   |
| TC-ACC-004   | Focus visibility    | Navigate controls using keyboard   | Focus state remains visible.                                              | Low      |

23. Test Execution Summary

Since these are **test cases being prepared before execution**, use:

| Metric           | Initial Value                              |
|------------------|--------------------------------------------|
| Total Test Cases | To be calculated from final approved suite |
| Executed         | 0                                          |
| Passed           | 0                                          |
| Failed           | 0                                          |
| Blocked          | 0                                          |
| Not Executed     | Total Test Cases                           |
| Pass Percentage  | N/A                                        |
| Fail Percentage  | N/A                                        |

The source test-document requirements explicitly say not to fabricate execution results.

24. Test Case Status Values

Use:

| Status         | Meaning                                                 |
|----------------|---------------------------------------------------------|
| Not Executed   | Test case has been documented but not run               |
| Passed         | Actual result matches expected result                   |
| Failed         | Actual result differs from expected result              |
| Blocked        | Test cannot be executed because of a dependency/blocker |
| Not Applicable | Requirement/test is formally determined not applicable  |

## 25. Priority Definitions

| Priority | Definition                                                                         |
|----------|------------------------------------------------------------------------------------|
| Critical | Failure prevents core system usage or creates serious security/data-integrity risk |
| High     | Major feature or important workflow is unavailable or incorrect                    |
| Medium   | Feature works incorrectly but a workaround exists                                  |
| Low      | Minor issue with limited functional impact                                         |

These definitions are also specified in your test-document source.

## Sign-Off

| Role                 | Name             | Status | Date | Signature |
|----------------------|------------------|--------|------|-----------|
| Tech Lead            | Riddhi Zunjarrao |        |      |           |
| Solution Architect   | Ragini Singh     |        |      |           |
| Project Manager / BA | Sakshi Shingole  |        |      |           |
| Scrum Master         | Sweta Kadam      |        |      |           |