

-
-

3. Project Purpose & Scope

3.1 Purpose

The platform exists to centralize core academic activities and improve student productivity, academic communication, faculty efficiency, departmental visibility, AI-assisted academic support, security and scalable access to academic data. The project is intended to support configurable programs such as B.Tech, BBA and MBA.

3.2 In Scope

- Student Portal: dashboard, academic profile, subjects/courses, resources, assignments, quizzes, projects, examinations, attendance, results/feedback, tasks, calendar, communication, online classes, notifications, AI Doubt Solver, group study rooms, exam-focused study and profile/security.
- Faculty Portal: dashboard, academic mapping, course/content management, assignment creation/evaluation, attendance, assessments/examinations, online meeting scheduling and communication.
- HOD Portal: departmental dashboard, faculty allocation, student/faculty monitoring, timetable management, academic approvals and departmental reports.
- Administration: user management, academic structure, role/permission management, system configuration, Firebase/integration configuration and audit/security oversight.
- Supporting platform: responsive web application for desktop and mobile browsers.

3.3 Out of Scope

- Native Android application.
- Native iOS application.
- Finance and payment management.
- Hostel management.
- Transport management.
- Other non-academic administration modules.
- Learning-content authoring tools beyond uploading and organizing existing materials.
- Third-party LMS integrations other than Google Meet.

3.4 Scope Boundary

The initial product is a responsive web application. Native mobile applications and the listed non-academic modules are excluded from the current scope. The system should remain modular enough to support future requirements without redesigning the entire platform.

4. Stakeholders, Actors & Roles

Actor	Primary Responsibilities / Access
Business / Institution Sponsor	Overall sponsorship, approval and acceptance.
Super Administrator	Platform-wide administration, users, roles, permissions, settings, audit and configuration.
Administrator	Academic structure and user administration.
HOD / Department Head	Departmental operations, allocation, approvals, monitoring and reporting.

Actor	Primary Responsibilities / Access
Faculty	Academic activities for assigned subjects/sections; materials, assignments, evaluation, attendance and communication.
Student	Personal academic activities, productivity, study support and communication.
Development Team	Design and development of the platform.
Product Manager / BA	Requirements ownership, prioritization and business baseline management.
QA / Test Team	Validation of critical workflows and acceptance criteria.

The BRD/SOW identify Students, Faculty, HOD/Department Heads, Administrators/Super Administrators and the Development Team as core stakeholders/roles.

5. System Interfaces

5.1 User Interfaces

- Responsive browser-based interface for desktop and mobile browsers.
- Role-specific portals and dashboards for Student, Faculty, HOD and Administrator/Super Administrator.
- Clear navigation, responsive layouts, loading/empty/error/confirmation states.

5.2 External / Platform Interfaces

Interface	Purpose	System Boundary
Firebase Authentication	Secure user authentication	Identity boundary
Cloud Firestore	Primary application data	Data persistence
Firebase Realtime Database	Real-time features where required	Real-time data
Cloudinary	Academic files and submissions	File storage
Firebase Cloud Functions	Backend processing and AI request routing	Server-side logic
Firebase Hosting	Web deployment	Hosting
Firebase Cloud Messaging	Push notifications where applicable	Notification delivery
Google Meet	Online classes/meetings	External meeting service
AI Service Provider	AI-assisted doubt resolution	External AI capability

The listed technology/service boundaries are derived from the BRD and SOW; the exact API contracts, quotas, authentication details and failure semantics are TBC during technical design.

6. Business Requirements & Rules

6.1 Business Requirement Catalogue

Domain	Requirement
Academic Management	Centralize courses, subjects, resources, assignments, assessments, attendance and examinations.
Student Productivity	Provide tasks, schedules, calendar, study activities and exam preparation.
Communication	Support student-faculty and departmental communication.
Collaboration	Support online classes and group study activities.
AI Support	Provide first-level academic doubt resolution through the AI Doubt Solver.
Monitoring & Reporting	Provide faculty/HOD monitoring, approvals and reports.

BR-02	User accounts shall be created/provisioned by authorized administrators.
BR-03	Access shall be restricted by assigned role and academic scope.
BR-04	Student access shall be restricted to the authorized academic context.
BR-05	Faculty access shall be restricted to assigned academic responsibilities.
BR-06	HOD access shall be restricted to the authorized department.
BR-07	Study rooms have a maximum capacity of five students.
BR-08	A sixth member shall be rejected from a full study room.
BR-09	Marks/results remain hidden until officially published.
BR-10	Program, Semester and Section master fields are controlled by authorized administrators.
BR-11	AI requests shall be processed through a controlled backend mechanism.
BR-12	Deactivated users cannot authenticate.
BR-13	Required records shall be retained for audit/institutional records.
BR-14	Sensitive academic data shall not be exposed through unauthorized APIs/client-side access.
BR-15	Critical administrative and academic actions shall be auditable.
BR-16	File uploads shall be validated before availability to other users.
BR-17	Users cannot modify data outside their authorization scope.
BR-18	Academic relationships among programs, semesters, sections, subjects, faculty and students shall be maintained.

These rules are directly based on the BRD business rules catalogue.

7. Functional / System Requirements

Requirement convention: FR = Functional Requirement. Priority follows the BRD/SOW where available. The wording below converts the source feature catalogue into system-testable statements without adding unsupported business behavior.

ID	Area	System Requirement	Priority
FR-001	Authentication & Access	The system shall authenticate users through the configured authentication mechanism and enforce role-based access before protected portal access.	High
FR-002	Student Dashboard	The system shall present a student-specific dashboard containing relevant academic and productivity information.	High
FR-003	Academic Information	Students shall be able to view authorized academic structure, enrolled subjects/courses and faculty information.	High
FR-004	Study Resources	Authorized students shall be able to access learning materials provided by authorized faculty.	High
FR-005	Assignments	Students shall be able to view, submit and track assignments; faculty shall be able to create, publish and evaluate assignments.	High

ID	Area	System Requirement	Priority
FR-006	Assessments	Students shall be able to participate in authorized quizzes/assessments; faculty shall manage/evaluate authorized assessments.	Medium
FR-007	Projects	Students shall be able to track project requirements, milestones and submissions.	Medium
FR-008	Examinations	Students shall be able to view examination schedules, venues and instructions; faculty shall manage authorized examination evaluation.	High
FR-009	Attendance	Students shall view subject-wise attendance; faculty shall record/manage attendance.	High
FR-010	Results & Performance	Students shall view published marks, grades and feedback; faculty shall provide marks/feedback and authorized results shall be publishable.	High
FR-011	Productivity & Tasks	Students shall create and manage academic/personal tasks and use productivity tools.	Medium
FR-012	Calendar & Schedule	Students shall view academic events, classes, examinations and deadlines in a unified calendar.	High
FR-013	Communication	The system shall support communication between authorized students, faculty and academic administrators within defined access scope.	Medium
FR-014	Online Classes	Students shall access scheduled online classes through integrated meeting links; faculty shall schedule online academic meetings/classes.	High
FR-015	Notifications	The system shall deliver relevant academic notifications and alerts using the configured notification mechanism.	High
FR-016	AI Doubt Solver	Students shall submit academic questions and receive AI-assisted explanations through a controlled backend mechanism.	High
FR-017	Doubt Escalation	The platform shall support escalation of unresolved doubts to faculty as defined by the approved workflow.	High
FR-018	Group Study	Students shall create/join study rooms with a maximum capacity of five students.	Medium
FR-019	Exam-Focused Study	Students shall participate in exam-focused study groups.	Low
FR-020	Profile & Security	Students shall manage permitted profile settings and account sessions.	Medium
FR-021	Faculty Academic Mapping	Faculty shall view assigned subjects, sections and students.	High
FR-022	Faculty Content	Faculty shall upload and organize academic resources.	High
FR-023	Faculty Evaluation	Faculty shall review submissions, provide marks/feedback and manage assessments/examination evaluation.	High
FR-024	Faculty Attendance	Faculty shall record and manage student attendance.	High
FR-025	HOD Dashboard	HOD shall access a centralized departmental dashboard.	High
FR-026	Faculty Allocation	HOD shall allocate faculty to subjects and sections.	High
FR-027	Monitoring	HOD shall monitor student attendance/performance and faculty allocation/workload.	High
FR-028	Timetable	HOD shall manage departmental timetables.	High
FR-029	Academic Approval	HOD shall approve authorized academic activities.	Medium
FR-030	Department Reports	HOD shall generate departmental academic/operational reports.	Medium
FR-031	User Management	Authorized administrators shall create, update, deactivate and manage user accounts.	High

ID	Area	System Requirement	Priority
FR-032	Academic Structure	Administrators shall configure departments, programs, semesters, sections and subjects.	High
FR-033	Role & Permission Management	Administrators shall manage role-based access permissions.	High
FR-034	System Configuration	Authorized administrators shall manage platform-level configuration and required Firebase/integration configuration.	Medium
FR-035	Audit & Security Oversight	Authorized administrators shall review relevant audit and security events.	High

8. Validation Requirements

Validation requirements define minimum system checks derived from the stated business rules, security requirements, file handling and reliability expectations. Exact file size/type limits, password policy, rate limits and AI-specific content controls are TBC unless specified later by the project team.

ID	Validation	Expected System Behavior
VAL-001	User status	Reject authentication for deactivated users.
VAL-002	Role/scope	Reject requests outside the user's assigned role or academic scope.
VAL-003	Study room capacity	Reject addition of a sixth student to a full room.
VAL-004	Result publication	Do not expose marks/results before official publication.
VAL-005	Academic master data	Allow Program/Semester/Section changes only through authorized administrative controls.
VAL-006	File upload	Validate uploads before making them available to other users; exact file constraints TBC.
VAL-007	API authorization	Reject unauthorized API/client-side access to sensitive academic data.
VAL-008	Input handling	Reject invalid input and present meaningful error feedback.
VAL-009	AI routing	AI requests must pass through the controlled backend mechanism.
VAL-010	Authorization on write	Reject modification of information outside the requester's authorization scope.

9. System Workflows

9.1 Student End-to-End Flow

Student



Authentication & Role Verification



Student Profile + Academic Mapping




Personalized Dashboard




Academics: Subjects / Resources / Assignments / Exams



Attendance + Results + Performance



9.2 Faculty End-to-End Flow



9.3 HOD End-to-End Flow

HOD Login



Authentication & Department Scope Verification



Department Dashboard



Faculty Allocation + Student/Faculty Monitoring



Timetable + Academic Activities



Review / Approval of Authorized Activities



Attendance / Performance / Workload Monitoring



Department Reports



Escalation / Coordination with Administrator

9.4 Administrator End-to-End Flow

Administrator Login



Authentication & Role Verification



User Management



Academic Structure: Department / Program / Semester / Section / Subject



Roles + Permissions



System / Firebase / Integration Configuration



Audit & Security Oversight



Reports / Governance / Account Status

9.5 Cross-Role Workflow: Assignment

Faculty creates/publishes assignment → Student views assignment → Student submits → System validates upload → Submission stored → Faculty reviews/evaluates → Marks/feedback recorded → Authorized publication → Student notified → Student dashboard/performance updated.

10. Solution Architecture

10.1 Architecture Principles

- Role-based access must be enforced at the backend/data-security boundary, not only through UI hiding.

- Firebase-centered managed services are the current technology direction.
- Academic master data must be controlled centrally and related consistently across program, semester, section, subject, faculty and student.
- External services such as Google Meet and AI must be isolated behind controlled integration/backend mechanisms.
- The design should be modular so additional academic programs can be added without redesigning the platform.
- Critical operations must be auditable.

10.2 High-Level Logical Architecture

Users (Student / Faculty / HOD / Admin)

↓

Responsive Web UI — HTML5 / CSS3 / JavaScript

↓

Authentication + Role / Academic Scope Authorization

↓

Application / API & Business Logic — Firebase Cloud Functions

↓

└─ **Cloud Firestore — primary application data**

└─ **Firebase Realtime Database — real-time features where required**

└─ **Cloudinary — academic files/submissions**

└─ **Firebase Cloud Messaging — notifications**

└─ **Audit / Security Controls — Firebase Security Rules + monitoring**

↓

External Integrations: Google Meet + AI Service Provider

10.3 Technology Baseline

Layer	Technology / Service	Purpose
Frontend	HTML5 / CSS3 / JavaScript	Responsive web UI
Authentication	Firebase Authentication	Secure authentication
Primary DB	Cloud Firestore	Primary application data
Real-time	Firebase Realtime Database	Real-time functionality where required
File Storage	Cloudinary	Academic files/submissions
Backend	Firebase Cloud Functions	Backend logic / AI routing
Hosting	Firebase Hosting	Web deployment
Notifications	Firebase Cloud Messaging	Push notifications where applicable
Security	Firebase Security Rules	Data/access security
Monitoring	Firebase / Google Cloud monitoring capabilities	Monitoring
Online Meetings	Google Meet integration	Online academic classes

Technology selections above are explicitly present in the BRD/SOW and are therefore treated as the current baseline, not as new assumptions.

11. Architecture Diagrams

11.1 System Context Diagram — Text Representation

Student / Faculty / HOD / Admin

↓

Smart Student Productivity Platform

↓

Firestore Authentication | Firestore | Realtime DB | Cloud Functions | Cloudinary | FCM | Hosting

↓

Google Meet | AI Service Provider

11.2 Module Interaction

Identity & RBAC → Role Dashboard → Academic Management → Productivity / Calendar → Communication / Meetings → AI / Collaboration → Notifications → Reporting / Audit

11.3 Data Flow — Assignment Submission

Student → Assignment UI → Validation → Backend/API → File Storage + Submission Record → Faculty Evaluation → Marks/Feedback → Publication → Notification → Student

11.4 Security Flow

User → Authentication → Role Check → Academic Scope Check → Authorized Resource/API → Audit Critical Action

11.5 Deliverable Note

These text representations are the current SRS baseline. A visual version can be produced later in the project's chosen diagramming tool after endpoint, entity and deployment decisions are finalized.

12. Database Requirements & Logical Model

12.1 Database Requirement

Cloud Firestore is the primary application database. Firebase Realtime Database may be used where real-time functionality is required. The logical model must preserve the academic relationships among institution, department, program, semester, section, subject, faculty and student.

12.2 Proposed Logical Entities

Entity	Purpose / Key Relationships
User	Identity, status, role reference and profile.
Role / Permission	Role definitions and permission scope.
Institution	Top-level academic organization.
Department	Department within institution.
Program	B.Tech, BBA, MBA and future configurable programs.
Semester	Academic semester under a program.
Section	Student grouping under an academic context.
Subject / Course	Academic subject/course mapped to program/semester/section.
Faculty Assignment	Faculty-to-subject/section mapping.
Student Enrollment	Student-to-program/semester/section/subject context.
Resource	Learning material uploaded by authorized faculty.
Assignment	Assignment metadata, deadlines and academic mapping.

Entity	Purpose / Key Relationships
Submission	Student submission linked to assignment and student.
Evaluation	Marks, feedback and evaluator reference.
Attendance	Attendance records by student/subject/session context.
Assessment / Examination	Assessment/examination schedule and evaluation context.
Calendar Event	Academic events, classes, examinations and deadlines.
Task	Student academic/personal productivity item.
Meeting	Online class/meeting metadata and external meeting reference.
Notification	Notification payload, recipient and delivery state.
Doubt / Escalation	AI question and faculty escalation state.
Study Room / Membership	Study room metadata and member list; capacity rule enforced.
Audit Log	Critical academic/administrative action records.

12.3 Logical Relationship

Institution → Department → Program → Semester → Section → Subject → Faculty / Student

Student → Enrollment → Subject → Assignment → Submission → Evaluation → Result/Performance

Student → Task / Calendar / Notification / Doubt / Study Room

12.4 Database Design TBC Items

- Final Firestore collection/document structure and indexing strategy.
- Denormalization strategy for dashboard reads.
- Retention periods and archival approach.
- Exact audit-log schema.
- Storage metadata relationship between Cloudinary assets and academic records.

13. API Requirements

The BRD/SOW require API/system interfaces but do not define final endpoint contracts. Therefore this section establishes the API design baseline; exact endpoints, payload schemas and status codes remain TBC and should be finalized with the Tech Lead before implementation.

13.1 API Domains

API Domain	Indicative Operations
Authentication / Session	Authenticate, validate session, account status checks.
Users / Roles	Read/update authorized profile, role and account administration.
Academic Structure	Programs, departments, semesters, sections, subjects.
Enrollment / Mapping	Student enrollment and faculty assignment context.
Assignments	Create, publish, view, submit, evaluate.
Attendance	Record and retrieve authorized attendance.
Assessments / Exams	Manage schedules, evaluation and authorized result publication.
Resources / Files	Upload metadata, retrieve authorized resources, validate uploads.
Calendar / Tasks	Manage academic events and student tasks.

API Domain	Indicative Operations
Communication / Meetings	Communication and meeting references.
AI Doubt	Submit question through backend, return AI assistance, create escalation.
Study Rooms	Create/join/leave rooms and enforce five-member limit.
Notifications	Create/deliver/read notification state.
Reports / Audit	Generate authorized reports and review audit events.

13.2 API Security Requirements

- Protected operations require authenticated requests.
- Authorization must validate role and academic scope.
- Sensitive academic data must not be exposed through unauthorized APIs or client-side access.

14. Integration Requirements

Integration	Requirement	Failure Consideration
Google Meet	Support scheduled online academic classes/meetings through integrated meeting links.	External availability/licensing issues; provide rescheduling/alternate communication mechanisms.
AI Service Provider	Provide first-level academic doubt resolution through backend-controlled routing.	AI may return inaccurate answers; apply guardrails and faculty escalation.
Cloudinary	Store academic files/submissions and link storage metadata to application records.	Upload failure; validate files and provide retry/error state.
Firebase Cloud Messaging	Deliver relevant notifications where applicable.	Notification delivery failure; retry/fallback behavior.
Firebase Services	Authentication, Firestore, Realtime DB, Functions, Hosting, Security Rules and monitoring.	Service quota/cost, availability and configuration constraints.

Integration dependencies and associated risks are explicitly identified in the BRD/SOW.

15. Security & Access Control

15.1 Access Control Model

Role	Scope
Administrator	User and academic structure administration within authorized administrative scope.
HOD	Assigned department scope.
Faculty	Assigned subjects/sections/students.
Student	Own authorized academic context and personal productivity data.

15.2 Security Requirements

- Secure authentication.
- Role-based authorization and academic-scope enforcement.

- Firebase Security Rules for protected data.
- HTTPS for platform communication.
- Sensitive backend credentials protected from client exposure.
- Audit records for critical administrative and academic actions.
- Deactivated users cannot authenticate.
- Unauthorized API/client-side access to sensitive academic data must be rejected.

15.3 Audit Events

At minimum, audit records should cover user creation/deactivation, assignment creation/submission, evaluation, result publication, attendance changes, academic configuration changes, permission changes and administrative actions.

16. Non-Functional Requirements

ID	Category	Requirement
NFR-01	Security	Secure authentication, RBAC, Security Rules, HTTPS and protected backend credentials.
NFR-02	Performance	Optimize database queries, file loading, dashboard retrieval, API requests, Firebase reads/writes and frontend assets.
NFR-03	Scalability	Support growth in students, faculty, departments, programs, courses, academic records, files, notifications and AI requests.
NFR-04	Availability	Remain accessible during normal institutional operating periods, subject to Firebase/service capabilities.
NFR-05	Usability	Provide clear navigation, role-specific dashboards, responsive layouts and meaningful system states.
NFR-06	Accessibility	Support keyboard navigation, appropriate contrast, descriptive labels, accessible forms, meaningful errors and responsive layouts.
NFR-07	Reliability	Handle network interruption, file upload failure, notification failure, temporary backend unavailability, invalid input and unauthorized requests.
NFR-08	Auditability	Record critical academic and administrative actions.
NFR-09	Data Integrity	Keep academic and user data consistent and controlled.

These NFR categories and requirements are based on the BRD/SOW NFR baseline.

17. Error, Exception & Reliability Requirements

Scenario	Required System Behavior
Invalid input	Reject invalid data and display meaningful validation feedback.
Unauthorized request	Reject access and do not expose protected data.
Deactivated account	Reject authentication.
Full study room	Reject sixth participant.
File upload failure	Show failure state and support retry according to implementation design.
Notification failure	Attempt retry/fallback mechanism where applicable.
Google Meet unavailable	Allow rescheduling/alternate communication mechanism as defined by project workflow.
AI inaccurate/uncertain response	Provide guardrails and faculty escalation for unresolved/complex doubts.
Network interruption	Provide loading/error/retry states and preserve data integrity.

Scenario	Required System Behavior
Temporary backend unavailability	Fail gracefully without exposing sensitive information.

The BRD/SOW explicitly identify network, file, notification, Google Meet, AI, authorization and backend failure cases as reliability/risk considerations.

18. Traceability & Acceptance Criteria

18.1 Requirement Traceability

Source	SRS Coverage
BRD Business Objectives	Sections 3, 6, 7, 16
BRD Feature Catalogue F01-F36	Section 7 functional/system requirements
BRD Business Rules BR-01-BR-18	Section 6 and Section 8 validations
SOW Scope of Work	Section 3
SOW Technology / High-Level Architecture	Sections 5, 10, 14
SOW Acceptance Criteria	Section 18.2

18.2 Acceptance Criteria

Area	Acceptance Criterion
Feature Completion	All agreed features are implemented and tested.
User Workflows	Student, Faculty and HOD workflows function end-to-end.
Authentication	Firebase authentication operates correctly.
Authorization	Role-based access restrictions are enforced.
Study Rooms	Maximum five-member capacity is enforced.
Results	Results remain hidden until officially published.
Audit	Critical actions are captured in audit records.
Integration	Required integrations function correctly.
Stakeholder Acceptance	Final requirements are formally accepted and signed off.

These acceptance criteria are directly aligned to the SOW acceptance baseline.

19. Assumptions, Dependencies, Risks & Constraints

19.1 Assumptions

- A Super Administrator will be provisioned during initial setup.
- Authorized administrators will provision student/faculty accounts.
- Institution will provide accurate academic master data.
- Departments, programs, semesters, sections and subjects will be defined before operational use.
- Firebase services will be provisioned before development/deployment.
- Required billing configuration will be available when paid services are required.
- Google Meet access will be available where required.
- Users will have internet connectivity.
- AI is an assistance mechanism and not the authoritative source for academic decisions.

19.2 Constraints

- Initial product is a responsive web application; native Android/iOS are out of scope.
- Firebase quotas/pricing must be considered.
- Internet connectivity is required.
- Academic records depend on institution-provided data accuracy.
- AI responses may require human escalation.
- Google Meet availability is externally dependent.
- RBAC must be strictly enforced.
- File storage usage and Firestore query efficiency must be monitored/optimized as usage grows.

19.3 Dependencies

- Firebase project and service configuration.
- Firebase Authentication, Firestore, Cloud Functions, Hosting and Cloud Messaging.
- Cloudinary for academic files/submissions.
- Google Workspace / Google Meet availability.
- Finalized academic structure and master data.
- AI service provider.
- Internet connectivity.

19.4 Key Risks

Risk	Mitigation
Firebase usage/cost growth	Monitor usage, optimize queries and establish billing limits.
Unauthorized academic-data access	Authentication + strict Security Rules + RBAC.
Incorrect master data	Validate/approve master data before import.
AI inaccurate answers	Guardrails + faculty escalation.
Large file storage consumption	File limits + monitoring.
Google Meet unavailable	Alternate communication/rescheduling.
Poor connectivity	Loading, retry and error states.
Incorrect role assignment	Administrator approval and validation.
Database query inefficiency	Optimize Firestore structures and queries.
Notification failure	Retry/fallback mechanisms.

20. Open Decisions / TBC Items

The source documents establish the business/scope baseline but do not define every implementation-level detail. The following should be confirmed with the Project Manager/BA and Tech Lead before the SRS is treated as the final technical baseline:

- Exact SRS template/format expected by the client/instructor.
- Final visual architecture diagrams and diagramming standard.
- Exact API endpoints, HTTP methods, request/response schemas and error codes.
- Final Firestore collection/document model, indexes and denormalization strategy.
- Exact authentication/provisioning workflow and account recovery policy.
- Exact file type/size limits and Cloudinary folder/naming strategy.
- AI provider/model, prompt/guardrail strategy, rate limits and escalation workflow.

- Google Meet integration mechanism and required Google Workspace permissions.
- Notification trigger catalogue and delivery/read-state rules.
- Audit-log retention period and reporting format.
- Backup/recovery strategy and operational monitoring thresholds.
- Exact performance targets (response time, concurrent users, availability target).
- Detailed deployment topology and environment strategy (development/test/production).

Important: these are deliberately marked TBC because the uploaded BRD/SOW do not specify them. Confirming them is part of the Solution Architect / Tech Lead technical-design discussion rather than inventing values in the SRS.

21. Sign-off

This SRS should be reviewed against the approved BRD and SOW. Changes that materially affect scope, features, business rules, Firebase architecture, database structure, security, timeline, cost or development effort should follow the project's change-control process. The BRD specifies controlled impact assessment and documentation updates for approved changes.

Name	Role	Signature	Date
Sayantan Ghosh	Business Sponsor / Client		
Sakshi Shingole	Project Manager + BA		
Sweta Kadam	Scrum Master		
Riddhi Zunjarrao	Tech Lead		
Ragini Singh	Solution Architect		

End of SRS — Solution Architect Draft v0.1