```
ragu ubuntu@Kavin: ~
sudo apt install mariadb-client-core
                                        # version 1:10.11.8-Oubuntu0.24.04.1
ragu_ubuntu@Kavin:~$ sudo nano docker-compose.yaml
ragu_ubuntu@Kavin:~$ docker exec -it ragu_ubuntu_db_1 /bin/bash
Error response from daemon: container e44193e141dfac6004f6aef9e4d1b15942d7fd8d7b6c50ec819fe5be476c9ff4 is not running
ragu_ubuntu@Kavin:-$ docker-compose up -d
Starting ragu_ubuntu_db_1 ... done
Starting ragu_ubuntu_web_1 ... done
raqu_ubuntu@Kavin:~$ docker exec -it raqu_ubuntu_db_1 /bin/bash
bash-5.1# mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with; or \q.
Your MySOL connection id is 9
Server version: 9.2.0 MySQL Community Server - GPL
Copyright (c) 2000, 2025, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> ^C
mysql> exit
Bye
bash-5.1# exit
exit
raqu_ubuntu@Kavin:-$ ls
docker-compose.yaml
raqu_ubuntu@Kavin:~$ sudo nano pod.yaml
ragu_ubuntu@Kavin:-$ sudo cat pod.yaml
apiVersion: v1
kind: Pod
metadata:
 name: my-app
spec:
  containers:
    - name: my-app-container
```

🦁 刘 🕴 🍃 🕥 🚫 🗺 🗔



0

```
🤇 ragu ubuntu@Kavin: ~
                                                                                                                                             0
                     Set number of containers for a service
  scale
                     Start services
  start
                     Stop services
  stop
                     Display the running processes
  top
                     Unpause services
 unpause
                     Create and start containers
  up
                     Show version information and quit
  version
ragu_ubuntu@Kavin:~$ docker-compose images
    Container
                    Repository
                                            Image Id
                                                           Size
                                  Tag
ragu_ubuntu_db_1
                    mvsal
                                 latest
                                          fa262c3a6564
                                                          797 MB
                                 latest
                                          53a18edff809
                                                         192 MB
ragu_ubuntu_web_1
                    nginx
ragu_ubuntu@Kavin:~$ mysql -u root -p
Command 'mysgl' not found, but can be installed with:
sudo apt install mysgl-client-core-8.0 # version 8.0.41-0ubuntu0.24.04.1, or
                                        # version 1:10.11.8-0ubuntu0.24.04.1
sudo apt install mariadb-client-core
ragu_ubuntu@Kavin:~$ sudo nano docker-compose.yaml
ragu_ubuntu@Kavin:~$ docker exec -it ragu_ubuntu_db_1 /bin/bash
Error response from daemon: container e44193e141dfac6004f6aef9e4d1b15942d7fd8d7b6c50ec819fe5be476c9ff4 is not running
ragu_ubuntu@Kavin:~$ docker-compose up -d
Starting ragu_ubuntu_db_1 ... done
Starting ragu_ubuntu_web_1 ... done
ragu_ubuntu@Kavin:~$ docker exec -it ragu_ubuntu_db_1 /bin/bash
bash-5.1# mysql -u root -p
Enter password:
Welcome to the MySOL monitor. Commands end with; or \q.
Your MySQL connection id is 9
Server version: 9.2.0 MySQL Community Server - GPL
Copyright (c) 2000, 2025, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql>
```

🔡 🔲 📜 🦁 刘 🗜 🥞 🗘 🕵 🖼

```
🤇 ragu ubuntu@Kavin: ~
                                                                                                                                             0
                     Set number of containers for a service
  scale
                     Start services
  start
                     Stop services
  stop
                     Display the running processes
  top
                     Unpause services
 unpause
                     Create and start containers
  up
                     Show version information and quit
  version
ragu_ubuntu@Kavin:~$ docker-compose images
    Container
                    Repository
                                            Image Id
                                                           Size
                                  Tag
ragu_ubuntu_db_1
                    mvsal
                                 latest
                                          fa262c3a6564
                                                          797 MB
                                 latest
                                          53a18edff809
                                                         192 MB
ragu_ubuntu_web_1
                    nginx
ragu_ubuntu@Kavin:~$ mysql -u root -p
Command 'mysgl' not found, but can be installed with:
sudo apt install mysgl-client-core-8.0 # version 8.0.41-0ubuntu0.24.04.1, or
sudo apt install mariadb-client-core
                                        # version 1:10.11.8-Oubuntu0.24.04.1
ragu_ubuntu@Kavin:~$ sudo nano docker-compose.yaml
ragu_ubuntu@Kavin:~$ docker exec -it ragu_ubuntu_db_1 /bin/bash
Error response from daemon: container e44193e141dfac6004f6aef9e4d1b15942d7fd8d7b6c50ec819fe5be476c9ff4 is not running
ragu_ubuntu@Kavin:~$ docker-compose up -d
Starting ragu_ubuntu_db_1 ... done
Starting ragu_ubuntu_web_1 ... done
ragu_ubuntu@Kavin:~$ docker exec -it ragu_ubuntu_db_1 /bin/bash
bash-5.1# mysql -u root -p
Enter password:
Welcome to the MySOL monitor. Commands end with; or \q.
Your MySQL connection id is 9
Server version: 9.2.0 MySQL Community Server - GPL
Copyright (c) 2000, 2025, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql>
```

👭 🔎 📜 🦁 刘 🗜 🥞 🗘 🥵 🖂

