



Identity and Access Management (IAM) User Manual

Account and Access Management on BenQ displays/projectors

Table of contents

Introduction	1
Register a new account as Administrator	1
Service overview.....	3
Change the default language	4
Invite users to join the organization.....	4
Individual invitation	4
Bulk invitation.....	5
Access more service.....	6
Account settings	7
Single Sign On (SSO) settings	7
Domain verification setting	8
Two-factor authentication	9
Admin setup	9
User setup.....	9
Individual account settings	11
Apply service permission by account	11
Personal setting	12
Create and edit groups for your organization	13
Create Groups	13
Edit group settings	14
Set up service permission by group.....	15
Role Management	16
View permissions of each role	16
Customize a role for X-Sign	16
Create a customized role for X-Sign	16
Delete a customized role for X-Sign.....	17
Set a sub-admin	18
Set users as restricted user.....	18
Assign an external agent	20
Copyright and disclaimer.....	i

Introduction

BenQ's Identity and Access Management (IAM) is a centralized user account provisioning portal and single sign-on solution designed to simplify user account management, enhance security, and reduce IT staff workload in organizations.

IT staff can access the IAM admin console directly from the browser to easily manage user accounts and permissions.

- Account creation
- Account management
- Directory synchronization (SSO)
- User role assignment


Before you start managing user accounts, make sure to complete the following steps.

1. [Register a new account as Administrator](#)
2. [Invite users to join the organization](#)

Register a new account as Administrator

You must have a valid account to access BenQ IAM.

1. Go to BenQ Service website: <https://iam.benq.com>.
2. Click **Create administrator account** to register an **Administrator** account for the company.



The screenshot displays the BenQ IAM login interface. At the top, it says 'Welcome to BenQ Account'. Below this, there are icons for various sign-in methods. A 'Sign in to your account' section includes an email input field and a 'Next' button. Below that, there are buttons for 'Sign in with Google', 'Sign in with SAML', 'Sign in with Classlink', and 'Sign in with Clever'. At the bottom of the sign-in section, there is a link that says 'Create administrator account', which is highlighted with a red rectangular box. The footer of the page contains small text: 'V1.1.1 Copyright © BenQ Corporation. All rights reserved. Privacy Policy | Terms of Service | End User License Agreement (EULA) Software License Terms | SSO Tutorial | Google API Services Usage Disclosure'.

3. Follow the on-screen instructions to create an administrator account.
4. Fill in the information to register your organization. Click **Submit**. A confirmation email will be sent.



Create administrator account

Industry

Technology

Company

BenQ

Job title

Manager (information technology)

Country/area

US-United States

Time zone

(UTC-05:00) Eastern Time (US & Canada)

☒ I'm not a robot



☒ I have read and agree to the BenQ Terms of Service and Privacy Policy.

☒ I want to receive notifications for system-related updates as well as BenQ news and updates.


Back

Create

5. Verify your email address to complete the registration.
6. On BenQ Service website, enter your Email to sign in.

You can now create account for your users. See [Invite users to join the organization](#) for details.

Service overview




Item	Description
1. Tabs	See below for details on each tab. • Accounts: Account settings • Groups: Create and edit groups for your organization • Roles: Role Management • External Agent: Assign an external agent • Service: Access more service
2.  Settings	• Change language: See Change the default language for details. • About: Review the legal agreements, including the privacy policy.
3.  Personal profile	Edit your account settings. See below for details • Account settings: Edit your BenQ Connect account. You can change your account password, e-mail and timezone. • Switch service: See Access more service for details.
4. Organization name	Shows the current organization name.
5. Control area	You can see the corresponding content while switching the functions on the side menu.
6. Page navigation	Click the arrow to move between pages and adjust the total rows to be shown in one page.

Change the default language

1. Select  **Settings** in the top right corner.
2. Select **Language**.
3. Choose a language. The change will take effect immediately.

Invite users to join the organization


1. As the administrator, go to iam.benq.com and sign in.
2. Under the **Accounts** tab, click **Invite**.



3. You can choose to send either individual invitations or a bulk invitation.
 - [Individual invitation](#)
 - [Bulk invitation](#)

Individual invitation


1. Under the **Individual invite** tab, enter the E-mail of your user.
2. Click **+** to add more users.



3. Click **Invite**. The users you invited will be add to the **Accounts** list.
4. Wait for the invited user to register their account. Once they register, their status will change from  **Unverified** to  **Active**.


Bulk invitation

1. Select the **Bulk invite** tab.
2. Download the invitation template and fill in the E-mail of your users.
3. Drag your file to the file upload area.



The screenshot shows the BenQ IAM web interface. The top navigation bar includes 'Accounts', 'Groups', 'Roles', 'External Agent', and 'Service'. The 'Accounts' tab is selected, and the 'Bulk Invite' sub-tab is active. Below the tabs, there is a section titled 'Accounts / Invite Account'. It contains instructions: 'Invite one or multiple users by directly entering their email addresses, or import a XLSX file. If you need to invite a large number of users, it is strongly recommended to use the Bulk Invite feature. Once the data is submitted, the system will send a notification email to the users you have invited.' There are two sub-tabs: 'Individual invite' and 'Bulk Invite'. The 'Bulk Invite' sub-tab is selected. Below it, there is a link: 'Download a XLSX template to see an example of the format required.' A large red rectangular box highlights the file upload area, which contains an icon of a folder with an upward arrow and the text: 'Browse or drag file here. Please keep file size under 1MB'. At the bottom right of the form, there are two buttons: 'Cancel' and 'Upload'. The 'Upload' button is highlighted with a red rectangular box.

4. Click **Upload**. Wait for the data to load.
5. An invitation-result window will appear. Invalid email address that are not added to the database will be listed in this window. You can make edits directly and click **Update**.




The screenshot shows the 'Invitation results' window. It has a title bar with 'Invitation results' and a close button. The main content area contains the following text: 'You have successfully invited 1 out of 4 users. They have been added to the database. Please note that 1 email addresses were already in the database and were not uploaded again. Additionally, some email addresses are invalid. You can correct these below or use the "Download XLSX" option for offline editing.' Below this text, there are three input fields: 'Email*', 'Job Title (Optional)', and 'Office location (Optional)'. The 'Email*' field contains the text 'sample@BenQ.com' and has a red error message below it: 'Email already exists but out of your organization.' The 'Job Title' field is empty. The 'Office location' field is empty. To the right of the 'Office location' field is a trash icon. At the bottom right of the window, there are two buttons: 'Download XLSX' and 'Update'.

6. The user you invited will be add to the **Accounts** list.
7. Wait for the invited user to register their account. Once they register, their status will change from  **Unverified** to  **Active**.


Access more service

Use either way to access other BenQ services.

- Click the **Service** tab to navigate.



- Click the profile image, and find **Switch service** to navigate.



Account settings


Administrators can manage access permissions of different accounts in IAM to prevent safety and security issues.

- Organization settings
 - [Single Sign On \(SSO\) settings](#)
 - [Domain verification setting](#)
 - [Two-factor authentication](#)
- Individual settings
 - [Individual account settings](#)
 - [Apply service permission by account](#)


Single Sign On (SSO) settings

After setting SSO, there's no need to create accounts for users. The users can use external accounts to login BenQ services directly.

1. Under the **Accounts** tab, click **SSO setting**.



2. Select a SSO method you prefer.
You could use Active Directory (LDAP) or other supported SSO methods listed below to login.
 - [SAML](#)
 - [Google Workspace](#)
 - [ClassLink](#)
 - [Clever](#)
3. Fill up the required information and select the available services and roles for accounts.
4. Click **Next/Save** to continue or **Change provider** to get back to the previous step.




5. Follow the instructions to login to the SSO service and apply the settings.

Domain verification setting

To ensure the accounts' ownership of this domain, you can use DNS, HTTPS or set up via Google Workspace.

1. Under the **Accounts** tab, click **Domain verification**.



2. Select either options below

Method	Description
DNS	1. Copy the verification code from the pop-up window.
	2. Paste the verification code in to the DNS records for your domain.
	3. Select Verify domain .
	4. Enter your domain info and click Verify .
	5. Check the verify result.


Method	Description
HTTPS	1. Download the verification file and upload it to the root folder of your domain's website. 2. Select Verify domain. 3. Enter your domain info and click Verify. 4. Check the verify result.
Google Workspace	1. Select Verify domain. 2. Link your Google Workspace account and process accordingly (learn more from Google Workspace Admin Help)

Two-factor authentication

To enhance the protection of your organization, it is highly recommended to set up two-factor authentication.

Admin setup


1. Under the **Accounts** tab, click **Two-factor authentication**.




2. Enable the **Two-factor authentication** toggle.
3. The user will see the set up page when next login.

User setup

1. Sign in to BenQ service through iam.benq.com.
2. Click **Set up two-factor authentication**.




3. Download a supported **Authenticator** app listed in the setup page.
4. Scan the QR code with the **Authenticator** app to bind your account.
5. Enter the authentication code shown in the app.



6. Click **Set up**.

Individual account settings

To edit individual account settings, select an account first. The editing options will then appear as below.




1. **Edit Account***: Set the account's job title, office location, or add additional notes to the account.
2. **Manage Group**: Add the selected account to an existing group. An account can belong to a maximum of 10 groups.
3. **Edit Service Permission**: See [Apply service permission by account on page 11](#).
4. **Delete**: Remove the selected account from your organization.

Note

* The option only appears when a single user is selected.


Apply service permission by account

1. Under the **Accounts** tab, select one or more account.
2. Select **Edit Service Permission**.



3. From the drop-down list, select a service permission type.

- **Personal setting:** Apply individual settings to the selected accounts. See [Personal setting](#) for details.
- **Apply group setting:** Apply group permission settings to the selected accounts.
- **Set as sub-admin:** See [Set a sub-admin](#) for details.




4. Click **Submit**.

Personal setting

Select the service and the corresponding role you'd like to apply for this account.


- For the permission of each role, see [Role Management](#).
- To learn how to create new role for X-Sign, see [Customize a role for X-Sign](#).
- To learn more about restricted user in AMS, see [Set users as restricted user](#).




Create and edit groups for your organization

Create Groups


1. Under the **Groups** tab, select **Create New Group**.




2. Specify a name for the group and add additional description if needed.

A screenshot of the BenQ IAM 'Create New Group' form. The top navigation bar is purple with the BenQ logo and 'BenQ IAM' text. Below it, a white navigation bar contains tabs for 'Accounts', 'Groups', 'Roles', 'External Agent', and 'Service'. The 'Groups' tab is selected. The main content area has a white background. At the top, there is a breadcrumb trail 'Groups / Create New Group'. Below this, there is a 'Group Name' label and a text input field containing 'Group A'. Below the 'Group Name' field is a 'Description' label and a text area with the placeholder text 'within 200 characters'. At the bottom right of the form, there are two buttons: 'Cancel' and 'Submit'. The 'Submit' button is highlighted with a red rectangular box.

3. Select **Submit**. A confirmation window appears.
4. Choose **Add members**.




5. Select the accounts to add to the group list. Click **Select**.



Edit group settings

To edit group settings, select a group first. The editing options will then appear.




- 1. **Edit Group Information:** Edit group name and description.
- 2. **Manage Group Members:** Add or remove members in the group.
- 3. **Service Permission:** See [Set up service permission by group on page 15](#).


4. **Delete Group**

Set up service permission by group


1. Under the **Groups** tab, select a group.



2. Select  **Service Permission**.
3. Enable **Set up group service permission**. A list of available service appears.



4. Select the service and the corresponding role you'd like to apply for this group.




5. Click **Submit**.

Role Management


Under the **Roles** tab, you can view the available roles of each service.
For X-sign, you can create a new role with customized permissions. See [Customize a role for X-Sign](#).

View permissions of each role

1. Under the **Roles** tab, select a BenQ service.
2. Select a role and click the eye icon  to view the role settings.



3. For each role, the enabled feature will be marked with a green check.



Customize a role for X-Sign

Create a customized role for X-Sign

- 1. Under the **Roles** tab, select **X-Sign**.
- 2. Click **Create a new role**.
- 3. Specify a name for the role.

Create a new role

Role name

Report manager

Permission

Device Management

☒ View

☐ New

☐ Edit

☒ View equipment schedule

☐ Edit equipment schedule

☐ Remote control

☐ Delete

☐ Approve

Channel Management

☒ View

☐ New

☐ Edit channel

☒ View channel schedule

☐ Edit channel schedule

☐ Instant message

☐ Delete

☐ Approve

File Management

☒ View

☐ Upload/ Submit/ Update

☐ Edit description

☐ Delete

☐ Approve

Manager Report

☒ Interactive click statistics

☒ QR code

Advanced Applications

☐ Queuing system

Cancel

Submit

- 4. Check the permission you'd like to grant to this role.
- 5. Select **Submit**.

Delete a customized role for X-Sign

- 1. Under the **Roles** tab, select **X-Sign**.
- 2. Select a role without the default mark. Only roles created by admin can be deleted.
- 3. Select  to delete.

BenQ IAM

AccountsGroupsRolesExternal AgentService

X-Sign

DMS

AMS

Create a new role

Search

Role

1. Administrator(Default)

2. Content Manager(Default)

3. Guest(Default)

4. Report manager

5. Schedule Manager(Default)

6. Substitute Administrator(Default)


7. User(Default)

Set a sub-admin

Administrators can assign a user as a sub-admin. This creates a backup admin who has the same top-level access to all services as the main administrator.

1. In BenQ IAM (iam.benq.com), select the accounts you want to edit and click


 **Edit Service Permission.**



The screenshot shows the BenQ IAM interface with the 'Accounts' tab selected. A table lists several accounts. The first row is highlighted, and the 'Edit Service Permission' icon (a lock with a plus sign) is circled in red.

Status	Name	E-mail	Job Title	Office location
☒	Arianna	arianna_hurinton@benq.com	Employee	Boston, United States
☐	Jodie	jodie_foster@benq.com	Employee	Seattle, United States
☐	Lewis	lewis_capaldi@benq.com	Employee	Seattle, United States
☐	Roger	roger_waters@benq.com	Employee	Philadelphia, United States
☐	Will	will_smith@benq.com	Employee	Chicago, United States
☐	Meghan	meghan_roche@benq.com	Employee	Los Angeles, United States

2. Select **Set as sub-admin** in the drop-down list.



The screenshot shows the 'Edit Service Permission' page for the account 'norah2@yopmail.com'. A dropdown menu is open, showing options: 'Set as sub-admin', 'Personal setting', 'Apply group setting', and 'Set as sub-admin'. The 'Set as sub-admin' option is highlighted in blue. Below the dropdown, there are three services listed: DMS, AMS, and Broadcast, each with a checkmark and a role of 'Administrator'.

Service	Role
X-Sign	Administrator
DMS	Administrator
AMS	Administrator
Broadcast	Administrator

3. Click **Submit** to complete the setting.

Set users as restricted user

Administrators can set user’s role as restricted AMS user to minimize potential misuse on device.

1. In BenQ IAM (iam.benq.com), select the accounts you want to edit and click

 **Edit Service Permission.**

Accounts

Groups

Roles

External Agent

Service

BenQ

1 rows selected.

2. Under AMS service, select **Restricted User**.

BenQ IAM

Accounts Groups Roles External Agent Service

Accounts / Edit Service Permission for Account - norah2@yopmail.com

Personal setting

Enable Service Role


☒		X-Sign	Schedule Manager	Create a new role
☒		DMS	Guest	Create a new role
☒		AMS	Coordinator	Create a new role
☒		Broadcast	User	Create a new role
			Coordinator	Create a new role
			Restricted User	Create a new role
			NFC Manager	Create a new role

3. Click **Submit** to complete the setting.

4. For restricted users, certain settings on their boards will be greyed out.

Note

- The **Bluetooth** setting will light up when the dongles are plugged into the devices.
- The **Screen** setting will light up when switch to the input sources.



Assign an external agent

You can grant access to an administrator from another organization to manage your BenQ devices and services by assigning them as your external agent.

Important

The agent will have visibility into your managed devices and services. For data privacy and protection, ensure that this administrator is duly authorized by your organization before giving them external agent privileges.

1. As the administrator, go to iam.benq.com and sign in.
2. Select the **External agent** tab.
3. Fill in the Email and Company name of your external agent.

BenQ IAM

Accounts Groups Roles External Agent Service Manage All

External Agent Setting

You can assign an administrator account from an external organization to act as your agent and help you manage your devices and other BenQ services. Only the administrator account you assigned as your external agent will be able to manage your account on your behalf. Even if they assign their own external agent for their account, their external agent will not have access to your profile and management controls. You may remove or reassign external agent privileges at any time.

IMPORTANT: Your external agent will have visibility of the devices and services you manage. For data privacy and protection, ensure that this administrator is duly authorized by your organization before giving them external agent privileges.

Set external agent

Email

Company

Set

You are an external agent of

4. Click **Set**.
5. Wait for the agent to accept the invitation.

Copyright and disclaimer

Copyright

Copyright 2025 BenQ Corporation. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system or translated into any language or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual or otherwise, without the prior written permission of BenQ Corporation.

Disclaimer

BenQ Corporation makes no representations or warranties, either expressed or implied, with respect to the contents of this document. BenQ Corporation reserves the right to revise this publication and to make changes from time to time in the contents thereof without obligation to notify any person of such revision or changes.

The screenshots in this document are for reference only and may differ from the actual design.

This document aims to provide the most updated and accurate information to customers, and thus all contents may be modified from time to time without prior notice. Please visit the website for the latest version of this document.