Available online at www.sciencedirect.com

ScienceDirect

Procedia Manufacturing 35 (2019) 1286–1296

Procedia MANUFACTURING

www.elsevier.com/locate/procedia

2nd International Conference on Sustainable Materials Processing and Manufacturing (SMPM 2019)

An Overview on 3D Printing Technology: Technological, Materials, and Applications

N. Shahrubudin[a], T.C. Lee[a,*], R. Ramlan[a].

[a]*Department of Production and Operation Management, Faculty of Technology Management and Business, Universiti Tun Hussein Onn Malaysia, 86400 Batu Pahat, Johor, Malaysia*

Abstract

Digital fabrication technology, also referred to as 3D printing or additive manufacturing, creates physical objects from a geometrical representation by successive addition of materials. 3D printing technology is a fast-emerging technology. Nowadays, 3D Printing is widely used in the world. 3D printing technology increasingly used for the mass customization, production of any types of open source designs in the field of agriculture, in healthcare, automotive industry, locomotive industry and aviation industries. 3D printing technology can print an object layer by layer deposition of material directly from a computer aided design (CAD) model. This paper presents the overview of the types of 3D printing technologies, the application of 3D printing technology and lastly, the materials used for 3D printing technology in manufacturing industry.

Peer-review under responsibility of the organizing committee of SMPM 2019.

Keywords: Additive manufacuting, 3D Printing, manufacturing industy

1. Introduction

3D printing can create physical objects from a geometrical representation by successive addition of material [1]. This 3D process had many experienced a phenomenal expansion in recent years. First commercialised of the 3D printing processes in year 1980 by Charles Hull [2]. Currently, 3D printing primarily used for producing artificial heart pump [3], jewelry collections [4], 3D printed cornea [5], PGA rocket engine [6], steel bridge in Amsterdam [7] and other products related to the aviation industry as well as the food industry.

3D printing technology has originated from the layer by layer fabrication technology of three-dimensional (3D) structures directly from computer-aided design (CAD) drawing [8]. 3D printing technology is a truly innovative and has emerged as a versatile technology stage. It opens new opportunities and gives hope to many possibilities for

* Corresponding author. Tel.: +60137105310; fax: +64533833
E-mail address: tclee@uthm.edu.my

2351-9789
Peer-review under responsibility of the organizing committee of SMPM 2019.
10.1016/j.promfg.2019.06.089

companies looking to improve manufacturing efficiency. Conventional thermoplastics, ceramics, graphene-based materials, and metal are the materials that can be printed now by using 3D printing technology [9]. 3D printing technology has the potential to revolutionize industries and change the production line. The adoption of 3D printing technology will increase the production speed while reducing costs. At the same time, the demand of the consumer will have more influence over production. Consumers have greater input in the final product and can request to have it produced to fit their specifications. At the meantime, the facilities of 3D printing technology will be located closer to the consumer, allowing for a more flexible and responsive manufacturing process, as well as greater quality control. Furthermore, when using 3D printing technology, the need for global transportation is significantly decreased. This is because, when manufacturing sites located nearer to the end destination, all distribution could be done with fleet tracking technology that saves energy and time. Lastly, the adoption of 3D printing technology can change the logistics of the company. The logistics of the companies can manage the entire process, offer more comprehensive and start-to-finish services [10].

Nowadays, 3D printing is widely used in the world. 3D printing technology increasingly used for the mass customization, production of any types of open source designs in the field of agriculture, in healthcare, automotive industry, and aerospace industries [11].

At the same time, there are several disadvantages the adoption of 3D printing technology in manufacturing industry. For instance, the effect of the use of 3D printing technology is will reduce the use of manufacturing labour so automatically will greatly affect the economy of countries that rely on a large number of low skill jobs. Furthermore, by using 3D printing technology, users can print many different types of objects such as knives, guns and dangerous items. Therefore, the use of 3D printing should be limited to only certain people to prevent terrorists and criminals bring guns without detected. At the same time, the people who get a hold of a blueprint will be able to counterfeit products easily. This is because, the use of 3D printing technology is simple, just sketching, and set the data in the machine-printed so 3D objects can generate [12].

To sum up, 3D printing technology has emerged during recent years as a flexible and powerful technique in advance manufacturing industry. This technology has been widespread used in many countries, especially in the manufacturing industry. Therefore, this paper presents the overview of the types of 3D printing technologies, the application of 3D printing technology and lastly, the materials used for 3D printing technology in manufacturing industry.

2. Types of 3D Printing

Varieties of 3D printing technologies have been developed with the different function. According to ASTM Standard F2792 [13], ASTM catalogued 3D printing technologies into seven groups, including the binding jetting, directed energy deposition, material extrusion, material jetting, powder bed fusion, sheet lamination and vat photopolymerization. There are no debates about which machine or technology function better because each of them has its targeted applications. Nowadays, 3D printing technologies are no longer limited to prototyping usage but are increasingly also being used for making variety of products [14].

2.1. Binder jetting

Binder jetting is a rapid prototyping and 3D printing process in which a liquid binding agent is selectively deposited to join powder particles. The binder jetting technology uses jet chemical binder onto the spread powder to form the layer [9]. The application of the binder jetting is would be producing the casting patterns, raw sintered products or similar large-volume products from sand. Binder jetting can print a variety of materials including metals, sands, polymers, hybrid and ceramics. Some materials like sand not required additional processing. Moreover, the process of binder jetting is simple, fast and cheap as powder particles are glued together. Lastly, binder jetting also has the ability to print very large products.

2.2. Directed energy deposition

Directed energy deposition is a more complex printing process commonly used to repair or add additional material to existing components [8]. Directed energy deposition has the high degree control of grain structure and

can produce the good quality of the object. The process of directed energy deposition is similar in principle to material extrusion, but the nozzle not fixed to a specific axis and can move in multiple directions. Furthermore, the process can be used with ceramics, polymers but is typically used with metals and metal-based hybrids, in the form of either wire or powder. The example of this technology is laser deposition and laser engineered net shaping (LENS) [8]. Laser deposition is the emerging technology and can be used to produce or repair parts measured in milimeter to meters. Laser deposition technology is gaining attraction in the tooling, transportation, aerospace, and oil and gas sectors because it can provide scalability and the diverse capabilities in the single system [15]. Meanwhile, laser LENS can exploit thermal energy for melting during the casting and parts are accomplished subsequently [16].

2.3. Materials extrusion

Material extrusion-based 3D printing technology can be used to print multi-materials and multi-colour printing of plastics, food or living cells [17]. This process has been widely used and the costs are very low. Moreover, this process can build fully functional parts of product [8]. Fused deposition modelling (FDM) is the first example of a material extrusion system. FDM was developed in early 1990 and this method uses polymer as the main material [18]. FDM builds parts layer-by-layer from the bottom to the top by heating and extruding thermoplastic filament. The operations of FDM are as follows:

I. Thermoplastic heated to a semi-liquid state and deposits it in ultra-fine beads along the extrusion path [19].
II. Where support or buffering needed, the 3D printer deposits a removable material that acts as scaffolding. For example, FDM uses hard plastic material during the process to produce 3D bone model [19].

2.4. Materials jetting

According to ASTM Standards, material jetting is a 3D printing process in which drop by drop of build material are selectively deposited. In material jetting, a printhead dispenses droplets of a photosensitive material that solidifies, building a part layer-by-layer under ultraviolet (UV) light [20]. At the same time, material jetting creates parts with a very smooth surface finish and high dimensional accuracy. Multi-material printing and a wide range of materials such as polymers, ceramics, composite, biologicals and hybrid are available in material jetting [8].

2.5. Powder bed fusion

The powder bed fusion process includes the electron beam melting (EBM), selective laser sintering (SLS) and selective heat sintering (SHS) printing technique. This method uses either an electron beam or laser to melt or fuse the material powder together. The example of the materials used in this process are metals, ceramics, polymers, composite and hybrid. Selective laser sintering (SLS) are the main example of powder based 3D printing technology. Carl Deckard developed SLS technology in 1987. SLS is 3D printing technology that's functionally in fast speed, has high accuracy, and varies surface finish [21]. Selective laser sintering can used to create metal, plastic, and ceramic objects [22]. SLS used a high power laser to sinter polymer powders to generate a 3D product. Meanwhile, SHS technology is another part of 3D Printing technology uses a head thermal print in the process to melt the thermoplastic powder to create 3D printed object. Lastly electron beam melting enhances an energy source to heat up the material [22].

2.6. Sheet lamination

According to ASTM definition, sheet lamination is the 3D printing process in which sheet of materials are bond together to produce a part of object [20]. The example of 3D printing technology that uses this process are laminated object manufacturing (LOM) and ultrasound additive manufacturing (UAM) [8]. The advantages of this process are sheet lamination can do full-colour prints, it relatively inexpensive, easy of material handling and excess material can be recycled. Laminated object manufacturing (LOM) is capable to manufacture complicated geometrical parts

with lower cost of fabrication and less operational time [23]. Ultrasound additive manufacturing (UAM) is an innovative process technology that uses sound to merge layers of metal drawn from featureless foil stock.

2.7. Vat Photopolymerization

The main 3D printing technique that frequently used is photopolymerization, which in general refers to the curing of photo-reactive polymers by using a laser, light or ultraviolet (UV) [24]. The example of 3D printing technologies by using photopolymerization is stereolithography (SLA) and digital light processing (DLP). In the SLA, it was influenced by the photo initiator and the irradiate exposure particular conditions as well as any dyes, pigments, or other added UV absorbers [18]. Meanwhile, digital light processing is a similar process to Stereolithography that works with photopolymers. Light source is the major difference. Digital Light Process uses a more conventional light source, such as an arc lamp with a liquid crystal display panel. It can apply to the whole surface of the vat of photopolymer resin in a single pass, generally making it faster than Stereolithography [25]. The important parameters of Vat Photopolymerization are the time of exposure, wavelength, and the amount of power supply. The materials used initially are liquid and it will harden when the liquid exposed to ultraviolet light. Photopolymerization is suitable for making a premium product with the good details and a high quality of surface [17].

3. Materials Used for 3D Printing Technology in Manufacturing Industry

Like any manufacturing process, 3D printing needs high quality materials that meet consistent specifications to build consistent high-quality devices. To ensure this, procedures, requirements, and agreements of material controls are established between the suppliers, purchasers, and end-users of the material. 3D printing technology is capable to produce fully functional parts in a wide range of materials including ceramic, metallic, polymers and their combinations in form of hybrid, composites or functionally graded materials (FGMs) [8].

3.1. Metals

Metal 3D printing technology gain many attentions in aerospace, automobile, medical application and manufacturing industry because the advantages existing by this process [26]. The materials of metal have the excellent physical properties and this material can be used to complex manufacturer from printing human organs to aerospace parts. The examples of this materials are aluminium alloys [27], cobalt-based alloys [28], nickel-based alloys [29], stainless steels [30], and titanium alloys [31-32]. Cobalt-based alloy is suitable to use in the 3D printed dental application. This is because, it has high specific stiffness, resilience, high recovery capacity, elongation and heat-treated conditions [28]. Furthermore, 3D printing technology has capability to produce aerospace parts by using nickel base alloys [29]. 3D-printed object produces using nickel base alloys can be used in dangerous environments. This is because, it has high corrosion resistance and the heat temperature can resistant up to 1200 °C [26]. Lastly, 3D printing technology also can print out the object by using titanium alloys. Titanium alloy with have very exclusive properties, such as ductility, good corrosion, oxidation resistance and low density. It is used in high stresses and high operating temperatures and high stresses, for example in aerospace components [31] and biomedical industry [32].

3.2. Polymers

3D printing technologies are widely used for the production of polymer components from prototypes to functional structures with difficult geometries [33]. By using fused deposition modelling (FDM), it can form a 3D printed through the deposition of successive layers of extruded thermoplastic filament, such as polylactic acid (PLA), acrylonitrile butadiene styrene (ABS), polypropylene (PP) or polyethylene (PE) [33]. Lately, thermoplastics filaments with higher melting temperatures such as PEEK and PMMA can already be used as materials for 3D printing technology [34]. 3D printing polymer materials in liquid state or with low melting point are widely used in 3D printing industry due to their low cost, low weight and processing flexibility [35]. Mostly, the materials of polymers played important role in biomaterials and medical device products often as inert materials, by contributing

to the efficient functioning of the devices as well as providing mechanical support in many orthopaedic implants [28].

3.3. Ceramics

Nowadays, 3D printing technology can produce 3D printed object by using ceramics and concrete without large pores or any cracks through optimization of the parameters and setup the good mechanical properties [37]. Ceramic is strong, durable and fire resistant. Due to its fluid state before setting, ceramics can be applied in practically any geometry and shape and very suitable on the creation of future construction and building [37]. According to [38], they said ceramics materials is useful in the dental and aerospace application. The examples of this materials are alumina [39], bioactive glasses [40] and zirconia [41]. Alumina powder for instance has the potential to be processes by 3D Printing technology. Alumina is an excellent ceramic oxide with a very wide range of applications, including catalyst, adsorbents, microelectronics, chemicals, aerospace industry and another high-technology industry [42]. Alumina has great curing complexity [38]. By using 3D printing technology, complex-shaped alumina parts with has a high density after sintering and also has high green density can be printed [39]. Furthermore, in successive experiment, Stereolithographic (SLA) machine was used to process glass-ceramic and bioactive glass into dance part. It significantly improving the bending strength of this materials. The increasing of the mechanical strength will open up the potential for apply bioactive glass in relevant clinical structure such as scaffolds and bone. By using Stereolithographic Ceramic Manufacturing (SLCM), it is probable to produce solid bulk ceramics with high densities, very homogeneous microstructure, high compression strength and bending [40]. Meanwhile, zirconia are the main construction materials in nuclear power sectors, using for element tubing. Hafnium-free zirconium is very suitable for this application because it has low susceptibility to radiation and also has low thermal neutron absorption [41].

3.4. Composites

Composite materials with the exceptional versatility, low weight, and tailorable properties have been revolutionizing high-performance industries. The examples of composite materials are carbon fibers reinforced polymer composites [43] and glass fibers reinforced polymer composite [44]. Carbon fiber reinforced polymers composite structures are widely used in aerospace industry because of their high specific stiffness, strength, good corrosion resistance and good fatigue performance [43]. At the same time, glass fibers reinforced polymer composites are widely used for various applications in 3D printing application [44] and has great potential applications due to the cost effectiveness and high-performance [45]. Fiberglass have a high thermal conductivity and relatively low coefficient of thermal expansion. Furthermore, fiberglass cannot burn, and it not affected by curing temperatures used in manufacturing processes, therefore, it is very suitable for use in the 3D printing applicant [45].

3.5. Smart materials

Smart materials are defined as this material have the potential to alter the geometry and shape of object, influence by external condition such as heat and water [46]. The example of 3D printed object produces by using smart materials are self-evolving structure and soft robotics system. Smart materials also can be classified as 4D printing materials. The examples of group smart materials are shape memory alloys [47] and shape memory polymers [48]. Some shape-memory alloys like nickel-titanium [47] can be used in biomedical implants to micro-electromechanical devices application [37]. In the production of 3D printed products by using nickel-titanium, transformation temperatures, reproducibility of microstructure and density is the important issue. Meanwhile, Shape memory polymer (SMP) is a kind of functional material that responds to a stimulus like light, electricity heat, some types of chemical and so on [48]. By using 3D printing technology, the complicated shape of shape memory polymer could be easily and conveniently to produce. The quality evaluation of this material is performed based on the dimensional accuracy, surface roughness and part density [48].

3.6. Specials materials

The examples of special materials are:

- Food

  3D printing technology can process and produce the desired shape and geometry by using food materials like the chocolate, meat, candy, pizza, spaghetti, sauce and so on [49]. 3D-food printing can produce healthy food because this process allows customers to adjust the ingredients of materials without reducing the nutrients and taste of the ingredients [50].

- Lumar dust

  3D printing process has the capability to directly produce multi-layered parts out of lunar dust, which has potential applicability to future moon colonization [51].

- Textile

  With 3D printing technology, jewellery and clothing industry will be shine with the development on 3D-textile printing. Some advantage of 3D printing technology in fashion industry are short processing time to make the product, reduced costs related with the packaging and reduce supply chain cost [16].

4. The Applications of 3D Printing in Manufacturing Technology

4.1. Aerospace industry

3D printing technology provides unparallel freedom design in component and production. In aerospace industry, 3D printing technology has potential to make lightweight parts, improved and complex geometries, which can reduce energy requirement and resources [52]. At the same time, by using 3D printing technology, it can lead to fuel savings because it can reduce the material used to produce aerospace's parts. Furthermore, 3D printing technology has been widely applied to produce the spare parts of some aerospace components such as engines. The engine's part is easily damaged, which require regular replacement. Therefore, 3D printing technology is a good solution to the procurement of such spare parts [53]. In aerospace industry, nickel-based alloys is more preferred due to the tensile properties, oxidation/corrosion resistance and damage tolerance [54].

4.2. Automotive industry

Nowadays, 3D printing technology have rapidly changed our industry to design, develop and manufacture new things. In the automotive industry, 3D Printing technique have made phenomena to bring new shines, allowing for lighter and more complex structures in the fast time. For instance, Local Motor had printed the first 3D-printed electric car in 2014. Not only cars, Local Motors also extended the wide range application of 3D printing technology by manufacturer a 3D-printed bus called OLLI. OLLI is a driverless, electric, recyclable and extremely smart 3D printed bus. Furthermore, Ford is the leader in the use of 3D printing technology also apply 3D printing technology to produce prototype and engine parts [55]. In addition, BMW uses 3D printing technology to produce hand-tools for automotive testing and assembly. Meanwhile, in 2017, AUDI was collaborated with SLM Solution Group AG to produce spare parts and prototypes [56].

Consequently, by using 3D printing technology in automotive industry enable company to try various alternatives and emphasize right in the improvement stages, prompting ideal and effective automotive design. At the same time, 3D printing technology can reduce the wastage and consumption of the materials. Moreover, 3D printing technology can reduce costs and time, therefore, it allows to test new designs in a very fast time [57].

4.3. Food industry

3D printing technology open the doors not only for aerospace industry, but also for food industry. At present,

there is a growing demand for the development of customized food for specialized dietary needs, such as athletes, children, pregnant woman, patient and so on which requires a different amount of nutrients by reducing the amount of unnecessary ingredients and enhancing the presence of healthy ingredients [58]. However, the development of customized foods must be conducted in a very detailed and inventive way, which is where the adoption of 3D-food printing appears. Food layer manufacture also known as 3D-food printing fabricated through the deposition of successive layers by layer derived directly from computer-aided design data [49]. By using 3D printing technology, specific materials can be mixed and processes into various complicated structures and shape [59]. Sugar, chocolate, pureed food and flat food such as pasta, pizza and crackers can be used to create new food items with complex and interesting designs and shape.

3D printing technology is a high-energy efficiency technology for food production with environmentally friendly, good quality control and low cost. 3D-food printing can be healthy and give benefit for human because it creates new process for food customization and can adjust with individual preferences and needs. By allowing food preparation and ingredients to be automatically adjusted to the consumer's information, it would be possible to have diets which enforce themselves without need to exercise [49].

4.4. Healthcare and medical industry

3D printing technology can used to print 3D skin [60], drug and pharmaceutical research [61], bone and cartilage [62], replacement tissues [63], organ [22], printing for cancer research [64] and lastly models for visualization, education, and communication. There are several advantages of 3D Printing technology for biomedical products which are:

- 3D printing technology can replicate the natural structure of the skin with the lower cost. 3D printed skin can be used to test pharmaceutical, cosmetics, and chemical products. Therefore, it is unnecessary to use the animal skin to test the products. Consequently, it will help the researcher to get accurate result by using replicate the skin [65].
- By using 3D printing technology to print drug can increase efficiency, accurate control of dropped size and dose, high reproducibility and able to produce dosage form with complex drug-release profiles [22].
- 3D printing technology is able to print cartilage and bone to replace bony voids in the cartilage or bone that caused by trauma or disease [66]. This treatment is different options from using auto-grafts and allografts because this treatment focuses on to generate bone, maintain, or improve its function by using in vivo.
- 3D printing technology also can be used to replace, restore, maintain, or improve the tissues function. The replacement tissues produced by 3D printing technology have the interconnected pore network, biocompatible, appropriate surface chemistry and has good mechanical properties [63].
- 3D printing technology also can be used to print out similar organ failure caused by critical problems such as disease, accidents, and birth defects.
- 3D printing technologies are able to form highly controllable cancer tissues model and shows great potential to accelerate cancer research. By using 3D printing technology, the patients can get more reliable and accurate data.
- 3D printout models can use in the learning process to help neurosurgeons practicing surgical techniques. By using 3D model, it can improve accuracy, can take the short time to the trainer when performing clinical procedure, and provides opportunities for training surgeons hands-on, as the 3D model is a simulation of a real patient's pathological condition.

4.5. Architecture, building, and construction industry

3D printing technology can be considered as environmentally friendly derivative and it give unlimited possibilities for geometric complexity realization. In the construction industry, 3D printing technology can be used to print entire building or can create construction components. The emergence of the Building Information

Modelling (BIM) will facilitate better use of 3D printing technology. Building Information Modelling is a digital representation of functional and physical characteristics, can share an information and knowledge about 3D building. It can form a reliable source for decision during its life cycle, from initial conception to demolition for construct or design the building [67]. This innovative and collaborative technology will support more efficient method to designing, creating and maintaining the built environment.

With 3D printing technology, companies can design and create the visual of the building in the fast time and inexpensively as well as avoid delays and help pinpoint problem areas. At the same time, with 3D printing technology, construction-engineer and their clients can communicate more efficiently and clearly. Much of a customer's expectations come from an idea, and 3D printing makes it simple to appear that idea beyond the dated method of paper and pencil [68]. The examples of 3D printed building are Apis Cor Printed House in Russia [67] and Canal House in Amsterdam [68].

4.6. Fabric and Fashion Industry

When 3D printing technology enters the retail industry, 3D printed shoes, jewellery [4], consumer goods and clothing [69] are emergence into the market. The combination of fashion and 3D printing may not seem like the most natural fit, but it is starting to become an everyday reality all over the world. For instance, big companies like Nike, New Balance and Adidas are striving to development the mass production of 3D printed shoes. Nowadays, 3D printed shoes are produced for athlete's shoes, custom-made shoes and sneakers [70].

Besides, 3D printing technology can spread creative possibilities for fashion design. Indeed, it makes it possible to makes shapes without moulds. In fashion industry, by using 3D printing technology, it can design and produce garments by using mesh system and also can print ornaments for traditional textile. Moreover, the application of 3D printing technology not limited to the fashion industry, but also can print leather goods and accessories. For instances, jewellery, watchmaking, accessories and so on [71].

The retailers and designers believe the purpose of creating fashion products by using 3D printing technology is not to duplicate current products, but to improve product design by offering personalised and unique products to customers [72]. The advantages of the product development by using 3D printing technology are the product is on-demand custom fit and styling. At the meantime, by using 3D printing technology, it can reduce the supply chain cost. Lastly, 3D printing technology can create and deliver products in small quantities in the fast time [73].

4.7. Electric and Electronic Industry

As 3D printing becomes more and more accessible to sciences, technology and manufacturing fields, the manufacturers are starting to see its potential realized in all sorts of interesting ways. Nowadays, various 3D printing technologies have already been used broadly for structural electronic devices like active electronic materials, electrode and devices with mass customization and adaptive design through embedding the conductors into 3D printed devices [74].

The production process for the 3D electrode by utilizing the Fused Deposition Modelling of 3D printing technique provides low-cost and a time efficient approach to mass producing electrode materials. Compared to commercial electrodes such as aluminium, copper and carbon electrodes, the design and surface area of the 3D electrode can be easily customized to suit a particular application. Furthermore, 3D printing process for the 3D electrode is fully automated, with a high degree of precision, made it possible to complete the printing process for eight 8 electrodes in just 30 minutes [75].

In addition, active electronic components are any electronic devices or components capable of amplifying and controlling the flow charges of electric. Besides, active devices also include those that can generate power. Examples of active electronic components include silicon-controlled rectifiers, transistors, diodes, operational amplifiers, light-emitting diodes (LEDs), batteries and so on. These components normally require highly elaborate fabrication processes compared to those used for passive components due to their complex functionalities [76]. 3D printing technology provides advantages for processing of product along with its electronics. With multi-material printing technology, the efficiency of electronic system may possibly be adopted in Industry Revolution 4.0,

enabling more innovative designs created in just one process [37]. The development of a green electronic device with low-manufacturing cost, good safety, high reliability and rapid production, is urgently in demand to address environment pollutions in today's society [75].

5. Summary

In this review, there are rich landscape of 3D printing in manufacturing industry. At present, 3D printing technology is beginning in the manufacturing industries, it offers many benefits to the people, company and government. Therefore, more information is needed to progress on ways to enhance the adoption of 3D printing technology. The more information about 3D printing technology will help the company and government to upgrade and improve the infrastructure of 3D printing technology. Thus, this paper is to overview the types of 3D printing technologies, materials used for 3D printing technology in manufacturing industry and lastly, the applications of 3D printing technology. In the future, researchers can do some study on the type of 3D printing machines and the suitable materials to be used by every type of machine.

6. Acknowledgements

We thank the Universiti Tun Hussein Onn Malaysia and the Ministry of High Education, Malaysia (Grant: TIER 1 Vot U880) for financially supporting this work.

References

[1] ISO/PRF 17296-1,"Additive manufacturing -- General principles -- Part 1: Terminology", 2015.
[2] P. Holzmann, J. Robert, A. Aqeel Breitenecker, Soomro, & J. S. Erich, "User entrepreneur business models in 3D printing," *Journal of Manufacturing Technology Management,* Vol. 28, No. 1, pp. 75-94, 2017.
[3] Thomas, "3D printed jellyfish robots created to monitor fragile coral reefs," *3D Printer and 3D Printing News*, 2018. [Online]. Available: http://www.3ders.org/articles/20181003-3d-printed-jellyfish-robots-created-to-monitor-fragile-coral-reefs.html. [Accessed 2019].
[4] Tess, "Indian jewelry brand Isharya unveils 'Infinite Petals' 3D printer jewelry collection," *3D Printer and 3D Printing News*, 2017. [Online]. Available: http://www.3ders.org/articles/20170412-indian-jewelry-brand-isharya-unveils-infinite-petals-3d-printed-kewelry-collection.html. [Accessed 2019].
[5] Thomas, "GE Transportation to produce up to 250 3D printed locomotive parts by 2025," *3D Printer and 3D Printing News*, 2018 a. [Online]. Available: http://www.3ders.org/articles/20180928-ge-transportation-to-produce-up-to-250-3d-printed-locomotive-parts-by-2025.html
[6] Thomas, "Paul G. Allen's Stratolaunch space venture uses 3D printing to develop PGA rocket engine.", *3D Printer and 3D Printing News*. 2018 b, [Online]. Available: http://www.3ders.org/articles/20181001-paul-g-allens-stratolaunch-space-venture-uses-3d-printing-to-develop-pga-rocket-engine.html. [Accessed 2019].
[7] David, "MX3D to install world's first 3D printed steel bridge over Amsterdam canal," *3D Printer and 3D Printing News*, 2018. [Online]. Available: https://www.3ders.org/articles/20180403-mx3d-to-install-worlds-first-3d-printed-steel-bridge-over-amsterdam-canal.html. [Accessed 2019].
[8] A. M. T. Syed, P. K. Elias, B. Amit, B. Susmita, O. Lisa, & C. Charitidis, "Additive manufacturing: scientific and technological challenges, market uptake and opportunities," *Materials today*, Vol. 1, pp. 1-16, 2017.
[9] L. Ze-Xian, T.C. Yen, M. R. Ray, D. Mattia, I.S. Metcalfe, & D. A. Patterson, "Perspective on 3D printing of separation membranes and comparison to related unconventional fabrication techniques," *Journal of Membrane Science,* Vol 523, No.1, pp. 596-613, 2016.
[10] V. Rajan, B. Sniderman, & P. Baum, "3D opportunity for life: Additive manufacturing takes humanitarian action," *Delight Insight*, Vol. 1 No. 19, pp. 1-8, 2016.
[11] O. Keles, C.W. Blevins, & K. J. Bowman, "Effect of build orientation on the mechanical reliability of 3D printed ABS," *Rapid Prototyping Journal,* Vol. 23, No.2, pp. 320-328, 2017.
[12] A. Pirjan & D. M. Petrosanu, "The impact of 3D printing technology on the society and economy," *Journal of Information Systems & Operations Management,* pp. 1-11, 2013.
[13] ASTM F2792-12a, Standard terminology for additive manufacturing technologies. ASTM International. West Conshohocken, PA, 2012.
[14] W. Yuanbin, Blache, & X. Xun, "Selection of additive manufacturing processes," *Rapid Prototyping Journal*, Vol. 23, No. 2, pp. 434-447, 2017.
[15] M. Lang, "An overview of laser metal deposition," *A publication of the Fabricators & Manufacturers Association*, 2017. [Online]. Available: https://www.thefabricator.com/article/additive/an-overview-of-laser-metal-deposition. [Accessed 2019].
[16] M. D. Ugur, B. Gharehpapagh, U. Yaman, & M. Dolen, "The role of additive manufacturing in the era of Industry 4.0," *Procedia Manufacturing,* Vol. 11, pp. 545-554, 2017.

[17] A. Muller, & S. Karevska, "How will 3D printing make your company the strongest link in the value chain?", *EY's Global 3D printing Report 2016,* 2016. [Online]. Available: https://www.ey.com/Publication/vwLUAssets/ey-global-3d-printing-report-2016-full-report/$FILE/ey-global-3d-printing-report-2016-full-report.pdf. [Accessed 2019].
[18]J. W. Stansbury, & M. J. Idacavage, "3D Printing with polymers: Challenges among expanding options and opportunities," *Dental Materials,* Volume 32, pp. 54-64, 2016.
[19] L. Y. Yee, S.E.T. Yong, K.J.T. Heang, K.P. Zheng, Y. L. Xue, Y. Y. Wai, C. H. T. Siang, & L. Augustinus, "3D Printed Bio-models for Medical Applications," *Rapid Prototyping Journal*, Vol. 23, No. 2, pp. 227-235, 2017.
[20] C. Silbernagel, "Additive Manufacturing 101-4: What is material jetting?," *Canada Makers,* 2018. [Online]. Available: http://canadamakes.ca/what-is-material-jetting/. [Accessed 2019].
[21] S.K. Tiwari, S. Pande, S. Agrawal, & S. M. Bobade, "Selection of selective laser sintering materials for different applications," *Rapid Prototyping Journal*, Vol. 21, No.6, pp.630-648, 2015.
[22] C. L. Ventola, "Medical Application for 3D Printing: Current and Projected Uses," *Medical Devices,* Vol. 39, No.10, pp. 1-8, 2014.
[23] S. Vikayavenkataraman, Y.H.F. Jerry, & F.L. Wen, "3D Printing and 3D Bioprinting in Pediatrics," *Bioengineering*, Vol. 4, No.63, pp. 1-11, 2017.
[24] Z. Low, Y.T. Chua, B.M. Ray, D. Mattia, I.S. Metcalfe, & D.A. Patterson, "Perspective on 3D printing of separation membranes and comparison to related unconventional fabrication techniques," *Journal of Membrane Science,* Vol. 523, No.1, pp. 596-613, 2017.
[25] P. Reddy, "Digital Light Processing (DLP)," *Think 3D*. 2016. [Online]. Available: https://www.think3d.in/digital-light-processing-dlp-3d-printing-technology-overview/. [Accessed 2019].
[26] D.J. Horst, C.A. Duvoisin, & R.A. Viera, "Additive manufacturing at Industry 4.0: a review," *International Journal of Engineering and Technical Research*, Vol. 8, No.8, pp. 1-8, 2018.
[27] J.H. Martin, B. D. Yahata, J. M. Hundley, J. A. Mayer, T. A. Schaedler, & T. M. Pollock, "3D Printing of high-strength aluminium alloys," *Nature,* Vol. 549, No. 7672, pp. 356-369, 2017.
[28] L. Hitzler, F. Alifui-Segbaya, P. William, B. Heine, M. Heitzmann, W. Hall, M. Merkel, & A. Ochner, "Additive manufacturing of cobalt based dental alloys: analysis of microstructure and physicomechanical properties," *Advances in Materials Science and Engineering,* Vol. 8, pp. 1-12, 2018.
[29] L. E. Murr, "Frontiers of 3D Printing/Additive Manufacturing: from Human Organs to Aircraft Fabrication," *Journal of Materials Sciences and Technology,* Vol. 3, No. 10, pp. 987-995, 2016.
[30] T. DebRoy, H. L. Wei, J. S. Zuback, T. Mukherjee, J. W. Elmer, J. O. Milewski, A. M. Beese, A. Wilson-Heid, A. De, & W. Zhang, "Additive manufacturing of metallic components-Process, structure and properties," *Progress in Materials Science,* Vol. 92, pp. 112-224, 2018.
[31] E. Uhlmann, R. Kersting, T. B. Klein, M. F. Cruz, & A. V. Borille, "Additive manufacturing of titanium alloy for aircraft components," Procedia CIRP, Vol. 35, pp. 55-60, 2015.
[32] F. Trevisan, F. Calignano, A. Aversa, G. Marchese, M. Lombardi, S. Biamino, D. Ugues, & D. Manfredi, "Additive manufacturing of titanium alloys in the biomedical field: processes, properties and applications," Journals Indexing & Metrics, Vol. 16, No. 2, 2018.
[33] M. A. Caminero, J. M. Chacon, I. Garcia-Moreno, & G. P. Rodriguez, "Impact damage resistance of 3D printed continues fibre reinforced thermoplastic composites using fused deposition modelling," *Composite Part B: Engineering,* Vol. 148, pp. 93-103, 2018.
[34] J. R.C. Dizon, A. H. E. Jr, Q. Chen, R. C. Advincula, "Mechanical characterization of 3d-printed polymers," *Additive Manufacturing,* Vol. 20, pp. 44-67, 2018.
[35] W. Xin, J. Man, Z. Zuowan, G. Jihua, & H. David, "3D printing of polymer matrix composites: A review and prospective," *Composites Part B,* Vol. 110, pp. 442-458, 2017.
[36] P. A. Gunatillake, & R. Adhikari, "Nondegradable synthetic polymers for medical devices and implants," *Biosynthetic Polymers for Medical Applications,* Vol. 1, pp. 33-62, 2016.
[37] F. Baldassarre, & F. Ricciardi, "The Additive Manufacturing in the Industry 4.0 Era: The Case of an Italian FabLab," *Journal of Emerging Trends in Marketing and Management*, Vol. 1, No.1, pp. 1-11, 2017.
[38] D. Owen, J. Hickey, A. Cusson, O. I. Ayeni, J. Rhoades, D. Yifan, W. Limmin, P. Hye-Yeong, H. Nishant, P. P. Raikar, Yeon-Gil, & Z. Jing, "3D printing of ceramic components using a customized 3D ceramic printer," *Progress in Additive Manufacturing,* Vol 1, pp. 1-7, 2018.
[39] A. Zocca, P. Lima, & J. Günster, "LSD-based 3D printing of alumina ceramics," *Journal of Ceramic Science and Technology,* Vol. 8, No. 1, pp. 141-148, 2017.
[40] R. Gmeiner, U. Deisinger, J. Schonherr, & B. Lenchner, "Additive manufacturing of bioactive glasses and silicate bioceramics," Journal of Ceramics Science and Technology, Vol. 6, No. 2, pp. 75-86, 2015.
[41] T. Lanko, S. Panov, O. Sushchyns'ky, M. Pylypenko, & O. Dmytrenko, "Zirconium Alloy Powders for manufacture of 3D printed particles used in nuclear power industry," *Problems of Atomic Science and Technology,* Vol. 1, No. 113, pp. 148-153, 2018.
[42] T. Xueyuan, & Y. Yuxi, "Electrospinning preparation and characterization of alumina nanofibers with high aspect ratio," Ceramics International, Vol. 41, No. 8, pp. 9232–9238, 2017.
[43] W. Haoa, Y. Liua, H. Zhouc, H. Chenb, & D. Fangb, "Preparation and characterization of 3D printed continuous carbon fiber reinforced thermosetting composite.", *Polymer Testing,* Vol. 65, pp. 29–34, 2018.
[44] T. P. Sathishkumar, S. Satheeshkumar, & J. Naveen, "Glass fiber-reinforced polymer composites – a review," *Journal of Reinforced Plastics and Composites,* Vol. 33, No.13, pp. 1-14, 2014.
[45] Z. Liu, L. Zhang, E. Yu, Z. Ying, Y. Zhang, X. Liu, & W. Eli, "Modification of Glass Fiber Surface and Glass Fiber Reinforced Polymer Composites Challenges and Opportunities: From Organic Chemistry Perspective," *Current Organic Chemistry*, Vol. 19 No.11, pp. 991-1010, 2015.

[46] L. Jian-Yuan, A. Jia, & K. C. Chee, "Fundamentals and applications of 3D printing for novel materials," *Applied materials today,* Vol 7, pp. 120-133, 2017.
[47] H. J. Van, "Additive manufacturing of shape memory alloy," *Shape memory and superelasticity,* Vol. 4, No. 2, pp. 309-312, 2018.
[48] Y. Yang, Y. Chen,Y. Wei, & Y. Li, "3D Printing of shape memory polymer for functional part fabrication," *The International Jurnal of Advanced Manufacturing Technology,* Vol. 84, No. 9, pp. 2079-2095, 2015.
[49] L. Lili, M. Yuanyuan, C. Ke, & Z. Yang, "3D Printing Complex Egg White Protein Objects: Properties and Optimization," *Food and Bioprocess Technology*, Vol. 1, pp 1-11, 2018.
[50] P. Singh, & A. Raghav, "3D Food Printing: A Revolution in Food Technology," *Acta Scientific Nutritional Health,* Vol. 2, No.2, pp. 1-2, 2018.
[51] A. Goulas, & R. J. Friel, "3D printing with moondust," *Rapid Prototyping Journal,* Vol. 22, No.6, pp. 864-870, 2016.
[52] S. C. Joshi, & A. A. Sheikh, "3D-printing in aerospace and its long-term sustainability," *Virtual and Physical Prototyping*, Vol. 10, No.4, pp. 175-185, 2015.
[53] W. Yu-Cheng, C. Toly, & Y. Yung-Lan, "Advanced 3D printing technologies for the aircraft industry: a fuzzy systematic approach for assessing the critical factors," *The International Journal of Advanced Manufacturing Technology*, Vol. 3, No.3, pp. 1-10, 2018.
[54] A. Uriondo, M. Esperon-Miguez, S. & Perinpanayagam, "The present and future of additive manufacturing in the aerospace sector: A review of important aspects," *Journal of Aerospace Engineering,* Vol. 229, No.11, pp. 1-14, 2015.
[55] V. Sreehitha, "Impact of 3D printing in automotive industry," *International Jurnal of Mechanical and Production Engineering,* Vol.5, No.2, pp. 91-94, 2017.
[56] M. Petch, "Audi gives update on use of SLM metal 3D printing for the automotive industry," *3D Printing Industry*, 2018. [Online]. Available: https://3dprintingindustry.com/news/audi-gives-update-use-slm-metal-3d-printing-automotive-industry-129376/. [Accessed 2019].
[57] R. Maghnani, "An Exploratory Study: The impact of Additive Manufacturing on the Automobile Industry," *International Journal of Current Engineering and Technology,* Vol. 5, No.5, pp. 1-4, 2015.
[58] I. Dankar, M. Pujola, F. E. Omar, F. Sepulcre, & A. Haddarah, "Impact of Mechanical and Microstructural Properties of Potato Puree-Food Additive Complexes on Extrusion-Based 3D Printing," *Food and Bioprocess Technology*, Vol. 1, pp. 1-11, 2018.
[59] Z. Liu, M. Zhang, B. Bhandari, & Y. Wang, "3D printing: Printing precision and application in food sector," *Trends in Food Science & Technology,* Vol. 2, No 1, pp. 1-36, 2017.
[60] D. Pai, "3D-Printing skin is real: Here's what you need to know," *Allure News.* 2017. [Online]. Available: https://www.allure.com/story/3d-printing-skin. [Accessed 2019].
[61] J. Norman, R.D. Madurawe, C. M. V. Moore, M. A. Khan, & A. Khairuzzaman, "A new chapter in pharmaceutical manufacturing: 3D-printed drug products," *Advance Drug Delivery Review*, Vol.108, pp. 39-50, 2018.
[62] A. D. Mori, M. P. Fernández, G. Blunn, G. Tozzi, & M. Roldo, "3D Printing and Electrospinning of Composite Hydrogels for Cartilage and Bone Tissue Engineering," Polymers, Vol. 10, No. 285, pp. 1-26, 2018.
[63] L.Yigong, Q. Hamid, J. Snyder, W. Chengyang, & S. Wei, "Evaluating fabrication feasibility and biomedical application potential of in situ 3D printing technology," *Rapid Prototyping Journal,* Vol.22, No.6, pp. 947 – 955, 2016.
[64] S. Knowlton, S. Onal, Yu, H. S. Chu, J. Zhao, & S. Tasoglu, "Bioprinting for cancer research," *Trends in biotechnology*, Vol. l33, No.9, pp. 504-513, 2015.
[65] Y. Qian, D. Hanhua, S. Jin, H. Jianhua, S. Bo, W. Qingsong, & S. Yusheng, "A Review of 3D Printing Technology for Medical Applications," *Engineering,* Vol. 4, No. 5, pp. 729-742, 2018.
[66] R. Bogue, "3D printing: the dawn of a new era in manufacturing?," Assembly *Automation*, Vol. 33, No. 4, pp. 307-311, 2013.
[67] M. Sakin, & Y. C. Kiroglu, "3D printing of buildinga: construction of the sustainable houses of the future by BIM," *Energy Procedia*, Vol. 134, pp. 702-711, 2017.
[68] I. Hager, A. Golonka, & R. Putanowicz, "3D printing of building components as the future of sustainable construction?," *Procedia Engineering,* Vol. 151, pp. 292-299, 2016.
[69] L. Gaget, "3D printed clothes: Top 7 of the best projects," *Sculpteo.* 2018. [Online]. Available: https://www.sculpteo.com/blog/2018/05/23/3d-printed-clothes-top-7-of-the-best-projects/. [Accessed 2019].
[70] S. Horaczek, "Nike hacked a 3D printer to make its new shoe for elite marathon runners," *Popular Sciences*, 2018. [Online]. Available: https://www.popsci.com/nike-3d-printed-sneakers. [Accessed 2019].
[71] A. Richardot, "3D printed fashion: Why is additive manufacturing interesting for fashion?," *Sculpteo*. 2018. [Online]. Available. https://www.sculpteo.com/blog/2018/01/24/3d-printed-fashion-why-is-additive-manufacturing-interesting-for-fashion/. [Accessed 2019].
[72] A. Vanderploeg, Seung-Eun, Lee, & M. Mamp, "The application of 3D printing technology in the fashion industry," *Journal International Journal of Fashion Design, Technology and Education,* Vol. 10, No. 2, pp. 170-179, 2017.
[73] M. Attaran, "The rise of 3-D printing: The advantages of additive manufacturing over traditional manufacturing," *Business horizon*, Vol. 1, pp. 1-12, 2017.
[74] L. Jeongwoo, K. Ho-Chan, C. Jae-Won & H. L. A. In, "A review on 3D printed smart devices for 4D printing," *International Journal of Precision Engineering and Manufacturing-Green Technology,* Vol. 4, No. 3, pp. 373-383, 2018.
[75] Y. F. Chuan, N. L. Hong, M. A. Mahdi, M. H. Wahid, & M. H. Nay, "Three-Dimensional Printed Electrode and Its Novel Applications in Electronic Devices," *Scientific Report.* Vol. 1, pp. 1-11, 2018.
[76] N. Saengchairat, T. Tran, & C. Chee-Kai, "A review: additive manufacturing for active electronic components," *Virtual and Physical Prototyping,* Vol. 12, No. 1, pp. 1-16, 2016.