




Basic Testing



Day 4: Introduction to QC





Day 04

Introduction to
QC

01



Why do we need a Quality Center?



Application testing is a complex process involving the development and execution of thousands of tests.

Managing all aspects of the testing process can be time-consuming and difficult.


It simplifies and organizes test management and gives a systematic control over the testing process.

It helps to manage the application testing process for your application.

It creates a **framework** and **foundation** for your testing workflow.

It maintains a **project database** of tests that cover all aspects of your application's functionality.

It features a sophisticated **system for tracking application defects**, enabling you to monitor defects closely from initial detection until resolution.



Steps to start a Quality Center

1. Open your Web browser and type your Quality Center URL `http://<Quality Center server name>[:port number]/qcbn`.
2. Click the Quality Center link.
3. In the Login Name box, type your user name
4. In the Password box, type the password
5. Select the Automatically log in to my last domain and project on this machine check box, if you want Quality Center to automatically log in to the last project in which you were working.



Note:


The first time you run Quality Center, files are downloaded to your machine, and if it is not already installed, the Microsoft .NET Framework 2.0 Setup program runs. Subsequently, Quality Center carries out a version check. If there is a newer version on the server, updated files are downloaded to your machine

Steps to start a Quality Center (continued)





6. Click the Authenticate button. Quality Center verifies your user name and password and determines which domains and projects you can access. If you specified automatic login, Quality Center opens.
7. In the Domain list, select a domain. By default, the last domain in which you were working is displayed.
8. In the Project list, select a project. By default, the last project in which you were working is displayed.
9. Click the Login button. Quality Center opens and displays the module in which you last worked during your previous session.
10. To exit and return to the HP Quality Center Login window, click the Logout button located on the upper-right side of the window.

Test process management using QC



Testing Phases QC Modules	
Planning	Release Management
	Requirements Specification
Preparation	Test Planning
Execution	Test Execution
	Defect Tracking
Analysis and Reporting	Analysis and test closure







A typical release module displays the following fields:

Details tab	• Name: The release name • Start Date: The date on which the release or cycle starts. • End Date: The date on which the release or cycle ends. • Description: The release description
Release scope	• Each Release has a scope and scope can be added under this tab
Master Plan	• Display the time line for the release with its cycle information
Score Card	• Display the time line for the release with its cycle information
Status	• Displays the pictorial representation of the progress and Quality
Attachment	• Any release related documents can be attached to the release

Release management (3 of 4)



Release management (4 of 4)



Specify Requirements: Analyze your application and determine your requirements.

Requirements module enables users to define, manage and track requirements at all stages of the software lifecycle

After specifying requirements, you assign them to the releases and cycles defined in the Releases module

Enables how to define traceability links between requirements and dependencies that exist between the requirements

Enables user to view the traceability matrix that lists source requirements and their associated requirements and tests

Creation of a requirement

Access “Requirements->Requirements” Tab from the ALM sidebar.

Create new requirement folder: By clicking the new folder icon on the menu. Enter the name and click on OK button.

Adding Requirements: Click on “New Requirement” icon from the menu while choosing the folder under which you want to add the requirement. The author name gets auto-populated. Enter the name and choose the relevant requirement type from the drop down.

Link the requirement to a release: Click on the “Target Release” drop down and select the release. A requirement can be associated with more than one release.

Link the requirement to a cycle: Click on “Target Cycle” drop down and choose the required Cycle.

Enter the additional details : the priority, provide attachments and other details and click on OK button. The requirement gets added.

Requirement id : ‘Req. ID’ gets auto generated field and unique field.

Requirements specifications (3 of 10)

Requirements Edit View Favorites Analysis				
No Filter Defined				
	Name	Direct Cover Status	Author	Req ID
[-] [Folder]	Requirements	---		0
[+] [Folder]	Windows7-64bitTesting	---	tana_ghosh	1
[-] [Folder]	ALM Training	---	mythali_sundara	8
[-] [Folder]	May Release	---	mythali_sundara	9
[+] [Folder]	Login - Correct cre...	▼ Not Covered	mythali_sundara	12
[+] [Folder]	June Release	---	mythali_sundara	11

Requirements specifications (4 of 10)

The Requirement module displays the following fields



Author

The user name of the person who created the requirement.
By default, this is the login user name

Comments

Displays comments about the requirement

Creation Date

The date on which the requirement was created. By default,
the creation date is set to the current database server date

Creation Time

The time at which the requirement was created. By default,
the creation time is set to the current database server time

Description

A description of the requirement

Target release


Requirement mapping with the release

Target cycle

Requirement mapping with the cycle



Test Coverage



By defining requirements coverage for a test, you can keep track of the relationship between the tests in your test plan and your original testing requirements. Once the test is linked to a requirement .Test coverage tab contains the test details and test's status when test plan is created and never run, the coverage status shown as "No Run". Once the test cases is executed the test case status is displayed(Refer slide number : 25 & 33 for more details)

Requirement Traceability




Requirements traceability defines a relationship between two or more requirements. User can define parent Requirement and its dependent requirements (Refer slide number : 26 & 27 for more details)

Linked Defects



In case the test case gets failed in Test execution and defect is linked to the test cases which is linked to the requirement. Linked defects tab contains the defect details and corresponding test case details (Refer to later slides for more details)

Requirements specifications (6 of 10)



The image shows a 'Requirement Details' dialog box with a toolbar at the top containing icons for navigation and actions. Below the toolbar, the 'Req ID' is 12, the 'Name' is 'Login - Correct credentials', and the 'Requirement Type' is 'Testing'. A left sidebar lists various views: Details (selected), Rich Text, Attachments, Linked Defects, Requirement Trac..., Test Coverage, Business Models..., Risk Assessment, and History. The main 'Details' tab contains fields for Author (mythai_sundara), Creation Time (6:34:00 PM), Modified, Product, Target Cycle (Functional Test May), Creation Date (6/3/2013), Direct Cover... (Not Covered), Priority, Reviewed (Not Reviewed), and Target Release (May Release). At the bottom, there are tabs for 'Description' and 'Comments', with a rich text editor toolbar above the 'Description' tab. The dialog has 'OK', 'Cancel', and 'Help' buttons at the bottom right.

Requirement Details

Req ID: 12 * Name: Login - Correct credentials * Requirement Type: Testing

Details

Author: mythai_sundara Creation Date: 6/3/2013

Creation Time: 6:34:00 PM Direct Cover...: Not Covered

Modified: Priority:

Product: Reviewed: Not Reviewed


Target Cycle: Functional Test May Target Release: May Release

Description Comments

B I U A ab [Rich Text Editor Icons]

OK Cancel Help

Test Coverage




The screenshot shows the 'Requirement Details' window for requirement ID 12, named 'Login - Correct credentials', which is of type 'Testing'. The 'Test Coverage' tab is selected in the left sidebar. The main area displays a table with the following data:

Coverage Type	Entity Name	Coverage Status	Coverage Mode
Test	Login with cor...	Passed	All Configurations

Below the table, the 'Coverage Chart' tab is active, showing a green oval representing 100% coverage. A legend indicates '1 Passed 100 %'.

At the bottom of the window are buttons for 'OK', 'Cancel', and 'Help'.

Requirement traceability: Select the "Requirements" against which the user need to add the dependent requirements. Press "ctrl+D" or go to requirement details. Click "Add Requirement Traceability" button and requirement Tree opens. Users can select and add those as the dependent requirement.




The screenshot shows the "Requirement Details" window. The "Req ID" is 5 and the "* Name" is "Requirement 1 - Home Page". The left sidebar contains a list of tabs: Details, Rich Text, Attachments, Linked Defects, Requirement Traceability (selected), Test Coverage, Business Models Linkage, RiskAssessment, and History. The main area has two tabs: Relationships and Impact Analysis. The "Add Requirement Traceability" button is visible. Below it, the text "Trace From (Requirements that affect <Requirement 1 - Home Page>):" is displayed above a table with two columns: "Req: Name" and "Trace Comment".

Req: Name	Trace Comment
-----------	---------------

Requirements specifications (9 of 10)

Click "Add Requirement Traceability" button and requirement Tree opens. Users can select and add those as the dependent requirement.




The screenshot shows the 'Relationships' tab with the 'Impact Analysis' sub-tab selected. The 'Add Requirement Traceability' button is visible in the toolbar. Below it, the text 'Trace From (Requirements that affect <Requirement 1 - Home Page>):' is displayed. A table with two columns, 'Req: Name' and 'Trace Comment', contains two rows: 'Website Footer Grid' and 'Availability of all the Social Websites'. To the right, the 'Requirements Tree' is shown, displaying a hierarchical structure of requirements. The 'Availability of all the Social Websites' requirement is highlighted in blue.

Req: Name	Trace Comment
Website Footer Grid	
Availability of all the Social Websites	

Requirements Tree

- Requirements
 - 2014.1
 - Functional
 - Requirement 1 - Home Page
 - UI Design
 - Math Calculation Creation
 - Advertisement Panel
 - Social Websites Grid
 - Availability of all the Social Websites
 - Website Footer Grid
 - Non Functional




The screenshot shows the 'Relationships' tab with the 'Impact Analysis' sub-tab selected. The 'Legend' section displays icons for 'Child', 'Parent', 'Trace From', 'Trace To', and 'Recursive'. Below the legend, the text 'Trace From (Requirements that affect <Requirement 1 - Home Page>):' is displayed. A tree view shows the hierarchy of requirements, including 'Requirement 1 - Home Page', 'Functional', '2014.1', 'Requirements', 'Website Footer Grid', and 'Availability of all the Social Websites'.


Legend:  Child  Parent  Trace From  Trace To  Recursive

Trace From (Requirements that affect <Requirement 1 - Home Page>):

- Requirement 1 - Home Page
 - Functional
 - 2014.1
 - Requirements
 - Website Footer Grid
 - Functional
 - 2014.1
 - Requirements

Linked Defect





Create test cases in QC

- **Access** the Test Plan tab by Clicking on “Testing->Test Plan” from the side bar.
- **Create Folder:** Select “Subject” as your home folder and create a sub folder structure as per requirement
- **Create New test:** Click on the 'New Test' Icon to create a new test. Enter name , type and Other details and click on Ok button
- **Designing Test Steps:** Create test steps describing the operations to perform and the expected results. Click on the “Design Steps” tab. Click on “New Step” icon. Enter the step details. Describe the description and Expected Results fields and click on Ok button. Add all the required steps to execute the test case.

The Test Plan module displays the following fields:

Details

- Designer name : The designer name will be auto populated based on your login credentials
- Creation Date: The date on which the requirement was created. By default, the creation date is set to the current database server date.
- Status: By default, the Status is set as Design.
- Test case ID : Unique id assigned to the Test case
- Description: A description of the Test case.
- Comments: Displays comments about the Test case

Design Steps

- Step Name : Number to explain the sequence of the steps.
- Description : Description of the Test Steps
- Expected Result : Expected Outcome of the Step execution

Test planning (4 of 6)

Application Lifecycle Management

Domain: SHARED_SERVICES, Project: Windows7Testing, User: mythak_sundara Logout

Back Forward Tools Help

Tests Edit View Favorites Analysis

No Filter Defined

Name

- Subject
 - Unattached
 - Windows7 -64 bits Testing
 - ALM Training
 - May Release
 - Login with correct credentials
 - June Release

Details Design Steps Parameters Test Configurations Attachments Req C

Step Name	Description	Expected Result
Step 1	Launch gmail.com	gmail.com page should open up
Step 2	Enter user name	user name is entered
Step 3	Enter Password	the password is entered
Step 4	Click on Sign in	the user is logged into gmail.com and info displayed

Total Steps: 4


Server Time: 6/3/2013 6:55 PM

Creating Requirements Coverage: Link each test in the test plan with a requirements. By defining requirements coverage for a test, you can keep track of the relationship between the tests in your test plan and your original testing requirements

Steps to link test cases and requirements:


- Select a test case created and click on it. All the properties get displayed in the right hand side tab. Go to “Req coverage” tab and click on “Select Req”
- The requirements tree gets displayed on the right pane . Expand the tree and select the needed requirements. and move the requirement in the “Req coverage” tab
- We can link a test case to multiple requirements

Test planning (6 of 6)





It describes how to create test sets, execute manual and automated tests, and review test results. Following is the test information:



Planned Host Name



The name or IP address of the machine on which the test was planned to run

Status



The current status of the test

Types of test status

Failed: The test run failed.

N/A: The current status of the test is not applicable.

No Run: The test has not been run.

Not Completed: The test run was not completed.

Passed: The test run was successful.


Tester: The user name of the user that is actually executing the test.

Time: The time at which the test was last executed.

Create test set in Quality Center

- **Access** the Test lab tab by navigating from the side bar.
- **Create Folder** :Create a sub folder structure as per requirement
- **Create New Test Set** : Click on "new test set" Icon. Enter the test set name. Click on OK button.
- **Add test cases** : Click on "Select Tests" from the menu to select the test cases as required. Alternately if you choose the "Requirements Tree" tab, we can select requirement and all the tests that are linked to it get added to test set.

Create test set in Quality Center



Execute Test Cases in QC

Select the Test cases:

Select the test set to execute from Test lab tab click on "Run Test" or "Run Test Set"

- **Run Test-** will execute the test set selected
- **Run test set-** Will run the entire set one test after the other until the end


Execute the Test case:

Click on "Begin Run" button on Manual runner Window. Update the test status field and enter the actual result and click on the cross button.

Link the defect to a

test case: In case the test case is failed, raise a defect and link that defect to the test case . Click on Linked Defects tab click on link defect icon in QC and select the defect to be linked.

Execute test cases in QC



The screenshot shows the 'Manual Runner' window for a test set named '<Smoke test>' and a specific test '<[1]Login with correct credentials>'. The window displays a table of execution results for four steps, all of which have passed. Below the table, there is a 'Description' section with a text area containing 'Click on Sign in'. At the bottom, there are two sections: 'Expected:' and 'Actual:', each with a text area and a rich text toolbar. The 'Expected:' section contains the text 'the user is logged into gmail.com and inbox is displayed'.

Step Name	Status	Exec Date	Exec Time
Step 1	Passed	6/3/2013	7:56:39 PM
Step 2	Passed	6/3/2013	7:56:42 PM
Step 3	Passed	6/3/2013	7:56:46 PM
Step 4	Passed	6/3/2013	7:56:50 PM

Description

Click on Sign in

Expected:

the user is logged into gmail.com and inbox is displayed

Actual:


Defect tracking (1 of 3)



It describes how to report application defects to a Quality Center project and keep track of the repair process until the defects are resolved. The Defect Grid displays these columns:

Assigned To	→	The user name of the person who is assigned to fix the defect
Closing Date	→	Indicates the date on which the defect was closed
Comments	→	Displays comments about the defect
Defect ID	→	A unique numeric ID for the defect, assigned automatically by Quality Center. The Defect ID is read only
Description	→	Describes the defect in detail
Detected By	→	The user name of the person who found the defect. By default, Quality Center inserts the login user name into this field.
Detected in Release	→	Indicates the release in which the defect was detected

Defect tracking (2 of 3)



Defect tracking (3 of 3)

New Defect

Use Default Values Set Default Values

* Summary:

Details

Attachments

Details

Defect owning Application:		Developer/Tester:	
* Detected By:	shama_tayal	* Detected on Date:	4/16/2015
* Found in Application:		* Status:	New
* Assigned To:		* Severity:	
* Reproducible:		* Project:	
ELS Known Issue:		Defect:	
* Reproducible:		Old Defect Ref #:	
Gating:		Test Complete:	
QA Turnover:		Target Release:	
Resolution:		Version:	
Target Release Date:			

Description:

B I U A ab 


Detailed Steps To Reproduce
=====

Test Credentials Used
=====

Client Configuration
=====

Submit Close Help

Defect Cycle



What are done in this phase?

- Monitors the testing and defect tracking process by creating reports, Excel reports, graphs, and project documentation.
- Reports can be displayed using their default settings, or can be customized.
- Dashboard Tab contains "Analysis View" and "Dashboard View" enabling user to analyze and display ALM data in various formats.



It contains the analysis tree using which project managers/QA can organize all of their analysis items which can be any one of the following that is - graphs, project reports, and Excel reports




It contains the dashboard tree in which managers/testers organize dashboard pages that can arrange multiple graphs that was created in the analysis tree, and display them in a single view.

Generate the graph using analysis view



- Go to "Analysis View" and click on "+" button and select "Graph wizard". The "Graph Wizard" dialog opens. Select "Entity Graph" and click "Next"
- Select the kind of Entity(Defects, Test Case, runs, Test Configuration) against which the graph needs to be generated.
- Select the project
- Graphs can be generated based on filter. Filter based on release/cycle and ensure that only the relevant data is displayed.
- Graphs can be generated using "group by" based on a particular field and choose what needs to be mapped against X-Axis.
- Click on Finish button. The graph is generated based on the users choice/settings.
- The generated graph can be named and saved either as public or private.
- Added graph can now be accessed from "Dashboard" >> "Analysis View".


Analysis and test closure (3 of 5)



How to generate the dashboard page

- Go to "Dashboard View" and create a "New Folder" and click on create a "New Dashboard" page icon
- Upon creating a "New Dashboard" Page, various tabs are generated. Click on the "Configuration" tab .users can add graphs to the dash board from Anaya lysis view.
- Add the graphs required on the dashboard page .
- Click on "View" Tab to view the added dashboard and hit refresh to get the latest data.

How to generate the dashboard page




Quality Center projects are repositories that contain releases, cycles, requirements, tests, test sets, test runs, defects, project documentation, and customization information.

When you create a Quality Center project, you need to store and manage the data generated and collected by Quality Center.

Each project is supported by a database that stores project information.

User privileges




- You can customize data by specifying the order in which columns appear, and by changing column size.
- Quality Center displays your customized column settings the next time you open the project.

By default, records appear in Quality Center according to the order in which they were added


The user can save filter and sort information as a favorite view and then load it as needed

To save as a favorite view, choose Favorites > Add to Favorites

- You can refresh and clear the filter, sort, and group by settings applied to Quality Center data.
- To refresh the data in a grid or tree, click the Refresh All button.
- To clear all the filters and sorting priorities in a grid or tree, click the Set Filter or Sort arrow and choose Clear Filter or Sort.



You can use text search to search for records. When you enter a keyword, Quality Center searches the predefined fields for the keyword or variations of the keyword. When you use text search, you should consider the following:






Ways to export data

Exporting data to a file

- The user can export the data in a grid as a text file, Microsoft Excel worksheet, Microsoft Word document, or HTML document.
- The data from Test Plan, Test Lab and Defects module can be exported to external files

Exporting data from test plan



The screenshot displays the HP Application Lifecycle Management (ALM) interface. On the left, a navigation pane shows the 'Test Plan' selected under the 'Testing' section. The main area shows a test plan structure with a tree view on the left and a table of test steps on the right. A context menu is open over the table, with the 'Export' option highlighted. The table has columns for 'Step Name' and 'Expected Result'.

Step Name	Expected Result
1 Login into C	Sign should be successful.
2 Access the Display Set	Display Preferences page should get displayed on the screen.
3 Verify that available in	A drug classification code field should be available in display column list.
4 Verify that VA drug classification code is available on GE, Orders, Po Prepare, Physical Inventory and Searches screen.	VA drug classification code field should be available on GE, Orders, Po Prepare, Physical Inventory and Searches screen.

At the bottom of the interface, it indicates 'Total Steps: 4' and 'Server Time: 4/17/2016 7:21 AM'.

Exporting data from test lab

Application Lifecycle Management

Domain: US_PNARM, Project: TD_SUPPORT1, User: guran_kaushik

Test Sets | Test Runs

Test Sets | Edit | View | Tests | Favorites | Analysis

No Filter Defined

Root

- Unattached
- 2008 Releases
- 2009 Releases
- 2010 Releases
- ELA
- Light Saber
- MN25 - System Integration Testing
- Palpatine
- Skywalker
- Supplier Invoice Blocking
- temp
- temporary
- Vader
- Yoda
 - FY14-R2
 - FY14-R1
 - FY15Q2 Mid Release
 - SO-2166
 - SE-119797_119798
 - SE-119799_119800
 - SO-2626

Select Tests | Run | Run Test Set

Details | Execution Grid | Execution Flow | Automation | Attachments | Linked Defects | History

Name	Test Test Name	Type	Status	Iterations	Planned Host...	Responsible...
[1]TC_SE_11979	TC_SE_1197	MANUAL	Passed			shama_tayal
[1]TC_SE_11979	TC_SE_1197	MANUAL	Passed			shama_tayal
[1]TC_SE_11979	TC_SE_1197	MANUAL	Passed			shama_tayal
[1]TC_SE_11979	TC_SE_1197	MANUAL	Passed			shama_tayal
[1]TC_SE_11979	TC_SE_1197	MANUAL	Passed			shama_tayal
[1]TC_SE_11979	TC_SE_1197	MANUAL	Passed			shama_tayal
[1]TC_SE_11979	TC_SE_1197	MANUAL	Passed			shama_tayal
[1]TC_SE_11979	TC_SE_1197	MANUAL	Passed			shama_tayal

Alerts

- Clear Alerts
- Flag for Follow Up
- Clear Follow Up Flag
- Copy URL
- Test Instance Details
- Attachments
- Remove Test Instances from Test Set
- Go to Test in Test Plan
- Go to Configuration in Test Plan
- Send by E-mail
- Generate Test Configuration
- Report Selected
- Export

Last Run Report

Step Name	Status	Exec Date
1	Passed	6/10/2014
2	Passed	6/10/2014
3	Passed	6/10/2014
4	Passed	6/10/2014
5	Passed	6/10/2014

Test 4 of 9

All 4/17/2016 7:21 AM

Selected 100%

Exporting data from defect

Application Lifecycle Management

Domain: US_Pharma, Project: TD_SUPPORT1, User: gunjan_kaushik Logout

Back Forward Tools Help

Defects Edit View Favorites Analysis

New Defect

Filter: Project[Y_FY16_Q1_MidRelease]

Found In...	Assigned To	Comments	Defect ID	Description	Detected By	Detected on...	Developer/Tester	Fixed By	Fixed Date	Rating
MC-Ordering	pramod_singh	Fixed and deploy...	6366	Detailed Steps T...	ratnesh_shrivast	2/11/2015		shilendra_swari	2/18/2015	
MC-Ordering	sumit_dubey	deployed on ITE...	6372	Detailed Steps T...	gunjan_kaushik	2/12/2015		sumit_dubey	2/20/2015	
MC-Ordering	sumit_dubey	deployed on ITE...	6373	Detailed Steps T...	gunjan_kaushik	2/12/2015		sumit_dubey	2/20/2015	
MC-Ordering	shilendra_swari	code change...	6377	Detailed Steps T...	ratnesh_shrivast	2/13/2015		shilendra_swari	3/2/2015	
MC-Portal	shilendra_swari	Code Change...	6382	Detailed Steps T...	ratnesh_shrivast	2/16/2015		shilendra_swari	2/20/2015	
MC-Ordering	shilendra_swari	Fixed and deploy...	6383	Detailed Steps				shilendra_swari	2/18/2015	
MC-Ordering	shilendra_swari	code change...	6388	Detailed Steps				shilendra_swari	2/23/2015	
MC-Ordering	sumit_dubey	Fixed from MH e...	6390	Detailed Steps				sumit_dubey	2/23/2015	
MC-Ordering	sumit_dubey	Sumit Dubey cau...	6393	Detailed Steps				sumit_dubey	3/11/2015	
MC-Ordering	sumit_dubey	issue will be depl...	6394	Detailed Steps				sumit_dubey	2/23/2015	
MC-Ordering	sumit_dubey	fixed, can be test...	6396	Detailed Steps				sumit_dubey	2/25/2015	
MC-Ordering	sumit_dubey	fixed, can be test...	6397	Detailed Steps				sumit_dubey	2/26/2015	
MC-Ordering	sumit_dubey	Fixed, can be tes...	6403	Detailed Steps				sumit_dubey	2/26/2015	

Delete Ctrl+Del
Select All Ctrl+A
Invert Selection Ctrl+Alt+I
Find... Ctrl+F
Find Next Ctrl+N
Replace...
Update Selected...
Find Similar Defects... Ctrl+Alt+G
Go to Defect... Alt+G
Report Selected
Standard Defect Report
Export All
Send by E-mail... Selected
Defect Details...

Summary: SQ4639- View hyperlink not displayed on clicking Item Description link of any item

Description:

Detailed Steps To Reproduce

Login into Connect portal
Click Ordering-->Orders-->Catalog-->Pharma Catalog Search

Defect 8 of 31

Server Time: 4/17/2016 7:22 AM

- You can **view, modify, save**, and **delete** an attachment in the Attachments dialog box or tab.
- You can **view** an attachment in the Attachments list.
- You can **modify** an attachment in the Attachments list.
- You can **save** an attachment to the **local directory** of your client machine.
- You can **delete** an attachment from the Attachments list.

Managing attachments



Throughout the testing process, you can add attachments to help illustrate your work. You can attach a file, URL, snapshot of your application, or system information.

- The user determines the way a Quality Center window looks by selecting certain settings for it.
- The user saves favorite views in either a public folder or a private folder.

- Views in a public folder are accessible to all users.
- Views in a private folder are accessible only to the user who created them.



Navigates back to your previous location in Quality Center



Navigates forward to your next location in Quality Center

Change Project

Enables you to log out of your current project and select one of the five most recently opened projects on that machine

Customize

Opens the Project Customization window, enabling you to customize your project

New Defect

Opens the New Defect dialog box, enabling you to add a new defect

Help Button

The Help button enables you to open the Quality Center Documentation Library and other additional online resources. It also enables you to display version information for each Quality Center client component

Logout Button

The Logout button logs you out of your current project to the HP Quality Center Login window



Questions?

01

The phases of Test management with Quality Center in order are:

A 

Specify Releases, Specify Requirements, Plan Tests, Execute Tests, Track Defects

B

Specify Requirements, Specify Releases, Plan Tests, Execute Tests, Track Defects

C

Specify Requirements, Plan Tests, Specify Releases, Execute Tests, Track Defects

D

Specify Releases, Specify Requirements, Plan Tests, Track Defects, Execute Tests

02

By default, records appear in Quality Center in the:

A

Increasing Order

B

Decreasing Order



C

Order in which they were added

D

None of these

03

You can export the data in a grid as a...

A

Text file

B

Microsoft Excel worksheet

C

Microsoft Word document

D

HTML document



E

All of above

04

You can associate a test instance with a defect. This is performed by creatingin the Test Plan module, or by adding a defect during a manual test run.

A

Linked Tests

B



Linked Defects

C

Linked Errors

D

Linked Data

05

You can also import requirements to your Quality Center project from Microsoft Word, Excel, or other third-party requirement management tools. To import requirements, you must first install the appropriate.....

A

HP Third Party add-in

B

HP Quality Center add-in



HP Quality Center

D

HP Quality Center License

06

Theview enables you to analyze the breakdown of child requirements according to test coverage status.

A



Coverage Analysis

B

Coverage Requirements

C

Coverage

D

Coverage Tests

07

To find a specific test by Test ID in the Test Grid, choose, and enter the test ID

A



Test > Go to Test

B

Test > find Test

C

Test > search Test

D

Test > link Test

08

During the testing process, you may need to modify your test plan. You can update the test plan tree

A

At the beginning

B

At the end



C

At any time

D

In the middle

09

You can generate Excel reports that enable you to export Quality Center data to Microsoft Excel and analyze the data from within Excel



A

True

B

False

10

When you run an automated test, the selected testing tool opens automatically, runs the test, and exports the test results to Quality Center.



A

True

B

False