Exp: 12

NMap to Discover live Host using Nmap in Try Hack Me Platform

AIM:

To discover live host in a network using Nmap by performing,

* ARP Scan
* ICMP Ping Scan
* TCP Ping Scan
* UDP Ping scan

On the Try Hack Me Platform.

PROCEDURE:

step 1: Login to TryHackMe

step 2: Open required room

step 3: Deploy machine

step 4: Start Attack Box

step 5: Open Terminal.

step 6: Verify Nmap installation


step 7: Run ARP Scan

step 8: Run ICMP scan

step 9: Perform TCP Ping scan

step 10: Run TCP ACK Ping

step 11: Perform UDP Ping


Applications Places System Mon Sep 28, 07:08
root@ip-10-49-172-254:~
File Edit View Search Terminal Help
root@ip-10-49-172-254:~# sudo nmap -sn 10.49.128.0/24
Starting Nmap 7.94SVN (https://nmap.org) at 2026-09-28 07:08 UTC
Nmap scan report for ip-10-49-128-1.ap-south-1.compute.internal (10.49.128.1)
Host is up (0.000048s latency).
MAC Address: 0A:8D:9C:EE:EA:81 (Unknown)
Nmap scan report for ip-10-49-128-39.ap-south-1.compute.internal (10.49.128.39)
Host is up (0.000041s latency).
MAC Address: 0A:FF:CB:BD:A9:21 (Unknown)
Nmap scan report for ip-10-49-128-84.ap-south-1.compute.internal (10.49.128.84)
Host is up (0.000033s latency).
MAC Address: 0A:FF:FF:CE:E5:11 (Unknown)
Nmap scan report for ip-10-49-128-105.ap-south-1.compute.internal (10.49.128.105)
Host is up (0.000055s latency).
MAC Address: 0A:FF:E2:D3:3C:BB (Unknown)
Nmap scan report for ip-10-49-128-115.ap-south-1.compute.internal (10.49.128.115)
Host is up (0.000043s latency).
MAC Address: 0A:FF:EF:C2:65:8F (Unknown)
Nmap scan report for ip-10-49-128-148.ap-south-1.compute.internal (10.49.128.148)
Host is up (0.000049s latency).
MAC Address: 0A:FF:E9:0F:78:61 (Unknown)
Nmap scan report for ip-10-49-128-159.ap-south-1.compute.internal (10.49.128.159)
Host is up (0.000079s latency).
MAC Address: 0A:FF:DF:23:34:EB (Unknown)
Nmap scan report for ip-10-49-128-182.ap-south-1.compute.internal (10.49.128.182)
Host is up (0.000043s latency).
MAC Address: 0A:FF:F4:59:DB:F5 (Unknown)
Nmap scan report for ip-10-49-128-200.ap-south-1.compute.internal (10.49.128.200)
Host is up (0.000042s latency).
MAC Address: 0A:FF:ED:A6:1C:1D (Unknown)
Nmap scan report for ip-10-49-128-250.ap-south-1.compute.internal (10.49.128.250)
Host is up (0.000046s latency).
MAC Address: 0A:FF:D2:91:19:1F (Unknown)
Nmap scan report for ip-10-49-128-253.ap-south-1.compute.internal (10.49.128.253)
Host is up (0.000026s latency).
MAC Address: 0A:FF:FF:A3:D5:ED (Unknown)
Nmap done: 256 IP addresses (11 hosts up) scanned in 1.91 seconds
root@ip-10-49-172-254:~#

step 12 : Discover All host in a network

step 13 : Compare different Ping Techniques.

step 14 : Save Scan results.

RESULT :

We discovered live hosts in a network using Nmap.