Exp: 6

Building an Anonymous FTP Scanner Using python

AIM:

To develop a python-based anonymous FTP scanner using built in ftplib module and determine whether an FTP server points anonymous access.

STEPS:

Step 1:

Ensure python Installation

Step 2:

Create a python file named.

Step 3:

Import ftplib module

Step 4:

Write scanner program.

Step 5:

Run the program using python anonymous-ftp-scanner.py.

ping.py

```python
import subprocess
import platform

print("=" * 50)
print("Customized Ping Utility")
print("=" * 50)

host = input("Enter Website or IP Address: ")

system = platform.system()


if system == "Windows":
    command = ["ping", "-n", "4", host]
else:
    command = ["ping", "-c", "4", host]

try:
    result = subprocess.run(command, capture_output=True, text=True)

    print("\nPing Results\n")
    print(result.stdout)

    if result.returncode == 0:
        print("Server Status : Reachable")
    else:
        print("Server Status : Unreachable")

except Exception as e:
    print("Error:", e)
```



```python
from ftplib import FTP
from ftplib import all_errors


def anonymous_ftp_scan(host, port=21):
    print("=" * 50)
    print("        ANONYMOUS FTP SCANNER")
    print("=" * 50)

    print(f"Target: {host}")
    print(f"Port   : {port}")
    print()

    ftp = FTP()

    try:
        print("[1] Connecting to FTP server...")

        ftp.connect(host, port, timeout=10)

        print("[+] FTP server is reachable")
        print("[+] Server response:", ftp.getwelcome())

        print("\n[2] Testing anonymous login...")

        ftp.login(user="anonymous", passwd="anonymous@example.com")

        print("[+] Anonymous login SUCCESSFUL")
        print("[!] The FTP server permits anonymous access.")

        print("\n[3] Checking accessible directory...")

        files = ftp.nlst()

        if files:
            print("[+] Directory listing is available:")
            for item in files:
                print("  ", item)
        else:
            print("[-] Directory is empty or listing is unavailable.")

        ftp.quit()

    except all_errors as error:
        print("[-] Anonymous login failed or FTP connection failed.")
        print("[!] Error:", error)

        try:
            ftp.close()
        except:
            pass


# Enter an authorized FTP server here
target = input("Enter FTP server address: ")

anonymous_ftp_scan(target)
```

Implemented
O/P

RESULT:

Thus the python-based anonymous FTP Scanner using built-in ftlib module is implemented