IT-22034. Rahat Bin Itatiz.

Answer to the ques: No-1:-

In 200 different animal do different things. but all animals can make sounds . some animals like doges and can't ar mammals and also have some common behaviors like breathing and sleeping But for others like reptiles and Amphibians do not breath and sleep like mammals.

When concerned about the ability to make sound for any animal we will use Interface.

But when concerned about animals share common behavior then we will use Abstract clan.

For Scenario 1: (Using Interface)

Interface Animal (

Void make Sound C):

Claim Dog implements Animal (

public void make sound ()

System. out-println ("Dog bank: Wort! 11))).

```
Clan Bird implements Animal
   public void makesound()
     < System. out. println (U Birds chirps: Tweet ! 4).
public clan Animellatertea Examples.
     public static wid main (String [] angs)
     Animal cy = new pog ();
        Anima 42 = NEW BINDI);
       al. make Sound ();
       91- makesoyn d();
Scenario -2: (Using Abstruct clam)
   abstreet clay Mammal (.
          void sleep()/
             Sout ( " Sleeping peacefully ... ");).
       abstract void make Sound();}
 Clan cat extends Mammal (.
          public vold make sound ()
         Sout ("Cat merons: Meon!");
```

באש לאשו בחיי

Angwer to the question No-2:-

It it free that invoking methods in interfere are sloven. Than Intoking it within the abstract clanses?

Excelling a method trom an interface can be slightly slover than from an abstruct clary because the TVM was a different took up mechanism. Interfaces one an interface table while abstract clame one a vintual fable. The vtable is usually tan ter, to accent thorever modern owns aptimize both types of calls & very well. In real world, programs the speed difference is so small that it doesn't matter.

Example:

Interface Mythertace (

void show ();)

abstract clan My Abstract (

abstract void show ();)

Clan Intertenting implements My Intertents
public void show() {

>>>

cley Abstract Impl extends My Abstract (, publice void show ()? >>

```
public day Interface _ vs abstract speed {.
  public static void main (string [] ands)
 < Myintertee ObJ! = new Intertecedimpl();
                Obje = new Abstractsmpl ()}
   long stant, end;
    stant = System. Manotine ()'
    for (int i = 0; ic 1000000; )++5/
        Obji show(); 5
      ent = System. nametime ();
     System out println ("Intertace method time: 4+
     (end-start) + 4 ns 4);
    Start = System. nano Time ();
     for (int i = 0; i2 1000000; i-1+)
      ( objeshow ();
    end = System nanotime ();
     System. out-printen ( a Abstract clan method
    time: "+ (end - stant) + "ns");
```

The difference between abstruct claim and Intertace, claim:

	•	
Feature	Hostreat clan	Interface
Method type	Abstract & conerate methods	Abstract (defails
		Static from Java)
Construction. Support.	Je)	No
object Creation	cenit create Lirectly	Canto create directly
Multiple in her-	Not supported	supported.
Access modifiers. In methods.	can use public, protected.	All methods are public by default.
Inheritence Karond.	extendy	implements