

Coding Scheme	Why Use It	Why Not Use It
Simple Sequence Codes	- Very easy to assign and maintain. - Guarantees uniqueness. - Reflects order of processing (e.g., first-come, first-served).	- Provides no descriptive meaning. - Hard to classify or sort beyond order. - Users cannot infer details from the code.
Alphabetic Derivation Codes	- Derived from data itself (e.g., name, address). - Supports pre-sorting (e.g., by zip code). - Intuitive for users.	- Dependent on attributes that may change (e.g., if a person moves). - Problematic if data doesn't have enough letters (short names). - May cause database maintenance headaches.
Classification Codes	- Groups items into distinct categories. - Easy to understand and use. - Good for quick reports and filtering.	- Limited by available letters/numbers. - Can create confusion if classes overlap. - Difficult to expand if categories run out of unique identifiers.
Block Sequence Codes	- Combines simplicity of sequences with grouping. - Easier to search by category. - Expandable with new blocks.	- Wasteful if some blocks are unused. - Needs advance planning of categories. - May create rigid structure that's hard to redesign later.
Cipher Codes	- Conceals sensitive information (e.g., costs, prices). - Provides security against outsiders. - Protects data in commercial/financial settings.	- Hard for users to remember. - Requires a "key" or lookup table. - Not intuitive for staff who don't know the scheme.
Significant-Digit Subset Codes	- Every part of the code has meaning. - Supports searching, sorting, reporting by attributes. - Makes data self-descriptive (e.g., student ID encodes batch, dept, section).	- Codes can get long and complex. - Errors in one digit can misrepresent multiple attributes. - Less concise than simple codes.

Mnemonic Codes

- Easy to remember (uses abbreviations). - Reduces data-entry errors. - Intuitive for humans, requires less training.

- Limited pool of letters (collisions likely). - May lose clarity if many items start with same letters. - Not always machine-friendly for sorting.


Unicode

- Global standard covering all languages. - Ensures consistency across systems. - Supports multilingual data and future expansion.

- Can be long and complex for humans. - Requires systems with Unicode support. - Overhead in storage/processing vs. simple ASCII.

Order #	Product	Customer
5676	Rocking Chair/with Bamboo	Feng Xu
5677	Dining Room Chair/Upholstered	Millie Monice
5678	Love Seat/Upholstered	J. & D. Yang
5679	Child's Rocking Chair/Decals	Chelsea Kennard

Simple
sequence
codes



Alphabetic
Derivation
codes


Code	Tax-Deductible Item
I	Interest Payments
M	Medical Payments
T	Taxes
C	Contributions
D	Dues
S	Supplies
B	Subscriptions
P	Computer
N	Insurance

Classification
codes

Code	Name of Software Package	Type
100	Apple Safari	Browser
101	Mozilla Firefox	
.	.	
200	Microsoft Access	Database
201	MySQL	
.	.	


Block sequence
codes

Code	Meaning
B	1
L	2
E	3
A	4
C	5
H	6
M	7
I	8
N	9
D	0



- Regular Price: \$25.00
- Markdown Ticket Encoded BIMC: \$18.75

Cipher codes



significant digit subset codes

Code	City Hospitals
BGH	B uffalo G eneral H ospital
ROS	R oswell Park Memorial Institute
KEN	K enmore Mercy
DEA	D eaconess Hospital
SIS	S isters of Charity
STF	S aint F rancis Hospital
STJ	S aint J oseph's Hospital
OLV	O ur L ady of V ictory Hospital

Mnemonic codes

Character	こ - ん - に - ち - は
Hiragana	ko - n - ni - chi - ha*
Unicode	3053 - 3093 - 306B - 3061 - 306F

Unicode

Code	Meaning
200	OK
201	Created
301	Moved Permanently
302	Found (Redirect)
400	Bad Request
401	Unauthorized
403	Forbidden
404	Not Found
500	Internal Server Error
503	Service Unavailable

status
codes

(HTTP status codes)