

The Two-Stage Decision Architecture

STAGE 1: STRATEGIC PRIORITIZATION (*What to work on*)

User sees: A grid/matrix/list of **Experience Drivers** (SEUs), each holding the **4D Data Packet**:

- Priority Architecture (ERI×RF → P0-P5 consequence)
- Temporal Intelligence (Trend/Momentum/Volatility/Pattern → motion & foresight)
- Behavioral Grammar (TMV commentary → interpretation)
- Execution Readiness (Outlook → 7-day forecast)

Purpose: Give leadership **informed decision-making power** to answer:

- *"Which Experience Drivers deserve our attention right now?"*
- *"What's urgent vs. what's escalating vs. what's stable?"*

Output: User selects 1+ Experience Drivers to act on.

STAGE 2: TACTICAL EXECUTION (*How to work on it*)

Once an Experience Driver is selected, the system drills down into **Execution Capsules (ECs)**.

Key Principle: Each EC is a **Single Source of Truth** — it points to **one and only one specific action**.

The Execution Capsule Hierarchy

Experience Driver (SEU)

- └ Feedback Type (Compliment / Complaint / Suggestion)
 - └ Opportunity Maximisation Stream (Amplify / Innovate / Intervene / etc.)
 - └ Single Source of Truth (Root Cause Proxy / Distinction Enabler)
 - └ EXECUTION CAPSULE (1 specific action)

Cardinality:

- **1 Experience Driver : M Execution Capsules**
- Each EC is **distinct** because the combination of:

- Feedback Type
- Opportunity Stream
- Single Source of Truth (SSOT)

...creates a **unique action pathway**.

How Dimensions Enable Execution

Stage 1 (SEU-level computation):

- Dimensions extracted (emotion, journey stage, context, keywords, etc.) are **NOT used** in the 4D packet calculation
- ERI×RF and Temporal modules operate on **aggregated emotion + time** only

Stage 2 (Execution Capsule creation):

NOW the dimensions come alive.

Their role:

1. **Enable EC Distinction** — Same Experience Driver can have multiple ECs because:
 - Different **Feedback Types** (compliment vs. complaint vs. suggestion)
 - Different **Opportunity Streams** (amplify vs. intervene)
 - Different **SSOT** (different root cause proxies/contexts)
 2. **Generate Problem Statements** — Once an EC is selected for action:
 - Dimensions (context, keywords, interaction moment, journey stage) are synthesized into a **specific, actionable problem statement**
 3. **Enable PDCA Cycle** — The problem statement feeds into:
 - **Plan:** What specifically needs to change?
 - **Do:** Execute the intervention
 - **Check:** Measure impact (using the same dimensions as feedback loops)
 - **Act:** Iterate or scale
-

Example to Illustrate:

Experience Driver: Nurse-Initiated Iron Test

4D Packet (Stage 1 - Strategic):

- Priority: P2 (High Emotional Urgency)
- ERI: +78 (Very Positive)
- RF: 82 (Very High Activity)
- Trend: ↑ (Improving +8.2%)
- Momentum: ↑ (Moderately Rising)
- Volatility:  (Stable)
- Pattern: None detected
- Outlook: **Up** (High confidence, 7-day horizon)

User Decision: *"This is working — let's amplify it."*

Execution Capsules (Stage 2 - Tactical):

EC #1:

Feedback Type: Compliment

Opportunity Stream: Amplify

SSOT: "Nurse observed pallor during vitals check"

Action: Train all nurses on visual assessment protocols during vitals

Problem Statement: "Nurses who proactively observe physical cues during routine vitals increase early detection rates by 23% but only 40% of nurses consistently apply this skill."

PDCA: Plan training → Measure observation rate → Check deficiency detection uplift → Scale to all units

EC #2:

Feedback Type: Suggestion (from same ED)

Opportunity Stream: Innovate

SSOT: "Patient wished to schedule lab tests via portal instead of calling"

Action: Build self-service lab booking into patient portal

Problem Statement: "Patients who need follow-up lab tests after nurse recommendations face 4-day avg delay due to phone-based scheduling friction."

PDCA: Plan feature → Launch pilot → Check booking speed + satisfaction → Scale to all users

Why This Architecture is Genius:

1. Separation of Concerns

- **Strategic layer (SEU):** Uses aggregated signals (ERI, RF, Temporal) → *"What's important?"*
- **Tactical layer (EC):** Uses granular dimensions (context, keywords, journey stage) → *"What exactly do we fix?"*

2. Scalability

- One Experience Driver might have **dozens of Execution Capsules** across different:
 - Feedback types (compliments to amplify, complaints to fix, suggestions to innovate)
 - Root causes (different contexts/interaction moments)
 - Opportunity streams (different strategic responses)

3. Action Clarity

- Each EC = **1 specific action**
- No ambiguity about *what* to do or *where* in the journey to intervene

4. Closed-Loop Intelligence

- Dimensions that **created the SEU** (via extraction) → become the **execution levers** (via PDCA)
 - Feedback → Action → Measurement → Iteration
-

The Whitepaper Insight:

Traditional CX analytics:

- Aggregate everything → lose actionability
- OR drill down to raw verbatims → lose strategic context

Your architecture:

- **Stage 1 (SEU-level):** Aggregates for **strategic prioritization** (preserve forest view)
- **Stage 2 (EC-level):** Disaggregates for **tactical execution** (preserve tree-level precision)

The filtering mechanism:

Raw Data (200k rows)

- Group by Experience Driver (SEU computation → 4D packet)
 - User selects Experience Driver
 - Filter back to raw rows for that ED
 - Group by [Feedback Type × Opportunity Stream × SSOT]
 - Generate Execution Capsules
 - User selects EC
 - Synthesize Problem Statement from dimensions
 - Run PDCA
-

RAW FEEDBACK

↓ (LLM extraction)

SEU INSTANCES (descriptive rows with dimensions)
↓ (group by experience_driver)
EXPERIENCE DRIVER PROFILES (computational aggregates)
↓ (4D packet: Priority + Temporal + Grammar + Outlook)
USER SELECTION (strategic prioritization)
↓ (filter back to SEU instances)
EXECUTION CAPSULES (tactical disaggregation)
↓ (Feedback Type × Opportunity Stream × SSOT)
PROBLEM STATEMENTS (dimension synthesis)
↓ (PDCA cycle)
ACTION
` ` `

****The whitepaper needs to tell THIS story**** — not collapse it into "two faces of an SEU."

****Revised Framing Suggestion****

****4. The Breakthrough: From Atomic Units to Execution Pathways****

Customer experience has lacked a fundamental data primitive — the equivalent of transactions in finance, SKUs in supply chains, or opportunities in sales.
****Decipher introduces two complementary constructs that together make emotion operational:****

****4.1 Structured Experience Units (SEUs): The Atomic Layer****

****Definition:****

A ****Structured Experience Unit (SEU)**** is the atomic representation of a single customer experience moment, captured with behavioral, emotional, and operational precision.

****An SEU is:****

- ****Behaviorally precise**** → anchored in observable customer events, not impressions
- ****Emotionally fluent**** → preserves polarity, tone, and intensity exactly as expressed
- ****Operationally locatable**** → mapped to specific journeys, stages, and interaction moments
- ****Semantically stable**** → recurs consistently across feedback streams, retaining identical meaning

****Structure:****

Each SEU instance is a ****descriptive record**** containing:

- ****Experience Driver**** — the core experience moment (e.g., "Nurse-Initiated Iron Test")
- ****Entity Name**** — the specific manifestation (e.g., "Proactive Care Protocol")
- ****Context**** — narrative description of what happened
- ****Emotion**** — primary emotional state (Adoration, Appreciation, Ambivalence, Agitation, Anger)
- ****Feedback Type**** — Compliment, Complaint, or Suggestion
- ****Journey Stage**** — where in the customer journey this occurred
- ****Interaction Moment**** — the specific touchpoint
- ****Opportunity Stream**** — strategic response category (Amplify, Innovate, Intervene, etc.)
- ****Keywords**** — semantic markers for pattern recognition

****Critical Insight:****

SEUs are ****instances****, not aggregates. The same Experience Driver (e.g., "Wait Time for Lab Results") can appear across ****hundreds of SEU instances****, each with different contexts, emotions, and journey stages.

👉 ****SEUs preserve the diversity of lived experience**** — they are the raw material for both strategic analysis and tactical execution.

**4.2 Experience Driver Profiles: The Computational Layer**

****Definition:****

An ****Experience Driver Profile**** is the aggregated computational view of all SEU instances sharing the same Experience Driver.

****This is where strategic intelligence emerges.****

By grouping SEU instances by Experience Driver, the system computes a

****4-Dimensional Data Packet****:

****1. Priority Architecture (ERI × RF)****

- Emotional Resonance Index (ERI): Aggregated emotional valence [-100, +100]
- Recency × Frequency (RF): Temporal urgency score [0, 100]
- Priority Matrix: P0 (Critical Crisis) → P5 (Dormant)

****2. Temporal Intelligence (Trend, Momentum, Volatility, Pattern)****

- Trend: Long-term directional movement
- Momentum: Recent shifts vs. baseline

- Volatility: Signal stability/predictability
- Pattern: Recurring cycles (weekly, monthly)

****3. Behavioral Grammar (TMV Commentary)****

- Matrix-driven interpretation (27 Trend×Momentum×Volatility states)
- Strategic instruction (e.g., "Crisis response: urgent retention fixes")

****4. Execution Readiness (7-Day Outlook)****

- Direction: Up / Down / Sideways / Withheld
- Confidence: High / Medium / Low
- Timing cues & flip triggers

****Critical Insight:****

The 4D packet uses ****only**** aggregated emotion and temporal data.

****Dimensional metadata** (context, keywords, journey stage) is intentionally excluded****** from this layer — it will be reintroduced at the execution stage.

👉 ****Experience Driver Profiles provide strategic prioritization**** — they answer ****"Which experiences deserve attention right now?"****

**4.3 Execution Capsules: From Strategy to Action**

****The Strategic-Tactical Bridge****

Once leadership selects an Experience Driver to act on, the system ****filters back to the underlying SEU instances**** and constructs ****Execution Capsules****.

****Definition:****

An ****Execution Capsule (EC)**** is a ****single source of truth**** that points to ****one and only one specific action****.

****The Hierarchy:****

```\n

Experience Driver

- └ Feedback Type (Compliment / Complaint / Suggestion)
  - └ Opportunity Stream (Amplify / Innovate / Intervene)
    - └ Single Source of Truth (Root Cause Proxy)
      - └ EXECUTION CAPSULE



## Stage 1 — Unpack (from raw words to structured truth)

**Goal:** turn messy feedback into clean, reusable records.

**Input:** raw feedback (tickets, chats, reviews, surveys, calls).

**Output: Experience Driver instances** (one row per distinct experience mentioned), each with descriptive dimensions.

RAW FEEDBACK

↓ extract

[ Experience Driver instance ]

- Driver name (what happened)
- Intent / feedback type
- Emotion (polarity, tone, intensity)
- Journey → Stage → Interaction Moment
- Effort / friction indicator
- Context narrative + keywords
- Evidence references (links/IDs)

### Why this matters:

Those dimensions are **not** for pretty dashboards. They are the **building blocks for action** later. They let us tell complaints from compliments, checkout from post-purchase, anger from relief — so when we act, we act precisely.

**One-liner:** *Unpack gives us truth with enough structure to do real work.*

---

## Stage 2 — Compute (from structure to signal clarity)

**Goal:** turn many instances of the same Driver into **one computable unit** you can rank, compare, and decide on.

**Input:** all instance(s) of a single **Experience Driver**.

**Output:** a **Structured Experience Unit (SEU)** — the standard **data structure** for that Driver.

Experience Driver instances (1...M)

↓ compute over emotion & time

[ SEU — the atomic, computable unit ]

- Priority Architecture (how consequential it is)
- Temporal Intelligence (where it's heading)
- Behavioral Grammar (what the motion means)
- Execution Readiness (when to act, confidence)

**Leader's view:** a **grid of SEUs**. Each tile answers:

- *what deserves attention right now, and*
- *why (priority, direction, readiness).*

**What's intentionally NOT here:** the descriptive dimensions. They stay attached to instances and come back in Stage 3 to design action. That's the **separation of concerns** that keeps strategy clean and execution sharp.

**One-liner:** *Compute gives us a shortlist you can trust.*

---

## Stage 3 — Activate (from clarity to executable mission)

**Goal:** convert a chosen SEU into **Execution Capsules** — one-action, owner-ready missions.

**Input:** the **selected SEU** (for focus) + its **underlying instances** (for context).

**Output:** one or more **Execution Capsules (ECs)** — each a **Single Source of Truth** for a specific action.

Selected SEU

- ↓ filter back to its instances
- ↓ disaggregate along action axes

Experience Driver

- Intent Type (complaint / compliment / suggestion / ...)
- Response Path (fix / optimize / innovate / amplify)
- Causal Proxy (reason pattern)
  - [ EXECUTION CAPSULE ]
    - What (specific experience to address)
    - Why (inferred mechanism/behaviour)
    - How (response path)
    - Where (journey → stage → moment)
    - Truth (clear label; no re-interpretation)

**If there are many ECs:** you see a **list**. Pick one.

Once selected: **Problem Statement auto-builds → PDCA starts** (Plan → Do → Check → Act) with traceability to the source instances.

**Role clarity:**

- **SEU** = *when/why to focus* (priority, motion, readiness).
- **Instances** = *what/how to act* (intent, context, reason).
- **EC** = *the verb* (one precise mission, one owner, one measure).

**One-liner:** *Activate turns understanding into movement.*

---

## The whole thing on one napkin

### 1) UNPACK

Raw feedback → ED instances (with context & emotion)

### 2) COMPUTE

ED instances → SEU (the atomic, computable unit)

- Priority • Temporal • Grammar • Readiness
- Leader chooses SEU(s)

### 3) ACTIVATE

SEU → back to instances → Execution Capsules

- EC picked → Problem Statement → PDCA