

Detailed Report


Model Config: mobilenet_config_default




Latency Breakdown for Online Performance of mobilenet_config_default




GPU Memory vs. Latency curves for config mobilenet_config_default



GPU Utilization vs. Latency curves for config mobilenet_config_default



RAM Usage vs. Latency curves for config mobilenet_config_default



GPU Power vs. Latency curves for config mobilenet_config_default

Request Concurrency	p99 Latency (ms)	Client Response Wait (ms)	Server Queue (ms)	Server Compute Input (ms)	Server Compute Infer (ms)	Throughput (infer/sec)	Max CPU Memory Usage (MB)	Max GPU Memory Usage (MB)	Average GPU Utilization (%)
16	67.056	56.398	52.505	0.035	3.491	280.157	40.0	0	0
8	42.12	27.436	23.662	0.03	3.387	289.424	34.0	0	0
4	16.552	13.674	9.927	0.027	3.377	290.495	31.0	0	0
2	7.367	6.528	2.994	0.021	3.24	303.558	30.0	0	0
1	5.467	3.481	0.009	0.017	3.212	282.886	29.0	0	0

The model config **mobilenet_config_default** uses 1 CPU instance with a max batch size of 8 and has dynamic batching disabled. 5 measurement(s) were obtained for the model config on GPU(s) with total memory 0 GB. This model uses the platform .

The first plot above shows the breakdown of the latencies in the latency throughput curve for this model config. Following that are the requested configurable plots showing the relationship between various metrics measured by the Model Analyzer. The above table contains detailed data for each of the measurements taken for this model config in decreasing order of latency.