

□□C PROGRAMING CHEETSHEET

□□INTRODUCTION

C is middle level procedural Oriented programming language developed by Dennis ritche in 1972 at Bell laboratories

□□INPUT OUTPUT STATEMENT

printf("This statement is used for displaying output");
scanf("Format specifier",&Variable name);

□□BASIC SYNTAX

```
#include<stdio.h>
int main()
{
Statements
}
```

□□COMMENTS

single line. \\Comments single line
Multiline. * comment multiline*\\

□□DATATYPES

Int. Float. Char. Double. String. Array. Pointer. Structure. Union

□□KEYWORDS

There are mainly 32 keywords are present in c

□□CONDITIONAL STATEMENT

```
1....if(condition)
    {Statements}
2...if(condition)
    {Statements}
    else
    {Statements}
3....if(condition)
    {Statements}
    else if(condition)
    {Statements}
    else if(condition)
    {Statements}
4.....if(condition1)
    {
        if(condition2)
        {Statements}
        else
        {Statements}
    }
    else
    {
        {
            if(condition2)
```

```

    {Statements}
    else
    {Statements}
}

```

□□SYNTAX OF SOME IMPORTANT CONCEPT

1...Variable syntax

Datatype varname=value;

2...Array syntax

Datatype arrayname[size]={value};

3...String syntax

Char datatype stringname[size]="value";

4...Pointer syntax

Datatype *pointer name=&Variable name;

5....Structure syntax

Struct structurename

```

{
Members of structure
};

```

1...struct variable

Struct structurename variable;

6...Union syntax

Union unionname

```

{
Member of union
};

```

1...union variable

Union unionname variable;

7... Function syntax

1..Function definition

Returntype functionname(formal argument)

```

{
    Code of block
}

```

2..Function call

Functionname(Actual argument);

3.. Function declaration

Returntype functionname();

8...File operation

1...fopen(file pointer,"file mode"); -- opening new file

2...fclose(file pointer); --Closing new file
3...fprintf(file pointer,"content of that file"); --writing file

□□ LOOPING STATEMENT

1...while(condition)

```
{  
Statements  
}
```

2...do

```
{  
Statements  
}while(condition);
```

3...for(initialisation; condition; incre/decre)

```
{  
Statements  
}
```

□□ SWITCH CASE

switch(expression)

```
{  
Case 1:  
Statements  
Break;
```

```
Case 2:  
Statement  
Break;
```

```
Default:  
Statement  
Break;  
}
```

□□ OPERATORS

1... Arithmetic operators

(+). Addition

(-). Subtraction

(*). Multiplication

(/). Division

(%). Modulus

2... Relational operators

(>). Greater than

(<). Less than

(>=). Greater than equal to

(<=). Less than equal to

(==). Equal to equal to

(!=). Not equal to

3...Logical operators

(&&). Logical and

(||). Logical or

(!). Logical not

4...Increment/Decrement operators

(++). Increment

(--). Decrement

5...Ternary operators

(?). Question mark

(:). Colon

6...Assignment operators

(=). Equal to

Created by

S rahire