[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

16. Requirements validation techniques include
    a. Requirements reviews, Test-case generation, or Interviews
    b. Requirements reviews, Interviews, or Test-case generation
    c. Requirements reviews, Prototyping, or Interviews
    d. Requirements Test-case generation, Prototyping, or Interviews

17. Requirements Validation means
    a. Are the requirements realistically testable?
    b. Are the requirements covering all customers' needs?
    c. Are the requirements fulfilling what the customers need?
    d. Are the requirements realistically applicable?

18. Requirements Adaptability means
    a. Are the requirements could be changed without a large impact on other requirements?
    b. Are the requirements realistically testable?
    c. Are the requirements fulfilling what the customers need?
    d. Are the requirements realistically applicable?

19. In Agile development methods
    a. Program specification, design and implementation are completely separated
    b. Program specification, design and implementation are inter-leaved
    c. Program specification, design and implementation are fully planned in advance
    d. Program specification and design are interleaved but implementation is not

20. In Agile development methods
    a. building complete documentation is important than having working code
    b. building complete documentation before having working code
    c. building minimal documentation but focusing on working code
    d. building complete documentation before delivering any increment

21. Agile manifesto states:
    a. We have come to value "customer collaboration"over "contract negotiation"
    b. We have come to value "contract negotiation" over "customer collaboration"
    c. We have come to equally value both "customer collaboration" and "contract negotiation"
    d. We have come to value "customer collaboration" but not "contract negotiation"

22. Agile method is applicable for
    a. large size product with many non-localized teams
    b. mid-sized product regardless of customers involvement in developing phases
    c. large size product with many non-localized teams with customer involvement
    d. small and mid-sized product with clear commitment of customer involvement

23. In Extreme programming
    a. All tests must be run for every build
    b. Increment is accepted if this increment test only run successfully
    c. Each increment has its own test, but All tests must be run only once at the end
    d. Test could be performed while delivering the increment to the user

32. A single non-functional requirement
   a. will generate a single functional requirement to provide one system service
   b. may generate several related functional requirements that define system services
   c. may generate many related non-functional requirements
   d. will be mapped to several system services that required by customers

3. Metrics for specifying "Reliability" could be
   a. Event response time, Rate of failure occurrence, Availability
   b. Event response time, Probability of unavailability, Usability
   c. Event response time, Rate of failure occurrence, Usability
   d. Mean time to failure, Rate of failure occurrence, Availability

4. The common activities in all Requirements Engineering processes are
   a. Requirements elicitation, analysis, validation, specification
   b. Requirements elicitation, analysis, validation, management
   c. Requirements elicitation, analysis, documentation, management
   d. Requirements analysis, validation, documentation, management

5. Ethnography is a technique used in
   a. Requirements validation
   b. Requirements specification
   c. Requirements discovery elicitation
   d. Requirements classification

Good L

24. Some of the metrics used in measuring process level are
    a. time taken to complete the process, number of developed functions, number of defects discovered
    b. time taken to complete the process, time effort in person-days, number of defects discovered
    c. time taken to complete the process, number of developed functions, number of testing processes
    d. time taken to process analysis, amount resources required, number of testing processes
25. Software costs more to maintain than it does to develop
    a. True
    b. False
26. Which of the following could be reasonable a "Release Cycle" in extreme programming?
    a. Select stories, Break down to tasks, Plan release, Develop/integration, Release Software, Evaluate system,
    b. Select stories, Develop/integration, Release Software, Evaluate system, ...
    c. Select stories, Break down to tasks, Develop/integration, Release Software, ...
    d. Select stories, Plan release, Develop, Release Software, Evaluate system, ...
27. In extreme programming, "Refactoring" ...
    a. is not expected to be used in most of the projects due to its overhead
    b. will keep the code more complex and well documented
    c. is expected to be used by developers as soon as possible code improvements are found
    d. is the process of decompose the code to small objects
28. In extreme programming, each user story
    a. will be implemented as an atomic unit
    b. will be analyzed and then the team will decide to implement it or not
    c. will be only checked by the development team to decide its applicability
    d. will be broken down into tasks and these tasks are the basis of implantation schedule
29. In Test-driven development
    a. Tests are designed and executed after implementation
    b. Tests are written as programs and designed before code
    c. Tests are run manually
    d. Tests are run after coding using a set test data
30. System requirements are structured document setting out detailed descriptions of the system's functions, services and operational constraints
    a. True
    b. False
31. Non-functional requirements are
    a. constraints on the services or functions offered by the system such as timing constraints, constraints on the development process, standards
    b. statements of services the system should provide, how the system should react to particular inputs and how the system should behave in particular situations
    c. constraints on the system from the domain of operation
    d. functions that should be implemented to fulfill user requirements
32. A single non-functional requirement
    a. will generate a single functional requirement to provide one system service
    b. may generate several related functional requirements that define system services
    c. may generate many related non-functional requirements
    d. will be mapped to several system services that required by customers
33. Metrics for specifying "Reliability" could be
    a. Event response time, Rate of failure occurrence, Availability
    b. Event response time, Probability of unavailability, Usability
    c. Event response time, Rate of failure occurrence, Usability
    d. Mean time to failure, Rate of failure occurrence, Availability
34. The common activities in all Requirements Engineering processes are
    a. Requirements elicitation, analysis, validation, specification
    b. Requirements elicitation, analysis, validation, management
    c. Requirements elicitation, analysis, documentation, management
    d. Requirements analysis, validation, documentation, management
35. Ethnography is a technique used in
    a. Requirements validation
    b. Requirements specification
    c. Requirements discovery elicitation
    d. Requirements classification

Good Luck.

24. Some of the metrics used in measuring process level are
   a. time taken to complete the process, number of developed functions, number of defects discovered
   b. time taken to complete the process, total effort in person-days, number of defects discovered
   c. time taken in process analysis, amount resources required, number of defects discovered
   d. time taken to complete the process, amount resources required, number of defects discovered
25. Software costs more to maintain than it does to develop
   a. True b. False
26. Which of the following could be reasonable a "Release Cycle" in extreme programming?
   a. Select stories, Break down to tasks, Plan release, Develop/integrate/test, Release Software, Evaluate system, ...
   b. Select stories, Develop/integrate/test, Release Software, Evaluate system, ...
   c. Select stories, Break down to tasks, Develop/integrate/test, Release Software, ...
   d. Select stories, Plan release, Develop, Release Software, Evaluate system, ...
27. In extreme programming, "Refactoring" ...
   a. is not expected to be used in most of the projects due to its overhead
   b. will keep the code more complex and well documented
   c. is expected to be used by developers as soon as possible code improvements are found
   d. is the process of decompose the code to small objects
28. In extreme programming, each user story
   a. will be implemented as an atomic unit
   b. will be analyzed and then the team will decide to implement it or not
   c. will be only checked by the development team to decide its applicability
   d. will be broken down into tasks and these tasks are the basis of implentation schedule
29. In Test-driven development
   a. Tests are designed and executed after implementation
   b. Tests are written as programs and designed before code
   c. Tests are run manually
   d. Tests are run after coding using a set test data
30. System requirements are structured document setting out detailed descriptions of the system's functions, services and operational constraints
   a. True b. False
31. Non-functional requirements are
   a. constraints on the services or functions offered by the system such as timing constraints, constraints on the development process, standards
   b. statements of services the system should provide, how the system should react to particular inputs and how the system should behave in particular situations
   c. constraints on the system from the domain of operation
   d. functions that should be implemented to fulfill user requirements
32. A single non-functional requirement
   a. will generate a single functional requirement to provide one system service
   b. may generate several related functional requirements that define system services
   c. may generate many related non-functional requirements
   d. will be mapped to several system services that required by customers
33. Metrics for specifying "Reliability" could be
   a. Event response time, Rate of failure occurrence, Availability
   b. Event response time, Probability of unavailability, Usability
   c. Event response time, Rate of failure occurrence, Usability
   d. Mean time to failure, Rate of failure occurrence, Availability
34. The common activities in all Requirements Engineering processes are
   a. Requirements elicitation, analysis, validation, specification
   b. Requirements elicitation, analysis, validation, management
   c. Requirements elicitation, analysis, documentation, management
   d. Requirements analysis, validation, documentation, management
35. Ethnography is a technique used in
   a. Requirements validation
   b. Requirements specification
   c. Requirements discovery elicitation
   d. Requirements classification

Good Luck