

Experiment 7 Page Object Model Restructure

Objective

Refactor a Selenium login test so that locators and UI actions live in a dedicated LoginPage class, while the test flow remains focused on behavior and assertions.

Item	Value
Framework	Python 3 + Selenium WebDriver
Application	SauceDemo (saucedemo.com)
Pattern	Page Object Model
Credentials used	standard_user / secret_sauce

Implementation

```
from selenium.webdriver.common.by import By
```

```
import time
```

```
class LoginPage:
```

```
    def __init__(self, driver):
```

```
        self.driver = driver
```

```
        self.username_input = (By.ID, "user-name")
```

```
        self.password_input = (By.ID, "password")
```

```
        self.login_btn = (By.ID, "login-button")
```

```
    def enter_username(self, username):
```

```
        self.driver.find_element(*self.username_input).send_keys(username)
```

```
    def enter_password(self, password):
```

```
        self.driver.find_element(*self.password_input).send_keys(password)
```

```
    def click_login(self):
```

```
        self.driver.find_element(*self.login_btn).click()
```

```
driver = webdriver.Chrome()
driver.maximize_window()
try:
    driver.get("https://www.saucedemo.com/")
    time.sleep(5)
    login_page = LoginPage(driver)
    login_page.enter_username("standard_user")
    login_page.enter_password("secret_sauce")
    time.sleep(6)
    login_page.click_login()
    time.sleep(5)



    assert "inventory.html" in driver.current_url, "Login failed!"
    print("PASS: POM Login Successful")
finally:
    driver.quit()

    driver.quit()
```

Verification Result

PASS: POM Login Successful

The live run navigated to <https://www.saucedemo.com/inventory.html> after the LoginPage methods entered the credentials and clicked Login. Screenshots of the filled form and successful inventory page were captured during verification.



```
Problems  Output  Debug Console  Terminal  Ports

> python -u "c:\Users\rahul\Desktop\wipro Assignment\test6.py"

PASS: POM Login Successful
PS C:\Users\rahul\Desktop\wipro Assignment>
```

Observation

The test script contains no direct Selenium locator definitions outside LoginPage. Future locator changes can therefore be made in one place, while assertions remain in the test flow.