

Experiment 4: JavaScript Alerts and Confirms

Module: Automation with Selenium

Aim

Automate browser-native JavaScript alert, confirm, and prompt dialogs using Selenium WebDriver.

Learning objectives

Use `driver.switch_to.alert` to obtain the active dialog, then call `accept()`, `dismiss()`, or `send_keys()`. Verify the page result after the prompt is accepted.

Requirements

Python 3, Selenium 4, Chrome or Chromium, and a working WebDriver. Install Selenium with: `python -m pip install selenium`

Rewritten implementation

```
from selenium import webdriver
```

```
from selenium.webdriver.common.by import By
```

```
import time
```

```
VIEW_DELAY = 2
```

```
driver = webdriver.Chrome()
```

```
try:
```

```
    driver.get("https://the-internet.herokuapp.com/javascript_alerts")
```

```
    time.sleep(VIEW_DELAY)
```

```
    driver.find_element(By.XPATH, "//button[text()='Click for JS Alert']").click()
```

```
    time.sleep(VIEW_DELAY)
```

```
    driver.switch_to.alert.accept()
```

```
driver.find_element(By.XPATH, "//button[text()='Click for JS Confirm']").click()
time.sleep(VIEW_DELAY)
driver.switch_to.alert.dismiss()
```

```
driver.find_element(By.XPATH, "//button[text()='Click for JS Prompt']").click()
time.sleep(VIEW_DELAY)
prompt = driver.switch_to.alert
prompt.send_keys("Automated Test Input")
prompt.accept()
```


```
result = driver.find_element(By.ID, "result").text
assert result == "You entered: Automated Test Input"
print("All alerts handled successfully.")
```


finally:


```
time.sleep(4)
driver.quit()
```


Test procedure and observed evidence

The target page loaded successfully and exposed the three expected controls. Triggering the first control opened a browser-native JavaScript alert, confirming that the dialog is outside the normal page DOM and must be handled through the alert interface.









JavaScript Alerts

Here are some examples of different JavaScript alerts which can be troublesome for automation

Click for JS Alert

Click for JS Confirm

Click for JS Prompt

Result:

You entered: Automated Test Input

Powered by [Elemental Selenium](#)

Results

Step	Action	Expected result
Alert	accept()	Dialog closes
Confirm	dismiss()	Dialog closes; cancel result is shown
Prompt	send_keys() then accept()	Page shows You entered: Automated Test Input

Conclusion:

The procedure explains why Selenium must switch focus to the active alert. The page and first dialog were exercised successfully; the remaining states are documented and can be reproduced by running the included script with Selenium and Chrome WebDriver.