

#### Notice

© 2022 Tata Consultancy Services Limited

This is a controlled document. Unauthorised access, copying, replication or usage for a purpose other than for which it is intended, are prohibited.

All trademarks that appear in the document have been used for identification purposes only and belong to their respective companies.

**Document Name:** UPI Merchant Integration API Specifications

Version Number: v1.8.1

Revisions		Page	Prev. Page	Action Taken	Addendum	Release Notice	
No.	Date	Description	No. Page No.			/New Page	Reference
V1.1	16- Feb- 22	Transaction APIs					
V1.2	22- Feb- 22	Added Mandate APIs					
V1.3	03- Mar0 22	Revised Onboarding and Mandate APIs					
V1.6	29- Mar- 22	FIR Changes Added for outward payment					
V 1.8	26- Oct- 22	Updated Collect Request with Dynamic VPA Change	18				
V 1.8.1	15- Dec- 22	Payee VPA clarification added in Pre approved payment	25				

#### **About this Document**

#### **Purpose**

This document covers the API specifications for providing UPI services to enterprise merchant systems. The document provides overview of services available, followed by detailed message specifications and details on required security controls for processing UPI transactions.

#### **Intended Audience**

This document is intended to be used by application development teams of merchant applications in order to enable them integrate with Bank's systems for providing UPI services from merchant front end applications. These APIs are meant to be integrated from the backend applications of the merchants/third parties and should not be integrated directly from the last mile front end applications.

#### References

Document Name	Description	Location
API Specification Document V1.12	Merchant integration manual currently used in IndusInd Bank	
UPI 2.0 Mandate Management API Document (P2M) v11.1		

### Contents

API Specifications	7
Services Details	7
Message Security	9
Service Level Message Formats	10
Sub Merchant Onboarding Request	10
Check Virtual Address Availability	12
Validate Virtual Address	14
Collection Request	18
Collection Response Callback	21
Preapproved Payment Request	24
Payment Response Callback	28
Transaction Enquiry	32
Inward Credit Notification	36
Third party Validation	39
Mandate Create Request	43
Mandate Create Callback	48
Mandate Update Request	52
Mandate Update Response Callback	55
Mandate Revoke Request	59
Mandate Revoke Response Callback	61
Mandate Status Enquiry	65
Mandate List Enquiry	70
Incoming Mandate Notification	75
Mandate Pre-debit Notification	79
Mandate Pre-debit Notification Response Callback	82
Mandate Collection Request	85
Mandate Collection Response Callback	89
Refund Request	95
Refund Response Callback	98
PAN Validation	101
PAN Validation Response Callback	104
Dynamic QR/Intent Signing	106
Sub Merchant Update Request	107
Sub Merchant Deactivation Request	109
Appendix - A	117

## List of Abbreviations/Acronyms

Abbreviation/Acronym	Description
АРІ	Application Programming Interface
HTTPS	Hypertext transfer protocol Secure
NPCI	National Payments Corporation of India
PSP	Payment System Player
TCS	Tata Consultancy Services
ТоС	Table of Contents
UPI	Unified Payments Interface
URL	Uniform Resource Locator
XML	Extensible Markup Language
VPA	Virtual Payment Address

# **API Specifications**

All APIs will be exposed as stateless services over HTTPS. The URL of Service should be constructed as per the convention given below. All the services are stateless HTTP over XML based Service.

#### **Services Details**

Following services shall be supported from EPH UPI solution:

S No	Service Name	Mode (Synchronous/	Direction	Туре
1	Merchant Onboarding	Asynchronous  Synchronous	Merchant to EPH	https / json
2	Validate Virtual Address	Synchronous	Merchant to EPH	https / json
3	Collection Request	Asynchronous	Merchant to EPH	https / json
4	Collection Response Callback	Asynchronous	EPH to Merchant	https / json
5	Preapproved Payment Request	Asynchronous	Merchant to EPH	https / json
6	Payment Response Callback	Asynchronous	EPH to Merchant	https / json
7	Transaction Status Enquiry	Synchronous	Merchant to EPH	https / json
8	Transaction List Enquiry	Synchronous	Merchant to EPH	https / json
9	Inward Credit Notification	Synchronous	EPH to Merchant	https / json
10	Third party Validation	Synchronous	EPH to Merchant	https/json
11	Mandate Create Request	Asynchronous	Merchant to EPH	https / json
12	Mandate Create Callback	Asynchronous	EPH to Merchant	https / json

13	Mandate Update	Asynchronous	Merchant to EPH	https/json
	Request			
14	Mandate Update	Asynchronous	EPH to Merchant	https/json
	Response Callback			
15	Mandate Revoke	Asynchronous	Merchant to EPH	https / json
	Request			
16	Mandate Revoke	Asynchronous	EPH to Merchant	https/json
	Response Callback			
17	Mandate Status	Synchronous	Merchant to EPH	https/json
	Enquiry			
18	Mandate List Enquiry	Synchronous	Merchant to EPH	https/json
19	Incoming Mandate	Synchronous	EPH to Merchant	https/json
	Notification			
20	Mandate Pre-debit	Asynchronous	Merchant to EPH	https/json
	Notification			
21	Mandate Pre-debit	Asynchronous	EPH to Merchant	https/json
	Response Callback			
22	Mandate Collection	Asynchronous	Merchant to EPH	https / json
	Request			
23	Mandate Collection	Asynchronous	EPH to Merchant	https / json
	Response Callback			
24	Refund Request	Asynchronous	Merchant to EPH	https / json
25	Refund Response	Asynchronous	EPH to Merchant	https / json
	Callback			
26	PAN Validation	Asynchronous	Merchant to EPH	https / json
	Request			
27	PAN Validation	Asynchronous	EPH to Merchant	https / json
	Response			
28	Dynamic QR/Intent	Synchronous	Merchant to EPH	https / json
	Signing			
29	Sub Merchant Update	Synchronous	Merchant to EPH	https / json

30	Sub Merchant	Synchronous	Merchant to EPH	https / json
	Deactivation			

**Note:** For asynchronous services having direction as "EPH to Merchant", Merchant system needs to expose an endpoint which should accept the message in the given format and provide a response.

#### **Message Security**

All request and response messages will be encrypted with symmetric encryption algorithm **AES/GCM/NoPadding**. The requesting party must create the request payload as per service specification and the resulting payload should be encrypted with pre-shared AES-256 encryption key with the given algorithm. The encrypted payload should be base 64 encoded and framed as per below message format specifications:

```
{
    "entMerchantId": "MER0001",
    "encdata": "Encrypted and B64 encoded request or response JSON data"
}
Where
entMerchantId: Aggregator or Enterprise Id
encdata: Encrypted encoded data
```

**Note:** Refer Appendix-A for complete details on encryption decryption process.

# **Service Level Message Formats**

## Message Cardinality

All message format definition tables use the symbols defined in the following table:

Symbol	Meaning
М	Mandatory
ME	Mandatory; Echoed from request
-	Not Applicable
CM	Conditional Mandatory
0	Optional41

## **Sub Merchant Onboarding Request**

Service Name	MerchantOnboarding
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	pgMerchantId	Parent enterprise/aggregator Merchant Id	CHAR-50	М	
2	txnId	Transaction Reference Id	CHAR-35	M	
3	ts	Timestamp of the request	TIMESTAMP	М	
4	mebussname	Business Name	CHAR-100	М	
5	legalStrName	Legal Name	CHAR-100	M	
6	merVirtualAdd	Virtual Payment Address	CHAR-255	М	
7	awlmcc	MCC Code	CHAR-4	М	
8	strCntMobile	Mobile Number	Number	M	
9	merchantType	Merchant Type (SMALL/LARGE)	CHAR-5	М	
10	panNo	Unique Pan Number	CHAR-10	0	
11	gstNumber	GST Number	CHAR-15	0	

12	extMID	Merchant ID	CHAR-50	0	To be autopopulated by EPH
13	extTID	External Terminal ID	CHAR-50	0	To be autopopulated by EPH
14	accNo	Merchant account No	CHAR-50	СМ	Required if enterprise settlement set to individual merchant
15	ifscCode	IFSC Code	CHAR-11	CM	
16	ассТуре	Account Type (SAVINGS/CURRENT/NRE/NRO)	CHAR-20	СМ	
17	meEmailID	Merchant Email ID	CHAR-255	М	
18	onboardingType	BANK/AGGREGATOR	CHAR-20	0	Default: AGGREGATOR
19	merchantGenre	ONLINE/OFFLINE	CHAR-20	М	
20	ownerShipType	PROPRIEATARY/PUBLIC/PRIVATE	CHAR-20	M	
21	kycFlag	Y/N	CHAR-1	0	

```
Request:
{
       "pgMerchantId":"BOIM821518000159",
       "txnId":"1604888849014",
       "ts":"2022-01-03T15:37:27",
       "mebussname":"kesavaindus008",
       "legalStrName":"Thoppil Mart",
       "merVirtualAdd": "kesava008@indus",
       "awlmcc": "6012",
       "strCntMobile":"9967635108",
       "panNo":"AFGHQY007Q",
       "gstNumber": "ADAFGHQY007QZ1",
       "extMID": "abnsg1455",
       "extTID":"vgay5567575",
       "accNo":"123456",
       "ifscCode":"INDB0000001",
       "accType":"",
       "meEmailID": "test@indusind.com",
```

```
"onboardingType":"AGGREGATOR",

"merchantGenre":"ONLINE",

"ownerShipType":"PUBLIC",

"kycFlag":"Y",

}
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Transaction ID	CHAR-40	М	
2	ts	Response timestamp	Timestam p	M	
3	status	Success/Failur e	CHAR-20	M	
4	errCode	Error Code	CHAR-5	М	
5	merchantId	Merchant ID generated by the system	CHAR-50	СМ	

```
{
    "txnId":"1604888849014",
    "status":"Success",
    "ts":"2022-01-03T15:37:27",
    "errCode":"00",
    "merchantId":"INDB000000029154"
}
```

## **Check Virtual Address Availability**

Service Name CheckVirtualAddress	
Service Name CheckVirtualAddress	

HTTP Method	POST
HTTP Headers	Content-Type: application/json

## Request Attributes

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	pgMerchantId	Merchant Id	CHAR-30	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestam p	М	YYYY-MM-DD HH:MM:SS (e.g. 2021-12- 28T16:40:00)
4	vpa	Virtual address for checking availability	CHAR-255	М	

## Response Attributes

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Unique Transaction Identifier	CHAR-35	ME	
2	ts	Time stamp of the request	Timestam p	М	2021-12- 28T16:40:00

3	status	Success/Failur e	CHAR-15	М	Success if available, Failure if not available
4	errCode	Error code	CHAR-5	М	00 – if available
5	virtualAddres s	Payer VPA or UPIID	CHAR-255	ME	
6	statusDesc	Status Description	CHAR-100	М	

```
Response:

{

    "txnld":"1604888849014",
    "status":"Success",
    "ts":"2022-01-03T15:37:27",
    "errCode":"00",
    "virtualaddress": "test@indus",
    "statusDesc"":"Available"
}
```

#### **Validate Virtual Address**

Service Name	ValidateVirtualAddress
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandator y	Remarks
1	pgMerchantId	Merchant Id	CHAR-30	М	
2	txnld	Unique Transaction Identifier	CHAR-35	M	
3	ts	Time stamp of the request	Timesta mp	М	2021-12- 28T16:40:00

4	vpa	Virtual address for validation	CHAR- 255	М	
5	merchantMobile	Merchant Device Mobile number	CHAR-12	М	In the format 91 <mobile number&gt;</mobile 
6	merchantDeviceGeoCo de	Geo code of the device	CHAR-50	0	Either Geo code or location is required for merchant transactions
7	merchantDeviceLocatio n	Location of the merchant device	CHAR-50	0	
8	merchantDeviceIP	IP Address of the device	CHAR-30	М	
9	merchantDeviceType	Type of Device	CHAR-30	М	MOB/WEB/US SD etc
10	merchantDeviceId	ID of the device	CHAR-50	М	
11	merchantDeviceOS	OS of the device	CHAR-30	СМ	Required for Type- MOB
12	merchantDeviceAppNa me	app name of the device	CHAR-50	СМ	Required for Type- MOB

```
{
    "pgMerchantId":"BOIM821518000159",
    "txnId":"1604888849014",
    "ts":"2022-01-03T15:37:27",
    "vpa":"vd@indus",
    "merchantMobile":"911234567890",
    "merchantDeviceGeoCode":"NA",
    "merchantDeviceLocation":"NA",
    "merchantDeviceIP":"10.58.175.113",
    "merchantDeviceType":"MOB",
    "merchantDeviceId":"OP123456",
    "merchantDeviceOS":"ANDROID",
    "merchantDeviceAppName":"GPAY"
}
```

S No	Data Element Name			Mandator y	Remarks
1	txnld	Unique Transaction Identifier	CHAR-35	ME	
2	ts	Time stamp of the request	Timestam p	M	2021-12- 28T16:40:0 0
3	status	Success/Failur e	CHAR-15	Μ	
4	errCode	Error code	CHAR-5	М	00 – if valid VPA
5	vpaMaskedName	Masked CHAR-100 Name of the VPA		СМ	Payer Name
6	vpaIFSCCode	IFSC Code of the account linked to VPA	CHAR-11	СМ	
7	vpaТуре	PERSON or ENTITY	CHAR-6	СМ	
8	vpaMCCCode	Merchant Category Code of the VPA	CHAR-4	СМ	
9	merchantBrandName	Brand Name of the merchant	CHAR-255	СМ	
10	merchantFranchiseNam e	Franchise Name of the merchant	CHAR-255	СМ	
11	merchantLegalName	Legal Name of the merchant	CHAR-255	СМ	
12	merchantType	SMALL or LARGE	CHAR-6	СМ	

13	merchantOnboardingTy pe	BANK or AGGREGATOR	CHAR-20	СМ	
14	merchantOwnershipTyp e	PUBLIC/ PRIVATE/ PROPRIEATO RY	CHAR-50	СМ	
15	merchantGenre	ONLINE or OFFLINE	CHAR-50	СМ	
16	merchantSubCode	SubCategory CHAR-4 code		СМ	
17	merchantTid	Terminal Id CHAR-50		CM	
18	merchantSid	Store Id	CHAR-50	CM	
19	merchantId	Merchant Identifier	CHAR-50	СМ	
20	iin	IIN of the account provider	CHAR-6	0	
21	statusDesc	Status Description CHAR-50		М	
22	ассТуре	Merchant or payer account type	CHAR-10	M	

```
Response:
{
       "txnId": "1604888849014",
       "ts":"2022-01-03T15:37:27",
       "status": "SUCCESS",
       "errCode":"00",
       "vpaMaskedName":"VPA Name",
       "vpaIFSCCode":"INDB0000001",
       "vpaType":"ENTTY",
       "vpaMCCCode":"5965",
       "merchantBrandName": "UPI TEST MERCHANT",
       "merchantFranchiseName": "UPI TEST MERCHANT",
       "merchantLegalName":"UPITEST MERCHANT",
       "merchantType": "SMALL",
       "merchantOnboardingType":"WEBAPI",
       "merchantOwnershipType":"PUBLIC",
       "merchantGenre":"ONLINE",
       "merchantSubCode": "5865",
```

```
"merchantTid":"UPI00000001",

"merchantSid":"5452",,

"merchantId":"INDB000000001",

"iin":"",

"statusDesc":"Success Desc",

"accType":"CURRENT",

"name":"Dummy Customer"

}
```

## **Collection Request**

Service Name	CollectRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandato ry	Remarks
1.	pgMerchan tId	Merchant Id	CHAR- 50	M	
2.	txnId	Unique Transaction Identifier	CHAR- 35	М	
3.	ts	Time stamp of the request	Timest amp	М	2021-12-28T16:40:00
4.	txnNote	Remarks	CHAR- 50	М	
5.	initMode	Initiation mode	CHAR-2	М	Default - 00
6.	purposeCo de	Purpose Code	CHAR-2	М	Default - 00
7.	refld	Merchant's Reference Identifier	CHAR- 50	M	
8.	refurl	Reference URL if any	CHAR- 255	М	can be set as a dummy url
9.	refCategor y	Reference URL Category	CHAR-2	0	Default - 00

10.	expiryTime	Expiry time of collect request in minutes	NUMB ER	0	Default is 30 minutes, min 1 minute, max 64800 minutes
11.	amount	Collection amount	DECIM AL	М	
12.	minCollect Amount	Minimum collection amount	DECIM AL	0	
13.	payerVPA	Payer VPA	CHAR- 255	М	
14.	payerName	Payer Name	CHAR- 100	М	
15.	payerType	Payer Type	CHAR- 10	М	can be set as PERSON
16.	payerMCC	Payer MCC Code	CHAR-4	М	can be set as 0000
17.	merchant Mobile	Merchant Device Mobile number	CHAR- 12	0	To be picked from merchant data available in UPI Switch if not populated
18.	merchantD eviceGeoC ode	Geo code of the device	CHAR- 50	0	Either Geo code or location is required for merchant transactions
19.	merchantD eviceLocati on	Location of the merchant device	CHAR- 50	0	
20.	merchantD eviceIP	IP Address of the device	CHAR- 30	М	
21.	merchantD eviceType	Type of Device	CHAR- 30	М	MOB/WEB/USSD etc
22.	merchantD eviceId	ID of the device	CHAR- 50	М	
23.	merchantD eviceOS	OS of the device	CHAR- 30	СМ	Required for Type- MOB
24.	merchantD eviceAppN ame	app name of the device	CHAR- 50	СМ	Required for Type- MOB

25.	addInfo9	Additional Info [For future use]	CHAR- 100	0	
26.	addInfo10	Additional Info [For future use]	CHAR- 100	0	
27.	payeeCode	Merchant MCC Code	CHAR-4	СМ	Mandatory for Dynamic VPA based Merchants
28.	payeeNam e	Merchant Name	CHAR-4	СМ	Mandatory for Dynamic VPA based Merchants

```
Request:
{
              "pgMerchantId": "BOIM821518000159",
              "txnId":"1604888849014",
              "txnNote":"thanks",
              "ts":"2022-01-03T15:37:27",
              "initMode":"00",
              "purposeCode":"00",
              "refld": "1504888835295798",
              "refUrl": "http://ernestthornhill.com",
              "refCategory":"NA",
              "expiryTime":"30",
              "amount":"100",
              "minCollectAmount": "60",
              "payerVpa":"vd@indus",
              "payerName":"narendra",
              "payerType":"PERSON",
              "payerMCC":"00",
              "merchantMobile": "911234567890",
              "merchantDeviceAppName":"GPAY",
              "merchantDeviceOS": "ANDROID",
              "merchantDeviceId":"OP123456",
              "merchantDeviceType":"MOB",
              "merchantDeviceIP":"10.58.175.113",
              "merchantDeviceLocation": "NA",
              "merchantDeviceGeoCode":"NA",
              "payeeCode":"6211",
              "payeeName":"Test"
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Unique Transaction Identifier	CHAR-35	ME	
2	ts	Time stamp of the request	Timestam p	М	2021-12- 28T16:40:00
3	status	Success/Failur e	CHAR-15	М	
4	errCode	Error Code	CHAR-10	М	

```
Response:

{
     "txnld":"1604888849014",
     "status":"Success",
     "ts":"2022-01-03T15:37:27",
     "errCode":"TXN_ERR_000"
}
```

### **Collection Response Callback**

Collect response shall be provided by EPH-UPI to merchant system as a callback. Merchant system needs to expose an endpoint for receiving the callback.

Service Name	CollectResponse
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element	Description	Data Type	Mandatory	Remarks
	Name				

1.	txnld	Unique Transaction Identifier	CHAR- 35	М	
2.	npciTxnId	UPI Transaction Id	CHAR- 35	М	
3.	gwRefId	Gateway Reference Id	CHAR- 35	М	
4.	ts	Time stamp of the request	Timest amp	М	2021-12-28T16:40:00
5.	status	Success/Failur e	CHAR- 15	М	
6.	errCode	Error Code	CHAR- 10	М	
7.	txnType	Transaction Type	CHAR- 10	М	PAY / COLLECT/ REFUND
8.	payerVPA	Payer VPA	CHAR- 255	0	
9.	payerSeqN o	Payer Sequence Number	NUMB ER	0	Payer sequence number
10.	payerName	Payer Name	CHAR- 50	0	
11.	payerAcNu m	Payer Account Number	CHAR- 50	0	
12.	payerIFSC	Payer IFSC Code	CHAR- 11	0	
13.	payerMCC	Payer MCC	CHAR-4	0	
14.	payerAcTy pe	Payer Account Type	CHAR- 20	0	
15.	settAmoun t	Settlement Amount	Decima I	0	
16.	orgAmount	Original Transaction Amount	Decima I	0	
17.	settCurren cy	Settlement Currency	CHAR-3	0	

18.	payerAppr ovalNum	Remitter Bank approval number	CHAR- 10	0	
19.	payerResp Code	Payer Response code	CHAR-3	0	
20.	payeeVPA	Payee VPA	CHAR- 255	0	
21.	payeeNam e	Payee Name	CHAR- 50	0	
22.	payeeAcNu m	Payee Account Number	CHAR- 50	0	
23.	payeeIFSC	Payee IFSC	CHAR- 11	0	
24.	payeeAcTy pe	Payee Account Type	CHAR- 20	0	
25.	payeeMCC	Payee MCC	CHAR-4	0	
26.	payeeAppr ovalNum	Beneficiary Bank Approval Number	CHAR- 10	0	
27.	payeeResp Code	Payee Response Code	CHAR-3	0	

```
{
    "txnld":"1604888849014",
    "npciTxnld":"127018232458",
    "gwRefld":"127018232468",
    "status":"Success",
    "ts":"2022-01-03T15:37:27",
    "errCode":"TXN_ERR_000",
    "txnType":"COLLECT"
}
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnId	Txn Id	CHAR- 35	ME	

```
{
    "txnld":"1604888849014",
    "npciTxnld":"127018232458",
    "gwRefld":"127018232468",
    "status":"Success",
    "ts":"2022-01-03T15:37:27",
    "errCode":"TXN_ERR_000",
    "txnType":"COLLECT"
}
```

## **Preapproved Payment Request**

Service Name	PaymentRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandato ry	Remarks
1.	pgMerchantId	Merchant Id	CHAR-50	М	
2.	txnld	Unique Transaction Identifier	CHAR-35	М	
3.	ts	Time stamp of the request	Timesta mp	М	2021-12- 28T16:40:00
4.	txnNote	Remarks	CHAR-50	М	
5.	initMode	Initiation mode	CHAR-2	М	Default - 00
6.	purposeCode	Purpose Code	CHAR-2	М	Default - 00

7.	refld	Merchant's Reference Identifier	CHAR-50	М	
8.	refurl	Reference URL if any	CHAR- 255	М	can be set as a dummy url
9.	refCategory	Reference URL Category	CHAR-2	0	Default - 00
10.	amount	Payment amount	DECIMA L	М	
11.	payeeVPA	Payee VPA	CHAR- 255	M	In case of account and IFSC based payment, value can be passed as <account no="">@<ifsc code="">.ifsc.np ci</ifsc></account>
12.	payeeName	Payee Name	CHAR- 100	М	
13.	рауееТуре	Payee Type	CHAR-10	М	can be set as PERSON
14.	payeeMCC	Payee MCC Code	CHAR-4	М	can be set as 0000
15.	payerMobile	Merchant Device Mobile number	CHAR-12	М	In the format 91 <mobile number&gt;</mobile 
16.	payerDeviceGeoC ode	Geo code of the device	CHAR-50	0	Either Geo code or location is required for merchant transactions
17.	payerDeviceLocati on	Location of the merchant device	CHAR-50	0	
18.	payerDeviceIP	IP Address of the device	CHAR-30	М	

19.	payerDeviceType	Type of Device	CHAR-30	М	MOB/WEB/U SSD etc
20.	payerDeviceId	ID of the device	CHAR-50	М	
21.	payerDeviceOS	OS of the device	CHAR-30	СМ	Required for Type- MOB
22.	payerDeviceAppN ame	app name of the device	CHAR-50	СМ	Required for Type- MOB
23.	currencyCode	Transaction Currency Default: "INR"	CHAR-3	M	
24.	addinfo210	future use – Specifically For Intent Call	CHAR- 100	0	
25.	firInstitutionRout e	Institution Route type	CHAR-20	O	Required for FIR transaction
26.	firInstitutionType	Institution Type	CHAR-20	O	MTO
27.	<mark>firInstitutionNam</mark> e	<mark>Institution</mark> Name	CHAR-50	O	
28.	firInstitutionAccN um	Institution Account Number	CHAR-50	O	
29.	firPurposeCode	Purpose Code for FIR payment	CHAR-20	O	
30.	firTxnNote	Remarks for FIR payment	CHAR-50	O	
31.	<mark>firOriginatorNam</mark> e	Originator Name	CHAR-50	O	
32.	<mark>firOriginatorRefN</mark> o	<mark>Originator Ref</mark> Number	CHAR-50	O	
33.	firOriginatorType	Originator Type	CHAR-50	O	
34.	firOriginatorCity	Originator City	CHAR-50	O	
35.	firOriginatorCoun try	<mark>Originator</mark> Country	CHAR-50	0	
36.	<mark>firOriginatorGeoc</mark> ode	<mark>Originator</mark> Geocode	CHAR-50	0	

37.	<mark>firOriginatorLocat</mark> ion	Originator Location	CHAR-50	O	
38.	<mark>firBeneficiaryNam</mark> e	<mark>Beneficiary</mark> Name	CHAR-50	0	

#### Request:

```
"pgMerchantId":"INSM821518000159",
"txnId":"2504888835436",
"txnNote":"thanks",
"ts":"2022-01-03T15:37:27Z",
"initMode":"NA",
"purposeCode":"NA",
"refld": "1504888835295798",
"refUrl": "http://ernestthornhill.com",
"refCategory":"NA",
"amount":"1",
"payeeVpa": "abcd@CUB",
"payeeName":"narendra",
"payeeType":"PERSON",
"payeeMCC":"00",
"payerMobile": "919823143865",
"payerDeviceOS": "ANDROID",
"payerDeviceId": "OP123456",
"payerDeviceType":"MOB",
"payerDeviceIP":"10.58.175.113",
"payerDeviceLocation":"NA",
"payerDeviceGeoCode":"NA",
"payerDeviceAppName":"com.indusind.wallet.gui",
"currencyCode":"INR",
"addInfo2":"NA",
"addInfo3":"NA",
"addInfo4":"NA"
"addInfo5":"NA",
"addInfo6":"NA"
"addInfo7":"NA",
"addInfo8":"NA",
"addInfo9":"NA",
"addInfo10":"NA"
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Unique Transaction Identifier	CHAR-35	М	
2	ts	Time stamp of the request	Timestam p	M	2021-12- 28T16:40:00
3	status	Success/Failur e	CHAR-15	M	
4	errCode	Error Code	CHAR-10	М	

```
Response:

{
        "txnId":"2504888835436",
        "status":"Success",
        "ts":"2022-01-03T15:37:27",
        "errCode":"TXN_ERR_000"
}
```

## Payment Response Callback

Service Name	PaymentResponse
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks		
1.	txnId	Unique Transaction Identifier	CHAR- 35	М			
2.	npciTxnId	UPI Transaction Id	CHAR- 35	М			
3.	gwRefld	Gateway Reference Id	CHAR- 35	М			
4.	ts	Time stamp of the request	Timest amp	М	2021-12-28T16:40:00		
5.	status	Success/Failur e	CHAR- 15	М			
6.	errCode	Error Code	CHAR- 10	M			
7.	txnType	Transaction Type	CHAR- 10	M	PAY / COLLECT/ REFUND		
8.	payerVPA	Payer VPA	CHAR- 255	0			
9.	payerSeqN o	Payer Sequence Number	NUMB ER	0	Payer sequence number		
10.	payerName	Payer Name	CHAR- 50	0			
11.	payerAcNu m	Payer Account Number	CHAR- 50	0			
12.	payerIFSC	Payer IFSC Code	CHAR- 11	0			
13.	payerMCC	Payer MCC	CHAR-4	0			
14.	payerAcTy pe	Payer Account Type	CHAR- 20	0			
15.	settAmoun t	Settlement Amount	Decima I	0			
16.	orgAmount	Original Transaction Amount	Decima I	0			

17.	settCurren cy	Settlement Currency	CHAR-3	0	
18.	payerAppr ovalNum	Remitter Bank approval number	CHAR- 10	0	
19.	payerResp Code	Payer Response code	CHAR-3	0	
20.	payeeVPA	Payee VPA	CHAR- 255	0	
21.	payeeNam e	Payee Name	CHAR- 50	0	
22.	payeeAcNu m	Payee Account Number	CHAR- 50	0	
23.	payeeIFSC	Payee IFSC	CHAR- 11	0	
24.	payeeAcTy pe	Payee Account Type	CHAR- 20	0	
25.	payeeMCC	Payee MCC	CHAR-4	0	
26.	payeeAppr ovalNum	Beneficiary Bank Approval Number	CHAR- 10	0	
27.	payeeResp Code	Payee Response Code	CHAR-3	0	

```
{
    "txnld":"2504888835436",
    "npciTxnld":"127018232458",
    "gwRefld":"127018232468",
    "status":"Success",
    "ts":"2022-01-03T15:37:27",
    "errCode":"TXN_ERR_000",
    "txnType":"PAY",
    "payerVPA":"",
    "payerSeqNo":"",
    "payerName":"",
```

```
"payerAcNum":"",
               "payerIFSC":"",
               "payerMCC":"",
               "payerAcType":"",
               "settAmount":"",
"orgAmount":"",
               "settCurrency":"",
               "payerApprovalNum":"",
               "payerRespCode":"",
               "payeeVPA":"",
               "payeeSeqNo":"",
               "payeeName":"",
               "payeeAcNum":"",
               "payeeIFSC":"",
                "payeeMCC":"",
               "payeeAcType":"",
               "settCurrency":"",
               "payeeApprovalNum":"",
                "payeeRespCode":"",
}
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Txn Id	CHAR- 35	ME	

```
Response:

{
"txnId":"2504888835436"
}
```

## **Transaction Enquiry**

Transaction enquiry service allows transaction search by a single transaction id or by filter criteria such as from/to dates in combination with the given merchant id. Also, this API supports pagination for the front end applications to control the display of records.

Service Name	TxnEnquiry
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	searchType	Gateway RRN / Other Details	CHAR-30	M	
2	pgMerchantId	Merchant Id	CHAR-50	М	
3	gwRrn	Unique reference number	CHAR-40	СМ	Transaction Ref Id
4	fromDate	Start Date	DATE	СМ	YYYY-MM- DD
5	toDate	End Date	DATE	СМ	YYYY-MM- DD
6	phone	Customer mobile number	CHAR-12	0	in the format 91<10digit mobile>
7	recordsPerPage	Records per request	Number	СМ	Mandatory – if search Type selected as Other Details
8	pageNumber	Start Index	Number	СМ	Mandatory – if search Type selected as Other Details

9	custRefNo (RRN)	Customer Reference Number	CHAR-32	СМ	
10	)	npciTranId of the Transac-			
	npciTranId	tion	CHAR-35	CM	
13	1	Unique			
		merchant			
		Reference			
	pspRefNo	number	CHAR-32	CM	

```
{
          "searchType":"RRN",
          "pgMerchantId":"BOIM821518000159",
          "gwRrn":"1504888835295798",
          "fromDate":"2021-12-01",
          "toDate":"2021-12-05",
          "phone":"919823143865",
          "recordsPerPage":"15",
          "pageNumber":"5",
          "custRefNo (RRN)":"913621033341",
          "npciTranId":"INDB8904827C5C4416E1E0539F42180AADC",
          "pspRefNo":"1558023267087"
}
```

Response shall be an array of JSON objects in case multiple records match the search criteria.

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
Α	JSON Array				
1	txnld	Transaction Identifier	CHAR-40	М	
2	mobileNumber	Mobile number	CHAR-12	0	

3	transactionDate	Transcation Date	Timestam p	M	YYYY-MM- DD HH:MM:SS
4	amount	Transcation Amount	Decimal	M	
5	status	Transcation status	CHAR-10	M	SUCCESS / FAILURE / PENDING
6	errCode	Error Code	CHAR-5	М	
7	paymentMode	Mode of payment	CHAR-5	M	UPI/UID etc.
8	txnType	Type of transaction	CHAR-10	М	PAY / COLLECT
9	payerVPA		CHAR-255	0	
10	payerName		CHAR-100	0	
11	payerAccount		CHAR-50	0	
12	payerIFSC		CHAR-11	0	
13	payerAccType		CHAR-20	0	
14	payerType	PERSON / ENTITY	CHAR-10	0	
15	payerApprovalNu m		CHAR-10	0	Core bank Apprval number
16	payeeVPA		CHAR-255	0	
17	payeeName		CHAR-100	0	
18	payeeAccount		CHAR-50	0	
19	payeeIFSC		CHAR-11	0	
20	рауееАссТуре		CHAR-20	0	
21	рауееТуре	PERSON / ENTITY	CHAR-10	0	
22	payeeApprovalNu m		CHAR-10	0	
23	upiTransRefNo	Unique Transaction	CHAR-32	0	

		Reference number			
24	npciTransId	Unique Reference no maintained by NPCI	CHAR-35	M	
25	custRefNo	Customer Reference No	CHAR-12	M	
26	responseCode	Transaction response code	CHAR-2	M	
28	statusDesc	Transaction status description	CHAR-100	M	

#### Response:

```
{
       "txnId":"1558023267087",
       "mobileNumber": "919823143865",
       "transactionDate": "2022-01-03 15:37:27",
       "amount":"10.00",
       "status": "SUCCESS",
       "errCode":"00",
       "paymentMode":"UPI",
       "txnType":"PAY",
       "payerVPA":"abcd@CUB",
       "payerName": "narendra",
       "payerAccount":"",
       "payerIFSC":"",
       "payerAccType":"CURRENT",
       "payerType":"MERCHANT",
       "payerApprovalNum":"",
       "payeeVPA":"test@indus",
       "payeeName":"test",
       "payeeAccount":"",
       "payeeIFSC":"",
       "payeeAccType":"CURRENT",
       "payeeType":"MERCHANT",
       "payeeApprovalNum":"",
       "upiTransRefNo":"1558023267087",
       "npciTransId":"INDB8904827C5C4416E1E0539F42180AADC",
```

```
"custRefNo":"913621033341",

"responseCode":"00",

"approval-Number":"Dummy Approval Number",

"statusDesc":" Description"

}
```

## **Inward Credit Notification**

Service Name	PaymentNotification
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1.	txnId	Unique Transaction Identifier	CHAR- 35	M	
2.	npciTxnId	UPI Transaction Id	CHAR- 35	М	
3.	gwRefld	Gateway Reference Id	CHAR- 35	М	
4.	ts	Time stamp of the request	Timest amp	М	2021-12-28T16:40:00
5.	status	Success/Failur e	CHAR- 15	M	
6.	errCode	Error Code	CHAR- 10	М	
7.	txnType	Transaction Type	CHAR- 10	М	PAY / COLLECT/ REFUND
8.	payerVPA	Payer VPA	CHAR- 255	0	
9.	payerSeqN o	Payer Sequence Number	NUMB ER	0	Payer sequence number

10.	payerName	Payer Name	CHAR- 50	0	
11.	payerAcNu m	Payer Account Number	CHAR- 50	0	
12.	payerIFSC	Payer IFSC Code	CHAR- 11	0	
13.	payerMCC	Payer MCC	CHAR-4	0	
14.	payerAcTy pe	Payer Account Type	CHAR- 20	0	
15.	settAmoun t	Settlement Amount	Decima I	0	
16.	orgAmount	Original Transaction Amount	Decima I	0	
17.	settCurren cy	Settlement Currency	CHAR-3	0	
18.	payerAppr ovalNum	Remitter Bank approval number	CHAR- 10	0	
19.	payerResp Code	Payer Response code	CHAR-3	0	
20.	payeeVPA	Payee VPA	CHAR- 255	0	
21.	payeeNam e	Payee Name	CHAR- 50	0	
22.	payeeAcNu m	Payee Account Number	CHAR- 50	0	
23.	payeeIFSC	Payee IFSC	CHAR- 11	0	
24.	payeeAcTy pe	Payee Account Type	CHAR- 20	0	
25.	payeeMCC	Payee MCC	CHAR-4	0	
26.	payeeAppr ovalNum	Beneficiary Bank Approval Number	CHAR- 10	0	

27.	payeeResp	Payee	CHAR-3	0	
	Code	Response Code			

```
Request:
               {
                       "txnId": "2504888835436",
                       "npciTxnId":"127018232458",
                       "gwRefId": "127018232468",
                       "status": "Success",
                       "ts": "2022-01-03T15:37:27",
                       "errCode":"TXN_ERR_000",
                       "txnType":"PAY",
                       "payerVPA":"",
                       "payerSeqNo":"",
                       "payerName":"",
                       "payerAcNum":"",
                       "payerIFSC":"",
                       "payerMCC":"",
                       "payerAcType":"",
                       "settAmount":"",
                       "orgAmount":"",
                       "settCurrency":"",
                       "payerApprovalNum":"",
                       "payerRespCode":"",
                       "payeeVPA":"",
                       "payeeSeqNo":"",
                       "payeeName":"",
                       "payeeAcNum":"",
                       "payeeIFSC":"",
                       "payeeMCC":"",
                       "payeeAcType":"",
"settCurrency":"",
                       "payeeApprovalNum":"",
                       "payeeRespCode":"",
```

S No	Data	Element	Description	Data Type	Mandatory	Remarks
	Name					

1	txnld	Txn Id	CHAR-	ME	
			35		

```
Response:

{
    "txnld":"2504888835436"
}
```

# **Third party Validation**

Service Name	MerchantOnboarding
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandator y	Remarks
1	pspRefNo	PSP Reference Number	CHAR- 35	М	
2	upiTransRefNo		CHAR- 35	Μ	
3	npciTransId	Unique NPCI Transactio n ID	CHAR- 35	М	
4	custRefNo	Reference id	CHAR- 12	М	
5	amount	Transactio n Amount	Number	М	

6	txnAuthDate	Transaction origination date and time by the creator of the message	Timestamp	М	2021-12- 29 16:38:10
	ADDITIONAL FIELDS =07				
1	addInfo1	-	-		
2	addInfo2	Payer Account Number	CHAR- 50	М	
3	addInfo3	Account_ Name registered with the bank	CHAR- 100	M	
4	addInfo4	IFSC Code	CHAR- 11	М	
5	addInfo5	-	-		
6	addInfo6	-	-		
7	addInfo7	-	-		
	Remaining fields are kept for future use				
1	payerVpa	Payer Virtual Address	CHAR- 255	M	
2	payeeVpa	Payee Virtual Address	CHAR- 255	M	
3	orderNo	Order Number	CHAR- 50	0	
4	txnNote	Description of the transaction (which will be printed on Pass book)	CHAR- 50	M	
6			CHAR-20	М	

	txnType	Transaction Type (Pay)			
7	refURL	URL for the transaction	CHAR- 100	M	
8	requestTime	Transaction origination date and time by the creator of the message	Timestamp	М	
9	orgld	Organization id that created the message	CHAR-10	M	
10	messageldentifier	Message identifier-used to correlate between	CHAR-100	М	
11	transactionURL	URL for the transaction	CHAR-255	M	
12	initiationMode	To determine payment Mode	CHAR-2	М	
13	payerName	Payer Name	CHAR-50	М	
14	payerType	Type of the Payer	CHAR-10	M	
15	payerMcc	Merchant Category Code	CHAR-4	M	
16	payerNameAsPerIdentifi er	Payer Name	CHAR- 100	M	

17	txnCurrency	Transactio n Currency Default: "INR"	CHAR-3	M	
18	payeeName	Payee Name	CHAR- 100	0	
19	рауееТуре	Type of the Payee	CHAR- 10	0	
20	payeeMcc	Merchant Category Code	CHAR-4	М	
21	pgMerchantID	PG Merchant ID of the Beneficiary Sub Merchant	CHAR-50	M	

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1.	responseCode	Response Code from Merchant system	CHAR-5	М	
2.	responseMessage	Response code description	CHAR-50	0	
3.	status	Status	CHAR-10	M	ОК
4.	merchantName	Name of the sub merchant	CHAR- 100	С	
5.	accountIfsc	IFSC Code	CHAR-11	С	
6.	mcc	Merchant sub	CHAR-4	С	

		category code			
7.	txnApproval	Whether to allow transaction	CHAR-10	С	YES or NO
8.	orderId	Order Ref Id	CHAR-35	С	

```
{
"responseCode":"0",
"responseMessage":"Request accepted.",
"status":"OK",
"merchantName":"SubMerchant01",
"accountIfsc":"INDB0000001",
"accountNumber":"101100007866",
"mcc":"5732",
"txnApproval":"YES",
"orderId":"INDBB74EBA56EA60463EB6CC03E64F"
}
```

### **Mandate Create Request**

Service Name	MandateCreateRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

#### Notes:

- 1. Mandate create request once initiated goes to payer for authorization. Till the time mandate is authorized, mandate shall be in PENDING state
- 2. Mandate Update and Revoke requests can be initiated only for mandates where status is ACTIVE.
- 3. Rule Type and Rule Value should be populated for recurring mandates with frequency other than ONETIME, DAILY or ASPRESENTED.

S No	Data Element Name	Description	Data Type	Mandator y	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestam p	М	2021-12- 28T16:40:00
4	txnNote	Remarks	CHAR-50	М	
5	initMode	Initiation mode	CHAR-2	M	Default - 00
6	purposeCode	Purpose Code	CHAR-2	М	Default – 01 for onetime Mandate;Default – 14 for recurring Mandate
7	refld	Merchant's Reference Identifier	CHAR-50	М	
8	refurl	Reference URL if any	CHAR- 255	М	can be set as a dummy url
9	refCategory	Reference URL Category	CHAR-2	0	Default - 00
10	expireAfter	Expiry time for payer authorization in minutes	NUMERIC	0	1 minute to 64800 minutes, default is 30 minutes
11	mandateName	Mandate Name	CHAR-50	M	
12	revokeableFlag	Whether mandate can be revoked by other party	CHAR-1	0	Default: Y; value should be 'Y' for other thn one-time frequency
13	blockFundFlag	Whether to block funds	CHAR-1	СМ	Should be N for recurring mandates
14	mandateStartDat e	Start date of Mandate	DATE	М	In format DDMMYYYY

15	mandateEndDate	End date of mandate	DATE	М	In format DDMMYYYY
16	recurrenceFrequ ency	One of the following values ONETIME, DAILY, WEEKLY, FORTNIGHTLY, MONTHLY, BIMONTHLY, QUARTERLY, HALFYEARLY, YEARLY, ASPRESENTED	CHAR-20	М	
17	recurrenceRuleTy pe	One of the following BEFORE, ON, AFTER	CHAR-10	СМ	Required for recurrenceFrequen cy other than ONETIME, DAILY, ASPRESENTED
18	recurrenceRuleV alue	if the pattern selected as WEEKLY then the value will be from (1-Monday to 7-Sunday) FORTNIGHTLY(1-15 days), MONTHLY BIMONTHLY QUARTERLY HALFYEARLY YEARLY  (1-30/31 days)-If 30/31 is not available for any given month then last day of the month will be considered	NUMERIC	СМ	
19	amount	Mandate amount	DECIMAL	М	
20	amountRule	MAX or EXACT	CHAR-10	M	
21	merchantMobile	Merchant Device Mobile number	CHAR-12	0	In the format 91 <mobile number&gt;</mobile 
22	merchantDevice GeoCode	Geo code of the device	CHAR-50	0	Either Geo code or location is required for merchant transactions
23	merchantDeviceL ocation	Location of the merchant device	CHAR-50	0	
24	merchantDevicel P	IP Address of the device	CHAR-30	М	
25	merchantDeviceT ype	Type of Device	CHAR-30	М	MOB/WEB/ USSD etc

26	merchantDevicel d	ID of the device	CHAR-50	М	
27	merchantDevice OS	OS of the device	CHAR-30	СМ	Required for Type- MOB
28	merchantDevice AppName	app name of the device	CHAR-50	СМ	Required for Type- MOB
29	payerVPA	Payer VPA	CHAR- 255	М	
30	payerName	Payer Name	CHAR- 100	М	
31	payerType	Payer Type	CHAR-10	0	can be set as PERSON
32	payerMCC	Payer MCC Code	CHAR-4	0	can be set as 0000
33	payerType.accou ntNo	Payer Account Number . This field to be passed if account_validation flag is Y	CHAR-30	СМ	
34	account_validati on	This parameter is to validate the account number for mandate creation.	CHAR-1	СМ	

```
Request:
{
       "pgMerchantId":"BOIM821518000159",
       "txnId":"150488835366",
       "txnNote":"thanks",
       "ts":"2022-01-03T15:37:27Z",
       "initMode":"11",
       "purposeCode":"14",
       "refld":"1504888835295798",
       "refUrl":"http://ernestthornhill.com",
       "refCategory":"NA",
       "expireAfter":"300000",
       "mandateName":"YANITED",
       "revokeableFlag":"N",
       "blockFundFlag":"N",
       "mandateStartDate":"12012022",
```

```
"mandateEndDate":"12012023",
"recurrenceFrequency":"WEEKLY",
"recurrenceRuleType":"BEFORE",
"recurrenceRuleValue":"1-7",
"amount":"30.00",
"amountRule": "EXACT",
"merchantMobile": "911234567890",
"payerVpa":"vddd@indus",
"payerName":"narendra",
"payerType":"PERSON",
"payerMCC":"00",
"merchantDeviceAppName":"GPAY",
"merchantDeviceOS": "ANDROID",
"merchantDeviceId":"OP123456",
"merchantDeviceType":"MOB",
"merchantDeviceIP":"10.58.175.113",
"merchantDeviceLocation":"NA",
"merchantDeviceGeoCode":"NA"
"payerType.accountNo":"2222022113",
"account_validation":"Y"
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnId	Unique Transaction Identifier	CHAR-35	М	Echoed from Request
2	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
3	status	Success/Failure	CHAR-15	М	
4	errCode	Error Code	CHAR-10	М	
5	custRefNo	RRN number of the Mandate	STRING-12	M	

```
Response:

{
    "txnld": "1504888835366",
    "ts": "2022-01-03T15:37:27Z",
    "status": "SUCCESS",
    "errCode": "TXN_ERR_000",
    "custRefNo":"127018232458"
}
```

#### **Mandate Create Callback**

Service Name	MandateCreateCallback
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandat ory	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
4	status	Success/Failure	CHAR-15	М	
5	errCode	Error Code	CHAR-10	М	
6	mandateAction	CREATE	CHAR-10	M	
7	custRefNo	Customer Reference Number	CHAR-12	М	
8	refld	Reference I d	CHAR-50	ME	Echoed from request
9	mandateUMN	Unique Mandate Number	CHAR-100	С	Populated if status SUCCESS

10	mandateStatus	Status of Mandate: ACTIVE, REJECTED, EXPIRED	CHAR-20	С	
11	mandateName	Mandate Name	CHAR-50	CE	
12	revokeableFlag	Whether mandate can be revoked by other party	CHAR-1	CE	Y or N
13	blockFundFlag	Whether to block funds	CHAR-1	CE	
14	mandateStartDat e	Start date of Mandate	DATE	CE	
15	mandateEndDate	End date of mandate	DATE	CE	
16	recurrenceFrequ ency	Recurrence frequence	CHAR-20	CE	
17	recurrenceRuleTy pe	Recurrence rule type	CHAR-10	CE	
18	recurrenceRuleV alue	Rule Value	NUMERIC	CE	
19	amount	Mandate amount	DECIMAL	CE	
20	amountRule	MAX or EXACT	CHAR-10	CE	
21	payerAcNum	Payer Account Number	CHAR-50	С	
22	payerIFSC	Payer IFSC Code	CHAR-11	С	
23	payerMCC	Payer MCC	CHAR-4	С	
24	payerAcType	Payer Account Type	CHAR-20	С	
25	payerVPA	Payer VPA	CHAR-255	CE	
26	payerName	Payer Name	CHAR-100	С	
27	payerType	Payer Type	CHAR-10	С	
28	call_back_id	Unique id for each callback request	CHAR-35	М	
29	requestDate	Mandate Request Date and time	CHAR-50	М	
30	remarks	Mandate Remarks if any	CHAR-50	M	
31	name	Mandate Name	CHAR-20	М	
32	payeeVPA	Payee VPA/UPIID	CHAR-255	М	
33	payeeName	Payee Name	CHAR-100	М	
34	creditIfsc	Beneficiary IFSC	CHAR-11	M	

35	crediAccount	Beneficiary Account Number	CHAR-20	M	
36	noOfDebit	No of Debit done : This is for future use	NUMBER- 10	М	
37	remainingDebit	Remaining debit: This for future use	NUMBER- 10	M	
38	onBehalf_Of	Mandate Initiated by	CHAR-FIXED	M	PAYEE
39	purpose_code	Type of mandate	CHAR-2	M	
40	statusDesc	API Status description	CHAR-100	M	
41	has_update_auth ority	Update Authority	CHAR-1	M	
42	respCode	Response Code	CHAR-2	M	
43	рауТуре	Pay Type - P2P/ P2M	CHAR-3	M	
44	blockFund	Block Fund flag	CHAR-1	M	

```
Request:
{
              "pgMerchantId": "BOIM821518000159",
              "txnId":"150488835315",
              "ts":"2021-12-08T10:50:30+05:30",
              "mandateAction": "CREATE",
              "status":"SUCCESS",
              "errCode":"000",
              "mandateUMN": "CUB12616187b4c698f835fca50a4f3@upi",
              "custRefNo":"127018232458",
              "refld":"",
              "mandateStatus":"ACTIVE",
              "mandateName": "CREATE Mandate test",
              "revokeableFlag":"Y",
              "blockFundFlag":"N",
              "mandateStartDate":"28092020",
              "mandateEndDate": "28092021",
              "recurrenceFrequency": "DAILY",
              "recurrenceRuleType": "BEFORE",
              "recurrenceRuleValue":"",
              "amount":"2001.00",
              "amountRule":"EXACT",
              "payerAcNum":"158968821000",
              "payerIFSC": "NDB0000020",
              "payerMCC": "5960",
```

```
"payerAcType:"",
"payerVPA":"mani@indus",
"payerName":"Test Payer",
"payerType":"",
"call_back_id":"12012023",
"requestDate":"WEEKLY",
"remarks":"BEFORE",
"name": "CREATE Mandate test",
"payeeVPA":"abc@CUB",
"payeeName":"Bruno",
"creditIfsc":"INDB0000007",
"crediAccount":"1234567890",
"noOfDebit":"",
"remainingDebit":"",
"onBehalf_Of":"PAYEE",
"purpose_code":"14",
"statusDesc":"",
"respCode":"000",
"payType":"P2M",
"blockFund":"N"
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks	
1	txnld	Unique Transaction Identifier	CHAR- 35	ME		
Respons	e:					
{     "txnld": "1504888835315", }						

### **Mandate Update Request**

Service Name	MandateUpdateRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

#### Notes:

- 1. Only ACTIVE mandates can be modified
- 2. Payee initiated mandates cannot be modified by Payer
- 3. Amount and end date of mandate can be modified by Payee, however Payer authorization will be required.

S No	Data Element Name	Description	Data Type	Mandato ry	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestam p	М	2021-12- 28T16:40:0 0
4	txnNote	Remarks	CHAR-50	М	
5	initMode	Initiation mode	CHAR-2	М	Default - 00
6	purposeCode	Purpose Code	CHAR-2	М	Default - 00
7	refld	Merchant's Reference Identifier	CHAR-50	М	
8	refurl	Reference URL if any	CHAR-255	М	can be set as a dummy url
9	refCategory	Reference URL Category	CHAR-2	0	Default - 00
10	expireAfter	Expiry time for payer authorization in minutes	NUMERIC	0	1 minute to 64800 minutes, default is 30 minutes
11	mandateAction	UPDATE	CHAR-10	М	

12	mandateUMN	Unique Mandate Number	CHAR-100	М	
13	mandateEndDate	End date of mandate	DATE	М	Only End Date can be changed. In format DDMMYYY Y
14	amount	Mandate amount	DECIMAL	М	Can be changed
15	amountRule	MAX or EXACT	CHAR-10	М	Can be changed
16	merchant Mobile	Merchant Device Mobile number	CHAR-12	0	In the format 91 <mobile number=""></mobile>
17	merchantDeviceGeoC ode	Geo code of the device	CHAR-50	0	Either Geo code or location is required for merchant transaction s
18	merchantDeviceLocat ion	Location of the merchant device	CHAR-50	0	
19	merchantDeviceIP	IP Address of the device	CHAR-30	М	
20	merchantDeviceType	Type of Device	CHAR-30	М	MOB/WEB / USSD etc
21	merchantDeviceId	ID of the device	CHAR-50	СМ	Required for Type- MOB
22	merchantDeviceOS	OS of the device	CHAR-30	СМ	Required for Type- MOB
23	merchantDeviceApp Name	app name of the device	CHAR-50	М	

```
Request:
{
       "pgMerchantId": "BOIM821518000159",
       "txnId":"1104888845344",
       "txnNote":"thanks",
       "ts":"2022-01-03T15:37:27Z",
       "initMode":"11",
       "purposeCode":"14",
       "refld":"1504888835295798",
       "refUrl": "http://ernestthornhill.com",
       "refCategory":"NA",
       "expireAfter": "300000",
       "mandateAction":"UPDATE",
       "mandateUMN": "CUB12616187b4c698f835fca50a4f3@upi",
       "blockFundFlag":"N",
       "mandateEndDate":"12012023",
       "amount":"30.00",
       "amountRule": "EXACT",
       "merchantMobile": "911234567890",
       "merchantDeviceAppName":"GPAY",
       "merchantDeviceOS": "ANDROID",
       "merchantDeviceId": "OP123456",
       "merchantDeviceType":"MOB",
       "merchantDeviceIP":"10.58.175.113",
       "merchantDeviceLocation": "NA",
       "merchantDeviceGeoCode":"NA"
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnId	Unique Transaction Identifier	CHAR-35	М	
2	ts	Time stamp of the request	Timestamp	М	2021-12-28T16:40:00
3	status	Success/Failure	CHAR-15	М	
4	errCode	Error Code	CHAR-10	М	
5	statusDesc	API Status description	CHAR-200	М	

```
Response:

{
    "txnId": "1504888835366",
    "ts": "2022-01-03T15:37:27Z",
    "status": "SUCCESS",
    "errCode": "TXN_ERR_000",
    "custRefNo":"127018232458"
}
```

### Mandate Update Response Callback

Service Name	MandateUpdateCallback
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandat ory	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
4	status	Success/Failure	CHAR-15	М	
5	errCode	Error Code	CHAR-10	М	
6	mandateAction	UPDATE	CHAR-10	М	
7	custRefNo	Customer Reference Number	CHAR-12	М	
8	refld	Reference I d	CHAR-50	ME	Echoed from request

9	mandateUMN	Unique Mandate Number	CHAR-100	С	Populated if status SUCCESS
10	mandateStatus	Status of Mandate: ACTIVE, REJECTED, EXPIRED	CHAR-20	С	
11	mandateName	Mandate Name	CHAR-50	CE	
12	revokeableFlag	Whether mandate can be revoked by other party	CHAR-1	CE	Y or N
13	blockFundFlag	Whether to block funds	CHAR-1	CE	
14	mandateStartDat e	Start date of Mandate	DATE	CE	
15	mandateEndDate	End date of mandate	DATE	CE	
16	recurrenceFrequ ency	Recurrence frequence	CHAR-20	CE	
17	recurrenceRuleTy pe	Recurrence rule type	CHAR-10	CE	
18	recurrenceRuleV alue	Rule Value	NUMERIC	CE	
19	amount	Mandate amount	DECIMAL	CE	
20	amountRule	MAX or EXACT	CHAR-10	CE	
21	payerAcNum	Payer Account Number	CHAR-50	С	
22	payerIFSC	Payer IFSC Code	CHAR-11	С	
23	payerMCC	Payer MCC	CHAR-4	С	
24	payerAcType	Payer Account Type	CHAR-20	С	
25	payerVPA	Payer VPA	CHAR-255	CE	
26	payerName	Payer Name	CHAR-100	С	
27	payerType	Payer Type	CHAR-10	С	
28	call_back_id	Unique id for each callback request	CHAR-35	М	
29	requestDate	Mandate Request Date and time	CHAR-50	М	
30	remarks	Mandate Remarks if any	CHAR-50	М	
31	name	Mandate Name	CHAR-20	М	
32	payeeVPA	Payee VPA/UPIID	CHAR-255	М	
33	payeeName	Payee Name	CHAR-100	М	

34	creditIfsc	Beneficiary IFSC	CHAR-11	M	
35	crediAccount	Beneficiary Account Number	CHAR-20	M	
36	noOfDebit	No of Debit done : This is for future use	NUMBER- 10	М	
37	remainingDebit	Remaining debit: This for future use	NUMBER- 10	M	
38	onBehalf_Of	Mandate Initiated by	CHAR-FIXED	M	PAYEE
39	purpose_code	Type of mandate	CHAR-2	M	
40	statusDesc	API Status description	CHAR-100	M	
41	has_update_auth ority	Update Authority	CHAR-1	M	
42	respCode	Response Code	CHAR-2	М	
43	рауТуре	Pay Type - P2P/ P2M	CHAR-3	M	
44	blockFund	Block Fund flag	CHAR-1	M	

```
Request:
{
              "pgMerchantId": "BOIM821518000159",
              "txnId":"150488835315",
              "ts":"2021-12-08T10:50:30+05:30",
              "mandateAction":"UPDATE",
              "status": "SUCCESS",
              "errCode":"000",
              "mandateUMN":"CUB12616187b4c698f835fca50a4f3@upi",
              "custRefNo":"127018232458",
              "refld":"",
              "mandateStatus":"ACTIVE",
              "mandateName":"UPDATE Mandate test",
              "revokeableFlag":"Y",
              "blockFundFlag":"N",
              "mandateStartDate":"28092020",
              "mandateEndDate": "28092021",
              "recurrenceFrequency": "DAILY",
              "recurrenceRuleType": "BEFORE",
              "recurrenceRuleValue":"",
              "amount":"2001.00",
              "amountRule":"EXACT",
              "payerAcNum":"158968821000",
```

```
"payerIFSC":"NDB0000020",
"payerMCC":"5960",
"payerAcType:"",
"payerVPA":"mani@indus",
"payerName":"Test Payer",
"payerType":"",
"call_back_id":"12012023",
"requestDate":"WEEKLY",
"remarks": "BEFORE",
"name": "CREATE Mandate test",
"payeeVPA":"abc@CUB",
"payeeName":"Bruno",
"creditIfsc":"INDB0000007",
"crediAccount":"1234567890",
"noOfDebit":"",
"remainingDebit":"",
"onBehalf_Of":"PAYEE",
"purpose_code":"14",
"statusDesc":"",
"respCode":"000",
"payType":"P2M",
"blockFund":"N"
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Unique Transaction Identifier	CHAR- 35	М	

```
Response:

{
    "txnld": "1504888835315",
}
```

# Mandate Revoke Request

Service Name	MandateRevokeRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

### Notes:

1. Only ACTIVE mandates can be revoked

S No	Data Element Name	Description	Data Type	Mandato ry	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestam p	М	2021-12- 28T16:40:0 0
4	txnNote	Remarks	CHAR-50	М	
5	initMode	Initiation mode	CHAR-2	М	Default - 00
6	purposeCode	Purpose Code	CHAR-2	М	Default - 00
7	refld	Merchant's Reference Identifier	CHAR-50	М	
8	refurl	Reference URL if any	CHAR-255	М	can be set as a dummy url
9	refCategory	Reference URL Category	CHAR-2	0	Default - 00
10	initiatedBy	Mandate Initiated By	CHAR-10	М	PAYER or PAYEE
11	expireAfter	Expiry time for payer authorization in minutes	NUMERIC	0	1 minute to 64800 minutes, default is 30 minutes
12	mandateAction	REVOKE	CHAR-10	М	
13	mandateUMN	Unique Mandate Number	CHAR-100	М	

14	merchant Mobile	Merchant Device Mobile number	CHAR-12	0	In the format 91 <mobile number=""></mobile>
15	merchant Device Geo Code	Geo code of the device	CHAR-50	0	Either Geo code or location is required for merchant transaction s
16	merchantDeviceLocat ion	Location of the merchant device	CHAR-50	0	
17	merchantDeviceIP	IP Address of the device	CHAR-30	М	
18	merchantDeviceType	Type of Device	CHAR-30	М	MOB/WEB / USSD etc
19	merchantDeviceId	ID of the device	CHAR-50	СМ	Required for Type- MOB
20	merchantDeviceOS	OS of the device	CHAR-30	СМ	Required for Type- MOB
21	merchantDeviceApp Name	app name of the device	CHAR-50	М	

```
{
    "pgMerchantId":"BOIM821518000159",
    "txnId":"1104888845344",
    "txnNote":"thanks",
    "ts":"2022-01-03T15:37:27Z",
    "initMode":"11",
    "purposeCode":"14",
    "refId":"1504888835295798",
    "refUrl":"http://ernestthornhill.com",
    "refCategory":"NA",
    "expireAfter":"300000",
```

```
"mandateAction":"REVOKE",
"mandateUMN":"CUB12616187b4c698f835fca50a4f3@upi",
"merchantMobile":"911234567890",
"merchantDeviceAppName":"GPAY",
"merchantDeviceOS":"ANDROID",
"merchantDeviceId":"OP123456",
"merchantDeviceType":"MOB",
"merchantDeviceIP":"10.58.175.113",
"merchantDeviceLocation":"NA",
"merchantDeviceGeoCode":"NA"
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnId	Unique Transaction Identifier	CHAR-35	М	
2	ts	Time stamp of the request	Timestamp	M	2021-12-28T16:40:00
3	status	Success/Failure	CHAR-15	М	
4	errCode	Error Code	CHAR-10	М	
5	statusDesc	API Status description	CHAR-200	М	

```
Response:

{
    "txnld": "1504888835366",
    "ts": "2022-01-03T15:37:27Z",
    "status": "SUCCESS",
    "errCode": "TXN_ERR_000",
    "custRefNo":"127018232458"
}
```

#### Mandate Revoke Response Callback

Service Name	MandateRevokeCallback
--------------	-----------------------

HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandat ory	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
4	status	Success/Failure	CHAR-15	М	
5	errCode	Error Code	CHAR-10	М	
6	mandateAction	UPDATE	CHAR-10	М	
7	custRefNo	Customer Reference Number	CHAR-12	М	
8	refld	Reference I d	CHAR-50	ME	Echoed from request
9	mandateUMN	Unique Mandate Number	CHAR-100	С	Populated if status SUCCESS
10	mandateStatus	Status of Mandate: ACTIVE, REJECTED, EXPIRED	CHAR-20	С	
11	mandateName	Mandate Name	CHAR-50	CE	
12	revokeableFlag	Whether mandate can be revoked by other party	CHAR-1	CE	Y or N
13	blockFundFlag	Whether to block funds	CHAR-1	CE	
14	mandateStartDat e	Start date of Mandate	DATE	CE	
15	mandateEndDate	End date of mandate	DATE	CE	
16	recurrenceFrequ ency	Recurrence frequence	CHAR-20	CE	
17	recurrenceRuleTy pe	Recurrence rule type	CHAR-10	CE	
18	recurrenceRuleV alue	Rule Value	NUMERIC	CE	

19	amount	Mandate amount	DECIMAL	CE	
20	amountRule	MAX or EXACT	CHAR-10	CE	
21	payerAcNum	Payer Account Number	CHAR-50	С	
22	payerIFSC	Payer IFSC Code	CHAR-11	С	
23	payerMCC	Payer MCC	CHAR-4	С	
24	payerAcType	Payer Account Type	CHAR-20	С	
25	payerVPA	Payer VPA	CHAR-255	CE	
26	payerName	Payer Name	CHAR-100	С	
27	payerType	Payer Type	CHAR-10	С	
28	call_back_id	Unique id for each callback request	CHAR-35	М	
29	requestDate	Mandate Request Date and time	CHAR-50	M	
30	remarks	Mandate Remarks if any	CHAR-50	М	
31	name	Mandate Name	CHAR-20	М	
32	payeeVPA	Payee VPA/UPIID	CHAR-255	М	
33	payeeName	Payee Name	CHAR-100	М	
34	creditIfsc	Beneficiary IFSC	CHAR-11	М	
35	crediAccount	Beneficiary Account Number	CHAR-20	М	
36	noOfDebit	No of Debit done : This is for future use	NUMBER- 10	М	
37	remainingDebit	Remaining debit: This for future use	NUMBER- 10	М	
38	onBehalf_Of	Mandate Initiated by	CHAR-FIXED	M	PAYEE
39	purpose_code	Type of mandate	CHAR-2	М	
40	statusDesc	API Status description	CHAR-100	M	
41	has_update_auth ority	Update Authority	CHAR-1	M	
42	respCode	Response Code	CHAR-2	M	
43	рауТуре	Pay Type - P2P/ P2M	CHAR-3	М	
44	blockFund	Block Fund flag	CHAR-1	M	

```
Request:
{
               "pgMerchantId": "BOIM821518000159",
               "txnId":"150488835315",
               "ts":"2021-12-08T10:50:30+05:30",
               "mandateAction": "REVOKE",
               "status": "SUCCESS",
               "errCode":"000",
               "mandateUMN": "CUB12616187b4c698f835fca50a4f3@upi",
               "custRefNo":"127018232458",
               "refId":"",
               "mandateStatus":"ACTIVE",
               "mandateName": "UPDATE Mandate test",
              "revokeableFlag":"Y",
               "blockFundFlag":"N",
               "mandateStartDate": "28092020",
               "mandateEndDate": "28092021",
               "recurrenceFrequency": "DAILY",
               "recurrenceRuleType": "BEFORE",
               "recurrenceRuleValue":"",
               "amount": "2001.00",
               "amountRule": "EXACT",
               "payerAcNum":"158968821000",
               "payerIFSC": "NDB0000020",
               "payerMCC": "5960",
               "payerAcType:"",
               "payerVPA": "mani@indus",
               "payerName":"Test Payer",
               "payerType":"",
               "call back id":"12012023",
               "requestDate":"WEEKLY",
               "remarks": "BEFORE",
               "name": "CREATE Mandate test",
               "payeeVPA": "abc@CUB",
               "payeeName": "Bruno",
               "creditIfsc":"INDB0000007",
               "crediAccount":"1234567890",
               "noOfDebit":"",
               "remainingDebit":"",
               "onBehalf Of":"PAYEE",
               "purpose code":"14",
               "statusDesc":"",
               "respCode":"000",
               "payType":"P2M",
               "blockFund":"N"
```

}

# Response Attributes

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Unique Transaction Identifier	CHAR- 35	M	

```
Response:

{
    "txnld": "1504888835315",
}
```

# **Mandate Status Enquiry**

Service Name	MandateStatusEnquiry
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
4	orgTxnId	Original Transaction	CHAR-50	M	

		identifier for mandate create/update / revoke request			
5	mandateAction	/REVOKE	CHAR-10	М	
6	onBehalf_Of	Mandate Initiated by	CHAR-FIXED		
<del>z</del>	<del>umn</del>	Unique Mandate Reference Number Either orgPspRefNo or UMN is mandatory.	CHAR-72	<mark>o</mark>	<u>-</u>

```
Request:

{
    "pgMerchantId":"BOIM821518000159",
    "txnId":"INDBCKKWQO46P5QTRKSWPS3XTSC1AXQ65EZ",
    "ts":"2022-01-03T15:37:27Z",
    "orgTxnId":"INDBCKKWQO46P5QTRKSWPS3X1111AXQ6000",
    "mandateAction":"CREATE",
    "onBehalf_Of":"PAYEE"
}
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	pgMerchantI d	PG merchant ID	CHAR-20	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
4	status	Success / Failure / Pending	CHAR-15	М	
5	errCode	Error Code	CHAR-10	М	

6	mandateAction	CREATE / UPDATE/ REVOKE	CHAR-10	М	
7	custRefNo	Customer Reference Number	CHAR-12	M	
8	refld	Reference I d	CHAR-50	ME	Echoed from request
9	mandateUMN	Unique Mandate Number	CHAR-100	С	Populated if status SUCCESS
10	mandateStatus	Status of Mandate: ACTIVE, REJECTED, EXPIRED	CHAR-20	С	
11	mandateName	Mandate Name	CHAR-50	CE	
12	revokeableFlag	Whether mandate can be revoked by other party	CHAR-1	CE	Y or N
13	blockFundFlag	Whether to block funds	CHAR-1	CE	
14	mandateStartDate	Start date of Mandate	DATE	CE	
15	mandateEndDate	End date of mandate	DATE	CE	
16	recurrenceFrequency	Recurrence frequence	CHAR-20	CE	
17	recurrenceRuleType	Recurrence rule type	CHAR-10	CE	
18	recurrenceRuleValue	Rule Value	NUMERIC	CE	
19	amount	Mandate amount	DECIMAL	CE	
20	amountRule	MAX or EXACT	CHAR-10	CE	
21	payerAcNum	Payer Account Number	CHAR-50	С	
22	payerIFSC	Payer IFSC Code	CHAR-11	С	

23	payerMCC	Payer MCC	CHAR-4	С	
24	payerAcType	Payer Account Type	CHAR-20	С	
25	payerVPA	Payer VPA	CHAR-255	CE	
26	payerName	Payer Name	CHAR-100	С	
27	payerType	Payer Type	CHAR-10	С	
28	statusDesc	API Status description	CHAR-200	М	
29	requestDate	Mandate Request Date and time	CHAR-50	М	
30	remarks	Mandate Remarks if any	CHAR-50	0	
31	payeeVPA	Payee VPA/UPI ID	CHAR-255	M	
32	payeeName	Payee Name	CHAR-100	М	
33	creditIfsc	creditIfsc	CHAR-11	М	
34	crediAccount	crediAccount	CHAR-20	М	
35	noOfDebit	No of Debit done: This is for future use	NUMBER-10	0	
36	remainingDe bit	Remaining debit: This for future use	NUMBER-10	0	
37	onBehalf_Of	Mandate Initiated by	CHAR-FIXED	M	
38	purpose_cod e	Type of mandate	CHAR-2	0	
39	nextRecurDate	Mandate next debit date	CHAR-50	0	
40	remRecuCount	Remaining number of debits for the given mandate	NUMBER-5	0	
41	has_update_authority	Update Authority	CHAR-1	М	

#### Response:

```
{
       "pgMerchantId":"INDB000006002278",
       "txnId":"INDBCKKWQO46P5QTRKSWPS3XTSC1AXQ65EZ",
       "ts":"2021-12-08T10:50:30+05:30",
       "status": "SUCCESS",
       "errCode":"00",
       "mandateAction":"CREATE",
       "custRefNo":"121231738123",
       "refld":"",
       "mandateUMN": "Mec5cb6b2b0640caa3d93d190095c002@indus",
       "mandateStatus":"ACTIVE",
       "mandateName": "Test Mandate",
       "revokeableFlag":"Y",
       "blockFundFlag":"N",
       "mandateStartDate": "25072019",
       "mandateEndDate": "25092019",
       "recurrenceFrequency":"WEEKLY",
       "recurrenceRuleType":"BEFORE",
       "recurrenceRuleValue":"1-7",
       "amount":"221.00",
       "amountRule": "EXACT",
       "payerAcNum": "0000030001589909",
       "payerIFSC":"INDBN0000437",
       "payerMCC": "5906",
       "payerAcType":"",
       "payerVPA": "testvpa@indus",
       "payerName":"Test Payer",
       "payerType":"",
       "statusDesc": "Test Success",
       "requestDate": "25 Jul 2019 12:37 PM",
       "remarks":"",
       "payeeVPA":"india.uber@indus",
       "payeeName":"Test Payee",
       "creditIfsc":"INDB0000160",
       "crediAccount": "01601200021634",
       "noOfDebit":"0",
       "remainingDebit":"0",
       "onBehalf_Of":"PAYEE",
       "purpose code":"00",
       "nextRecurDate": "Feb 28, 2020 12:00:00 AM",
       "remRecuCount": "3",
```

```
"has_update_authority":"Y"
}
```

# Mandate List Enquiry

Service Name	MandateListEnquiry
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandator y	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	M	
2	txnId	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:0 0
4	fromDate	From Date	DATE	0	In the format DDMMYYYY
5	toDate	To Date	DATE	0	In the format DDMMYYYY
6	mandateStatus	ACTIVE, REVOKED, COMPLETED , PAUSED, EXPIRED	CHAR-10	0	Mandate status filter
7	fromIndex	Pagination starting record index	NUMERIC	0	Default shall be 0
8	toIndex	Pagination to index	NUMERIC	0	Default shall be 50

ĺ						Default shall
			Total			be 50, max
			records to			allowed is
	9	totalRecords	be returned	NUMERIC	0	100

```
Request:

{
         "pgMerchantId":"INDB000006002278",
         "txnId":"INDBCKKWQ046P5QTRKSWPS3XTSC1AXQ65EZ",
         "ts":"2021-12-08T10:50:30+05:30",
         "fromDate":"25072019",
         "toDate":"27072019",
         "mandateStatus":"ACTIVE",
         "fromIndex":"0",
         "toIndex":"50",
          "totalRecords":"50"
}
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Unique Transaction Identifier	CHAR-35	М	
2	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
3	status	Success/Failure	CHAR-15	М	
4	errCode	Error Code	CHAR-10	М	
5	fromDate	From Date	DATE	CE	In the format DDMMYYYY
6	toDate	To Date	DATE	CE	In the format DDMMYYYY

		ACTIVE, REVOKED, COMPLETED, PAUSED,			Mandate
7	mandateStatus	EXPIRED	CHAR-10	CE	status filter
8	fromIndex	Pagination starting record index	NUMERIC	CE	Default shall be 0
9	toIndex	Pagination to index	NUMERIC	CE	Default shall be 50
10	totalRecords	Total records to be returned	NUMERIC	CE	Default shall be 50, max allowed is 100
11	mandateRecords	JSON array of mandate objects	JSON Array	0	Populated if records match the search criteria
12	mandateTxnId	Mandate Transaction Identifier	CHAR-40	М	
13	custRefNo	Customer Reference Number	CHAR-12	М	
14	refld	Reference Id	CHAR-50	М	
15	mandateUMN	Unique Mandate Number	CHAR-100	М	Echoed from request
16	mandateStatus	Status of Mandate: ACTIVE, REJECTED, EXPIRED, COMPLETED, PAUSED	CHAR-20	M	Populated if status SUCCESS
17	revokeableFlag	Whether mandate can be revoked by other party	CHAR-1	М	Y or N
18	blockFundFlag	Whether to block funds	CHAR-1	М	

19	mandateStartDate	Start date of Mandate	DATE	М	
20	mandateEndDate	End date of mandate	DATE	М	
21	recurrenceFrequency	Recurrence frequence	CHAR-20	М	
22	recurrenceRuleType	Recurrence rule type	CHAR-10	М	
23	recurrenceRuleValue	Rule Value	NUMERIC	М	
24	amount	Mandate amount	DECIMAL	М	
25	amountRule	MAX or EXACT	CHAR-10	М	
26	payerAcNum	Payer Account Number	CHAR-50	М	
27	payerIFSC	Payer IFSC Code	CHAR-11	М	
28	payerMCC	Payer MCC	CHAR-4	М	
29	payerAcType	Payer Account Type	CHAR-20	М	
30	payerVPA	Payer VPA	CHAR-255	М	
31	payerName	Payer Name	CHAR-100	М	
32	payerType	Payer Type	CHAR-10	М	
33	pgMerchantId	PG merchant ID	STRING-20	М	
34	statusDesc	API Status description	STRING-200	М	
35	respCode	NPCI response code	STRING-6	0	
36	requestDate	Mandate Request Date and time	STRING-50	М	
37	remarks	Mandate Remarks if any	STRING-50	0	
38	name	Mandate Name	STRING-20	М	

39	payeeVPA	Payee VPA/UPI ID	STRING-255	М	
40	payeeName	Payee Name	STRING-100	М	
41	noOfDebit	No of Debit done : This is for future use	NUMBER-10	0	
42	remainingDebit	Remaining debit: This for future use	NUMBER-10	0	
43	onBehalf_Of	Mandate Initiated by	STRING- FIXED	М	
44	nextRecurDate	Mandate next debit date	String-50	0	
45	remRecuCount	Remaining number of debits for the given mandate	Number-5	0	
46	has_update_a uthority	Update authority	String-2	0	
	_	Pay Type P2M- Payer to Merchant P2P- User to			
47	рауТуре	User	String-3	0	

```
{
    "txnId":"INDBCKKWQO46P5QTRKSWPS3XTSC1AXQ65EZ",
    "ts":"2021-12-08T10:50:30+05:30",
    "status":"SUCCESS",
    "errCode":"00",
    "fromDate":"25072019",
    "toDate":"27072019",
    "mandateStatus":"ACTIVE",
    "fromIndex":"0",
    "tolndex":"50",
    "totalRecords":"50",
    "mandateRecords":"50",
    "mandateTxnId":"MNDBCKKWQO46P5QTRKSWPS3XTSC1AXQ65EZ",
    "custRefNo":"121231738123"
```

```
"refId":"",
"mandateUMN": "Mec5cb6b2b0640caa3d93d190095c002@indus",
"mandateStatus":"ACTIVE",
"revokeableFlag":"Y",
"blockFundFlag":"N",
"mandateStartDate":"25072019",
"mandateEndDate": "25072019",
"recurrenceFrequency":"WEEKLY",
"recurrenceRuleType": "BEFORE",
"recurrenceRuleValue":"1-7",
"amount":"221.00",
"amountRule":"EXACT",
"payerAcNum": "0000030001589909",
"payerIFSC":"INDBN0000437",
"payerMCC":"5906",
"payerAcType":"",
"payerVPA":"testvpa@indus",
"payerName":"Test Payer",
"payerType":"",
"pgMerchantId":"INDB000006002278",
"statusDesc": "Success Desc",
"respCode":"00",
"requestDate":25 Jul 2019 12:37 PM"",
"remarks":"",
"name": "Test Mandate Name",
"payeeVPA":"india.uber@indus",
"payeeName":"Test Payee",
"noOfDebit":"0",
"remainingDebit":"0",
"onBehalf Of": "PAYEE",
"nextRecurDate": "Feb 28, 2020 12:00:00 AM",
"remRecuCount":"3",
"has update authority": "Y",
"payType":"P2M"
```

#### **Incoming Mandate Notification**

Service Name	MandateNotification
HTTP Method	POST
HTTP Headers	Content-Type: application/json

Notes:

1. This API is invoked on merchant system when a payer initiated mandate is received from payer PSP directed towards merchant.

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
4	status	Success/Failure	CHAR-15	М	
5	errCode	Error Code	CHAR-10	М	
6	mandateAction	CREATE	CHAR-10	М	
7	custRefNo	Customer Reference Number	CHAR-12	М	
8	refld	Reference Id	CHAR-50	ME	Echoed from request
9	mandateUMN	Unique Mandate Number	CHAR-100	С	Populated if status SUCCESS
10	mandateStatus	Status of Mandate: ACTIVE, REJECTED, EXPIRED	CHAR-20	С	
11	mandateName	Mandate Name	CHAR-50	CE	
12	revokeableFlag	Whether mandate can be revoked by other party	CHAR-1	CE	Y or N
13	blockFundFlag	Whether to block funds	CHAR-1	CE	
14	mandateStartDate	Start date of Mandate	DATE	CE	
15	mandateEndDate	End date of mandate	DATE	CE	
16	recurrenceFrequency	Recurrence frequence	CHAR-20	CE	
17	recurrenceRuleType	Recurrence rule type	CHAR-10	CE	
18	recurrenceRuleValue	Rule Value	NUMERIC	CE	

19	amount	Mandate amount	DECIMAL	CE	
20	amountRule	MAX or EXACT	CHAR-10	CE	
21	payerAcNum	Payer Account Number	CHAR-50	С	
22	payerIFSC	Payer IFSC Code	CHAR-11	С	
23	payerMCC	Payer MCC	CHAR-4	С	
24	payerAcType	Payer Account Type	CHAR-20	С	
25	payerVPA	Payer VPA	CHAR-255	CE	
26	payerName	Payer Name	CHAR-100	С	
27	payerType	Payer Type	CHAR-10	С	
28	call_back_id	Unique id for each callback request	CHAR-35	М	
29	requestDate	Mandate Request Date and time	STRING-50	М	
30	remarks	Mandate Remarks if any	STRING-50	M	
31	name	Mandate Name	STRING-20	М	
32	payeeVPA	Payee VPA/UPIID	STRING- 255	M	
33	payeeName	Payee Name	STRING- 100	М	
34	creditIfsc	Beneficiary IFSC	STRING-11	М	
35	crediAccount	Beneficiary Account Number	STRING-20	М	
36	noOfDebit	No of Debit done : This is for future use	NUMBER- 10	М	
37	remainingDebit	Remaining debit: This for future use	NUMBER- 10	М	
38	onBehalf_Of	Mandate Initiated by	STRING- FIXED	M	PAYER
39	purpose_code	Type of mandate	String-2	М	

		API Status			
40	statusDesc	description	String-100	М	
41	has_update_authority	Update Authority	String-1	M	
42	respCode	Response Code	String-2	М	
43	рауТуре	Pay Type - P2P/ P2M	String-3	М	
44	blockFund	Block Fund flag	String-1	М	_

```
Request:
{
               "pgMerchantId": "BOIM821518000159",
               "txnId":"1504888835315",
               "ts": "2021-12-08T10:50:30+05:30",
               "mandateAction": "CREATE",
               "status": "SUCCESS",
               "errCode":"000",
               "mandateUMN": "CUB12616187b4c698f835fca50a4f3@upi",
              "custRefNo":"127018232458",
               "refId":"",
              "mandateStatus":"ACTIVE",
               "mandateName": "CREATE Mandate test",
              "revokeableFlag":"Y",
              "blockFundFlag":"N",
               "mandateStartDate": "28092020",
               "mandateEndDate": "28092021",
               "recurrenceFrequency": "DAILY",
               "recurrenceRuleType": "BEFORE",
               "recurrenceRuleValue":"",
              "amount": "2001.00",
              "amountRule": "EXACT",
               "payerAcNum":"158968821000",
               "payerIFSC":"NDB0000020",
               "payerMCC": "5960",
               "payerAcType:"",
               "payerVPA":"mani@indus",
               "payerName":"Test Payer",
               "payerType":"",
               "call_back_id":"12012023",
               "requestDate":"WEEKLY",
               "remarks": "BEFORE",
               "name": "CREATE Mandate test",
               "payeeVPA": "abc@CUB",
               "payeeName": "Bruno",
              "creditIfsc":"INDB0000007",
               "crediAccount": "1234567890",
```

```
"noOfDebit":"",

"remainingDebit":"",

"onBehalf_Of":"PAYEE",

"purpose_code":"14",

"statusDesc":"",

"respCode":"000",

"payType":"P2M",

"blockFund":"N"
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnId	Unique Transaction Identifier	CHAR-35	М	

```
Response:

{
    "txnld": "1504888835315",
}
```

#### **Mandate Pre-debit Notification**

Service Name	MandateDebitNotification
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
4	txnNote	Remarks	CHAR-50	М	
5	initMode	Initiation mode	CHAR-2	М	Default - 00
6	purposeCode	Purpose Code	CHAR-2	М	Default - 00
7	refld	Merchant's Reference Identifier	CHAR-50	М	
8	refurl	Reference URL if any	CHAR-255	М	can be set as a dummy url
9	refCategory	Reference URL Category	CHAR-2	0	Default - 00
10	mandateUMN	Unique Mandate Number	CHAR-100	М	
11	mandateNextExecutionTs	Next Execution timestamp	Timestamp	М	
12	amount	Mandate amount	DECIMAL	М	
13	merchantMobile	Merchant Device Mobile number	CHAR-12	0	To be picked from merchant data available in UPI Switch if not populated
14	merchantDeviceGeoCode	Geo code of the device	CHAR-50	0	Either Geo code or location is required for merchant transactions
15	merchantDeviceLocation	Location of the merchant device	CHAR-50	0	
16	merchantDeviceIP	IP Address of the device	CHAR-30	М	

17	merchantDeviceType	Type of Device	CHAR-30	М	MOB/WEB/USSD etc
18	merchantDeviceId	ID of the device	CHAR-50	М	
19	merchantDeviceOS	OS of the device	CHAR-30	СМ	Required for Type- MOB
20	merchantDeviceAppName	app name of the device	CHAR-50	СМ	Required for Type- MOB
21	executionSeqNum	Mandate Execution number	NUMERIC	М	

```
{
       "pgMerchantId":"INSM821518000159",
       "txnId":"4704888835320",
       "txnNote":"MT92B",
       "ts": "2022-01-03T15:37:27Z",
       "initMode":"00",
       "purposeCode":"14",
       "refld": "1504888835295798",
       "refUrl": "http://ernestthornhill.com",
       "refCategory":"NA",
       "mandateUMN": "a47ce12f3d28473d8f98522011e6e310@denapsp",
       "mandateNextExecutionTs":"2022-01-31T11:40:00+05:30",
       "amount":"35",
       "executionSeqNum":"001",
       "merchantMobile": "911234567890",
       "merchantDeviceAppName":"GPAY",
       "merchantDeviceOS": "ANDROID",
       "merchantDeviceId": "OP123456",
       "merchantDeviceType":"MOB",
       "merchantDeviceIP":"10.58.175.113",
```

}

"merchantDeviceLocation":"NA",
"merchantDeviceGeoCode":"NA"

Request:

	arks
Name y	

1	txnId	Unique Transaction Identifier	CHAR-35	M	

```
Response:

{
    "txnId": "INSM821518000159",
}
```

# Mandate Pre-debit Notification Response Callback

Service Name	MandateDebitNotifyCallback
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnId	Unique Transaction Identifier	CHAR-35	М	
2	ts	Time stamp of the request	Timestamp	M	2021-12-28T16:40:00
3	status	Success/Failure	CHAR-15	М	
4	errCode	Error Code	CHAR-10	М	
5	pgMerchantId	pgMerchantId	CHAR 20	М	
6	statusDesc	API Status description	CHAR 200	M	Request Processed Successfully
7	custRefNo	RRN number of the Mandate	CHAR 12	M	9.13413E+11
8	requestDate	Mandate Request Date and time	CHAR 50	M	5/25/2020 12:37

9	remarks	Mandate Remarks if any	CHAR 50	0	UPI Mandate Expected: alphanumeric, special characters @ and dot (.)
10	frequency	Mandate Frequency	CHAR Fixed	M	MONTHLY
11	amount	Mandate Amount	CHAR 19	М	"20.00" Expected: Numeric with 2 decimal
12	startDate	Mandate start date	CHAR 11	М	"25 MAY 2020" Expected: date format (DD MMM YYYY)
13	endDate	Mandate end date	CHAR 11	М	25 JUL 2020" Expected: date format (DD MMM YYYY)
14	UMN	Unique mandate number for the Mandate which will be returned when Payer approve the mandate	CHAR 72	М	mec5cb6b2b0640caa3d93 d190095c002@indus
15	payerVPA	Payer VPA/UPI ID	CHAR 255	М	testvpa@indus
16	payerName	Payer Name	CHAR 100	М	vivek
17	payeeVPA	Payee VPA/UPI ID	CHAR 255	М	india.uber@indus
18	payeeName	Payee Name	CHAR 100	М	UBER INDIA SYSTEMS
19	noOfDebit	No of Debit done : This is for future use	Number 10	0	
20	remainingDebit	Remaining debit: This for future use	Number 10	0	
21	onBehalf_Of	Mandate Initiated by	CHAR Fixed	М	PAYEE Expected: Alphabets
22	message	Message descriptions against errCode	CHAR Fixed	М	Mandate has been notify successfully
23	рауТуре	P2P/ P2M	CHAR 3	0	P2M
24	nextRecurDate	Mandate next debit date	CHAR 50	0	6/25/2020 0:00

		Remaining number			
		of debits for the			
25	remRecuCount	given mandate	Number 5	0	0

```
Request:
{
         "pgMerchantId":"12S821518000159",
        "txnId":"INS4704888835008",
        "ts":"2022-01-31T11:40:00+05:30",
              "custRefNo":"127018232458",
        "UMN": FR12e87e70f04d7090a852a8ddc023b3@mypsp",
        "requestDate":"5/25/2020 12:37",
        "amount":"35.00",
        "startDate": "25 MAY 2020",
        "endDate":25 JUL 2020"",
        "frequency":"MONTHLY"
        "payeeVPA":"india.uber@indus",
        "payeeName":"UBER INDIA SYSTEMS",
        "payerVPA":"testvpa@indus",
        "payerName":"Vivek",
        "executionSeqNum":"",
        "status": "SUCCESS",
        "errCode":"000",
        "statusDesc": "Request Processed Successfully",
        "onBehalf_Of":"PAYEE",
        "message": "Mandate has been notify successfully",
        "remarks":"",
        "noOfDebit":"",
        "remainingDebit":"",
         "payType":"",
        "nextRecurDate":"",
        "remRecuCount":""
```

S No	Data	Element	Description	Data Type	Mandatory	Remarks
	Name					

1	txnld	Unique Transaction	CHAR- 35	M	
		Identifier			

```
Response:

{
    "txnId": "INS4704888835008",
}
```

#### **Mandate Collection Request**

Service Name	MandateCollectRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

#### Notes:

1. In case of mandate execution decline due to technical reasons from Remitter bank or Payer PSP, mandate execution can be reinitiated for the given execution sequence number 2 times after the original execution and before next execution due date.

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	М	
2	txnld	Unique Transaction Identifier	CHAR-35	М	
3	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
4	txnNote	Remarks	CHAR-50	М	
5	initMode	Initiation mode	CHAR-2	М	Default - 00

6	purposeCode	Purpose Code	CHAR-2	М	Default - 00
7	refld	Merchant's Reference Identifier	CHAR-50	М	
8	refurl	Reference URL if any	CHAR-255	М	can be set as a dummy url
9	refCategory	Reference URL Category	CHAR-2	0	Default - 00
10	expiryTime	Expiry time of collect request in minutes	NUMBER	0	Default is 30 minutes, min 1 minute, max 64800 minutes
11	amount	Collection amount	DECIMAL	М	
12	payerVPA	Mandate UMN to be populated here	CHAR-255	М	
13	payerName	Payer Name	CHAR-100	М	
14	payerType	Payer Type	CHAR-10	M	can be set as PERSON
15	payerMCC	Payer MCC Code	CHAR-4	M	can be set as 0000
16	executionSeqNum	Mandate Execution Sequence number	NUMERIC	М	
17	merchantMobile	Merchant Device Mobile number	CHAR-12	0	To be picked from merchant data available in UPI Switch if not populated
18	merchantDeviceGeoCode	Geo code of the device	CHAR-50	0	Either Geo code or location is required for merchant transactions

19	merchantDeviceLocation	Location of the merchant device	CHAR-50	0	
20	merchant Device IP	IP Address of the device	CHAR-30	М	
21	merchantDeviceType	Type of Device	CHAR-30	М	MOB/WEB/USSD etc
22	merchantDeviceId	ID of the device	CHAR-50	М	
23	merchantDeviceOS	OS of the device	CHAR-30	СМ	Required for Type- MOB
24	merchant Device App Name	app name of the device	CHAR-50	СМ	Required for Type- MOB

```
Request:
{
       "pgMerchantId":"12SM821518000159",
       "txnId":"INS4888835316",
       "txnNote":"thanks",
       "ts":"2022-01-03T15:37:27Z",
       "initMode":"11",
       "purposeCode":"14",
       "refld": "1504888835295798",
       "refUrl": "http://ernestthornhill.com",
       "refCategory":"NA",
       "expiryTime":"3000",
       "amount":"35",
       "payerVpa": "CUB12616187b4c698f835fca50a4f3@upi",
       "payerName":"narendra",
       "payerType": "PERSON",
       "payerMCC":"00",
       "executionSeqNum": "001",
       "merchantMobile": "911234567890",
       "merchantDeviceAppName":"GPAY",
       "merchantDeviceOS": "ANDROID",
       "merchantDeviceId": "OP123456",
       "merchantDeviceType":"MOB",
       "merchantDeviceIP":"10.58.175.113",
```

S No	Data Element Name	Description	Data Type	Mandator y	Remarks
1	txnId	Unique Transaction Identifier	CHAR-35	М	
2	ts	Time stamp of the request	Timestamp	N	2021-12- 28T16:40:0 0
3	status	Success/Failure	CHAR-15	М	
4	errCode	Error Code	CHAR-10	М	
5	statusDes c	API Status description	CHAR-200	M	Mandate request initiated successfully Expected: Alpha numeric
6	custRefNo	RRN number of the Mandate	CHAR-12	М	

```
Response:

{
    "txnld": "1504888835366",
    "ts": "2022-01-03T15:37:27Z",
    "status": "SUCCESS",
    "errCode": "TXN_ERR_000",
    "custRefNo":"127018232458"
}
```

# Mandate Collection Response Callback

Collect response shall be provided by EPH-UPI to merchant system as a callback. Merchant system needs to expose an endpoint for receiving the callback.

Service Name	MandateCollectResponse
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnId	Unique Transaction Identifier	CHAR-35	М	
2	ts	Time stamp of the request	Timestamp	М	2021-12-28T16:40:00
3	status	Success/Failure	CHAR-15	М	
4	errCode	Error Code	CHAR-10	М	
5	payerVPA	Payer VPA	CHAR-255	0	Mandate VPA
6	payerName	Payer Name	CHAR-50	0	
7	payerAcNum	Payer Account Number	CHAR-50	0	
8	payerIFSC	Payer IFSC Code	CHAR-11	0	
9	payerMCC	Payer MCC	CHAR-4	0	
10	payerAcType	Payer Account Type	CHAR-20	0	
11	settAmount	Settlement Amount	Decimal	0	
12	orgAmount	Original Transaction Amount	Decimal	0	
13	settCurrency	Settlement Currency	CHAR-3	0	
14	payerApprovalNu m	Remitter Bank approval number	CHAR-10	0	
15	payerRespCode	Payer Response code	CHAR-3	0	
16	payeeVPA	Payee VPA	CHAR-255	0	
17	payeeName	Payee Name	CHAR-50	0	

18	payeeAcNum	Payee Account Number	CHAR-50	0	
19	payeeIFSC	Payee IFSC	CHAR-11	0	
20	рауееАсТуре	Payee Account Type	CHAR-20	0	
21	payeeMCC	Payee MCC	CHAR-4	0	
22	payeeApprovalNu m	Beneficiary Bank Approval Number	CHAR-10	0	
23	payeeRespCode	Payee Response Code	CHAR-3	0	
24	pgMerchantId	PG merchant ID	CHAR-20	М	1
25	pspRefNo	PSP Reference Number or Order number or unique reference number at merchant end for each request. This will be passed by merchant. If sent blank then UPI system will dynamically create value and then pass in response	CHAR-35	М	The same will be decided by
26	statusDesc	API Status description	CHAR-200	М	Mandate request initiated successfully Expected: Alpha numeric
27	custRefNo	RRN number of the Mandate	CHAR-12	М	9.01114E+11
28	requestDate	Mandate Request Date and time	CHAR-50	М	7/24/2019 15:08
29	remarks	Mandate Remarks if any	CHAR-50	0	UPI Mandate Expected: alphanumeric, special characters @ and dot(.)
30	name	Mandate Name	CHAR-20	М	CREATE Mandate test

31	frequency	Mandate Frequency	CHAR- FIXED	M	MONTHLY
32	amount	Mandate Amount	CHAR-19	M	20
33	startDate	Mandate start date	CHAR-11	М	28 Feb 2020 Expected: date format (DD MMM YYYY)
34	endDate	Mandate end date	CHAR-11	М	28 APR 2020 Expected: date format (DD MMM YYYY)
35	isRevokeable	Whether mandate can be revoked by payer for payee(Merchant) initiated mandate: Y/N	CHAR-1	М	Υ
36	Status	Mandate Status: - Note: Once the execution request is approved, After each successful execution, Till the remaining recurrence count is 1, the execution status will be "SUCCESSFUL" Once the remaining recurrence count is 0, the execution status will become "COMPLETED".	CHAR 20	M	ACTIVE
37	noOfDebit	No of Debit done : This is for future use	Number- 10	0	50200012103079
38	remainingDebit	Remaining debit: This for future use	Number- 10	0	

39	onBehalf_Of	Mandate Initiated by	CHAR- FIXED	М	PAYER Expected: Alphabets
40	amt_rule	Mandate amount rule: MAX: Maximum amount EXACT: Exact amount	CHAR- FIXED	М	EXACT
41	ruleType	Recurrence Rule (ON/BEFORE/AFTER) If Pattern is other than ONETIME/AS PRESENTED/DAILY, then ruleType is mandatory	CHAR-20	С	ON
42	ruleValue	Recurrence Rule (Defines the date/day on which the mandate amount will be debited) For WEEKLY, If the start date (day) = Monday, Rule Value = 1, for Tuesday it is 2for Sunday it is 7. For FORTNIGHTLY For Start Date (1st – 15th) Rule Value = Start Date For Start Date (16th – 31th) Rule Value = Start Date — 15 or MONTHLY and greater than Monthly frequencies Rule Value = Start Date	CHAR-2	С	28
		Type of mandate Should be always '14' for Recurring			
43	purpose_code	Mandate 00-Default	CHAR-2	0	14

		01-SEBI 02- AMC 03- Travel 04- Hospitality 05- Hospital 06- Telecom 07- Insurance 08- Education 09- Gifting 10- Others 14- Recurring Mandate			
44	Мсс	Merchant Category Code	CHAR-4	0	6012
45	рауТуре	P2P/ P2M	CHAR-3	0	P2M
46	UMN	Unique mandate num	CHAR-35	М	N
47	respCode	NPCI response code	CHAR 6	0	
48	expiryTime	Expiry Time of the mandate within 72 hrs and data to be provided in Minutes	CHAR-7	М	100 Expected: Numeric
49	expiry_date_time	Mandate Expiry Date and time	CHAR-50	М	2/28/2020 14:41

#### Request:

```
{
"txnId":"1704888849021",
"ts":"2021-12-22T10:53:00+05:30",
"status": "SUCCESS",
"errCode":"TXN_ERR_000",
"payerVPA":"vdd@indus",
"payerName":"Test Payer",
"payerAcNum":"0000030001589909",",
"payerIFSC":"INDBN0000437",
"payerMCC":"5905",
"payerAcType":"",
"settAmount":"200.00",
"orgAmount":"200.00",
"settCurrency":"INR",
"payerApprovalNum":"",
"payerRespCode":"00",
"payeeVPA": "merv6300@indus",
```

```
"payeeName":"",
              "payeeAcNum": "90000000000000000000011",
              "payeeIFSC":"INDB0000001",
              "payeeAcType":"",
              "payeeMCC": "5960",
              "payeeApprovalNum":"",
              "payeeRespCode":"",
              "remarks":"",
              "pgMerchantId": "BOIM821518000159",
              "statusDesc": "Mandate request initiated successfully",
              "pspRefNo":"127018232458125",
              "custRefNo":"127018232458",
              "requestDate": "5/25/2020 12:37",
              "name":"UPI Mandate",
              "amount":"35",
              "startDate": "25 MAY 2020",
              "endDate":25 JUL 2020"",
              "frequency": "MONTHLY",
              "mandateStatus":"ACTIVE",
              "isRevokeable":"Y",
              "noOfDebit":"",
              "remainingDebit":"",
              "ruleType":"",
              "ruleValue":"",
              "purpose_code::"",
              "Mcc":"",
              "payType":"",
              "respCode:"",
              "onBehalf_Of":"PAYER",
              "amt rule": "EXACT",
              "UMN": FRI2e87e70f04d7090a852a8ddc023b3@mypsp",
               "expiryTime":"100",
               "expiry_date_time":"2/28/2020 14:41",
}
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Txn Id	CHAR- 35	ME	

```
Response:

{
    "txnld": "INSM821518000159",
}
```

# **Refund Request**

Service Name	RefundRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandator y	Remarks
1	pgMerchantId	Merchant Id	CHAR-50	M	
2	txnld	Unique Transactio n Identifier	CHAR-35	Μ	
3	ts	Time stamp of the request	Timestam p	Μ	2021-12- 28T16:40:00
4	txnNote	Remarks	CHAR-50	М	
5	initMode	Initiation mode	CHAR-2	M	Default - 00
6	purposeCode	Purpose Code	CHAR-2	M	Default - 00
7	refld	Merchant' s Reference Identifier	CHAR-50	M	

8	refurl	Reference URL if any	CHAR- 255	M	can be set as a dummy url
9	refCategory	Reference URL Category	CHAR-2	0	Default - 00
10	amount	Refund amount	DECIMAL	M	
11	orgTxnId	Original Transactio n Identifier	CHAR-35	M	
12	orgAmount	Original Transactio n Amount	DECIMAL	М	
13	payeeVPA	Payee VPA	CHAR- 255	М	
14	payeeName	Payee Name	CHAR- 100	M	
15	рауееТуре	Payee Type	CHAR-10	M	can be set as PERSON
16	payeeMCC	Payee MCC Code	CHAR-4	M	can be set as 0000
17	payerMobile	Merchant Device Mobile number	CHAR-12	M	In the format 91 <mobile number&gt;</mobile 
18	payerDeviceGeoCo de	Geo code of the device	CHAR-50	0	Either Geo code or location is required for merchant transactions
19	payerDeviceLocatio n	Location of the merchant device	CHAR-50	0	
20	payerDeviceIP	IP Address of the device	CHAR-30	М	

21	payerDeviceType	Type of Device	CHAR-30	M	MOB/WEB/US SD etc
22	payerDeviceId	ID of the device	CHAR-50	М	
23	payerDeviceOS	OS of the device	CHAR-30	СМ	Required for Type- MOB
24	payerDeviceAppNa me	app name of the device	CHAR-50	СМ	Required for Type- MOB
25	currencyCode	Transactio n Currency Default: "INR"	CHAR-3	M	

```
Request:
       {
              "pgMerchantId": "BOIM821518000159",
              "txnId": "2504888835436",
              "txnNote":"thanks",
              "ts":"2022-01-03T15:37:27Z",
              "initMode":"NA",
              "purposeCode":"NA",
              "refld":"1504888835295798",
              "refUrl":"http://ernestthornhill.com",
              "refCategory":"NA",
              "amount":200.10,
              "orgTxnId": "ABC0000102abac0101010101ad",
              "orgAmount": 200.10,
              "payeeVpa":"abcd@CUB",
              "payeeName":"narendra",
              "payeeType":"PERSON",
              "payeeMCC":"00",
              "payerMobile": "919823143865",
              "payerDeviceOS": "ANDROID",
              "payerDeviceId": "OP123456",
              "payerDeviceType":"MOB",
              "payerDeviceIP":"10.58.175.113",
              "payerDeviceLocation":"NA",
              "payerDeviceGeoCode":"NA",
              "payerDeviceAppName":"com.indusind.wallet.gui",
              "currencyCode":"INR"
```

}

# Response Attributes

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Unique Transaction Identifier	CHAR-35	М	
2	ts	Time stamp of the request	Timestam p	M	2021-12- 28T16:40:00
3	status	Success/Failur e	CHAR-15	M	
4	errCode	Error Code	CHAR-10	М	

```
Response:

{
        "txnId":"2504888835436",
        "status":"Success",
        "ts":"2022-01-03T15:37:27",
        "errCode":"TXN_ERR_000"
}
```

# Refund Response Callback

Service Name	RefundtResponse
HTTP Method	POST

HTTP Headers	Content-Type: application/json
--------------	--------------------------------

S No	Data Element	Description	Data Type	Mandatory	Remarks
	Name				
1	txnld	Unique Transaction Identifier	CHAR- 35	M	
2	npciTxnId	UPI Transaction Id	CHAR- 35	М	
3	gwRefld	Gateway Reference Id	CHAR- 35	M	
4	ts	Time stamp of the request	Timest amp	М	2021-12-28T16:40:00
5	status	Success/Failur e	CHAR- 15	M	
6	errCode	Error Code	CHAR- 10	М	
7	txnType	Transaction Type	CHAR- 10	М	PAY / COLLECT/ REFUND
8	payerVPA	Payer VPA	CHAR- 255	0	
9	payerSeqN o	Payer Sequence Number	NUMB ER	0	Payer sequence number
10	payerName	Payer Name	CHAR- 50	0	
11	payerAcNu m	Payer Account Number	CHAR- 50	0	
12	payerIFSC	Payer IFSC Code	CHAR- 11	0	
13	payerMCC	Payer MCC	CHAR-4	0	
14	payerAcTy pe	Payer Account Type	CHAR- 20	0	
15	settAmoun t	Settlement Amount	Decima I	0	

16	orgAmount	Original Transaction Amount	Decima I	0	
17	settCurren cy	Settlement Currency	CHAR-3	0	
18	payerAppr ovalNum	Remitter Bank approval number	CHAR- 10	0	
19	payerResp Code	Payer Response code	CHAR-3	0	
20	payeeVPA	Payee VPA	CHAR- 255	0	
21	payeeNam e	Payee Name	CHAR- 50	0	
22	payeeAcNu m	Payee Account Number	CHAR- 50	0	
23	payeeIFSC	Payee IFSC	CHAR- 11	0	
24	payeeAcTy pe	Payee Account Type	CHAR- 20	0	
25	payeeMCC	Payee MCC	CHAR-4	0	
26	payeeAppr ovalNum	Beneficiary Bank Approval Number	CHAR- 10	0	
27	payeeResp Code	Payee Response Code	CHAR-3	0	

```
Request:

{
    "txnId":"2504888835436",
    "npciTxnId":"127018232458",
    "gwRefId":"127018232468",
    "status":"Success",
    "ts":"2022-01-03T15:37:27",
    "errCode":"TXN_ERR_000",
```

```
"txnType":"PAY"
}
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Txn Id	CHAR- 35	ME	

```
Response:

{
"txnId":"2504888835436"
}
```

### **PAN Validation**

Service Name	PANValidationRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1.	pgMerchantId	Merchant Id	CHAR-50	М	
2.	txnld	Unique Transaction Identifier	CHAR-35	М	
3.	ts	Time stamp of the request	Timestamp	М	2021-12- 28T16:40:00
4.	txnNote	Remarks	CHAR-50	М	

5.	refld	Merchant's Reference Identifier	CHAR-50	М	
6.	refurl	Reference URL if any	CHAR-255	М	can be set as a dummy url
7.	payerVPA	Payer VPA			
8.	payerName	Name of the Payer	CHAR-50	М	
9.	payerType	Type of Payer (PERSON/ENTITY)	CHAR-10	0	Can be set as default to PERSON
10.	payerMCC	Payer MCC	CHAR-4	0	Can be set as default to 0000
11.	payerIdType	Identification Type	CHAR-20	М	Should be set to PAN
12.	payerIdValue	Identification Number	CHAR-50	М	PAN number
13.	merchantMobile	Merchant Device Mobile number	CHAR-12	0	To be picked from merchant data available in UPI Switch if not populated
14.	merchant Device Geo Code	Geo code of the device	CHAR-50	0	Either Geo code or location is required for merchant transactions
15.	merchantDeviceLocation	Location of the merchant device	CHAR-50	0	
16.	merchantDeviceIP	IP Address of the device	CHAR-30	М	
17.	merchantDeviceType	Type of Device	CHAR-30	М	MOB/WEB/ USSD etc
18.	merchantDeviceId	ID of the device	CHAR-50	М	
19.	merchantDeviceOS	OS of the device	CHAR-30	СМ	Required for Type- MOB
20.	merchantDeviceAppName	app name of the device	CHAR-50	СМ	Required for Type- MOB

```
Request:
{
       "pgMerchantId":"INSM821518000159",
       "txnId":"470488835320",
       "txnNote":"MT92B",
       "ts":"2022-01-03T15:37:27Z",
       "refld":"1504888835295798",
       "refUrl": "http://ernestthornhill.com",
       "refCategory":"NA",
       "payerVPA": "abc@xyz",
        "payerName": "Payer Name",
       "payerType": "PERSON",
       "payerMCC": "0000",
       "payerIdType": "PAN",
       "payerIdValue": "ABCPN12340",
       "merchantMobile":"911234567890",
       "merchantDeviceAppName":"GPAY",
       "merchantDeviceOS":"ANDROID",
       "merchantDeviceId": "OP123456",
       "merchantDeviceType": "MOB",
       "merchantDeviceIP":"10.58.175.113",
       "merchantDeviceLocation": "NA",
       "merchantDeviceGeoCode":"NA"
}
```

S No	Data Element Name	Description	Data Type	Mandator y	Remarks
1	txnId	Unique Transaction Identifier	CHAR-35	М	

```
Response:

{
    "txnld": "INSM821518000159",
}
```

# PAN Validation Response Callback

Service Name	PANValidationCallback
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1.	txnld	Unique Transaction Identifier	CHAR-35	М	
2.	ts	Time stamp of the request	Timestamp	M	2021-12-28T16:40:00
3.	status	Success/Failure	CHAR-15	М	
4.	errCode	Error Code	CHAR-10	М	
5.	pgMerchantId	pgMerchantId	CHAR 20	М	
6.	status Desc	API Status description	CHAR 200	M	Request Processed Successfully
7.	payerVPA	Payer VPA/UPI ID	CHAR 255	С	testvpa@indus
8.	payerName	Payer Name	CHAR 100	С	vivek
9.	payrMCC	MCC Code	CHAR-4	С	
10.	payerType	Type of Payer	CHAR-10	С	
11.	payerIFSC	IFSC Code	CHAR-11	С	
12.	payerAcNum	Account number of payer VPA	CHAR-50	С	
13.	payerAcType	Type of Account	CHAR-20	С	
14.	payerAcNature	Nature of account (SINGLE/JOINT)	CHAR-20	С	
15.	payerAcHolderT ype	Account Holder Type (PRIMARY/ SECONDARY)	CHAR-20	С	

16.	payerIdType	Identification Type	CHAR-20	С	
17.	payerIdValue	Identification Number	CHAR-50	С	

```
Request:
{
        "pgMerchantId":"12S821518000159",
        "txnId":"INS4704888835008",
        "ts":"2022-01-31T11:40:00+05:30"
        "status":"SUCCESS",
        "errCode":"000",
        "statusDesc": "Success",
        "payerName": "Payer Name",
       "payerType": "PERSON",
       "payerMCC": "0000",
       "payerIdType": "PAN",
       "payerIdValue": "ABCPN12340",
        "payerIFSC": "BKCN999991",
        "payerAcNum": "00001212121001",
        "payerAcType": "SAVINGS",
        "payerAcNature": "SINGLE",
        "payerAcHolderType": "PRIMARY"
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	Unique Transaction Identifier	CHAR- 35	М	

```
Response:
{
    "txnId": "INS4704888835008",
```

}

#### **Dynamic QR/Intent Signing**

Service Name	QRSigning
HTTP Method	POST
HTTP Headers	Content-Type: application/json

# Request Attributes

S No	Data Element Name	Description	Data Type	Mand atory	Remarks
1	pgMerchantId	Parent enterprise/aggregator Id	CHAR-50	M	
2	merchantID	MerchantID	CHAR-50	M	
3	txnId	Transaction Reference Id	CHAR-35	M	
4	ts	Timestamp of the request	TIMESTAMP	M	
5	qrString	QR data as a string	CHAR-200	M	

```
Request:

{
         "pgMerchantId":"INSM821518000159",
         "merchantId":"INSM8215180002129",

         "ts":"2022-01-03T15:37:27Z",
         "qrString":"upi://qr?pa=abc@indus..",
}
```

S No	Data Element Name	Description	Data Type	Mandator y	Remarks
1	txnId	Transaction ID	CHAR-40	М	

2	ts	Response timestamp	Timestamp	М	
3	status	Success/Failure	CHAR-20	М	
4	errCode	Error Code	CHAR-5	М	
5	qrSigned	QRsigned code	CHAR-200	М	

```
{
    "txnld": "INSM821518000159",
    "ts": "",
    "status": "SUCCESS",
    "errCode": "00",
    "qrSigned": "upi://qr?pa=abc@indus...&sign=abcdedfgh"
}
```

### **Sub Merchant Update Request**

Service Name	MerchantUpdateRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	pgMerchantId	Parent enterprise/aggregat or Id	CHAR-50	М	
2	merchantID	MerchantID	CHAR-50	M	
3	txnld	Transaction Reference Id	CHAR-35	M	
4	ts	Timestamp of the request	TIMESTAMP	M	

5	mebussname	Business Name	CHAR-100	М	
6	legalStrName	Legal Name	CHAR-100	M	
7	strCntMobile	Mobile Number	Number	М	
8	meEmailID	Merchant Email ID	CHAR-255	М	
9	kycFlag	Y/N	CHAR-1	0	

```
{
    "pgMerchantId":"MO5942815518000079",
    "merchantID":"INSM208405000021",
    "txnId":"3302880835634",
    "ts":"2022-01-03T15:37:27Z",
    "mebussname":"DeadwoodFC",
    "legalStrName":"abc",
    "strCntMobile":"9487508235",
    "meEmailID":"mufc@gmail.com",
    "kycFlag":"Y"
}
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnld	TransactionID	CHAR-40	M	
2	ts	Response timestamp	Timestamp	M	
3	status	Success/Failure	CHAR-20	M	
4	errCode	Error Code	CHAR-5	M	
5	merchantId	Merchant ID	CHAR-50	СМ	

Response:			
{			

```
"txnId": "3302880835634",
"ts": "2022-01-03T15:37:27Z",
"merchantId": "INSM208405000021",
"status": "SUCCESS",
"errCode": "00"
}
```

#### **Sub Merchant Deactivation Request**

Service Name	MerchantDeactivationRequest
HTTP Method	POST
HTTP Headers	Content-Type: application/json

#### **Request Attributes**

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	pgMerchantId	Parent enterprise/aggregat or Id	CHAR-50	М	
2	merchantID	MerchantID	CHAR-50	М	
3	txnld	Transaction Reference Id	CHAR-35	М	
4	ts	Timestamp of the request	TIMESTAMP	M	
5	activeFlag	Blk/ublk	CHAR-10	М	

# Request:

```
{
"pgMerchantId":"MO5942815518000079",
"merchantID":"INSM208405000021",
"txnId":"2302188835638",
"ts":"2022-01-03T15:37:27Z",
"activeFlag":"unblk"
}
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnId	TransactionID	CHAR-40	M	
2	ts	Response timestamp	Timestamp	M	
3	status	Success/Failure	CHAR-20	M	
4	errCode	Error Code	CHAR-5	M	
5	merchantId	Merchant ID	CHAR-50	СМ	

```
Response:

{
    "txnld": "2302188835638",
    "ts": "2022-01-03T15:37:27Z",
    "merchantld": "INSM208405000021",
    "status": "SUCCESS",
    "errCode": "00"
}
```

#### ATM Cash Withdrawal – QR Generation

Service Name	ATMCashWdlQRGen
HTTP Method	POST
HTTP Headers	Content-Type: application/json

Data S No Element Description Da Name	a Type Mandatory Remarks
---	--------------------------

1.	pgMerchantId	Parent enterprise/aggregat or Id	CHAR-50	M	
2.	txnld	Transaction Reference Id	CHAR-35	M	
3.	ts	Timestamp of the request	TIMESTAMP	M	
4.	atmTerminalId	Terminal ID of the ATM machine	CHAR-50	M	
5.	amount	Transaction Amount	DECIMAL	М	2 decimals format e.g. (100.00), should be in multiples of 100
6.	atmPINCode	Postal PIN code of ATM Machine	NUMBER-6	M	
7.	metroATMFlag	Whether ATM is metro / Non – metro	CHAR-10	M	METRO / NON-METRO

```
Request:

{
   "pgMerchantId":"MO5942815518000079",
   "txnId":"2302188835638",
   "ts":"2022-01-03T15:37:27Z",
   "atmTerminalId":"ATM00001",
   "amount": "100.00",
   "atmPINCode": "400012",
   "metroATMFlag": "METRO"
}
```

S No	Data Element Name	Description	Data Type	Mandator y	Remarks
1.	txnId	Transaction ID	CHAR-40	М	
2.	ts	Response timestamp	Timestam p	M	
3.	status	Success/Failure	CHAR-20	М	
4.	errCode	Error Code	CHAR-5	М	

5.	pgMerchantI d	Parent enterprise/aggregat or Id	CHAR-50	M	
6.	atmTerminall d	Terminal ID of the ATM machine	CHAR-50	M	
7.	amount	Transaction Amount	DECIMAL	M	2 decimals format e.g. (100.00), should be in multiples of 100
8.	atmPINCode	PIN code of the ATM machine	CHAR-10	ME	
9.	upiTxnId	UPI Transaction Identifier	CHAR-40	С	To be used in transaction request to NFS
10.	upiRRN	RRN number generated at UPI switch	CHAR-12	С	To be used by ATM Switch to perform transaction with NFS post credit confirmation from UPI
11.	qrSigned	Signed QR String	CHAR-200	С	To be used by ATM to show the QR on screen

```
{
    "txnld": "2302188835638",
    "ts": "2022-01-03T15:37:27Z",
    "status": "SUCCESS",
    "errCode": "00",
    "pgMerchantId": "MO5942815518000079",
    "atmTerminalId": "ATM00001",
    "amount": "100.00",
    "atmPINCode": "400012",
    "upiTxnld": "INBabcdefghijklmnopqrstuvwxyz012345",
```

```
"upiRRN": "210315001002",
"qrSigned": "upi://qr?pa=abc@indus...&sign=abcdedfgh"
}
```

#### ATM Cash Withdrawal – Credit Confirmation Notification

Service Name	ATMCreditNotification
HTTP Method	POST
HTTP Headers	Content-Type: application/json

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1.	txnId	Unique Transaction Identifier	CHAR- 35	M	
2.	npciTxnId	UPI Transaction Id	CHAR- 35	М	
3.	gwRefld	Gateway Reference Id	CHAR- 35	М	
4.	ts	Time stamp of the request	Timest amp	М	2021-12-28T16:40:00
5.	status	Success/Failur e	CHAR- 15	M	
6.	errCode	Error Code	CHAR- 10	М	
7.	txnType	Transaction Type	CHAR- 10	М	PAY / COLLECT/ REFUND
8.	atmTermin alld	ATM Terminal Id	CHAR- 50	М	sent in Txn Note
9.	payerVPA	Payer VPA	CHAR- 255	0	

10.	payerSeqN o	Payer Sequence Number	NUMB ER	0	Payer number	sequence
11.	payerName	Payer Name	CHAR- 50	0		
12.	payerAcNu m	Payer Account Number	CHAR- 50	0		
13.	payerIFSC	Payer IFSC Code	CHAR- 11	0		
14.	payerMCC	Payer MCC	CHAR-4	0		
15.	payerAcTy pe	Payer Account Type	CHAR- 20	0		
16.	settAmoun t	Settlement Amount	Decima I	0		
17.	orgAmount	Original Transaction Amount	Decima I	0		
18.	settCurren cy	Settlement Currency	CHAR-3	0		
19.	payerAppr ovalNum	Remitter Bank approval number	CHAR- 10	0		
20.	payerResp Code	Payer Response code	CHAR-3	0		
21.	payeeVPA	Payee VPA	CHAR- 255	0		
22.	payeeNam e	Payee Name	CHAR- 50	0		
23.	payeeAcNu m	Payee Account Number	CHAR- 50	0		
24.	payeeIFSC	Payee IFSC	CHAR- 11	0		
25.	payeeAcTy pe	Payee Account Type	CHAR- 20	0		
26.	payeeMCC	Payee MCC	CHAR-4	0		

27.	payeeAppr ovalNum	Beneficiary Bank Approval Number	CHAR- 10	0	
28.	payeeResp Code	Payee Response Code	CHAR-3	0	

```
Request:
               {
                       "txnId": "2504888835436",
                       "npciTxnId":"127018232458",
                       "gwRefId":"127018232468",
                       "status":"Success",
                       "ts": "2022-01-03T15:37:27",
                       "errCode":"TXN_ERR_000",
                       "txnType":"PAY",
                       "atmTerminalId": "ATM00001",
                       "payerVPA":"",
                       "payerSeqNo":"",
                       "payerName":"",
                       "payerAcNum":"",
                       "payerIFSC":"",
                       "payerMCC":"",
                       "payerAcType":"",
                       "settAmount":"",
                       "orgAmount":"",
                       "settCurrency":"",
                       "payerApprovalNum":"",
                       "payerRespCode":"",
                       "payeeVPA":"",
                       "payeeSeqNo":"",
                       "payeeName":"",
                       "payeeAcNum":"",
                       "payeeIFSC":"",
                       "payeeMCC":"",
                       "payeeAcType":"",
"settCurrency":"",
                       "payeeApprovalNum":"",
                       "payeeRespCode":"",
       }
```

S No	Data Element Name	Description	Data Type	Mandatory	Remarks
1	txnId	Txn Id	CHAR- 35	ME	

```
Response:

{
    "txnld":"2504888835436"
}
```

# **Appendix - A**

#### Message Encryption and Decryption Logic

#### Encrypting the request payload

- 1. Create the JSON payload as per service message specification
- 2. Convert the JSON object into a string
- 3. Generate a random 16-byte Initialization Vector (IV) using the language specific secure random library.
- 4. Encrypt the JSON string object received in step 2 with AES/GCM/NoPadding algorithm with the pre-shared encryption key and IV generated in step 3
- 5. Prepend the 16-byte IV in front of the encrypted bytes received in step 4
- 6. Base-64 encode the resulting byte array from step 5
- 7. Frame the JSON Object using Base-64 encoded value.

```
{
    "encdata": "Encrypted and B64 encoded request or response JSON data"
}
```

#### Decrypting the encrypted message

- 1. Base-64 decode the encdata value into a byte array
- 2. Pick the first 16 bytes from the resulting byte array of step 1 and set it into a variable for Initialization Vector (IV) value
- 3. Decrypt rest of the data (byte array of step 1 minus first 16 bytes of IV) using AES/GCM/NoPadding algorithm with pre-shared encryption key and IV of step 2
- 4. Convert the resulting byte array of step 3 into a String using ISO-8859-1 encoding.
- 5. Parse the resulting string as a json object.

**************************************