Index

A

accelerators, AI Accelerators-Power consumption
  computational capabilities, Computational capabilities
  defined, What's an accelerator?-What's an accelerator?
  memory size and bandwidth, Memory size and bandwidth-Memory size and bandwidth
  power consumption, Power consumption-Power consumption
active injection, Indirect prompt injection
adapter-based methods, PEFT techniques
adapters
  finetuning, Finetuning methods
  LoRA, LoRA-Quantized LoRA
  merging with concatenation, Concatenation
  PEFT techniques, PEFT techniques-PEFT techniques
agents, Agents-Efficiency
  agent failure modes and evaluation, Agent Failure Modes and Evaluation-Efficiency
    efficiency, Efficiency
    planning failures, Planning failures
    tool failures, Tool failures
  overview, Agent Overview-Agent Overview
  planning agents, Planning-Tool selection
    foundation models as planners, Foundation models as planners-Foundation models as planners
    overview, Planning overview-Planning overview
    plan generation, Plan generation-Complex plans
    reflection and error correction, Reflection and error correction-Reflection and error correction
    tool selection, Tool selection-Tool selection
  tools, Tools-Write actions
    capability extension, Capability extension

knowledge augmentation, Knowledge augmentation
write actions, Write actions
AI accelerators (see accelerators)
AI application building (see application building)
AI application planning (see application planning)
AI engineering (AIE)
defined, From Foundation Models to AI Engineering
ML engineering versus, AI Engineering Versus ML Engineering-AI interface
rise of AI engineering, The Rise of AI Engineering-From Foundation Models to AI Engineering
AI engineering architecture (see engineering architecture)
AI engineering stack (see engineering stack)
AI judge, AI as a Judge
(see also AI-as-a-judge)
AI pipeline orchestration (see pipeline orchestration)
AI systems evaluation (see systems evaluation)
AI-as-a-judge, AI as a Judge-What Models Can Act as Judges?
limitations, Limitations of AI as a Judge-Biases of AI as a judge
biases, Biases of AI as a judge
criteria ambiguity, Criteria ambiguity-Criteria ambiguity
inconsistency, Inconsistency
increased costs and latency, Increased costs and latency
models, What Models Can Act as Judges?-What Models Can Act as Judges?
reasons, Why AI as a Judge?
reference-based, What Models Can Act as Judges?
uses, How to Use AI as a Judge-How to Use AI as a Judge
AI-powered data synthesis (see data synthesis, AI-powered)
AMP (automatic mixed precision), Training quantization
ANN (approximate nearest neighbor), Embedding-based retrieval
Annoy (approximate nearest neighbors oh yeah), Embedding-based retrieval
anomaly detection, Similarity Measurements Against Reference Data
Anthropic
contextual retrieval, Contextual retrieval
inverse scaling and alignment training, Model Size
prompt caching, Prompt caching
RAG and, RAG
APIs (see open source models, model APIs versus)
application building, Introduction to Building AI Applications with Foundation Models-Summary
application planning, Planning AI Applications-Maintenance

maintenance, Maintenance
milestone planning, Milestone Planning
set expectations, Setting Expectations
use case evaluation, Use Case Evaluation-AI product defensibility
engineering stack, The AI Engineering Stack-AI Engineering Versus Full-Stack Engineering
AI engineering versus ML engineering, AI Engineering Versus ML Engineering-AI interface
application development, Application development-AI interface
full-stack engineering versus, AI Engineering Versus Full-Stack Engineering
three layers of AI stack, Three Layers of the AI Stack-Three Layers of the AI Stack
foundation model use cases, Foundation Model Use Cases-Workflow Automation
coding, Coding-Coding
conversational bots, Conversational Bots
data organization, Data Organization
education, Education
image and video production, Image and Video Production
information aggregation, Information Aggregation
workflow automation, Workflow Automation
writing, Writing-Writing
rise of AI engineering, The Rise of AI Engineering-From Foundation Models to AI Engineering
foundation models to AI engineering, From Foundation Models to AI Engineering-From Foundation Models to AI Engineering
application development, Three Layers of the AI Stack, Application development-AI interface
AI interface, AI interface
evaluation, Evaluation
prompt engineering and context construction, Prompt engineering and context construction
application planning, Planning AI Applications-Maintenance
maintenance, Maintenance
milestone planning, Milestone Planning
set expectations, Setting Expectations
use case evaluation, Use Case Evaluation-AI product defensibility
approximate nearest neighbor (ANN), Embedding-based retrieval
approximate string matching, Lexical similarity
ARC-C, Public leaderboards

attention mechanisms, Attention mechanism-Attention mechanism
attention modules, Transformer block
MLP modules, Transformer block
optimization, Attention mechanism optimization-Writing kernels for attention computation
attention mechanism redesign, Redesigning the attention mechanism
wiring kernels for attention computation, Writing kernels for attention computation
redesign, Redesigning the attention mechanism
attention modules, Transformer block
augmentation of data
defined, Data Augmentation and Synthesis
automated attacks, Automated attacks
automatic mixed precision (AMP), Training quantization
autoregressive decoding bottleneck, Overcoming the autoregressive decoding bottleneck-Parallel decoding
inference with reference, Inference with reference
parallel decoding, Parallel decoding
speculative decoding, Speculative decoding-Speculative decoding
autoregressive language model, Language models

B

backpropagation, Backpropagation and Trainable Parameters-Backpropagation and Trainable Parameters
batch inference APIs, Online and batch inference APIs-Online and batch inference APIs
batch size, Batch size
batching
batch inference APIs, Online and batch inference APIs-Online and batch inference APIs
batch size, Batch size
continuous, Batching
dynamic, Batching
static, Batching
benchmarks
for comparative evaluation, The Future of Comparative Evaluation
data contamination detection, Perplexity Interpretation and Use Cases
domain distribution and, Domain-Specific Models
domain-specific, Domain-Specific Capability-Domain-Specific Capability

instruction-following criteria, Instruction-following criteria-Instruction-following criteria
model-centric versus data-centric, Dataset Engineering
navigating public benchmarks, Navigate Public Benchmarks-Custom leaderboards with public benchmarks
biases, Biases of AI as a judge, Biases
bits-per-byte (BPB), Bits-per-Character and Bits-per-Byte
bits-per-character (BPC), Bits-per-Character and Bits-per-Byte
bottlenecks
autoregressive decoding, Overcoming the autoregressive decoding bottleneck-Parallel decoding
computational, Computational bottlenecks-Computational bottlenecks
compute-bound, Computational bottlenecks
memory, Memory Bottlenecks-Training quantization, Computational bottlenecks
scaling, Scaling bottlenecks-Scaling bottlenecks, Scalability bottlenecks
BPB (bits-per-byte), Bits-per-Character and Bits-per-Byte
BPC (bits-per-character), Bits-per-Character and Bits-per-Byte
build time, Comparing retrieval algorithms

C

canonical responses, Similarity Measurements Against Reference Data
capability extension, Capability extension
chain-of-thought (CoT), Give the Model Time to Think-Give the Model Time to Think, Data Curation
chaining, AI Pipeline Orchestration
change failure rate (CFR), Monitoring and Observability
CharacterEval, Roleplaying
ChatGPT
comparative evaluation, Ranking Models with Comparative Evaluation
data privacy issues, Data privacy
effect on AI investment, From Foundation Models to AI Engineering
Gemini versus, Evaluation
hallucinations, Hallucination
and human writing quality, Writing
introduction of, Preface
and languages other than English, Multilingual Models
query rewriting, Query rewriting

reverse prompt engineering attacks, Proprietary Prompts and Reverse Prompt Engineering
in schools, Education
Chinchilla scaling law, Scaling law: Building compute-optimal models
chunking, RAG Architecture, Chunking strategy-Chunking strategy
Claude, RAG and, RAG
CLIP, From Large Language Models to Foundation Models, Domain-Specific Models, Introduction to Embedding
clustering, Similarity Measurements Against Reference Data
Common Crawl dataset, Training Data-Multilingual Models
comparative evaluation, Ranking Models with Comparative Evaluation-The Future of Comparative Evaluation
comparison data, Reward model
compilers, Kernels and compilers
components definition, AI Pipeline Orchestration
computational bottlenecks, Computational bottlenecks-Computational bottlenecks
computational capabilities, of AI accelerators, Computational capabilities
compute-bound bottlenecks, Computational bottlenecks
compute-optimal models, Scaling law: Building compute-optimal models-Scaling law: Building compute-optimal models
compute-optimal training, Scaling law: Building compute-optimal models
concatenation, Concatenation
constrained sampling, Constrained sampling
context construction, Prompt engineering and context construction, Provide Sufficient Context, Step 1. Enhance Context
context efficiency, Context Length and Context Efficiency-Context Length and Context Efficiency
context length, Context Length and Context Efficiency-Context Length and Context Efficiency
context parallelism, Parallelism
context precision, Comparing retrieval algorithms
context recall, Comparing retrieval algorithms
contextual retrieval, Contextual retrieval-Contextual retrieval
continuous batching, Batching
control flow, Complex plans
conversational bots, Conversational Bots
conversational feedback
conversation length, Conversation length
conversation organization, Conversation organization
extracting, Extracting Conversational Feedback-Dialogue diversity

language diversity, Dialogue diversity
natural language feedback, Natural language feedback-Sentiment
complaints, Complaints
early termination, Early termination
error correction, Error correction
sentiment, Sentiment
regeneration, Regeneration
copyright regurgitation, Information Extraction
copyright, model training and, Data lineage and copyright
CoT (chain-of-thought), Give the Model Time to Think-Give the Model Time to Think
CPU memory (DRAM), Memory size and bandwidth
criteria ambiguity, Criteria ambiguity-Criteria ambiguity
cross entropy, Cross Entropy
cross-layer attention, Redesigning the attention mechanism

D

data annotation, Data Acquisition and Annotation-Data Acquisition and Annotation
and data curation, Data Curation-Data Acquisition and Annotation
and data inspection, Inspect Data
dataset engineering and, Dataset engineering
data augmentation, Data Augmentation and Synthesis-Model Distillation
defined, Data Augmentation and Synthesis
data cleaning/filtering, Clean and Filter Data
data contamination, Data contamination with public benchmarks-Handling data contamination
data coverage, Data Coverage-Data Coverage
data curation, Data Curation-Data Acquisition and Annotation
data deduplication, Similarity Measurements Against Reference Data, Deduplicate Data-Deduplicate Data
data flywheels, Data Acquisition and Annotation
data formatting, Format Data-Format Data
data inspection, Inspect Data-Inspect Data
data lineage, Data lineage and copyright
data organization, Data Organization
data privacy, Data privacy
data processing, Data Processing-Format Data
data cleaning/filtering, Clean and Filter Data

data formatting, Format Data-Format Data
deduplicating data, Deduplicate Data-Deduplicate Data
inspecting data, Inspect Data-Inspect Data
data synthesis, Data Augmentation and Synthesis-Model Distillation
AI-powered, AI-Powered Data Synthesis-Obscure data lineage
data verification, Data verification-Data verification
instruction data synthesis, Instruction data synthesis-Instruction data synthesis
limitations, Limitations to AI-generated data-Obscure data lineage
obscure data lineage problems, Obscure data lineage
potential model collapse, Potential model collapse
quality control problems, Quality control
reasons for synthesizing data, Why Data Synthesis-Why Data Synthesis
superficial imitation problems, Superficial imitation
model distillation, Model Distillation
traditional techniques, Traditional Data Synthesis Techniques-Simulation
rule-based, Rule-based data synthesis-Rule-based data synthesis
simulation, Simulation
data verification, Data verification-Data verification
dataset engineering, Dataset engineering, Dataset Engineering-Summary
data augmentation/synthesis, Data Augmentation and Synthesis-Model Distillation
data curation, Data Curation-Data Acquisition and Annotation
data acquisition/annotation, Data Acquisition and Annotation-Data Acquisition and Annotation
data coverage, Data Coverage-Data Coverage
data quality, Data Quality-Data Quality
data quantity, Data Quantity-Data Quantity
data processing, Data Processing-Format Data
data cleaning and filtering, Clean and Filter Data
data formatting, Format Data-Format Data
deduplicating data, Deduplicate Data-Deduplicate Data
inspecting data, Inspect Data-Inspect Data
data-centric view of AI, Dataset Engineering
DDR SDRAM (doubled data rate synchronous dynamic random-access memory), Memory size and bandwidth
debugging, Break Complex Tasks into Simpler Subtasks
decoding
autoregressive decoding bottleneck, Overcoming the autoregressive decoding bottleneck-Parallel decoding

decoupling from prefilling, Decoupling prefill and decode
in transformer architecture, Transformer architecture
defensive prompt engineering
jailbreaking and prompt injection, Jailbreaking and Prompt Injection-Indirect prompt injection
automated attacks, Automated attacks
direct manual prompt hacking, Direct manual prompt hacking-Direct manual prompt hacking
indirect prompt injection, Indirect prompt injection-Indirect prompt injection
prompt attack defense, Defenses Against Prompt Attacks-System-level defense
model-level defense, Model-level defense
prompt-level defense, Prompt-level defense
system-level defense, System-level defense
degenerate feedback loops, Degenerate feedback loop
demonstration data, Supervised Finetuning
dense retrievers, Retrieval Algorithms
dimensionality reduction, Deduplicate Data
direct manual prompt hacking, Direct manual prompt hacking-Direct manual prompt hacking
Direct Preference Optimization (DPO), Preference Finetuning
distillation, Reasons to Finetune
base, Base models
model distillation, Open source, open weight, and model licenses, Model Distillation, Model compression
synthetic data and, Why Data Synthesis
domain-specific capability, Domain-Specific Capability-Domain-Specific Capability
domain-specific task finetuning, Reasons Not to Finetune
domain-specific training data models, Domain-Specific Models-Domain-Specific Models
dot products, Attention mechanism
doubled data rate synchronous dynamic random-access memory (DDR SDRAM), Memory size and bandwidth
DPO (Direct Preference Optimization), Preference Finetuning
DRAM (CPU memory), Memory size and bandwidth
drift detection, Drift detection
dynamic batching, Batching
dynamic features, The role of AI and humans in the application

E

edit distance, Lexical similarity
Elo, Ranking Models with Comparative Evaluation, Scalability bottlenecks, Quantized LoRA
embedding, Introduction to Embedding-Introduction to Embedding
embedding algorithm, Semantic similarity, Introduction to Embedding
embedding model, From Large Language Models to Foundation Models
  embedding-based retrieval, Embedding-based retrieval-Embedding-based retrieval
  multimodal RAG and, Multimodal RAG
embedding models, Introduction to Embedding
engineering architecture, AI Engineering Architecture-AI Pipeline Orchestration
  AI pipeline orchestration, AI Pipeline Orchestration-AI Pipeline Orchestration
  monitoring and observability, Monitoring and Observability-Drift detection
    drift detection, Drift detection
    logs and traces, Logs and traces-Logs and traces
    metrics, Metrics-Metrics
  monitoring versus observability, Monitoring and Observability
  step 1: enhancing context, Step 1. Enhance Context
  step 2: putting in guardrails, Step 2. Put in Guardrails-Guardrail implementation
    guardrail implementation, Guardrail implementation
    input guardrails, Input guardrails-Input guardrails
    output guardrails, Output guardrails-Output guardrails
  step 3: adding model router and gateway, Step 3. Add Model Router and Gateway-Gateway
    gateway, Gateway-Gateway
    router, Router-Router
  step 4: reducing latency with caches, Step 4. Reduce Latency with Caches-Semantic caching
    exact caching, Exact caching
    semantic caching, Semantic caching
  step 5: adding agent patterns, Step 5. Add Agent Patterns
engineering stack, Three Layers of the AI Stack-Three Layers of the AI Stack
  application development, Three Layers of the AI Stack
    AI interface, AI interface
    evaluation, Evaluation
    prompt engineering and context construction, Prompt engineering and context construction

infrastructure, Three Layers of the AI Stack
ML engineering versus, Model development-Inference optimization
model development, Three Layers of the AI Stack
entropy, Entropy
epochs, Number of epochs
error correction, Reflection and error correction-Reflection and error correction
evaluation, Evaluation
evaluation harnesses, Navigate Public Benchmarks
evaluation methodology, Evaluation Methodology-Summary
AI as a judge, AI as a Judge-What Models Can Act as Judges?
AI systems evaluation (see systems evaluation)
challenges, Challenges of Comparative Evaluation-From comparative performance to absolute performance
challenges of foundation model evaluation, Challenges of Evaluating Foundation Models-Challenges of Evaluating Foundation Models
comparative performance to absolute performance, From comparative performance to absolute performance
lack of standardization and quality control, Lack of standardization and quality control-Lack of standardization and quality control
scalability bottlenecks, Scalability bottlenecks
exact evaluation, Exact Evaluation-Introduction to Embedding
future, The Future of Comparative Evaluation
language model for computing text perplexity, Perplexity Interpretation and Use Cases
language modeling metrics, Understanding Language Modeling Metrics-Perplexity Interpretation and Use Cases
rank models with comparative evaluation, Ranking Models with Comparative Evaluation-The Future of Comparative Evaluation
evaluation pipeline design, Design Your Evaluation Pipeline-Iterate
step 1: creating an evaluation guideline, Step 2. Create an Evaluation Guideline -Tie evaluation metrics to business metrics
step 2: evaluating all components in a system, Step 1. Evaluate All Components in a System-Step 1. Evaluate All Components in a System
creating scoring rubrics with examples, Create scoring rubrics with examples
defining evaluation criteria, Define evaluation criteria
tying evaluation metrics to business metrics, Tie evaluation metrics to business metrics
step 3: defining evaluation methods and data, Step 3. Define Evaluation Methods and Data-Iterate

annotating evaluation data, Annotate evaluation data-Annotate evaluation data
evaluating evaluation pipeline, Evaluate your evaluation pipeline
iteration, Iterate
selecting evaluation methods, Select evaluation methods
evaluation-driven development, Evaluation Criteria-Evaluation Criteria
eviction policies, Exact caching
exact caching, Exact caching
exact evaluation, Exact Evaluation-Introduction to Embedding
functional correctness, Functional Correctness-Functional Correctness
similarity measurements against reference data, Similarity Measurements Against Reference Data-Semantic similarity
exact matches, Exact match
expectation setting, Setting Expectations
explicit feedback, Extracting Conversational Feedback-Dialogue diversity

F

factual consistency, Factual consistency-Factual consistency, Create scoring rubrics with examples
faithfulness, Generation Capability
feature-based transfers, Finetuning, Finetuning Overview
feature-free transfers, Finetuning
federated learning, Model Merging and Multi-Task Finetuning
feedback design
how to collect feedback, How to collect feedback-How to collect feedback
when to collect feedback
in the beginning, In the beginning
when something bad happens, When something bad happens
when the model has low confidence, When the model has low confidence-When the model has low confidence
feedforward computation, Parallelism
feedforward layer, Transformer block, LoRA configurations
few-shot learning, In-Context Learning: Zero-Shot and Few-Shot-In-Context Learning: Zero-Shot and Few-Shot
finetuning, Finetuning-Summary
defined, Modeling and training
domain-specific tasks, Reasons Not to Finetune
finetuning and RAG, Finetuning and RAG-Finetuning and RAG
hyperparameters, Finetuning hyperparameters-Prompt loss weight

batch size, Batch size
learning rate, Learning rate
number of epochs, Number of epochs
prompt loss rate, Prompt loss weight
memory bottlenecks, Memory Bottlenecks-Training quantization
backpropagation and trainable parameters, Backpropagation and Trainable Parameters-Backpropagation and Trainable Parameters
memory math, Memory Math-Memory needed for training
numerical representations, Numerical Representations-Numerical Representations
quantization, Quantization-Training quantization
overview, Finetuning Overview-Finetuning Overview
structured outputs, Finetuning
tactics, Finetuning Tactics-Prompt loss weight
techniques, Finetuning Techniques-Prompt loss weight
LoRA, LoRA-Quantized LoRA
model merging and multi-task finetuning, Model Merging and Multi-Task Finetuning-Concatenation
parameter-efficient finetuning, Parameter-Efficient Finetuning-Quantized LoRA
PEFT techniques, PEFT techniques-PEFT techniques
when to finetune, When to Finetune-Finetuning and RAG
reasons not to finetune, Reasons Not to Finetune-Reasons Not to Finetune
reasons to finetune, Reasons to Finetune
FLOP (floating point operation), Model Size
foundation models, From Foundation Models to AI Engineering, Understanding Foundation Models-Summary
evaluation challenges, Challenges of Evaluating Foundation Models-Challenges of Evaluating Foundation Models
comparative performance to absolute performance, From comparative performance to absolute performance
lack of standardization and quality control, Lack of standardization and quality control-Lack of standardization and quality control
scalability bottlenecks, Scalability bottlenecks
inverse scaling, Model Size
modeling, Modeling-Scaling bottlenecks
model architecture, Model Architecture-Other model architectures
model size, Model Size-Scaling bottlenecks
parameter versus hyperparameter, Scaling extrapolation
post-training, Post-Training-Finetuning using the reward model

preference finetuning, Preference Finetuning-Finetuning using the reward model
supervised finetuning, Supervised Finetuning-Supervised Finetuning
sampling, Sampling-Hallucination
probabilistic nature of AI, The Probabilistic Nature of AI-Hallucination
sampling fundamentals, Sampling Fundamentals-Sampling Fundamentals
sampling strategies, Sampling Strategies-Stopping condition
structured outputs, Structured Outputs-Finetuning
test time compute, Test Time Compute-Test Time Compute
training data, Training Data-Domain-Specific Models
domain-specific models, Domain-Specific Models-Domain-Specific Models
multilingual models, Multilingual Models-Multilingual Models
use cases, Foundation Model Use Cases-Workflow Automation
coding, Coding-Coding
conversational bots, Conversational Bots
data organization, Data Organization
education, Education
image and video production, Image and Video Production
workflow automation, Workflow Automation
writing, Writing-Writing
full finetuning, Parameter-Efficient Finetuning-Quantized LoRA
function calling, Function calling-Function calling
fuzzy matching, Lexical similarity

G

gateways, Gateway-Gateway
Gemini, Evaluation, Test Time Compute, Prompt caching, When the model has low confidence
generation capability, Generation Capability-Safety
global factual consistency, Factual consistency
goodput, Throughput and goodput-Throughput and goodput
GPU on-chip SRAM, Memory size and bandwidth
ground truths, Similarity Measurements Against Reference Data
grouped-query attention, Redesigning the attention mechanism
guardrail implementation, Guardrail implementation
guardrails, Control, access, and transparency, System-level defense, Step 2. Put in Guardrails-Guardrail implementation

H

H3 architecture, Other model architectures
hallucinations
causes of, Hallucination-Hallucination
defined, The Probabilistic Nature of AI
and finetuning, Finetuning and RAG
measurement, Factual consistency
metrics for, Metrics
superficial imitation and, Superficial imitation
hard attributes, Model Selection Workflow
hashing, Deduplicate Data
HellaSwag, Public leaderboards
hierarchical navigable small world (HNSW), Embedding-based retrieval
high-bandwidth memory (HBM), Memory size and bandwidth
hyperparameters, Scaling extrapolation, Finetuning hyperparameters-Prompt loss weight

I

IDF (inverse document frequency), Term-based retrieval
IFEval, Instruction-following criteria
implicit feedback, Extracting Conversational Feedback
in-context learning, In-Context Learning: Zero-Shot and Few-Shot-In-Context Learning: Zero-Shot and Few-Shot
inconsistency, Inconsistency-Inconsistency, Inconsistency
indexing
chunking strategy and, Chunking strategy-Chunking strategy
defined, RAG Architecture
with embedding-based retrieval, Embedding-based retrieval
retrieval systems and, Comparing retrieval algorithms
indirect prompt injection, Indirect prompt injection-Indirect prompt injection
inference APIs, Online and batch inference APIs-Online and batch inference APIs
inference optimization, Inference optimization, Inference Optimization-Summary
AI accelerators
computational capabilities, Computational capabilities
defined, What's an accelerator?-What's an accelerator?
memory size and bandwidth, Memory size and bandwidth-Memory size and bandwidth
power consumption, Power consumption-Power consumption

case study from PyTorch, Kernels and compilers
inference overview
computational bottlenecks, Computational bottlenecks-Computational bottlenecks
online and batch inference APIs, Online and batch inference APIs-Online and batch inference APIs
inference performance metrics, Inference Performance Metrics-Utilization, MFU, and MBU
latency, TTFT, and TPOT, Latency, TTFT, and TPOT-Latency, TTFT, and TPOT
throughput/goodput, Throughput and goodput-Throughput and goodput
utilization, MFU, and MBU, Utilization, MFU, and MBU-Utilization, MFU, and MBU
inference service optimization, Inference Service Optimization-Parallelism
batching, Batching
decoupling prefill and decode, Decoupling prefill and decode
parallelism, Parallelism-Parallelism
prompt caching, Prompt caching-Prompt caching
KV cache size calculation, Attention mechanism optimization
memory-bound versus bandwidth-bound interference, Computational bottlenecks
at model/hardware/service levels, Inference Optimization
model optimization, Model Optimization-Kernels and compilers
attention mechanism optimization, Attention mechanism optimization-Writing kernels for attention computation
autoregressive decoding bottleneck, Overcoming the autoregressive decoding bottleneck-Parallel decoding
kernels and compilers, Kernels and compilers-Kernels and compilers
model compression, Model compression
understanding, Understanding Inference Optimization-Power consumption
AI accelerators, AI Accelerators-Power consumption
inference overview, Inference Overview-Online and batch inference APIs
inference performance metrics, Inference Performance Metrics-Utilization, MFU, and MBU
inference performance metrics, Inference Performance Metrics-Utilization, MFU, and MBU
latency, TTFT, and TPOT, Latency, TTFT, and TPOT-Latency, TTFT, and TPOT
throughput/goodput, Throughput and goodput-Throughput and goodput
utilization, MFU, and MBU, Utilization, MFU, and MBU-Utilization, MFU, and MBU
inference quantization, Inference quantization-Inference quantization

inference service
defined, Open source models versus model APIs
and inference optimization, Inference Overview
throughput/goodput, Throughput and goodput-Throughput and goodput
inference service optimization, Inference Service Optimization-Parallelism
decoupling prefill and decode, Decoupling prefill and decode
parallelism, Parallelism-Parallelism
prompt caching, Prompt caching-Prompt caching
inference with reference, Inference with reference
INFOBench, Instruction-following criteria
information aggregation, Information Aggregation
information extraction, Information Extraction-Information Extraction
information retrieval optimization, Retrieval Optimization-Contextual retrieval
chunking strategy, Chunking strategy-Chunking strategy
contextual retrieval, Contextual retrieval-Contextual retrieval
query rewriting, Query rewriting
reranking, Reranking
instruction data synthesis, Instruction data synthesis-Instruction data synthesis
instruction-following capability, Instruction-Following Capability-Roleplaying
instruction-following criteria, Instruction-following criteria-Instruction-following criteria
intent classifiers, Router
inter-token latency (ITL), Latency, TTFT, and TPOT
interface, AI, AI interface
internal knowledge, Memory
inverse document frequency (IDF), Term-based retrieval
inverted file index (IVF), Embedding-based retrieval
iteration, Iterate

J

jailbreaking, Jailbreaking and Prompt Injection-Indirect prompt injection
automated attacks, Automated attacks
direct manual prompt hacking, Direct manual prompt hacking-Direct manual prompt hacking
indirect prompt injection, Indirect prompt injection-Indirect prompt injection
Jamba architecture, Other model architectures
judges (see AI judges)

K

k-nearest neighbors (k-NN), Embedding-based retrieval
kernels, Writing kernels for attention computation, Kernels and compilers-Kernels and compilers
key vector (K), Attention mechanism
key-value (KV) cache, Attention mechanism optimization-Optimizing the KV cache size
key-value vectors, Memory needed for inference
knowledge augmentation, Knowledge augmentation
knowledge-augmented verification, Factual consistency
KV cache (see key-value cache)

L

LangChain, Evaluate Prompt Engineering Tools, Prompt-level defense, Memory
language modeling metrics, Understanding Language Modeling Metrics-Perplexity Interpretation and Use Cases
  bits-per-byte, Bits-per-Character and Bits-per-Byte
  bits-per-character, Bits-per-Character and Bits-per-Byte
  cross entropy, Cross Entropy
  entropy, Entropy
  perplexity, Perplexity
  perplexity interpretation and use cases, Perplexity Interpretation and Use Cases-Perplexity Interpretation and Use Cases
language models, Language models-Language models, Perplexity Interpretation and Use Cases
large language models, From Large Language Models to Foundation Models-From Large Language Models to Foundation Models
  AI product defensibility, AI product defensibility
  role of AI and humans in the application, The role of AI and humans in the application-The role of AI and humans in the application
  set expectations, AI product defensibility
large multimodal model (LMM), From Large Language Models to Foundation Models
latency
  AI judges and, Increased costs and latency
  inference performance and, Latency, TTFT, and TPOT-Latency, TTFT, and TPOT
  metrics, Setting Expectations
  reliability versus, Guardrail implementation

layer stacking, Layer stacking-Layer stacking
leaderboards, Scalability bottlenecks-Lack of standardization and quality control, Benchmark selection and aggregation-Custom leaderboards with public benchmarks
learning rate, Learning rate
leniency bias, Biases
lexical similarity, Lexical similarity-Lexical similarity
linear combination summing, Linear combination-Linear combination
Llama
    attention function, Attention mechanism
    data coverage, Data Coverage
    data quality, Data Quality
    data quantity, Data Quantity
    data synthesis, AI-Powered Data Synthesis, Instruction data synthesis
    finetuning, Finetuning Overview
    inference optimization, Kernels and compilers
    inference quantization, Inference quantization
    model distillation, Model Distillation
    open source models, Open source, open weight, and model licenses
    prefer, Preference Finetuning
    preference finetuning, Post-Training
    prompt template, System Prompt and User Prompt
    scaling law and, Scaling law: Building compute-optimal models
LLM-as-a-judge, AI as a Judge
    (see also AI-as-a-judge)
LMM (large multimodal model), From Large Language Models to Foundation Models
local factual consistency, Factual consistency
locality-sensitive hashing (LSH), Embedding-based retrieval
logit vectors, Sampling Fundamentals
logprobs, Temperature, Select evaluation methods
logs, Logs and traces-Logs and traces
long-term memory, Memory
loop tiling, Kernels and compilers
LoRA (low-rank adaptation), LoRA-Quantized LoRA
    configurations, LoRA configurations-LoRA configurations
    LoRA adapters service, Serving LoRA adapters-Serving LoRA adapters
    mechanism of operation, Why does LoRA work?
    quantized LoRA (QLoRA), Quantized LoRA-Quantized LoRA
low-rank factorization, LoRA

LSH (locality-sensitive hashing), Embedding-based retrieval

M

Mamba architecture, Other model architectures
manual generation, Traditional Data Synthesis Techniques-Simulation
masked language models, Language models
Massive Multitask Language Understanding (MMLU), Maintenance, Public leaderboards
matches, Ranking Models with Comparative Evaluation
MBU (model bandwidth utilization), Utilization, MFU, and MBU-Utilization, MFU, and MBU
MCQs (multiple-choice questions), Domain-Specific Capability
mean time to detection (MTTD), Monitoring and Observability
mean time to response (MTTR), Monitoring and Observability
memory, Memory-Memory
  internal knowledge, Memory
  long-term memory, Memory
  short-term memory, Memory
memory bottlenecks, Memory Bottlenecks-Training quantization
  bandwidth-bound, Computational bottlenecks
  memory math, Memory Math-Memory needed for training
    memory needed for inference, Memory needed for inference
    memory needed for training, Memory needed for training-Memory needed for training
  quantization, Quantization-Training quantization
    inference quantization, Inference quantization-Inference quantization
    training quantization, Training quantization-Training quantization
  size and bandwidth, Memory size and bandwidth-Memory size and bandwidth
memory math, Memory Math-Memory needed for training
metrics, Metrics-Metrics
  correlations between, Evaluate your evaluation pipeline
  for AI as a judge, Criteria ambiguity-Criteria ambiguity
  for generation capability, Generation Capability
  for hallucination measurement, Factual consistency
  inference performance metrics, Inference Performance Metrics-Utilization, MFU, and MBU
  language modeling (see language modeling metrics)
  observability metrics, Monitoring and Observability

reference-based versus reference-free, Similarity Measurements Against Reference Data
tying evaluation metrics to business metrics, Tie evaluation metrics to business metrics
usefulness thresholds, Setting Expectations
MFU (model FLOPs utilization), Utilization, MFU, and MBU-Utilization, MFU, and MBU
milestone planning, Milestone Planning
mixture-of-experts (MoE) models, Model Size, Layer stacking
ML engineering, AI engineering versus, AI Engineering Versus ML Engineering-AI interface
MLP modules, Transformer block
MMLU (Massive Multitask Language Understanding), Maintenance, Public leaderboards
model APIs, open source models versus (see open source models, model APIs versus)
model architecture, Model Architecture-Other model architectures
(see also specific architectures, e.g.: transformer architecture)
model bandwidth utilization (MBU), Utilization, MFU, and MBU-Utilization, MFU, and MBU
model compression, Model compression
model development, Three Layers of the AI Stack, Model development-Inference optimization
dataset engineering, Dataset engineering
inference optimization, Inference optimization-Inference optimization
modeling and training, Modeling and training-Modeling and training
model distillation, Model Distillation
model FLOPs utilization (MFU), Utilization, MFU, and MBU-Utilization, MFU, and MBU
model inference, Maintenance
model merging, Model Merging and Multi-Task Finetuning-Concatenation
concatenation, Concatenation
layer stacking, Layer stacking-Layer stacking
summing, Summing-Pruning redundant task-specific parameters
model optimization, Model Optimization-Kernels and compilers
attention mechanism optimization, Attention mechanism optimization-Writing kernels for attention computation
attention mechanism redesign, Redesigning the attention mechanism
KV cache size optimization, Optimizing the KV cache size
write kernels for attention computation, Writing kernels for attention computation

autoregressive decoding bottleneck, Overcoming the autoregressive decoding bottleneck-Parallel decoding
inference with reference, Inference with reference
parallel decoding, Parallel decoding
speculative decoding, Speculative decoding-Speculative decoding
kernels and compilers, Kernels and compilers-Kernels and compilers
model compression, Model compression
model ranking, Ranking Models with Comparative Evaluation-The Future of Comparative Evaluation
model router, Step 3. Add Model Router and Gateway-Gateway
model selection, Model Selection-Handling data contamination
model build versus buy, Model Build Versus Buy-On-device deployment
open source models versus model APIs, Open source models versus model APIs-On-device deployment
open source, open weight, and model licenses, Open source, open weight, and model licenses-Open source, open weight, and model licenses
model selection workflow, Model Selection Workflow-Model Selection Workflow
navigating public benchmarks, Navigate Public Benchmarks-Custom leaderboards with public benchmarks
benchmark selection and aggregation, Benchmark selection and aggregation
public leaderboards, Public leaderboards
model size, Model Size-Scaling bottlenecks
scaling bottlenecks, Scaling bottlenecks-Scaling bottlenecks
scaling extrapolation, Scaling extrapolation
scaling law: building compute-optimal models, Scaling law: Building compute-optimal models-Scaling law: Building compute-optimal models
model-centric AI, Dataset Engineering
model-level defense, Model-level defense
modeling, Modeling-Scaling bottlenecks
model architecture, Model Architecture-Other model architectures
model size, Model Size-Scaling bottlenecks
MoE (mixture-of-experts) models, Layer stacking
monitoring, Break Complex Tasks into Simpler Subtasks, Monitoring and Observability-Drift detection
MTTD (mean time to detection), Monitoring and Observability
MTTR (mean time to response), Monitoring and Observability
multi-query attention, Redesigning the attention mechanism
multi-task finetuning, Model Merging and Multi-Task Finetuning
multilingual training data models, Multilingual Models-Multilingual Models

multimodal models, From Large Language Models to Foundation Models
multiple-choice questions (MCQs), Domain-Specific Capability

N

n-gram similarity, Lexical similarity
natural language feedback, Natural language feedback-Sentiment
  complaints, Complaints
  early termination, Early termination
  error correction, Error correction
  sentiment, Sentiment
natural language generation (NLG), Generation Capability-Safety
natural language processing (NLP), Generation Capability-Safety
needle in a haystack (NIAH) test, Context Length and Context Efficiency

O

obscure data lineage, Obscure data lineage
observability, Monitoring and Observability-Drift detection
on-device deployment, On-device deployment
online inference APIs, Online and batch inference APIs-Online and batch inference APIs
Open CLIP, Domain-Specific Models
open source licenses, Open source, open weight, and model licenses-Open source, open weight, and model licenses
open source models, model APIs versus, Open source models versus model APIs-On-device deployment
  API cost versus engineering cost, API cost versus engineering cost
  control, access, and transparency, Control, access, and transparency
  data lineage and copyright, Data lineage and copyright
  data privacy, Data privacy
  functionality, Functionality
  on-device deployment, On-device deployment
  performance, Performance
open weight models, Open source, open weight, and model licenses
OpenAI
  batch APIs, Online and batch inference APIs
  evaluation harnesses, Navigate Public Benchmarks
  first GPT model, Self-supervision
  instruction hierarchy for model-level defense, Model-level defense

model as a service, From Foundation Models to AI Engineering
natural language supervision, From Large Language Models to Foundation Models
open source APIs, Open source models versus model APIs
progression/distillation paths, Base models
quality of updated models, Custom leaderboards with public benchmarks
test time compute, Test Time Compute
operator fusion, Kernels and compilers
optimization
inference optimization (see inference optimization)
of retrieval systems, Retrieval Optimization-Contextual retrieval

P

pairwise comparison, Deduplicate Data
parallel decoding, Parallel decoding
parallelism, Parallelism-Parallelism
parallelization, Break Complex Tasks into Simpler Subtasks, Kernels and compilers
parameter-efficient finetuning, Parameter-Efficient Finetuning-Quantized LoRA
adapter-based/soft-prompt techniques, PEFT techniques-PEFT techniques
LoRA, LoRA-Quantized LoRA
configurations, LoRA configurations-LoRA configurations
how it works, Why does LoRA work?
LoRA adapters service, Serving LoRA adapters-Serving LoRA adapters
quantized LoRA, Quantized LoRA-Quantized LoRA
Pareto optimization, Cost and Latency
partial finetuning, Parameter-Efficient Finetuning
passive phishing, Indirect prompt injection
PEFT (see parameter-efficient finetuning)
perplexity, Perplexity-Perplexity Interpretation and Use Cases
perturbation, Rule-based data synthesis
pipeline orchestration, AI Pipeline Orchestration-AI Pipeline Orchestration
monitoring and observability, Monitoring and Observability-Drift detection
drift detection, Drift detection
logs and traces, Logs and traces-Logs and traces
metrics, Metrics-Metrics
planning
plan generation, Plan generation-Complex plans
complex plans, Complex plans

function calling, Function calling-Function calling
granularity, Planning granularity
reflection and error correction, Reflection and error correction-Reflection and error correction
pointwise evaluation, Reward model, Ranking Models with Comparative Evaluation
position bias, Biases
post-processing, Prompting
post-training, Modeling and training, Post-Training-Finetuning using the reward model
preference finetuning, Preference Finetuning-Finetuning using the reward model
supervised finetuning, Supervised Finetuning-Supervised Finetuning
potential model collapse, Potential model collapse
power consumption, Power consumption-Power consumption
PPO (proximal policy optimization), Finetuning using the reward model
pre-training, Modeling and training
precision bits, Numerical Representations
preference bias, Biases
preference finetuning, Preference Finetuning-Finetuning using the reward model, Finetuning Overview
preference models, What Models Can Act as Judges?
prefilling, Transformer architecture
prefilling, decoupling from decoding, Decoupling prefill and decode
proactive features, The role of AI and humans in the application
probabilistic nature of AI, The Probabilistic Nature of AI-Hallucination
hallucination, Hallucination-Hallucination
inconsistency, Inconsistency-Inconsistency
probabilistic definition, The Probabilistic Nature of AI-Hallucination
procedural generation, Traditional Data Synthesis Techniques-Simulation
product quantization, Embedding-based retrieval
prompt attacks, Defensive Prompt Engineering, Jailbreaking and Prompt Injection-Indirect prompt injection
automated attacks, Automated attacks
defense against, Defenses Against Prompt Attacks-System-level defense
direct manual prompt hacking, Direct manual prompt hacking-Direct manual prompt hacking
indirect prompt injection, Indirect prompt injection-Indirect prompt injection
prompt caching, Prompt caching-Prompt caching
prompt catalogs, Organize and Version Prompts

prompt engineering, Prompt Engineering-Summary
basics, Introduction to Prompting-Context Length and Context Efficiency
context length and context efficiency, Context Length and Context Efficiency-Context Length and Context Efficiency
in-context learning: zero-shot and few-shot, In-Context Learning: Zero-Shot and Few-Shot-In-Context Learning: Zero-Shot and Few-Shot
best practices, Prompt Engineering Best Practices-Organize and Version Prompts
break complex tasks into simpler subtasks, Break Complex Tasks into Simpler Subtasks-Break Complex Tasks into Simpler Subtasks
evaluating prompt engineering tools, Evaluate Prompt Engineering Tools-Evaluate Prompt Engineering Tools
give the model time to think, Give the Model Time to Think-Give the Model Time to Think
iterating on your prompts, Iterate on Your Prompts
organize and version prompts, Organize and Version Prompts-Organize and Version Prompts
provide sufficient context, Provide Sufficient Context
write clear and explicit instructions, Write Clear and Explicit Instructions
defensive engineering, Defensive Prompt Engineering-System-level defense
information extraction, Information Extraction-Information Extraction
jailbreaking and prompt injection, Jailbreaking and Prompt Injection-Indirect prompt injection
prompt attacks defense, Defenses Against Prompt Attacks-System-level defense
proprietary prompts and reverse prompt engineering, Proprietary Prompts and Reverse Prompt Engineering-Proprietary Prompts and Reverse Prompt Engineering
defined, Prompt engineering and context construction
restricting model knowledge to its context, Provide Sufficient Context
terminology ambiguity: prompt versus context, In-Context Learning: Zero-Shot and Few-Shot
prompt loss rate, Prompt loss weight
prompt optimization, Evaluate Prompt Engineering Tools
prompt versioning, Organize and Version Prompts-Organize and Version Prompts
prompt-level defense, Prompt-level defense
proprietary prompts, Proprietary Prompts and Reverse Prompt Engineering-Proprietary Prompts and Reverse Prompt Engineering
proximal policy optimization (PPO), Finetuning using the reward model
public leaderboards, Public leaderboards

Q

QAT (quantization-aware training), Training quantization
QLoRA (quantized LoRA), Quantized LoRA-Quantized LoRA
QPS (queries per second), Comparing retrieval algorithms
quality control, Quality control
quantization, Quantization-Training quantization
  inference quantization, Inference quantization-Inference quantization
  training quantization, Training quantization-Training quantization
quantization-aware training (QAT), Training quantization
quantized LoRA (QLoRA), Quantized LoRA-Quantized LoRA
queries per second (QPS), Comparing retrieval algorithms
query rewriting, Query rewriting
query vector (Q), Attention mechanism

R

RAG (retrieval-augmented generation), RAG-RAG with tabular data
  finetuning and, Finetuning and RAG-Finetuning and RAG
  RAG architecture, RAG Architecture
  RAG beyond texts, RAG Beyond Texts-RAG with tabular data
    multimodal RAG, Multimodal RAG
    RAG with tabular data, RAG with tabular data-RAG with tabular data
  retrieval algorithms, Retrieval Algorithms-Combining retrieval algorithms
    combining, Combining retrieval algorithms
    comparing, Comparing retrieval algorithms-Comparing retrieval algorithms
    embedding-based retrieval, Embedding-based retrieval-Embedding-based retrieval
    term-based retrieval, Term-based retrieval-Term-based retrieval
  retrieval optimization, Retrieval Optimization-Contextual retrieval
    chunking strategy, Chunking strategy-Chunking strategy
    contextual retrieval, Contextual retrieval-Contextual retrieval
    query rewriting, Query rewriting
    reranking, Reranking
random feedback, Biases
range bits, Numerical Representations
ranking, Similarity Measurements Against Reference Data
rating algorithms, Ranking Models with Comparative Evaluation
reactive features, The role of AI and humans in the application

recall, Comparing retrieval algorithms
recurrent neural networks (RNNs), Transformer architecture
reference-based judges, What Models Can Act as Judges?
reference-based metrics, Similarity Measurements Against Reference Data
reference-free metrics, Similarity Measurements Against Reference Data
reflection, Reflection and error correction-Reflection and error correction
regeneration, Regeneration
reinforcement learning from human feedback (RLHF), Preference Finetuning-Finetuning using the reward model
relevance, Generation Capability
reliability, latency versus, Guardrail implementation
replica parallelism, Parallelism
reranking, Reranking
restricted weight, Open source, open weight, and model licenses
retrieval algorithms, Retrieval Algorithms-Combining retrieval algorithms
  combining, Combining retrieval algorithms
  comparing, Comparing retrieval algorithms-Comparing retrieval algorithms
  embedding-based retrieval, Embedding-based retrieval-Embedding-based retrieval
  term-based retrieval, Term-based retrieval-Term-based retrieval
retrieval optimization
  chunking strategy, Chunking strategy-Chunking strategy
  contextual retrieval, Contextual retrieval-Contextual retrieval
  query rewriting, Query rewriting
  reranking, Reranking
retrieval-augmented generation (see RAG)
retrievers
  combining retrieval algorithms, Combining retrieval algorithms
  main functions, RAG Architecture
  multimodal RAG and, Multimodal RAG
  quality evaluation, Comparing retrieval algorithms
  sparse versus dense, Retrieval Algorithms
reverse prompt engineering, Proprietary Prompts and Reverse Prompt Engineering-Proprietary Prompts and Reverse Prompt Engineering
reward models, Reward model-Reward model, What Models Can Act as Judges?
RLHF (reinforcement learning from human feedback), Preference Finetuning-Finetuning using the reward model
RNNs (recurrent neural networks), Transformer architecture
RoleLLM, Roleplaying
roleplaying, Roleplaying-Roleplaying

routers, Router-Router
rule-based data synthesis, Rule-based data synthesis-Rule-based data synthesis

S

S4 architecture, Other model architectures
safety, Safety-Safety
safety, as evaluation criteria, Safety-Safety
sampling, Sampling-Hallucination
  probabilistic nature of AI, The Probabilistic Nature of AI-Hallucination
  sampling fundamentals, Sampling Fundamentals-Sampling Fundamentals
  sampling strategies, Sampling Strategies-Stopping condition
  strategies, Sampling Strategies-Stopping condition
    stopping condition, Stopping condition
    temperature, Temperature-Temperature
    top-k, Top-k
    top-p, Top-p
  structured outputs, Structured Outputs-Finetuning
  test time compute, Test Time Compute-Test Time Compute
scaling bottlenecks, Scaling bottlenecks-Scaling bottlenecks, Scalability bottlenecks
scaling extrapolation, Scaling extrapolation
scaling law, Scaling law: Building compute-optimal models-Scaling law: Building compute-optimal models
scoring rubrics, Create scoring rubrics with examples
self-evaluation, What Models Can Act as Judges?
self-supervision language models, Self-supervision-Self-supervision
self-verification, Factual consistency
semantic caching, Semantic caching
semantic similarity, Semantic similarity-Semantic similarity
sequence parallelism, Parallelism
sequential finetuning, Model Merging and Multi-Task Finetuning
SFT (supervised finetuning), Post-Training, Supervised Finetuning-Supervised Finetuning, Finetuning Overview
short-term memory, Memory
simulation, Simulation
simultaneous finetuning, Model Merging and Multi-Task Finetuning
SLERP (spherical linear interpolation), Spherical linear interpolation (SLERP)
slicing, Annotate evaluation data
soft attributes, Model Selection Workflow

soft prompt-based PEFT methods, PEFT techniques-PEFT techniques
sparse models, Model Size, Model compression
sparse retrievers, Retrieval Algorithms
speculative decoding, Speculative decoding-Speculative decoding
spherical linear interpolation (SLERP), Spherical linear interpolation (SLERP)
SQL queries, Agent Overview
static batching, Batching
static features, The role of AI and humans in the application
stopping condition, Stopping condition
structured data, Perplexity Interpretation and Use Cases, Memory
structured outputs, Structured Outputs-Finetuning
  constrained sampling, Constrained sampling
  finetuning, Finetuning
  post-processing, Prompting
summing, Summing-Pruning redundant task-specific parameters
  linear combination, Linear combination-Linear combination
  pruning redundant task-specific parameters, Pruning redundant task-specific parameters
  spherical linear interpolation (SLERP), Spherical linear interpolation (SLERP)
superficial imitation, Superficial imitation
supervised finetuning (SFT), Post-Training, Supervised Finetuning-Supervised Finetuning, Finetuning Overview
supervision, Self-supervision
synthesis of data (see data synthesis)
system components evaluation, Step 1. Evaluate All Components in a System-Step 1. Evaluate All Components in a System
  creating scoring rubrics with examples, Create scoring rubrics with examples
  defining evaluation criteria, Define evaluation criteria
  tying evaluation metrics to business metrics, Tie evaluation metrics to business metrics
system prompts, System Prompt and User Prompt-System Prompt and User Prompt
system-level defense, System-level defense
systems evaluation, Evaluate AI Systems-Summary
  evaluation criteria, Evaluation Criteria-Cost and Latency
    cost and latency, Cost and Latency-Cost and Latency
    domain-specific capability, Domain-Specific Capability-Domain-Specific Capability
    evaluation-driven development, Evaluation Criteria-Evaluation Criteria
    generation capability, Generation Capability-Safety

instruction-following capability, Instruction-Following Capability-Roleplaying
evaluation pipeline design, Design Your Evaluation Pipeline-Iterate
step 1: creating an evaluation guideline, Step 2. Create an Evaluation Guideline -Tie evaluation metrics to business metrics
step 2: evaluating all components in a system, Step 1. Evaluate All Components in a System-Step 1. Evaluate All Components in a System
step 3: defining evaluation methods and data, Step 3. Define Evaluation Methods and Data-Iterate
evaluation-driven development, Evaluation Criteria-Evaluation Criteria
model selection, Model Selection-Handling data contamination
data contamination with public benchmarks, Data contamination with public benchmarks-Handling data contamination
model build versus buy, Model Build Versus Buy-On-device deployment
model selection workflow, Model Selection Workflow-Model Selection Workflow
navigating public benchmarks, Navigate Public Benchmarks-Custom leaderboards with public benchmarks
OpenAI model quality, Custom leaderboards with public benchmarks

T

task-based evaluation, Step 1. Evaluate All Components in a System
temperature, Temperature-Temperature
term frequency (TF), Term-based retrieval
text-to-SQL, Structured Outputs, Functional Correctness, RAG with tabular data
throughput, Throughput and goodput-Throughput and goodput
time between tokens (TBT), Latency, TTFT, and TPOT
time per output token (TPOT), Setting Expectations, Latency, TTFT, and TPOT-Latency, TTFT, and TPOT
time to first token (TTFT), Setting Expectations, Latency, TTFT, and TPOT-Latency, TTFT, and TPOT
tokenization, Multilingual Models, Model Size, Bits-per-Character and Bits-per-Byte, Term-based retrieval, Chunking strategy
defined, Language models
tokenizer, Chunking strategy
tokens, Language models, Model Size
tool use, Tool selection
top-k, Top-k
top-p, Top-p

TPOT (time per output token), Setting Expectations, Latency, TTFT, and TPOT-Latency, TTFT, and TPOT
traces, Logs and traces
trainable parameters, Backpropagation and Trainable Parameters-Backpropagation and Trainable Parameters
training, Modeling and training-Modeling and training
training data, Training Data-Domain-Specific Models
  domain-specific models, Domain-Specific Models-Domain-Specific Models
  multilingual models, Multilingual Models-Multilingual Models
training quantization, Training quantization-Training quantization
transfer learning, Finetuning Overview
transformer architecture, Transformer architecture-Transformer block
  attention mechanism, Attention mechanism-Attention mechanism
    attention modules, Transformer block
    MLP modules, Transformer block
  transformer blocks, Transformer block-Transformer block
    attention modules, Transformer block
    embedding modules, Transformer block
    MLP modules, Transformer block
    output layers, Transformer block
TruthfulQA, Public leaderboards
TTFT (time to first token), Setting Expectations, Latency, TTFT, and TPOT-Latency, TTFT, and TPOT
turn-based evaluation, Step 1. Evaluate All Components in a System

U

unstructured data, Data Organization, Memory
use case evaluation, Use Case Evaluation-AI product defensibility
usefulness threshold, Setting Expectations
user feedback, User Feedback-Degenerate feedback loop
  extracting conversational feedback, Extracting Conversational Feedback-Dialogue diversity
    natural language feedback, Natural language feedback-Sentiment
    other conversational feedback, Other conversational feedback-Dialogue diversity
  feedback design, Feedback Design-How to collect feedback
    when to collect feedback, When to collect feedback
  feedback limitations, Feedback Limitations-Degenerate feedback loop
    biases, Biases

degenerate feedback loops, Degenerate feedback loop

V

value vector (V), Attention mechanism
vector database, Embedding-based retrieval-Embedding-based retrieval
vectorization, Kernels and compilers
vocabulary, Perplexity Interpretation and Use Cases
defined, Language models

W

WinoGrande, Public leaderboards
workflow automation, Workflow Automation
write actions, Write actions

Z

zero-shot learning, In-Context Learning: Zero-Shot and Few-Shot-In-Context Learning: Zero-Shot and Few-Shot

Previous chapter
‹ Epilogue

Next chapter
About the Author ›