Index

Symbols

! operator
  in property files 7.5.1
  operator 1.4, 1.4.5
!= operator 1.4, 1.4.5
  for wrapper classes 1.8.4
(number sign)
  flag (for output) 1.6.2
  in javadoc hyperlinks 2.8.6
  in option files 12.10
  in property files 7.5.1
$ (dollar sign)
  flag (for output) 1.6.2
  in regular expressions 9.4.1, 9.4.6, 9.4.7
  in variable names 1.3.2
% (percent sign)
  conversion character 1.6.2
  operator 1.4, 1.4.2
%% 5.3.5
%= operator 1.4
%g 5.3.5
%h 5.3.5
%t 5.3.5
%u 5.3.5
& (ampersand) 1.4, 1.4.5
&& operator
  in regular expressions 9.4.1
  operator 1.4, 1.4.5
&= operator 1.4
> (right angle bracket)
  in shell syntax 1.6.1
  operator 1.4.5
>>= , >>>= operators 1.4
>= , >> , >>> operators 1.4, 1.4.5
< (left angle bracket)
  flag (for output) 1.6.2
  in shell syntax 1.6.1
  operator 1.4.5
<>
  for constructors of generic classes 6.1
<< operator 1.4, 1.4.5
<<= operator 1.4
<...> (angle brackets)
  for element types, in array lists 1.8.3
  for type parameters 3.3.1, 6.1
  in javadoc hyperlinks 2.8.6
  in regular expressions 9.4.1
<= operator 1.4, 1.4.5
"" 1.5.3, 1.5.4, 4.3.1
""" 1.5.7
"..."
  for strings 1.1.3
  in javadoc hyperlinks 2.8.6
  in text blocks 1.5.7
'...' (for character literals)
  for character literals 1.2.3
((left parenthesis) 1.6.2
(...) (parentheses)
  empty, for anonymous classes 3.9.2
  for casts 1.4.4, 3.1.5
  in regular expressions 9.4.1, 9.4.4
  operator 1.4
* (asterisk)
  for annotation processors 11.5.1
  in documentation comments 2.8.2
  in regular expressions 9.4.1, 9.4.4
  operator 1.4, 1.4.2
  wildcard
    in class path 2.6.3
    in imported classes 2.6.5
*= operator 1.4
+ (plus sign)
  flag (for output) 1.6.2
  in regular expressions 9.4.1
  operator 1.4, 1.4.2
    for strings 1.5.1, 1.5.4, 4.3.1
++ operator 1.4, 1.4.2
+= operator 1.4

, (comma)
flag (for output) 1.6.2
normalizing 9.4.6
trailing, in arrays 1.8.2
- (minus sign)
flag (for output) 1.6.2
in regular expressions 9.4.1
operator 1.4, 1.4.2
-> operator 3.4.1, 3.5.1
-- operator
in command-line options 2.6.2
operator 1.4, 1.4.2
-= operator 1.4, 1.4.1
. (period) 9.2.1
in method calls 1.1.3
in package names 1.1.2, 2.6.1
in regular expressions 9.4.1, 9.4.7
operator 1.4
... (ellipsis) 1.9.3
/ (slash)
file separator (Unix) 7.5.1, 9.2.1
in javac path segments 1.1.2
operator 1.4, 1.4.2
root component 9.2.1
/**...*/ 2.8, 2.8.1
// , /*...*/ comments 1.1.1
/= operator 1.4
0
as default value 2.3.4, 2.3.7
flag (for output) 1.6.2
prefix (for octal literals) 1.2.1
0b 1.2.1
0x 1.2.1, 1.6.2
0xFEFF 9.1.4
: (colon)
in assertions 5.2.1
in switch statement 1.7.2
path separator (Unix) 2.6.3, 7.5.1
switch 1.7.2
switch statement 1.7.2, 4.5.4
:: (C++ operator) 3.5.1, 4.1.8
; (semicolon)
path separator (Windows) 2.6.3, 7.5.1
= operator 1.4, 1.4.1
== operator 1.4, 1.4.5, 4.3.2
for class objects 4.6.1
for enumerations 4.4.1
for strings 1.5.3
for wrapper classes 1.8.4
? (question mark)
in regular expressions 9.4.1
replacement character 9.1.6
wildcard, for types 6.4.1, 6.4.5, 6.7.1
? : 1.4, 1.4.5
@ (at sign)
in java command 12.10
in javadoc comments 2.8.1
[...] (brackets)
for arrays 1.8.1, 1.8.9
in regular expressions 9.4.1
operator 1.4
[I 4.3.1, 4.6.1
[L 4.6.1
\ (backslash)
character literal 1.2.3
file separator (Windows) 7.5.1, 9.2.1
in option files 12.10
in regular expressions 9.4.1, 9.4.6
in text blocks 1.5.7
\0 9.4.1
\a , \A , in regular expressions 9.4.1
\b (backslash character literal) 1.2.3
\b , \B , in regular expressions 9.4.1
\c 9.4.1
\d , \D , in regular expressions 9.4.1
\e , \E , in regular expressions 9.4.1
\f (form feed character literal) 9.4.1
\G 9.4.1
\h , \H , in regular expressions 9.4.1
\k 9.4.1
\n (newline character literal)
for character literals 1.2.3
in property files 7.5.1
in regular expressions 9.4.1, 9.4.7
\p , \P , in regular expressions 9.4.1
\Q 9.4.1
\r (carriage return character literal)
for character literals 1.2.3
in property files 7.5.1
\r , \R , in regular expressions 9.4.1

\s , \S , in regular expressions 9.4.1
\t (tab character literal)
in regular expressions 9.4.1
tab, for character literals 1.2.3
\u (Unicode character literal)
for character literals 1.2.3
in regular expressions 9.4.1
\v , \V , in regular expressions 9.4.1
\w , \W , in regular expressions 9.4.1
\x 9.4.1
\z , \Z , in regular expressions 9.4.1
^ (caret)
for function parameters 3.4.1
in regular expressions 9.4.1, 9.4.7
operator 1.4, 1.4.5
^= operator 1.4
_ (underscore)
in number literals 1.2.1
in variable names 1.3.2, 2.2.5
{...} (braces)
in annotation elements 11.1.1
in lambda expressions 3.4.1
in regular expressions 9.4.1, 9.4.6
with arrays 1.8.2
{{...}} 4.1.7
| operator
in regular expressions 9.4.1
operator 1.4, 1.4.5
|= operator 1.4
|| operator 1.4, 1.4.5
~ operator 1.4, 1.4.5

A

a , A conversion characters 1.6.2
abstract keyword 3.1.3, 4.2.2
abstract classes 4.2.2
abstract methods 3.4.2
AbstractCollection class 3.2.2
AbstractMethodError class 3.2.2
AbstractProcessor class 11.5.1
accept 3.6.2
acceptEither method 10.5.2
AccessibleObject class
setAccessible method 4.7.2, 4.7.4
trySetAccessible method 4.7.2
accessors 2.1.1
accumulate 10.6
accumulateAndGet method 10.6
accumulator functions 8.12
ActionListener interface 3.3.4
add method
of ArrayDeque 7.5.5
of ArrayList 1.8.3, 2.1.1
of BlockingQueue 10.3.2
of Collection 7.1
of List 7.1
of ListIterator 7.2
of LongAdder 10.6
addAll method
of Collection 6.4.3, 7.1
of Collections 7.1
of List 7.1
addExact method 1.4.3
addition 1.4.2
identity for 8.12
addSuppressed method 5.1.5
aggregators 12.11
allMatch method 8.6
allOf method
of CompletableFuture 10.5.2
of EnumSet 7.5.4
allProcesses method 10.9.3
and , andNot methods (BitSet) 7.5.2
and , andThen methods (functional interfaces) 3.6.2
Android 3.3.4, 10.5.3
AnnotatedConstruct interface 11.5.2
AnnotatedElement interface 11.4
Annotation interface
extending 11.2
annotation interfaces 11.2
annotation processors 11.5.1
annotations
accessing 11.2, 12.11
applicability of 11.3
container 11.3.2, 11.4
declaration 11.1.3
documented 11.3, 11.3.2
generating source code with 11.5.3
inherited 11.3, 11.3.2, 11.4
key/value pairs in 11.1.1, 11.2
meta 11.2, 11.3.2

modifiers and 11.1.4
multiple 11.1.2
processing
at runtime 11.4
source-level 11.5
repeatable 11.1.2, 11.3, 11.3.2, 11.4
standard 11.3
type use 11.1.4
anonymous classes 3.9.2
anyMatch method 8.6
anyOf method 10.5.2
Apache Commons CSV 12.8
API documentation 1.5.5
generating 2.8
Applet 4.6.2
apply, applyAs*Xxx* methods (functional interfaces) 3.6.2
applyToEither method 10.5.2
arithmetic operations 1.4
Array class 4.7.6
array lists 1.8.3
anonymous 4.1.7
checking for nulls 6.4.4
constructing 1.8.3
converting between 6.4.1
copying 1.8.6
elements of 1.8.3, 1.8.5
filling 1.8.7
instantiating with type variables 6.6.3
size of 1.8.3
sorting 1.8.7
variables of 1.8.3
array variables
assigning values to 1.8.2
copying 1.8.6
declaring 1.8.1
initializing 1.8.1
ArrayBlockingQueue class 10.3.2
ArrayDeque class 7.5.5
ArrayIndexOutOfBoundsException class 1.8.1
ArrayList class 1.8.3, 7.1
add method 1.8.3, 2.1.1
clone method 4.3.4
forEach method 3.5.1
get, remove methods 1.8.3
removeIf method 3.4.2
set, size methods 1.8.3
arrays 1.8.1, 1.8.2
accessing nonexisting elements in 1.8.1
allocating 6.6.3
annotating 11.1.4
asList method 7.5.3
casting 4.7.6
checking 4.7.6
comparing 4.3.2
computing values of 10.4.2
constructing 1.8.1, 1.8.2
constructor references with 3.5.2
converting
to a reference of type Object 4.3
to/from streams 8.8, 8.14, 10.4.2
copying 1.8.6
copyOf method 1.8.6, 4.7.6
covariant 6.4
deepToString method 4.3.1
equals method 4.3.2
fill method 1.8.7
filling 1.8.2, 1.8.7
generating Class objects for 4.6.1
growing 4.7.6
hash codes of 4.3.3
hashCode method 4.3.3
length of 1.8.1, 1.8.2, 3.7.2
multidimensional 1.8.9, 4.3.1
of bytes 9.1.1
of generic types 3.5.2, 6.6.4
of objects 1.8.2, 10.4.2
of primitive types 10.4.2
of strings 9.4.5
parallel*Xxx* methods 1.8.7, 10.4.2
passing into methods 1.9.2
printing 1.8.7, 1.8.9, 4.3.1
serializable 9.5.1
setAll method 3.6.1
sort method 1.8.7, 3.3.1, 3.3.2, 3.4.2, 3.5.1
sorting 1.8.7, 3.3.1, 10.4.2
stream method 8.2, 8.13
superclass assignment in 4.1.5
toString method 1.8.7, 4.3.1
using class literals with 4.6.1

ArrayStoreException class 4.1.5, 6.4, 6.6.4
ASCII 1.5.6, 9.1.4
ASM tool 11.5.3
asMatchPredicate, asPredicate methods (Pattern) 9.4.2
assert keyword 5.2.1
AssertionError class 5.2.1
assertions 5.2
  checking 11.1.4
  enabling/disabling 5.2.2
assignment operators 1.4.1
associative operations 8.12
asSubclass method 6.7.1
asynchronous computations 10.5
AsyncTask 10.5.3
atomic operations 10.2.2, 10.3.1, 10.6, 10.7.3
  performance and 10.6
AtomicXxx classes 10.6
@author annotation 2.8.2, 2.8.8
autoboxing 1.8.4, 3.6.3
AutoCloseable interface 5.1.5, 6.3
  close method 5.1.5
automatic modules 12.8, 12.9
availableCharsets method 9.1.4
availableProcessors method 10.1.1
average method (XxxStream) 8.13

B

b, B conversion characters 1.6.2
Base classes. See Superclasses
BasicFileAttributes interface 9.2.4
BeanInfo interface 4.7.5
BiConsumer interface 3.6.2
BiFunction interface 3.6.2, 3.6.3
big-endian format 9.1.4, 9.1.8, 9.1.10
BigDecimal class 1.2.2, 1.4.6, 9.5.3
BigInteger class 1.2.1, 1.4.6
binary data, reading/writing 9.1.8
binary numbers 1.2.1, 1.2.2
binary trees 7.3
BinaryOperator interface 3.6.2
binarySearch method 7.1
BiPredicate interface 3.6.2
BitSet class 7.5.2
  collecting streams into 8.12
  methods of 7.5.2
bitwise operators 1.4.5
block statement, labeled 1.7.4
blocking queues 10.3.2
BlockingQueue interface 10.3.2
boolean type 1.2.4, 1.8.4
  default value of 2.3.4, 2.3.7
  formatting for output 1.6.2
  reading/writing 9.1.8
  streams of 8.13
BooleanSupplier interface 3.6.2
bootstrap class loader 4.6.3
boxed 8.13
branches 1.7.1
break keyword 1.7.2, 1.7.4
bridge methods 6.5.3
  clashes of 6.6.6
BufferedReader class 9.1.5
build 9.3.2
bulk operations 10.3.1
byte type 1.2.1, 1.8.4, 9.1.2
  MAX_VALUE, MIN_VALUE constants 1.2.1
  streams of 8.13
  toUnsignedInt method 1.2.1
  type conversions of 1.4.4
byte codes 1.1.2
byte order mark 9.1.4
ByteArrayXxxStream classes 9.1.1
ByteBuffer class 9.1.10
bytes
  arrays of 9.1.1
  converting to strings 9.1.4
  reading 9.1.2
  skipping 9.1.2
  writing 9.1.3

C

C# programming language, type parameters in 6.4.3
c, C conversion characters 1.6.2
C/C++
  #include directive in 2.6.5
  allocating memory in 10.2.3
  integer types in 1.2.1
  pointers in 2.1.2
C:\ 9.2.1
CachedRowSetImpl 12.10
calculators 4.4.3

calendars 2.1
call by reference 2.2.6
Callable interface
call method 10.1.2
callbacks 3.3.4, 10.5.2
registering 10.5.1
camel case 1.3.2
cancel method
of CompletableFuture 10.5.1
of Future 10.1.2
cancellation requests 10.1.3
CancellationException class 10.5.1
cardinality 7.5.2
carriage return 1.2.3
case keyword 1.7.2
cast 6.7.1
cast operator 1.4.4
casts 1.4.4, 3.1.5, 4.1.6
annotating 11.1.4
generic types and 6.6.2
inserting 6.5.2
catch keyword 5.1.4
annotating parameters of 11.1.3
in try-with-resources 5.1.5
no type variables in 6.6.7
ceiling 7.3
Channel interface 3.1.7
channels 9.1.10
char type 1.2.3
streams of 8.13
type conversions of 1.4.4
Character class 1.8.4
character classes 9.4.1
character encodings 9.1.4
native 9.1.4
partial 9.1.4, 9.1.6
character literals 1.2.3
characters 9.1
formatting for output 1.6.2
reading/writing 9.1.8
charAt method 1.5.6
CharSequence interface 1.5.5, 8.2
chars, codePoints methods 8.13
Charset class
availableCharsets method 9.1.4
defaultCharset method 9.1.4
forName method 9.1.4
checked exceptions 5.1.2, 5.1.3
combining in a superclass 5.1.3
declaring 5.1.3
documenting 5.1.3
generic types and 6.6.7
in lambda expressions 5.1.3
no-argument constructors and 4.7.4
not allowed in a method 5.1.7
rethrowing 5.1.7
checked views 6.6.2, 7.6.2
checked*Xxx* methods (Collections) 7.1, 7.6.2
Checker Framework 11.1.4
checkIndex method 5.1.9
Child classes. See Subclasses
Church, Alonzo 3.4.1
Class class 4.6.1, 6.7.2
asSubclass, cast methods 6.7.1
comparing objects of 4.6.1
forName method 4.6.1, 4.6.3, 4.6.4, 5.1.2, 5.1.8
generic 6.7.1
getCanonicalName method 4.6.1
getClassLoader method 4.6.1
getComponentType method 4.6.1, 4.7.6
getConstructor(s) methods 4.6.1, 4.7.1, 4.7.4, 6.7.1
getDeclaredConstructor(s) methods 4.6.1, 4.7.1, 6.7.1
getDeclaredField(s) methods 4.6.1
getDeclaredMethod(s) methods 4.6.1, 4.7.3
getDeclaringClass method 4.6.1
getEnclosing*Xxx* methods 4.6.1
getEnumConstants method 6.7.1
getField(s) methods 4.6.1, 4.7.1
getInterfaces method 4.6.1
getMethod(s) methods 4.6.1, 4.7.1, 4.7.3
getModifiers method 4.6.1
getName method 4.6.1
getPackage method 4.6.1
getPackageName method 4.6.1
getPermittedSubclasses method 4.6.1
getRecordComponents method 4.6.1
getResource method 4.6.2
getResourceAsStream method 4.6.1, 4.6.2
getSimpleName method 4.6.1

getSuperclass method 4.6.1, 6.7.1
getTypeName method 4.6.1
getTypeParameters method 6.7.2
is*Xxx* methods 4.6.1, 4.7.6
newInstance method 4.7.4, 6.7.1
toGenericString, toString methods 4.6.1
class declarations
annotations in 11.1.3, 11.3.2
initialization blocks in 2.3.5
class files 1.1.2, 4.6.3
paths of 2.6.1
processing annotations in 11.5.3
class literals 4.6.1
no annotations for 11.1.4
no type variables in 6.6.2
class loaders 4.6.3, 4.6.4
class objects 4.6.1
class path 2.6.3, 12.1
ClassCastException class 3.1.5, 6.6.2
classes 1.1.1, 2.1
abstract 3.1.3, 3.2.3, 4.2.2
accessing from a different module 12.11
adding to packages 2.6.4
anonymous 3.9.2
companion 3.2.1, 3.2.2
constructing objects of 1.3.1
deprecated 2.8.5, 11.3, 11.3.1
deserialization of 9.5.7
documentation comments for 2.8.1, 2.8.2
encapsulation of 12, 12.1
evolving 9.5.6
extending 4.1
fields of 4
final 4.2.1
generic 1.8.3
immutable 1.5.5, 10.2.4
implementing 2.2, 4.3.4
importing 2.6.5
inner 2.7.2
instances of 1.1.3, 2.2.1, 2.5.5
loading 4.7.1
local 3.9.1
members of 4
enumerating 4.4.4, 4.7.1
naming 1.3.2, 2.6, 4.6.1
nested 2.7, 11.1.4
not known at compile time 4.6.1, 4.7.7
protected 4.2.3
public 2.6.4, 12.5
sealed 4.2.4
serializable 9.5.3
static initialization of 4.6.3
static methods of 2.5.4
system 5.2.2
testing 2.6.4
utility 2.6.4, 4.6.4
wrapper 1.8.4
classes win rule 4.3.3
classifier functions 8.10
ClassLoader class
defineClass method 12.10
findClass, loadClass methods 4.6.3
set*Xxx*AssertionStatus methods 5.2.2
classloader inversion 4.6.4
ClassNotFoundException class 5.1.2
CLASSPATH 2.6.3
clear method
of BitSet 7.5.2
of Collection 7.1
of Map 7.4.1
clone method
of ArrayList 4.3.4
of Enum 4.4.1
of Message 4.3.4
of Object 4.2.3, 4.3, 4.3.4, 4.7.3
protected 4.3.4
Cloneable interface 4.3.4
CloneNotSupportedException class 4.3.4, 4.4.1
cloning 4.3.4
close method
of AutoCloseable, Closeable 5.1.5
of PrintWriter 5.1.5
throwing exceptions 5.1.5
Closeable interface 3.1.7
close method 5.1.5
closures 3.7.2
code 2.8.1
code generator tools 11.3.1
code points 1.5.6, 8.3, 9.1.4
code units 1.2.3, 1.5.6, 8.13

in regular expressions 9.4.1
codePoints method
of CharSequence 8.13
Collator class 1.5.3
collect 8.8, 8.12
collectingAndThen method 8.11
Collection interface 3.2.1, 3.2.2, 7.1
add method 7.1
addAll method 6.4.3, 7.1
clear, contains, containsAll methods 7.1
isEmpty method 7.1
iterator method 7.1
parallelStream method 7.1, 8.1, 8.14, 10.4.1
remove, removeXxx, retainAll methods 7.1
size method 7.1
spliterator method 7.1
stream method 7.1, 8.1
toArray method 7.1
Collections class 3.2.1, 7, 7.1, 7.6.2
addAll method 7.1
binarySearch method 7.1
branching 8.11
copy method 7.1
disjoint method 7.1
fill method 1.8.7, 7.1
frequency method 7.1
generic 7.6.2
given elements of 7.5.3
indexOfSubList, lastIndexOfSubList methods 7.1
iterating over elements of 8.1
mutable 7.5.3
nCopies method 7.1
processing 7.1
replaceAll method 7.1
reverse method 1.8.7, 7.1
rotate method 7.1
serializable 9.5.1
shuffle method 1.8.7, 7.1
sort method 1.8.7, 6.4.3, 6.7.2, 7.1
swap method 7.1
synchronizedXxx methods 7.1
threadsafe 10.3.3
unmodifiable views of 7.5.3, 7.6.2
unmodifiableXxx methods 7.1
vs. streams 8.1
Collector interface 8.8
Collectors class 2.6.6
counting method 8.11
filtering method 8.11
flatMapping method 8.11
groupingBy method 8.10, 8.11
groupingByConcurrent method 8.10, 8.14
joining method 8.8
mapping method 8.11
maxBy, minBy methods 8.11
partitioningBy method 8.10, 8.11
reducing method 8.11
summarizingXxx methods 8.8, 8.11
summingXxx methods 8.11
teeing method 8.11
toCollection method 8.8
toConcurrentMap method 8.9
toMap method 8.9
toSet method 8.8, 8.11
Collectors class
collectingAndThen method 8.11
mapping method 8.11
command-line arguments 1.8.8
comments 1.1.1
documentation 2.8
commonPool method 8.14, 10.5.1
companion classes 3.2.1, 3.2.2
Comparable interface 3.3.1, 4.4.1, 6.4.3, 7.3
compareTo method 3.3.1
priority queues with 7.5.5
streams of 8.5
Comparator interface 2.6.6, 3.3.2, 3.8, 7.3
comparing, comparingXxx methods 3.8.3
naturalOrder method 3.8.3
nullsFirst, nullsLast methods 3.8.3
priority queues with 7.5.5
reversed method 3.8.2
reverseOrder method 3.8.3
streams of 8.5
thenComparing method 3.8.3
compare 3.3.1
compareTo method
of Enum 4.4.1
of String 1.5.3, 3.3.1
compareToIgnoreCase method 3.5.1

compareUnsigned method 1.4.3
compatibility, drawbacks of 6.5
compilation 1.1.2
compile 9.4.2, 9.4.7
compile-time errors 1.3.3, 3.1.6
compiler
  instruction reordering in 10.2.1
completable futures 10.5.1, 10.5.2
  combining 10.5.2
  composing 10.5.2
  interrupting 10.5.1
CompletableFuture class 10.5.1, 10.5.2
  acceptEither method 10.5.2
  allOf, anyOf methods 10.5.2
  applyToEither method 10.5.2
  cancel method 10.5.1
  complete, completeExceptionally methods 10.5.1
  completeOnTimeout method 10.5.2
  exceptionally method 10.5.2
  exceptionallyCompose method 10.5.2
  handle method 10.5.2
  isDone method 10.5.1
  orTimeout method 10.5.2
  runAfter*Xxx* methods 10.5.2
  supplyAsync method 10.5.1
  thenAccept method 10.5.1, 10.5.2
  thenAcceptBoth method 10.5.2
  thenApply, thenApplyAsync methods 10.5.2
  thenCombine method 10.5.2
  thenCompose method 10.5.2
  thenRun method 10.5.2
  whenComplete method 10.5.1, 10.5.2
CompletionStage interface 10.5.2
compose 3.6.2
computations
  asynchronous 10.5
  mutator 2.1.1
  precision of 1.2.2
compute method
  of ConcurrentHashMap 10.3.1
  of Map 7.4.1
computeIf*Xxx* methods
  of ConcurrentHashMap 10.3.1
  of Map 7.4.1
concat 8.4
concatenation 1.5.1
  objects with strings 4.3.1
concurrent programming 10, 10.9.2
  access errors in 3.7.2
  strategies for 10.2.3
ConcurrentHashMap class 10.3.1, 10.7.3
  compute method 10.3.1
  computeIf*Xxx* methods 10.3.1
  forEach*Xxx* methods 10.3.1
  keySet method 10.3.3
  merge method 10.3.1
  newKeySet method 10.3.3
  no null values in 7.4.1
  putIfAbsent method 10.3.1
  reduce*Xxx*, search*Xxx* methods 10.3.1
  threadsafe 10.7.1
ConcurrentModificationException class 7.2, 10.3.3
ConcurrentSkipList*Xxx* classes 10.3.3
conditional operator 1.4.5
configuration files
  editing 5.3.4
  locating 4.6.2
  resolving paths for 9.2.1
confinement 10.2.3
connect 9.3.1
Console class 1.6.1
ConsoleHandler class 5.3.5, 5.3.6
constants 1.3.4, 3.1.9
  naming 1.3.4
  static 2.5.2
  using in another class 1.3.4
Constructor class 4.7.1
  getModifiers, getName methods 4.7.1
  newInstance method 4.7.4
constructor references 3.5.2
  annotating 11.1.4
constructors 2.3
  abstract classes and 4.2.2
  annotating 6.6.4, 11.1.3, 11.1.4
  canonical, compact, custom 2.4.2
  documentation comments for 2.8.1
  executing 2.3.1
  for subclasses 4.1.4
  implementing 2.3.1
  invoking another constructor from 2.3.3

no-argument 2.3.7, 4.1.4, 4.7.4
overloading 2.3.2
public 2.3.1, 4.7.1
references in 10.2.4
Consumer interface 3.6.2
contains method (String) 1.5.5
contains , containsAll methods (Collection) 7.1
containsXxx methods (Map) 7.4.1
context class loaders 4.6.4
continue keyword 1.7.4
control flow 1.7
conversion characters 1.6.2
cooperative cancellation 10.1.3
Cooperative scheduling 10.1.1
copy method
of Collections 7.1
of Files 9.1.3, 9.2.3, 9.2.5
copyOf method 1.8.6, 4.7.6
CopyOnWriteArrayXxx classes 10.3.3
CORBA 12.1
count 8.1, 8.6
counters
atomic 10.6
de/incrementing 5.1.6
counting 8.11
country codes 8.10
covariance 6.4
createDirectory , createDirectories , createFile
methods (Files) 9.2.2
createInstance method 4.6.4
createTempXxx methods (Files) 9.2.2
critical sections 10.2.2, 10.7.1, 10.8.1
current method
of ProcessHandle x 10.9.3
of ThreadLocalRandom 10.8.2

D

D 1.2.2
conversion character 1.6.2
daemon threads 10.8.3
Databases 11
persisting objects in 12.6
DataInput/Output interfaces 9.1.8
read/writeXxx methods 9.1.8, 9.1.9
DataXxxStream classes 9.1.8
date classes
immutability of 10.2.4
DayOfWeek enumeration 2.1
deadlocks 10.2.2, 10.7.1, 10.7.3, 10.8.1
debugging
messages for 5.1.1
overriding methods for 4.2.1
primary arrays for 1.8.7
streams 8.5
threads 10.8.3
using anonymous subclasses for 4.1.7
with assertions 5.2
DecimalFormat class 2.5.5
declaration-site variance 6.4.3
decomposition
of classes 1.9
decrement operator 1.4.2
decrementExact method 1.4.3
deep copies 4.3.4
deepToString method 4.3.1
default keyword 3.2.2, 11.2
default label (in switch) 1.7.2
default methods 3.2.2, 3.2.3
conflicts of 3.2.3, 4.2.5
in interfaces 4.3.3
defaultCharset method 9.1.4
defaultReadObject method 9.5.3, 9.5.6
defaultWriteObject method 9.5.3
defensive programming 5.2
deferred execution 3.6.1
defineClass method 12.10
delete , deleteIfExists methods (Files) 9.2.3
delimiters, for scanners 9.1.5
@deprecated annotation 2.8.5, 11.3, 11.3.1
Deque interface 7.1, 7.5.5
Derived classes. See Subclasses
destroy , destroyForcibly methods
of Process 10.9.2
of ProcessHandle 10.9.3
diamond syntax
for array lists 1.8.3
for constructors of generic classes 6.1
directories 9.2.1
checking for existence 9.2.2, 9.2.3
creating 9.2.2, 9.2.3
deleting 9.2.3, 9.2.4

moving 9.2.3
temporary 9.2.2
user 9.2.1
visiting 9.2.4
working 10.9.1
directory 10.9.1
disjoint 7.1
distinct 8.5, 8.14
divideUnsigned method 1.4.3
division 1.4.2
do 1.7.3
doc-files 2.8.1
documentation comments 2.8
@Documented annotation 11.3, 11.3.2
domain names
for modules 12.2
for packages 2.6.1
dot notation 1.1.3, 1.3.4
double type 1.2.2, 1.8.4
atomic operations on 10.6
compare method 3.3.1
equals method 4.3.2
functional interfaces for 3.6.2
isFinite, isInfinite methods 1.2.2
NaN, NEGATIVE_INFINITY, POSITIVE_INFINITY values 1.2.2
parseDouble method 1.5.4
streams of 8.13
toString method 1.5.4
type conversions of 1.4.4
double brace initialization 4.1.7
DoubleAccumulator, DoubleAdder classes 10.6
DoubleConsumer, Double*Xxx*Operator, DoublePredicate, DoubleSupplier, DoubleTo*Xxx*Function interfaces 3.6.2
DoubleFunction interface 3.6.2, 6.6.1
doubles 8.13
DoubleStream interface 8.13
DoubleSummaryStatistics class 8.8, 8.13
downstream collectors 8.11, 8.14
Driver.parentLogger method 12.11
dropWhile method 8.4
dynamic method lookup 4.1.5, 6.5.3

E

E 1.4.3
e, E
conversion characters 1.6.2
Eclipse 1.1.2
effectively final variables 3.7.2
efficiency, and final modifier 4.2.1
element 10.3.2, 11.5.2
Elements 11.1.1, 11.2
else keyword 1.7.1
em 2.8.1
empty method
of Optional 8.7.5
of Stream 8.2
empty string 1.5.3, 4.3.1
concatenating 1.5.4
encapsulation 2.1, 12, 12.1, 12.6
Encodings. See Character encodings
end 9.4.3, 9.4.4
End-of-line character. See Line feed
endsWith method 1.5.5
enhanced for loop 1.8.5, 1.8.9, 3.7.2
for collections 7.2
for enumerations 4.4.1
for iterators 4.6.5
for paths 9.2.1
enhanced form 1.7.2, 4.5.4
Entry 6.5.1
entrySet method 7.4.1, 7.4.2
enum keyword 1.3.4, 4.4, 4.4.1
enum instances
adding methods to 4.4.3
construction 4.4.2
referred by name 4.4.5
enumeration sets 7.5.4
enumerations 4.4
annotating 11.1.3
comparing 4.4.1
constructing 4.4.2
customizing serialization of 9.5.4
defining 1.3.4
nested inside classes 4.4.4
serialization of 9.5.5
static members of 4.4.4
traversing instances of 4.4.1
using in switch 4.4.5
EnumMap, EnumSet classes 7.5.4

environment variables 10.9.1
equality, testing for 1.4.5
equals method
final 4.3.2
null-safe 4.3.2
of Arrays 4.3.2
of Double 4.3.2
of Object 4.3, 4.3.2
of Objects 4.3.2
of records 2.4.1
of String 1.5.3
of subclasses vs. superclass 4.3.2
of wrapper classes 1.8.4
overriding 4.3.2
symmetric 4.3.2
values from different classes and 4.3.2
equalsIgnoreCase method 1.5.3
Error class 5.1.2
error messages, for generic methods 6.2
errorReader method 10.9.1
errors
AbstractMethodError 3.2.2
AssertionError 5.2.1
even numbers 1.4.2
Exception class 5.1.2
exceptionally 10.5.2
exceptionallyCompose method 10.5.2
exceptions 5.1
annotating 11.1.4
ArrayIndexOutOfBoundsException 1.8.1
ArrayStoreException 4.1.5, 6.4, 6.6.4
CancellationException 10.5.1
catching 5.1.4, 5.1.6
chaining 5.1.7
checked 4.7.4, 5.1.2, 5.1.3
ClassCastException 3.1.5, 6.6.2
ClassNotFoundException 5.1.2
CloneNotSupportedException 4.3.4, 4.4.1
combining in a superclass 5.1.3
ConcurrentModificationException 7.2, 10.3.3
creating 5.1.2
documenting 5.1.3
ExecutionException 10.1.2
FileNotFoundException 5.1.2
generic types and 6.6.7
hierarchy of 5.1.2
IllegalArgumentException 5.2
IllegalStateException 8.9, 10.3.2
InaccessibleObjectException 4.7.2, 12.6
IndexOutOfBoundsException 5.1.9
InterruptedException 10.1.3
InvalidClassException 9.5.6
InvalidPathException 9.2.1
IOException 5.1.2, 5.1.5, 9.1.5
NoSuchElementException 8.7.4, 10.3.2
NullPointerException 1.5.3, 1.8.2, 2.1.2, 2.3.4, 5.1.2, 5.1.9, 7.4.1, 8.6
NumberFormatException 5.1.2
ReflectiveOperationException 4.6.1
rethrowing 5.1.5, 5.1.7
RuntimeException 5.1.2
SecurityException 4.7.2
ServletException 5.1.7
suppressed 5.1.5
throwing 5.1.1
TimeoutException 10.1.2
uncaught 5.1.8
unchecked 5.1.2
UncheckedIOException 9.1.5
exec 10.9
Executable class
getModifiers method 4.7.4
getName method 4.7.4
getParameters method 4.7.1, 4.7.4
ExecutableElement interface 11.5.2
ExecutionException class 10.1.2
Executor interface 10.5.2
executor services 10.1.1, 10.5.1
ExecutorCompletionService class 10.1.2
Executors class
newFixedThreadPool method 10.1.1
newVirtualThreadPerTaskExecutor method 10.1.1
ExecutorService interface
execute method 10.1.1
invokeAll, invokeAny methods 10.1.2
exhaustiveness 1.7.2
exists 9.2.2, 9.2.3
exitValue method 10.9.2
exports keyword 12.3, 12.5
qualified 12.12

extends keyword 3.1.7, 4.1.1, 6.3, 6.4.3
Externalizable interface, read/writeExternal methods 9.5.4

F

F 1.2.2, 1.6.2
factory methods 2.3.1, 2.5.5
failures, logging 5.1.7
false literal 1.2.4
as default value 2.3.4, 2.3.7
Field class 4.7.1
get method 4.7.2, 4.7.4
getBoolean, getByte, getChar, getDouble, getFloat, getInt, getLong methods 4.7.2, 4.7.4
getModifiers, getName methods 4.7.1, 4.7.4
getShort method 4.7.2, 4.7.4
getType method 4.7.1
set, set*Xxx* methods 4.7.4
fields 4
enumerating 4.7.1
final 10.2.1
provided 4.2.3
public 4.7.1
retrieving values of 4.7.2
setting 4.7.2
transient 9.5.2
File class 9.2.1
file attributes
copying 9.2.3
filtering paths by 9.2.4
file handlers 5.3.5
file pointers 9.1.9
file.separator package 7.5.1
FileChannel class
get, get*Xxx* methods 9.1.10
lock method 9.1.11
open method 9.1.10
put, put*Xxx* methods 9.1.10
tryLock method 9.1.11
FileFilter interface 3.6.2
FileHandler class 5.3.5, 5.3.6
FileNotFoundException class 5.1.2
files
archiving 9.2.5
channels to 9.1.10
checking for existence 5.1.2, 9.2.2, 9.2.3
closing 5.1.5
copy method 9.1.3, 9.2.3, 9.2.5
copying 9.2.3
createTemp*Xxx* methods 9.2.2
create*Xxx* methods 9.2.2
creating 9.2.1, 9.2.3
delete, deleteIfExists methods 9.2.3
deleting 9.2.3
empty 9.2.2
encoding of 9.1.4
exists method 9.2.2, 9.2.3
find method 9.2.3, 9.2.4
isDirectory, isRegularFile methods 9.2.2, 9.2.3
lines method 8.2, 8.14, 9.1.5
list method 9.2.4
locking 9.1.11
memory-mapped 8.14, 9.1.10
move method 9.2.3
moving 9.2.3
newBufferedReader method 9.1.5
newBufferedWriter method 9.1.6, 9.2.3
new*Xxx*Stream methods 9.1.1, 9.2.3, 9.5.1
random-access 9.1.9
read method 9.1.2
readAllBytes method 9.1.2
readAllLines method 9.1.5
reading from/writing to 1.6.1, 5.1.2, 9.1.2
readNBytes method 9.1.2
skipNBytes method 9.1.2
temporary 9.2.2
walk method 9.2.3, 9.2.5
walkFileTree method 9.2.3, 9.2.4
write method 9.1.6, 9.2.3
FileSystem, FileSystems classes 9.2.5
FileVisitor interface 9.2.4
fill method
of Arrays 1.8.7
of Collections 1.8.7, 7.1
Filter class 5.3.6
of Optional 8.7.3
of Stream 8.1, 8.3, 8.6
filtering 8.11
final keyword 1.3.4, 2.3.6, 4.2.1
final fields 10.2.1
final methods 10.2.4

final variables 10.2.1, 10.2.4
finalize 4.3
finally keyword 5.1.6
  for locks 10.7.1
  return statements in 5.1.6
financial calculations 1.2.2
find 9.2.3, 9.2.4
findAll method 9.4.3
findAny method 8.6
findClass method 4.6.3
findFirst method 4.6.5, 8.6
first 7.3
flag bits, sequences of 7.5.2
flatMap method
  of Optional 8.7.6, 8.7.7
  of Stream 8.3
flatMapping method 8.11
flip 7.5.2
float type 1.2.2, 1.8.4
  streams of 8.13
  type conversions of 1.4.4
floating-point types 1.2.2
  binary number system and 1.2.2
  comparing 3.3.1
  division of 1.4.2
  formatting for output 1.6.2
  in hexadecimal notation 1.2.2
  type conversions of 1.4.4
floor 7.3
floorMod method 1.4.2
for keyword 1.7.3
  declaring variables for 1.7.5
  enhanced 1.8.5, 1.8.9, 3.7.2, 4.4.1, 7.2, 9.2.1
  multiple variables in 1.7.3
forEach method
  of ArrayList 3.5.1
  of Map 7.4.1
  of Stream 8.8
forEachOrdered method 8.8
forEach*Xxx* methods (ConcurrentHashMap) 10.3.1
ForkJoinPool class 10.5.2
  commonPool method 8.14, 10.5.1
format specifiers 1.6.2
formatted 1.6.2
formatted output 1.6.2
Formatter class 5.3.6
forms, posting data from 9.3.1, 9.3.2
forName method
  of Charset 9.1.4
  of Class 4.6.1, 4.6.3, 4.6.4, 5.1.2, 5.1.8
frequency 7.1
Function interface 3.6.2, 8.9
function types 3.4, 3.6.2
functional interfaces 3.4.2, 11.3, 11.3.1
  as method parameters 6.4.2
  common 3.6.2
  contravariant in parameter types 6.4.2
  for primitive types 3.6.2
  implementing 3.6.3
@FunctionalInterface annotation 3.6.3, 11.3, 11.3.1, 11.3.2
functions 2.1
  higher-order 3.8
Functions. See Methods
Future interface 10.1.2
  cancel, isCancelled, isDone methods 10.1.2
  get method 10.1.2, 10.5.1
futures 10.1.2
  completable 10.5.1, 10.5.2

G

g, G
  conversion characters 1.6.2
gadget chains 9.5.7
garbage collector 7.5.6
generate 8.2, 8.13
@Generated annotation 11.3, 11.3.1
generators, converting to streams 8.14
generic classes 1.8.3, 6.1
  constructing objects of 6.1
  information available at runtime 6.7.2
  instantiating 6.1
generic collections 7.6.2
generic constructors 6.7.2
generic methods 6.2
  calling 6.2
  declaring 6.2
  information available at runtime 6.7.2
generic type declarations 6.7.2
generic types 3.3.1
  annotating 11.1.4

arrays of 3.5.2
casting 6.6.2
exceptions and 6.6.7
in JVM 6.5
invariant 6.4, 6.4.2
lambda expressions and 6.4.2
reflection and 6.7
restrictions on 6.6
GenericArrayType interface 6.7.2
get method
of Array 4.7.6
of ArrayList 1.8.3
of BitSet 7.5.2
of Field 4.7.2, 4.7.4, 9.1.10
of Future 10.1.2, 10.5.1
of List 7.1
of LongAccumulator 10.6
of Map 7.4.1
of Optional 8.7.4, 8.7.7
of Path 9.2.1
of ServiceLoader.Provider 4.6.5
of Supplier 3.6.2
GET requests 9.3.2
getAnd*Xxx* methods (Atomic*Xxx*) 10.6
getAnnotation , getAnnotationsByType methods
of AnnotatedConstruct 11.5.2
of AnnotatedElement 11.4
getAs*Xxx* methods
of Optional*Xxx* 8.13
of *Xxx*Supplier 3.6.2
getAudioClip method 4.6.2
getAverage method 8.8
getBoolean method
of Array 4.7.6
of Field 4.7.2, 4.7.4
of FileChannel 9.1.10
getByte method
of Array 4.7.6
of Field 4.7.2, 4.7.4
of FileChannel 9.1.10
getCanonicalName method 4.6.1
getChar method
of Array 4.7.6
of Field 4.7.2, 4.7.4
of FileChannel 9.1.10
getClass method 4.2.1, 4.3, 4.3.2, 4.6.1, 6.6.2, 6.7.1
getClassLoader method 4.6.1
getComponentType method 4.6.1, 4.7.6
getConstructor(s) methods (Class) 4.6.1, 4.7.1, 4.7.4, 6.7.1
getContextClassLoader method 4.6.4
getCountry method 8.10
getCurrencyInstance method 2.5.5
getDayOf*Xxx* methods
of LocalDate 2.1
getDeclaredAnnotation*Xxx* methods (AnnotatedElement) 11.4
getDeclaredConstructor(s) methods (Class) 4.6.1, 4.7.1, 6.7.1
getDeclaredField(s) methods (Class) 4.6.1
getDeclaredMethod(s) methods (Class) 4.6.1, 4.7.3
getDeclaringClass method
of Class 4.6.1
of Enum 4.4.1
getDefault method
of RandomGenerator 1.1.3
getDouble method
of Array 4.7.6
of Field 4.7.2, 4.7.4
of FileChannel 9.1.10
getElementsAnnotatedWith method 11.5.2
getEnclosedElements method 11.5.2
getEnclosing*Xxx* methods (Class) 4.6.1
getEnumConstants method 6.7.1
getErrorStream method 10.9.1
getField(s) methods (Class) 4.6.1, 4.7.1
getFileName method 9.2.1
getFilePointer method 9.1.9
getFloat method
of Array 4.7.6
of Field 4.7.2, 4.7.4
of FileChannel 9.1.10
getHead method 5.3.6
getHeaderFields method 9.3.1
getInputStream method
of Process 10.9.1
of URL 9.3
of URLConnection 9.3.1
getInstant method 5.3.6
getInt method

of Array 4.7.6
of Field 4.7.2, 4.7.4
of FileChannel 9.1.10
getInterfaces method 4.6.1
getLength method 4.7.6
getLevel method 5.3.6
getLogger method 5.3.2, 5.3.3
getLoggerName method 5.3.6
getLong method
of Array 4.7.6
of Field 4.7.2, 4.7.4
of FileChannel 9.1.10
getLongThreadID method 5.3.6
getMax method 8.8
getMessage method 5.3.6
getMethod(s) methods (Class) 4.6.1, 4.7.1, 4.7.3
getModifiers method
of Class 4.6.1
of Constructor 4.7.1
of Executable 4.7.4
of Field 4.7.1, 4.7.4
of Method 4.7.1
getMonthValue method
of LocalDate 2.1
getName method
of Class 4.6.1
of Constructor 4.7.1
of Executable 4.7.4
of Field 4.7.1, 4.7.4
of Method 4.7.1
of Parameter 4.7.4
of Path 9.2.1
of PropertyDescriptor 4.7.5
of System.Logger 5.3.3
getOrDefault method 7.4.1
getOutputStream method
of Process 10.9.1
of URLConnection 9.3.1
getPackage method 4.6.1
getPackageName method 4.6.1
getParameters method
of Executable 4.7.1, 4.7.4
of LogRecord 5.3.6
getParent method 9.2.1
getPath method 9.2.5
getPercentInstance method 2.5.5
getPermittedSubclasses method 4.6.1
getProperties method 7.5.1
getProperty method 4.6.3, 5.1.9, 7.5.1
getPropertyDescriptors method 4.7.5
getPropertyType, getReadMethod methods (PropertyDescriptor) 4.7.5
getQualifiedName method 11.5.2
getRecordComponents method 4.6.1
getResource method 4.6.2
getResourceAsStream method
of Class 4.6.1, 4.6.2
of Module 12.6
getResourceBundle, getResourceBundleName methods (LogRecord) 5.3.6
getRoot method 9.2.1
getSequenceNumber method 5.3.6
getShort method
of Array 4.7.6
of Field 4.7.2, 4.7.4
of FileChannel 9.1.10
getSimpleName method
of Class 4.6.1
of Element 11.5.2
getSourceXxxName methods (LogRecord) 5.3.6
getSuperclass method 4.6.1, 6.7.1
getSuppressed method 5.1.5
getTail method 5.3.6
Getter/setter pairs. See Properties
getThrown method 5.3.6
getType method
of Field 4.7.1
of Parameter 4.7.4
getTypeName method 4.6.1
getTypeParameters method 6.7.2
getURLs method 4.6.3
getValue method 2.1
getWriteMethod method 4.7.5
Goetz, Brian 10
graphemeClusters method
of String 8.4
group 9.4.3, 9.4.4
grouping 8.10
classifier functions of 8.10
reducing to numbers 8.11

groupingBy method 8.10, 8.11
groupingByConcurrent method 8.10, 8.14
GUI
  callbacks in 3.3.4
  long-running tasks in 10.5.3
H
h, H conversion characters 1.6.2
handle 10.5.2
Hansen, Per Brinch 10.7.2
hash 4.3.3
hash codes 4.3.3
  computing in String class 4.3.3
  formatting for output 1.6.2
hash functions 4.3.3, 7.3
hash maps
  concurrent 10.3.1
  weak 7.5.6
hash tables 7.3
hashCode method
  of Arrays 4.3.3
  of Enum 4.4.1
  of Object 4.3, 4.3.2, 4.3.3
  of records 2.4.1
HashMap class 7.4.1
  null values in 7.4.1
HashSet class 7.3
  readObject, writeObject methods 9.5.3
Hashtable class 10.7.2
hasNext method
  declaring 3.1.2
  of Iterator 7.2
  of Scanner 1.6.1, 9.1.5
hasNext*Xxx* methods (Scanner) 1.6.1, 9.1.5
headMap method 7.6.1
headSet method
  of NavigableSet 7.3
  of SortedSet 7.3, 7.6.1
heap pollution 6.6.2, 7.6.2
Hello, World! program 1.1.1
  modular 12.3
helper methods 6.4.5
hexadecimal numbers 1.2.1, 1.2.2
  formatting for output 1.6.2
higher 7.3
higher-order functions 3.8
hn, hr elements (HTML) 2.8.1
Hoare, Tony 10.7.2
HTML
  generating documentation in 11.5.3
  including code in 1.5.7
HTTP connections 9.3
HTTP/2 support 9.3
HttpClient class 9.3, 9.3.2
  enabling logging for 9.3.2
  newBuilder, newHttpClient methods 9.3.2, 10.5.1
HttpHeaders class 9.3.2
HttpResponse interface 9.3.2
HttpURLConnection class 9.3.1
hyperlinks
  in documentation comments 2.8.6
  regular expressions for 9.4
I
IDE 1.1.2
identity method
  of Function 3.6.2, 8.9
  of UnaryOperator 3.6.2
identity values 8.12
if keyword 1.7.1
ifPresent, ifPresentOrElse methods (Optional) 8.7.2
IllegalArgumentException class 5.2
IllegalStateException class 8.9, 10.3.2
ImageIcon class 4.6.2
images, locating 4.6.2
img 2.8.1
immutability 10.2.3
immutable classes 10.2.4
implements keyword 3.1.3
import keyword 1.1.3, 2.6.5
  no annotations for 11.1.4
  static 2.6.6
import static 4.4.5
InaccessibleObjectException class 4.7.2, 12.6
increment 10.6
increment operator 1.4.2
incrementAndGet method 10.6
incrementExact method 1.4.3
indexOf method
  of List 7.1
  of String 1.5.5
indexOfSubList method 7.1

IndexOutOfBoundsException class 5.1.9
info 10.9.3
Information hiding. See Encapsulation
inheritance 4.1, 4.3.4
  classes win rule 4.2.5, 4.3.3
  default methods and 4.2.5
@Inherited annotation 11.3, 11.3.2
initCause method 5.1.7
initialization blocks 2.3.5
  static 2.5.3
inlining 4.2.1
inner classes 2.7.2
  anonymous 3.9.2
  invoking methods of outer classes 2.7.2
  local 3.7.2, 3.9
  syntax for 2.7.3
input
  reading 1.6.1, 9.1.5
  splitting along delimiters 9.4.5
input prompts 1.6.2
input streams 9.1
  copying 9.1.3
  obtaining 9.1.1
  reading from 9.1.2
inputReader method 10.9.1
InputStream class 9.1.2
  transferTo method 9.1.3
InputStreamReader class 9.1.5
INSTANCE 9.5.5
instance methods 1.1.3, 2.2.4
instance variables 2.2.1, 2.2.5
  abstract classes and 4.2.2
  annotating 11.1.3
  comparing 4.3.2
  default values of 2.3.4
  final 2.3.6
  in records 2.4.1, 2.4.2
  initializing 2.3.5, 4.1.4
  not accessible from static methods 2.5.4
  of deserialized objects 9.5.5, 9.5.6
  protected 4.2.3
  setting 2.3.1
  transient 9.5.2
  vs. local 2.3.4
instanceof keyword 3.1.5, 4.1.6, 4.3.2
  annotating 11.1.4
  with pattern matching 3.1.6
instances 1.1.1, 1.1.3
instruction reordering 10.2.1
int type 1.2.1
  functional interfaces for 3.6.2
  processing values of 3.6.1
  random number generator for 1.1.3
  streams of 8.13
  type conversions of 1.4.4
  using class literals with 4.6.1
IntBinaryOperator interface 3.6.2
IntConsumer interface 3.6.1, 3.6.2
Integer class 1.8.4
  compare method 3.3.1
  MAX_VALUE, MIN_VALUE constants 1.2.1
  parseInt method 1.5.4, 5.1.2
  toString method 1.5.4
  unsigned division in 1.2.1
  *xxx*Unsigned methods 1.4.3
integer types 1.2.1
  comparing 3.3.1
  computing 1.4.2, 1.4.3
  formatting for output 1.6.2
  in hexadecimal notation 1.2.1
  reading/writing 9.1.8, 9.1.9
  type conversions of 1.4.4
  values of
    even/odd 1.4.2
    signed 1.2.1
interface keyword 3.1.2, 11.2
  sealed 4.2.4
interface methods 3.2.2, 3.2.3
interfaces 3.1
  annotating 11.1.3, 11.1.4
  compatibility of 3.2.2
  declarations of 3.1.2
  defining variables in 3.1.9
  documentation comments for 2.8.1
  evolution of 3.2.2
  extending 3.1.7
  functional 3.4.2, 11.3, 11.3.1
  implementing 3.1.3
    multiple 3.1.8
  methods of 3.1.2, 3.1.3

nested, enumerating 4.7.1
no instance variables in 3.1.9
no redefining methods of the Object class in 4.3.3
views of 7.6
interrupted 10.1.3
interrupted status 10.1.3
InterruptedException class 10.1.3
intersects 7.5.2
IntFunction interface 3.6.2, 6.6.1
IntPredicate interface 3.6.2
intrinsic locks 10.7.2
ints 8.13
IntSequence 3.1.3, 3.9.1
IntStream interface 8.13
parallel method 8.14
IntSummaryStatistics class 8.8, 8.13
IntSupplier, IntTo*Xxx*Function, IntUnaryOperator interfaces 3.6.2
InvalidClassException class 9.5.6
InvalidPathException class 9.2.1
InvocationHandler interface 4.7.7
invoke 4.7.3, 4.7.4
invokeAll, invokeAny methods (ExecutorService) 10.1.2
IOException class 5.1.2, 9.1.5
addSuppressed, getSuppressed methods 5.1.5
isAbstract method 4.6.1, 4.7.1
isAlive method
of Process 10.9.2
of ProcessHandle 10.9.3
of Thread 10.8.1
isAnnotation method 4.6.1
isAnonymousClass method 4.6.1
isArray method 4.6.1, 4.7.6
isAssignableFrom method 4.6.1
isCancelled method 10.1.2
isDirectory method 9.2.2, 9.2.3
isDone method
of CompletableFuture 10.5.1
of Future 10.1.2
isEmpty method
of BitSet 7.5.2
of Collection 7.1
of Map 7.4.1
isEnum method 4.6.1
isEqual method 3.6.2
isFinite, isInfinite methods (Double) 1.2.2
isInstance method 4.6.1
isInterface method 4.6.1, 4.7.1
isInterrupted method 10.1.3
isLocalClass method 4.6.1
isLoggable method
of Filter 5.3.6
of System.Logger 5.3.3
isMemberClass method 4.6.1
isNamePresent method 4.7.4
isNative method 4.6.1, 4.7.1
isNull method 3.5.1
ISO 8601 format 11.3.1
ISO 8859-1 encoding 9.1.4, 9.1.6
isPresent method 8.7.4, 8.7.7
isPrimitive method 4.6.1
isPrivate, isProtected, isPublic methods (Modifier) 4.6.1, 4.7.1
isRecord method 4.6.1
isRegularFile method 9.2.2, 9.2.3
isSealed method 4.6.1
isStatic, isStrict, isSynchronized methods (Modifier) 4.6.1, 4.7.1
isSynthetic method 4.6.1
isVolatile method 4.6.1, 4.7.1
Iterable interface 7.2, 9.2.1
iterator method 7.2
iterate 8.2, 8.5, 8.13, 10.4.1
iterator method
next, hasNext methods 7.2
of Collection 7.1
of ServiceLoader 4.6.5
of Stream 8.8
remove, removeIf methods 7.2
iterators 7.2, 8.8
converting to streams 8.2, 8.14
invalid 7.2
traversing 4.6.5
weakly consistent 10.3.3

J

jar 2.6.2
--module-version option 12.7
-C option 12.7
-d option 12.7

JAR files 2.6.2
dependencies in 12.14
for split packages 12.7
manifest for 12.8
modular 12.7
processing order of 2.6.3
resources in 4.6.2
scanning for deprecated elements 11.3.1
Java 1.1.2
--add-exports, --add-opens options 12.10
--add-module option 12.7
--illegal-access option 12.10
-cp (--class-path, -classpath) option 2.6.3
-da (-disableassertions) option 5.2.2
-ea (-enableassertions) option 5.2.2
-esa (-enablesystemassertions) option 5.2.2
-m, -p (--module, --module-path) options 12.3, 12.7
compatibility with older versions of 4.2.4, 4.2.5, 6.5
online API documentation on 1.5.5
option files for 12.10
option names in 2.6.2
strongly typed 1.3.1
Unicode support in 1.5.6
uniformity of 1.1.1, 3.2.3
Java Persistence Architecture 11
Java Platform Module System 12
layers in 12.7
migration to 12.8, 12.9
no support for versioning in 12.1, 12.3, 12.7
service loading in 12.13
java.awt package 2.6.4, 12.1
java.awt.geom package 9.5.3
java.base package 12.4
java.class.path package 7.5.1
java.desktop package 12.4
java.home package 7.5.1
java.io.tmpdir package 7.5.1
java.lang, java.lang.annotation packages 11.3
java.lang.reflect package 4.7.1
java.logging package 12.11
java.time package
immutability of classes 10.2.4
java.util package 1.1.3, 10.3.3
java.util.concurrent package 10.3, 10.3.2
java.util.concurrent.atomic package 10.6
java.util.logging package 5.3.1, 5.3.4
java.util.random package 3.1.1
java.version package 7.5.1
JavaBeans 4.7.5
javac 1.1.2
-author option 2.8.8
-cp (--class-path, -classpath) option 2.6.3
-d option 2.6.1, 2.8.8
-link, -linksource options 2.8.8
-parameters option 4.7.1
-processor option 11.5.1
-version option 2.8.8
-XprintRounds option 11.5.3
javadoc 2.8
including annotations in 11.3.2
JavaFX 3.3.4, 10.5.3
javan.log files 5.3.5
JavaServer Faces framework 7.4.2
javax.annotation package 11.3
javax.swing package 12.4
JAXB 12.6
JCommander 11
jconsole 5.3.4
jdeprscan 11.3.1
jdeps 12.14
JDK 1.1.2
obsolete features in 12.1
JEP 246 (platform logging API) 5.3.1
jlink 12.14
jmod 12.14
job scheduling 7.5.5
join method
of String 1.5.1
of Thread 10.8.1
joining 8.8
JPA 12.6
JShell 1.1.4
imported packages in 1.1.4
loading modules into 12.7
JSON 4.2.4
JUnit 11, 11.1

K

key/value pairs
in annotations 11.1.1, 11.2

in maps 7.4
removed by garbage collector 7.5.6
Key/value pairs. See Properties
keySet method
of ConcurrentHashMap 10.3.3
of Map 7.4.1, 7.4.2, 7.6
keywords 1.3.2
contextual 4.2.4

L

L 1.2.1
L64X128MixRandom 3.1.1
labeled statements 1.7.4
lambda expressions 3.4
annotating targets for 11.3.1
capturing variables in 3.7.2
executing 3.6.1
for loggers 5.3.3
generic types and 6.4.2
parameters of 3.4.1
processing 3.6
return type of 3.4.1
scope of 3.7.1
this reference in 3.7.1
throwing exceptions in 5.1.3
using with streams 8.3, 10.4.1
language codes 8.10
language model API 11.5.2
last 7.3
lastIndexOf method
of List 7.1
of String 1.5.5
lastIndexOfSubList method 7.1
lazy operations 8.1, 8.2, 8.5, 9.4.5
length method
of arrays 1.8.1
of RandomAccessFile 9.1.9
of String 1.1.3, 1.5.6
.level 5.3.4
lib/modules 12.14
limit 8.4, 8.14
line feed 1.5.7
character literal for 1.2.3
formatting for output 1.6.2
in regular expressions 9.4.1
line.separator package 7.5.1
lines method
of BufferedReader 9.1.5
of Files 8.2, 8.14, 9.1.5
@link annotation 2.8.6
linked lists 7.1, 7.2
LinkedBlockingQueue class 10.3.2, 10.7.3
LinkedHashMap class 7.4.2
LinkedList class 7.1
List class 6.4.3, 7.1, 9.2.4
add, addAll, get, indexOf, lastIndexOf, listIterator methods 7.1
of method 1.8.3, 1.8.6, 7.1, 7.5.3
remove, replaceAll, set, sort methods 7.1
subList method 7.1, 7.6.1
ListIterator interface 7.2
lists
converting to streams 8.14
mutable 7.5.3
printing elements of 3.5.1
removing null values from 3.5.1
sublists of 7.6.1
unmodifiable views of 7.6.2
literals
character 1.2.3
floating-point 1.2.2
integer 1.2.1
string 1.5.3, 1.5.7
little-endian format 9.1.4
load 4.6.5, 12.13
load balancing 9.5
loadClass method 4.6.3
local classes 3.9.1
local variables 1.7.5
annotating 11.1.3
vs. instance 2.3.4
LocalDate class 2.1
get*Xxx* methods 2.1
now method 2.3.1, 2.5.4
of method 2.1, 2.3.1
plus, plus*Xxx* methods 2.1, 2.1.1, 2.1.2
Locale class 8.9
getCountry method 8.10
locales 8.9, 8.11
LocalTime class
final 4.2.1

lock method
of FileChannel 9.1.11
of ReentrantLock 10.7.1
locks 10.2.2
error-prone 10.2.3
intrinsic 10.7.2
reentrant 10.7.1
releasing 5.1.6, 10.2.1
log handlers 5.3.5
filtering/formatting 5.3.6
Log4j 5.3.1
Logback 5.3.1
Logger class (java.util.logging) 12.11
Logger interface (System) 5.3.2, 5.3.3
getName method 5.3.3
isLoggable method 5.3.3
log method 5.3.2, 5.3.3
loggers
filtering/formatting 5.3.6
hierarchy of 5.3.4
naming 5.3.2
logging 5.3
configuring 5.3.4
failures 5.1.7
levels of 5.3.3, 5.3.4
overriding methods for 4.2.1
LogRecord class, methods of 5.3.6
long type 1.2.1, 1.8.4
atomic operations on 10.6
functional interfaces for 3.6.2
MAX_VALUE, MIN_VALUE constants 1.2.1
streams of 8.13
type conversions of 1.4.4
unsigned division in 1.2.1
*xxx*Unsigned methods 1.4.3
long-term persistence 9.5.6
LongAccumulator class 10.6
accumulate, get methods 10.6
LongAdder class 10.6
add, increment, sum methods 10.6
threadsafe 10.7.1
LongConsumer, Long*Xxx*Operator, LongPredicate, LongSupplier, LongTo*Xxx*Function interfaces 3.6.2
LongFunction interface 3.6.2, 6.6.1
longs 8.13
LongStream interface 8.13
LongSummaryStatistics class 8.8, 8.13
Lookup 12.6
lookup method (MethodHandles) 12.6
loops 1.7.3
exiting 1.7.4
infinite 1.7.3
lower 7.3

M

main 1.1.1, 1.1.3
decomposing 1.9
string array parameter of 1.8.8
Map interface 7.1
clear method 7.4.1
compute method 7.4.1
computeIf*Xxx* methods 7.4.1
contains*Xxx* methods 7.4.1
entrySet method 7.4.1, 7.4.2
forEach method 7.4.1
get, getOrDefault methods 7.4.1
isEmpty method 7.4.1
keySet method 7.4.1, 7.4.2, 7.6
merge method 7.4.1
of method 7.4.1, 7.5.3
of Optional 8.7.3
of Stream 8.3
ofEntries method 7.5.3
put method 7.4.1
putAll method 7.4.1
putIfAbsent method 7.4.1
remove method 7.4.1
replace, replaceAll methods 7.4.1
size method 7.4.1
values method 7.4.1, 7.4.2, 7.6
mapping method 8.11
of Collectors 8.11
maps 7.4
concurrent 7.4.1, 8.9
empty 7.4.1
iterating over 7.4.2
of stream elements 8.9, 8.14
order of elements in 7.4.2
views of 7.4.2
unmodifiable 7.6.2
mapToInt method 8.12

mapTo*Xxx* methods (*Xxx*Stream) 8.13
marker interfaces 4.3.4
Matcher class 9.4.2, 9.4.4
  methods of 9.4.6
matcher, matches methods (Pattern) 9.4.2
MatchResult interface 9.4.3, 9.4.6
Math class
  E constant 1.4.3
  floorMod method 1.4.2
  max, min methods 1.4.3
  PI constant 1.4.3, 2.5.2, 2.6.6
  pow method 1.4.3, 2.5.4, 2.6.6
  round method 1.4.4
  sqrt method 1.4.3
  TAU constant 1.4.3
  *xxx*Exact methods 1.4.3, 1.4.4
max method
  of Stream 8.6
  of *Xxx*Stream 8.13
MAX_VALUE 1.2.1
maxBy method
  of BinaryOperator 3.6.2
  of Collectors 8.11
memory
  allocating 10.2.3
  caching 10.2.1
  concurrent access to 10.2.1
memory-mapped files 9.1.10
merge method
  of ConcurrentHashMap 10.3.1
  of Map 7.4.1
Message 4.3.4
meta-annotations 11.2, 11.3.2
META-INF/MANIFEST.MF 12.8
META-INF/services 12.13
Method class 4.7.1
  getModifiers, getName methods 4.7.1
  invoke method 4.7.3, 4.7.4
method calls 1.1.3
  receiver of 2.2.4
method expressions 3.5.1, 4.1.8
method references 3.5.1, 6.6.3
  annotating 11.1.4
MethodHandles.lookup method 12.6
methods 1.1.1
  abstract 3.4.2, 4.2.2
  accessor 2.1.1, 2.4.1
  annotating 6.6.4, 11.1.3
  atomic 10.3.1
  body of 2.2.3
  chaining calls of 2.1
  clashes of 6.6.6
  compatible 4.3.3
  declarations of 2.2.2
  default 3.2.2, 3.2.3
  deprecated 2.8.5, 11.3, 11.3.1
  documentation comments for 2.8.1, 2.8.3
  enumerating 4.7.1
  factory 2.3.1, 2.5.5
  final 4.2.1, 10.2.4
  for throwing exceptions 5.1.9
  header of 2.2.2
  inlining 4.2.1
  instance 2.2.4
  invoking 4.7.3
  modifying functions 3.8.2
  mutator 2.1.1, 7.6.2, 10.2.4
  naming 1.3.2, 2.4.1
  native 2.5.2
  overloading 2.3.2, 3.5.1
  overriding 3.2.2, 4.1.3, 4.2.1, 5.1.3, 11.3, 11.3.1
  parameters of 4.7.1
    null checks for 5.1.9
  passing arrays into 1.9.2
  private 3.2.4
  proxied 4.7.7
  public 3.1.2, 3.1.3, 4.7.1
  restricted to subclasses 4.2.3
  return value of 1.1.1, 2.2.3
  returning functions 3.8.1
  static 1.9.1, 2.5.4, 2.5.5, 2.6.6, 3.2.1
  storing in variables 1.1.3
  symmetric 4.3.2
  synchronized 10.7.2, 10.7.3
  used for serialization 11.3, 11.3.1
  utility 2.6.4
  variable number of arguments of 1.9.3
Microsoft Notepad 9.1.4
Microsoft Windows
  line ending in 1.5.7

path separator in 2.6.3, 7.5.1
min method
of Math 1.4.3
of Stream 8.6
of *Xxx*Stream 8.13
MIN_VALUE 1.2.1
minBy method
of BinaryOperator 3.6.2
of Collectors 8.11
Modifier class
is*Xxx* methods 4.6.1, 4.7.1
toString method 4.6.1
modifiers, checking 4.7.1
module keyword 12.3
module path 12.3, 12.7, 12.8, 12.9
module-info.class 12.3, 12.7
module-info.java 12.3
Module.getResourceAsStream method 12.6
modules 12
aggregator 12.11
annotating 12.3
automatic 12.8, 12.9
bundling up the minimal set of 12.14
declaration of 12.2, 12.3
documentation comments for 2.8.1, 2.8.7
explicit 12.9
illegal access to 12.10
inspecting files in 12.14
loading into JShell 12.7
naming 12.2, 12.8
open 12.6
reflective access for 4.7.1, 4.7.2
required 12.4, 12.11
tools for 12.14
transitive 12.11
unnamed 12.9
versioning and 12.1, 12.3, 12.7
monitors (classes) 10.7.2
move 9.2.3
multiplication 1.4.2
mutators 2.1.1
unmodifiable views and 7.6.2

N

n
conversion character 1.6.2
name 4.4.1
NaN 1.2.2
native encoding 9.1.4
native methods 2.5.2
naturalOrder method 3.8.3
navigable maps/sets 7.6.2
NavigableMap interface 10.3.3
NavigableSet interface 7.1, 7.3, 7.6.1
methods of 7.3
nCopies method 7.1
negate 3.6.2
negateExact method 1.4.3
negative values 1.2.1
NEGATIVE_INFINITY 1.2.2
nested classes 2.7
annotating 11.1.4
enumerating 4.7.1
inner 2.7.2
public 2.7.1
static 2.7.1
new keyword 1.1.3, 1.3.1, 1.4, 2.3.1
as constructor reference 3.5.2
for anonymous classes 3.9.2
for arrays 1.8.1, 1.8.2, 1.8.9
newBufferedReader method 9.1.5
newBufferedWriter method 9.1.6, 9.2.3
newBuilder method 9.3.2, 10.5.1
newFileSystem method 9.2.5
newFixedThreadPool method
of Executors 10.1.1
newHttpClient method 9.3.2, 10.5.1
newInputStream method 9.1.1, 9.2.3, 9.5.1
newInstance method
of Array 4.7.6
of Class 4.7.4, 6.7.1
of Constructor 4.7.4
newKeySet method 10.3.3
newOutputStream method 9.1.1, 9.2.3, 9.5.1
newProxyInstance method 4.7.7
newVirtualThreadPerTaskExecutor method
of Executors 10.1.1
next method
declaring 3.1.2
of Iterator 7.2
of Scanner 1.6.1

nextClearBit method 7.5.2
nextDouble method
common for all generators 3.1.1
of Scanner 1.6.1, 9.1.5
nextInt method
common for all generators 3.1.1
of Random 1.1.3
of Scanner 1.6.1
nextLine method 1.6.1
nextSetBit method 7.5.2
nominal typing 3.6.2
non-sealed keyword 4.2.4
noneMatch method 8.6
noneOf method 7.5.4
noninterference, of stream operations 8.2
@NonNull annotation 11.1.4
normalize 9.2.1
NoSuchElementException class 8.7.4, 10.3.2
notify, notifyAll methods (Object) 10.7.3
now method
of LocalDate 2.3.1, 2.5.4
null literal 1.5.3, 2.1.2
as default value 2.3.4, 2.3.7
checking parameters for 5.1.9
comparing against 4.3.2
converting to strings 4.3.1
NullPointerException class 1.5.3, 1.8.2, 2.1.2, 2.3.4, 5.1.2, 5.1.9, 7.4.1
vs. Optional 8.6
nullsFirst, nullsLast methods (Comparator) 3.8.3
NumberFormat class
get*Xxx*Instance methods 2.5.5
NumberFormatException class 5.1.2
numbers
average of 3.1.2, 3.1.3
big 1.4.6
comparing 3.3.1
converting to strings 1.5.4
default value of 2.3.4, 2.3.7
even or odd 1.4.2
formatting 1.6.2
from grouped elements 8.11
in regular expressions 9.4.1
non-negative 5.2.1, 7.5.2
printing 1.6.2
random 1.1.3, 3.1.1, 8.2, 8.4, 8.13
reading/writing 9.1.5, 9.1.8, 9.1.9
rounding 1.2.2, 1.4.4
type conversions of 1.4.4
unsigned 1.2.1, 1.4.3
with fractional parts 1.2.2

O

o 1.6.2
Object class 4.3
clone method 4.2.3, 4.3, 4.3.4, 4.7.3
equals method 4.3, 4.3.2
finalize method 4.3
getClass method 4.2.1, 4.3, 4.3.2, 4.6.1, 6.6.2, 6.7.1
hashCode method 4.3, 4.3.2, 4.3.3
notify, notifyAll methods 10.7.3
toString method 4.3, 4.3.1
wait method 10.7.3
object references 2.1.2
attempting to change 2.2.6
comparing 4.3.2
default value of 2.3.4, 2.3.7
null 2.1.2
passed by value 2.2.6
serialization and 9.5.1
object-oriented programming 2
encapsulation in 12, 12.1
object-relational mappers 12.6
ObjectInputStream class 9.5.1
defaultReadObject method 9.5.3, 9.5.6
readDouble method 9.5.3
readFields method 9.5.6
readObject method 9.5.1, 9.5.7
ObjectInputValidation interface 9.5.7
ObjectOutputStream class 9.5.1
defaultWriteObject method 9.5.3
writeDouble method 9.5.3
writeObject method 9.5.1, 9.5.3
objects 1.1.1, 2.1
calling methods on 1.1.3
casting 3.1.5
checkIndex method 5.1.9
cloning 4.3.4
comparing 1.8.4, 4.3.2
constructing 1.1.3, 2.3, 4.7.4
converting

to JSON 12.6
to strings 4.3.1
converting to streams 8.2
deep/shallow copies of 4.3.4
deserialized 9.5.5, 9.5.6
equals method 4.3.2
hash method 4.3.3
immutable 2.1.1
initializing variables with 1.3.1
inspecting 4.7.2
invoking static methods on 2.5.4
isNull method 3.5.1
mutable 2.3.6
requireNonNull, requireNonNullXxx methods 5.1.9
serializable 9.5.1
sorting 3.3.1
state of 2.1
ObjXxxConsumer interfaces 3.6.2
octal numbers 1.2.1
formatting for output 1.6.2
octonions 1.5.6
odd numbers 1.4.2
of method
of EnumSet 7.5.4
of IntStream 8.13
of List 1.8.3, 1.8.6, 7.1, 7.5.3
of LocalDate 2.1, 2.3.1
of Map 7.4.1, 7.5.3
of Optional 8.7.5
of Path 9.2.1, 9.2.5
of ProcessHandle 10.9.3
of Set 7.5.3
of Stream 8.2
ofEntries method 7.5.3
offer 10.3.2
ofNullable method
of Optional 8.7.5
of Stream 8.2, 8.7.7
ofString method 9.3.2
onExit method
of Process 10.9.2
of ProcessHandle 10.9.3
open keyword 9.1.10
open keyword 12.6
openConnection method 9.3.1
opens keyword 12.6
qualified 12.12
openStream method 9.1.1
Operation 4.4.3
operations
associative 8.12
atomic 10.2.2, 10.3.1, 10.6, 10.7.3
bulk 10.3.1
lazy 8.1, 8.2, 8.5, 9.4.5
parallel 10.4
performed optimistically 10.6
stateless 8.14
threadsafe 10.3
operators 1.4
cast 1.4.4
precedence of 1.4
option files 12.10
Optional class 8.6, 8.7.6
creating values of 8.7.5
empty method 8.7.5
filter method 8.7.3
flatMap method 8.7.6, 8.7.7
for empty streams 8.12
for processes 10.9.3
get method 8.7.4, 8.7.7
ifPresent method 8.7.2
ifPresentOrElse method 8.7.2
isPresent method 8.7.4, 8.7.7
map method 8.7.3
of, ofNullable methods 8.7.5
or method 8.7.3
orElse method 8.6
orElseThrow method 8.7.1, 8.7.4
proper usage of 8.7.4
stream method 8.7.7
OptionalXxx classes 8.13
or method
of BitSet 7.5.2
of Predicate, BiPredicate 3.6.2
order 9.1.10
ordinal 4.4.1
orElseThrow method 8.7.1, 8.7.4
org.omg.corba package 12.1
orTimeout method 10.5.2

os.arch, os.name, os.version system properties 7.5.1
OSGi 12.1
output
formatted 1.6.2
writing 9.1.6
output streams 9.1
closing 9.1.3
obtaining 9.1.1
writing to 9.1.3
OutputStream class 9.5.1
write method 9.1.3
OutputStreamWriter class 9.1.6
outputWriter method 10.9.1
@Override annotation 4.1.3, 9.5.3, 9.5.4, 11.3, 11.3.1
overriding 4.1.3
for logging/debugging 4.2.1
overview.html package 2.8.7

P

package keyword 2.6.1
package declarations 2.6.1
package-info.java 2.8.7, 11.1.3
packages 1.1.1, 2.6
accessing 2.6.4, 4.2.3, 12.1, 12.5, 12.6, 12.8
adding classes to 2.6.4
annotating 11.1.3
default 2.6.1
documentation comments for 2.8.1, 2.8.7
exporting 12.5, 12.6
naming 2.6.1
not nesting 2.6.1
split 12.7
parallel 8.14
parallel streams 10.4.1
parallelStream method 7.1, 8.1, 8.14, 10.4.1
parallel*Xxx* methods (Arrays) 1.8.7, 10.4.2
@param annotation 2.8.3
Parameter class 4.7.4
parameter variables 2.2.6
annotating 11.1.3
scope of 1.7.5
Parameterized types. See Type parameters
ParameterizedType interface 6.7.2
Parent classes. See Superclasses
parentLogger method (Driver) 12.11
parseDouble method 1.5.4
parseInt method 1.5.4, 5.1.2
partitioning 10.2.3
partitioningBy method 8.10, 8.11
Pascal triangle 1.8.9
passwords 1.6.1
Path interface 3.2.1, 9.2.1
get method 9.2.1
get*Xxx* methods 9.2.1
normalize method 9.2.1
of method 9.2.1, 9.2.5
relativize method 9.2.1
resolve, resolveSibling methods 9.2.1
subpath method 9.2.1
toAbsolutePath, toFile methods 9.2.1
path separators 9.2.1
path.separator package 7.5.1
Paths class 3.2.1, 9.2.1
absolute vs. relative 9.2.1
combining 9.2.1
filtering 9.2.4
resolving 9.2.1
taking apart 9.2.1
Pattern class
asMatchPredicate, asPredicate methods 9.4.2
compile method 9.4.2, 9.4.7
flags 9.4.7
matcher, matches methods 9.4.2
split method 9.4.5
splitAsStream method 8.2, 9.4.5
splitWithDelimiters method 9.4.5
pattern variables 5.3.5
Pattern.quote method 9.4.1
PECS (producer extends, consumer super) 6.4.2
peek method
of BlockingQueue 10.3.2
of Stream 8.5
performance
atomic operations and 10.6
big numbers and 1.4.6
combined operators and 1.4.2
memory caching and 10.2.1
permits keyword 4.2.4
@Persistent annotation 11.3.2
PI 1.4.3, 2.5.2, 2.6.6

Picocli 11
platform class loader 4.6.3
platform logging API 5.3.1, 5.3.4
Platform threads 10.1.1
plugins, loading 4.6.3
plus, plusXxx methods
of LocalDate 2.1, 2.1.1, 2.1.2
Point class 4.3.1
poll 10.3.2
pollXxx methods (NavigableSet) 7.3
pools, for parallel streams 8.14
pop 7.5.5
POSITIVE_INFINITY 1.2.2
POST requests 9.3.2
postVisitDirectory method 9.2.4
pow 1.4.3, 2.5.4, 2.6.6
predefined character classes 9.4.1
Predicate interface 3.4.2, 3.6.2
and method 3.6.2
isEqual method 3.6.2
or, negate methods 3.6.2
test method 3.6.2, 6.4.2
predicate functions 8.10
previous method
of ListIterator 7.2
previousClearBit method 7.5.2
previousSetBit method 7.5.2
preVisitDirectory method 9.2.4
primitive types 1.2
comparing 4.3.2
converting to strings 4.3.1
functions interfaces for 3.6.2
passed by value 2.2.6
streams of 8.12, 8.13
type parameters and 6.6.1
variables of, no updating for 2.2.6
wrapper classes for 1.8.4
printStackTrace method 5.1.8
PrintStream class 1.1.3, 4.3.1, 9.1.6
print method 1.1.3, 1.6.2, 5.3, 9.1.6
printf method 1.6.2, 1.9.3, 9.1.6
println method 1.1.3, 1.6.1, 1.6.2, 1.8.7, 3.5.1, 9.1.6
PrintWriter class 9.1.6
close method 5.1.5
print method 9.1.6
printf method 9.1.6
println method 9.1.6
priority queues 7.5.5
private keyword 1.1.1, 2.6.4
for enum constructors 4.4.2
Process class 10.9
destroy, destroyForcibly methods 10.9.2
errorReader method 10.9.1
exitValue method 10.9.2
getErrorStream method 10.9.1
getInputStream, getOutputStream methods 10.9.1
inputReader method 10.9.1
isAlive method 10.9.2
onExit method 10.9.2
outputWriter method 10.9.1
supportsNormalTermination method 10.9.2
toHandle method 10.9.3
waitFor method 10.9.2
ProcessBuilder class 10.9
directory method 10.9.1
redirectXxx methods 10.9.1
start, startPipeline methods 10.9.1
processes 10.9
building 10.9.1
getting info about 10.9.3
killing 10.9.2
running 10.9.2
ProcessHandle interface 10.9.3
allProcesses method 10.9.3
current method 10.9.3
destroy, destroyForcibly methods 10.9.3
info method 10.9.3
isAlive method 10.9.3
of method 10.9.3
onExit method 10.9.3
supportsNormalTermination method 10.9.3
processing pipeline 10.5.2, 10.9.1
Processor interface 11.5.1
programming languages
functional 3
object-oriented 1.1.1
programs
compiling 1.1.2

configuration options for 7.5.1
packaging 12.14
responsive 10.5.3
running 1.1.2
testing 5.2
promises (in concurrent libraries) 10.5.1
properties 4.7.5, 7.5.1
loading from file 7.5.1
naming 4.7.5
read-only/write-only 4.7.5
testing for 6.4.2
property files
encoding 7.5.1
generating 11.5.3
protected keyword 4.2.3
Provider.get, Provider.type methods 4.6.5
provides keyword 12.13
Proxy class 4.7.7
newProxyInstance method 4.7.7
public keyword 1.1.1, 2.6.4
for interface methods 3.1.2, 3.1.3
method overriding and 4.1.3
push 7.5.5
put method
of BlockingQueue 10.3.2
of FileChannel 9.1.10
of Map 7.4.1
putAll method 7.4.1
putBoolean method
of FileChannel 9.1.10
putByte method 9.1.10
putChar method 9.1.10
putDouble, putFloat methods
of FileChannel 9.1.10
putIfAbsent method
of ConcurrentHashMap 10.3.1
of Map 7.4.1
putInt, putLong methods
of FileChannel 9.1.10
putShort method 9.1.10

Q

qualified exports 12.12
Queue class 7.1, 7.5.5
synchronizing methods in 10.7.3
using ArrayDeque with 7.5.5
quote method (Pattern) 9.4.1
quoteReplacement method 9.4.6

R

race conditions 8.14, 10.2.2
Random class 1.1.3, 3.1.1
nextInt method 1.1.3
random numbers 1.1.3, 3.1.1
streams of 8.2, 8.4, 8.13
RandomAccess interface 7.1
RandomAccessFile class 9.1.9
getFilePointer method 9.1.9
length method 9.1.9
seek method 9.1.9
RandomGenerator interface 3.1.1
getDefault method 1.1.3
methods of 8.13
RandomNumbers 2.5.4
range 7.5.4
range, rangeClosed methods (*Xxx*Stream) 8.13
ranges 7.6.1
converting to streams 8.14
raw types 6.5.1, 6.6.2
read method
of Files 9.1.2
of InputStream 9.1.2
of InputStreamReader 9.1.5
readAll*Xxx* methods (Files) 9.1.2, 9.1.5
readByte, readChar methods (DataInput) 9.1.8
readDouble method
of DataInput 9.1.8
of ObjectInputStream 9.5.3
Reader class 9.1.5
readers 9.1
readExternal method 9.5.4
readFields method 9.5.6
readFloat, readFully methods (DataInput) 9.1.8
readInt method 9.1.8, 9.1.9
readLine method
of BufferedReader 9.1.5
of Console 1.6.1
readLong method 9.1.8
readNBytes method 9.1.2
readObject method
of HashSet 9.5.3
of ObjectInputStream 9.5.1, 9.5.7

readPassword method 1.6.1
readResolve method 9.5.5
readShort method 9.1.8
readUnsigned*Xxx*, readUTF methods (DataOutput) 9.1.8
receiver parameters 2.2.4, 11.1.5
records 2.4
  customizing serialization of 9.5.4
  serializable 9.5.7
redirection syntax 1.6.1
redirect*Xxx* methods (ProcessBuilder) 10.9.1
reduce 8.12
reduce*Xxx* methods (ConcurrentHashMap) 10.3.1
reducing 8.11
reductions 8.6, 8.12
ReentrantLock class 10.7.1
  lock, unlock methods 10.7.1
reflection 4.7
  generic types and 6.6.3, 6.7
  module system and 4.7.1, 4.7.2, 12.6, 12.10
  processing annotations with 11.4
  security and 9.5.7
ReflectiveOperationException class 4.6.1
regular expressions 9.4
  flags for 9.4.7
  groups in 9.4.4
  replacing matches with 9.4.6
  splitting input with 9.4.5
  testing matches of 9.4.2, 9.4.3
  turning into predicates 9.4.2
relational operators 1.4.5
relativize 9.2.1
remainderUnsigned method 1.4.3
remove method
  of ArrayDeque 7.5.5
  of ArrayList 1.8.3
  of BlockingQueue 10.3.2
  of Collection 7.1
  of Iterator 7.2
  of List 7.1
  of Map 7.4.1
removeAll method 7.1
removeIf method
  of ArrayList 3.4.2
  of Collection 7.1
  of Iterator 7.2
@Repeatable annotation 11.3, 11.3.2
@RepeatedTest annotation 11.1.1
replace method
  of Map 7.4.1
  of String 1.5.5
replaceAll method
  of Collections 7.1
  of List 7.1
  of Map 7.4.1
  of Matcher 9.4.6
  of String 9.4.6
replaceFirst method 9.4.6
requireNonNull, requireNonNull*Xxx* methods (Objects) 5.1.9
requires keyword 12.3, 12.4, 12.5, 12.8, 12.11
Reserved words. See Keywords
resolve, resolveSibling methods (Path) 9.2.1
resources 4.6
  loading 4.6.2, 12.6
  managing 5.1.5
resume 10.8.1
retainAll method 7.1
@Retention annotation 11.2, 11.3
return keyword 1.9.1, 2.2.3, 2.8.3
  in finally blocks 5.1.6
  in lambda expressions 3.4.1
return types, covariant 4.1.3, 6.5.3
return values
  as arrays 1.9.2
  missing 8.6
  providing type of 1.9.1
reverse 1.8.7, 7.1
reverse domain name convention 2.6.1, 12.2
reversed 3.8.2
reverseOrder method 3.8.3
rotate 7.1
round 1.4.4
RoundEnvironment interface 11.5.2
roundoff errors 1.2.2
RowSetProvider class 12.10
rt.jar package 12.14
runAfter*Xxx* methods (CompletableFuture) 10.5.2
Runnable interface 3.3.3, 3.6.2, 10.1.1, 10.1.2
  executing on the UI thread 10.5.3

run method 3.6.2, 10.1.1, 10.1.3, 10.8.1
using class literals with 4.6.1
runtime
availableProcessors method 10.1.1
exec method 10.9
raw types at 6.6.2
safety checks at 6.5.2
runtime image file 12.14
RuntimeException class 5.1.2

S

s, S conversion characters 1.6.2
safety checks, as runtime 6.5.2
@SafeVarargs annotation 6.6.4, 11.3, 11.3.1
sample code 1.1.2
Scala 6.4.3
Scanner class 1.6.1
findAll method 9.4.3
hasNext, hasNext*Xxx* methods 1.6.1, 9.1.5
next, next*Xxx* methods 1.6.1, 9.1.5
tokens method 8.2, 9.1.5
sealed keyword 4.2.4
sealed types 4.2.4
search*Xxx* methods (ConcurrentHashMap) 10.3.1
security 2.6.4, 9.5.7
SecurityException class 4.7.2
@see annotation 2.8.6
seek 9.1.9
sequences, producing 8.2
@Serial annotation 9.5.3, 9.5.4, 11.3, 11.3.1
serial numbers 9.5.1
Serializable interface 9.5.1
readResolve, writeReplace methods 9.5.5
serialization 9.5
filters for 9.5.7
serialVersionUID method 9.5.6
server-side software 9.5
ServiceLoader class 4.6.5, 12.13
iterator method 4.6.5
load method 4.6.5, 12.13
ServiceLoader.Provider interface 4.6.5
services
configurable 4.6.5
loading 4.6.5, 12.13
ServletException 5.1.7
set method 7.1, 10.3.3
of Array 4.7.6
of ArrayList 1.8.3
of BitSet 7.5.2
of Field 4.7.4
of List 7.1
of ListIterator 7.2
of method 7.5.3
working with EnumSet 7.5.4
setAccessible method 4.7.2, 4.7.4
setAll method 3.6.1
setBoolean, setByte, setChar methods
of Array 4.7.6
of Field 4.7.4
setClassAssertionStatus method 5.2.2
setContextClassLoader method 4.6.4
setDaemon method 10.8.3
setDefaultAssertionStatus method 5.2.2
setDefaultUncaughtExceptionHandler method 5.1.8
setDoOutput method 9.3.1
setDouble, setFloat, setInt, setLong methods
of Array 4.7.6
of Field 4.7.4
setOut method 2.5.2
setPackageAssertionStatus method 5.2.2
setProperty method 5.3.4
setRequestProperty method 9.3.1
sets 7.3
immutable 10.2.4
threadsafe 10.3.3
unmodifiable views of 7.6.2
setShort method
of Array 4.7.6
of Field 4.7.4
setUncaughtExceptionHandler method 10.8.1
shallow copies 4.3.4
shared variables 10.2.1, 10.2.3
atomic mutations of 10.6
locking 10.7.1
shell
redirection syntax of 1.6.1
scripts for, generating 11.5.3
shift operators 1.4.5
Shift_JIS encoding 9.1.4
short type 1.2.1, 1.8.4
MAX_VALUE, MIN_VALUE constants 1.2.1

streams of 8.13
type conversions of 1.4.4
short circuit evaluation 1.4.5
short-term persistence 9.5.6
shuffle 1.8.7, 7.1
SimpleFileVisitor class 9.2.4
@since annotation 2.8.5
singletons 9.5.5
size method
of ArrayList 1.8.3
of Collection 7.1
of Map 7.4.1
skip 8.4
skipNBytes method 9.1.2
sleep 10.1.3
SLF4J 5.3.1, 12.2
SOAP protocol 12.1
SocketHandler class 5.3.5
sort method
of Arrays 1.8.7, 3.3.1, 3.3.2, 3.4.2, 3.5.1
of Collections 1.8.7, 6.4.3, 6.7.2, 7.1
of List 7.1
sorted 8.5
sorted maps 7.6.1, 7.6.2
sorted sets 7.1, 7.6.1
traversing 7.3
unmodifiable views of 7.6.2
sorted streams 8.14
SortedMap interface 7.6.1
SortedSet interface 7.1, 7.3
first method 7.3
headSet method 7.3, 7.6.1
last method 7.3
subSet, tailSet methods 7.3, 7.6.1
sorting
array lists 1.8.7
arrays 1.8.7, 3.3.1
chaining comparators for 3.8.3
changing order of 3.8.1
streams 8.5
strings 1.5.3, 3.5.1
source code, generating 11.3, 11.3.1, 11.5.3
source files
documentation comments for 2.8.7
placing, in a file system 2.6.1
space flag (for output) 1.6.2
spaces
in regular expressions 9.4.1
removing 1.5.5
split method
of Pattern 9.4.5
of String 1.5.2, 9.4.5
splitAsStream method 8.2, 9.4.5
spliterator 7.1
Spliterators class
spliteratorUnknownSize method 8.2
splitWithDelimiters method 9.4.5
SQL 1.5.7
sqrt 1.4.3
square root, computing 8.7.6
Stack class 7.5.5
stack trace 5.1.8, 5.1.9
StackWalker class 5.1.8
standard output 1.1.1
StandardCharsets class 9.1.4
start method
of Matcher, MatchResult 9.4.3, 9.4.4
of ProcessBuilder 10.9.2
of Thread 10.8.1
startPipeline method 10.9.1
startsWith method 1.5.5
stateless operations 8.14
statements, combining 1.8.1
static keyword 1.1.1, 1.3.4, 1.9.1, 2.5, 4.4.4
for modules 12.11
static constants 2.5.2
static imports 2.6.6
static initialization 4.6.3
static methods 1.9.1, 2.5.4, 2.5.5
accessing static variables from 2.5.4
importing 2.6.6
in interfaces 3.2.1, 3.2.2
static nested classes 2.7.1
static variables 2.5.1
accessing from static methods 2.5.4
importing 2.6.6
visibility of 10.2.1
stop 10.8.1
Stream interface
anyMatch method 8.6

collect method 8.8, 8.12
concat method 8.4
count method 8.1, 8.6
distinct method 8.5, 8.14
dropWhile method 8.4
empty method 8.2
filter method 8.1, 8.3, 8.6
findAny method 8.6
findFirst method 4.6.5, 8.6
flatMap method 8.3
forEach, forEachOrdered methods 8.8
generate method 8.2, 8.13
iterate method 8.2, 8.5, 8.13, 10.4.1
iterator method 8.8
limit method 8.4, 8.14
map method 8.3
mapToInt method 8.12
max, min methods 8.6
noneMatch method 8.6
of Arrays 8.2, 8.13
of BitSet 7.5.2
of Collection 7.1, 8.1
of method 8.2
of Optional 8.7.7
of StreamSupport 8.2
ofNullable method 8.2, 8.7.7
peek method 8.5
reduce method 8.12
skip method 8.4
sorted method 8.5
takeWhile method 8.4
toArray method 3.5.2, 8.8
toList method 8.2
unordered method 8.14
streams 8, 8.2
collecting elements of 8.8, 8.9
combining 8.4
computing values from 8.12
converting to/from arrays 8.2, 8.8, 8.14, 10.4.2
creating 8.2
debugging 8.5
empty 8.2, 8.6, 8.12
filtering 8.7.7
finite 8.2
flattening 8.3, 8.7.6
infinite 8.1, 8.2, 8.4, 8.5
intermediate operations for 8.1
locating services with 4.6.5
noninterference of 8.2
of primitive type values 8.12, 8.13
of random numbers 8.13
ordered 8.14
parallel 8.1, 8.6, 8.8, 8.9, 8.10, 8.12, 8.14, 10.4.1
processed lazily 8.1, 8.2, 8.5
reductions of 8.6
removing duplicates from 8.5
returned by Files.lines 8.14
sorting 8.5
splitting 8.4
summarizing 8.8, 8.13
terminal operation for 8.1, 8.6
transformations of 8.3, 8.13
vs. collections 8.1
StreamSupport class
stream method 8.2
String class 1.1.3, 1.5.5
charAt method 1.5.6
compareTo method 1.5.3, 3.3.1
compareToIgnoreCase method 3.5.1
contains method 1.5.5
endsWith method 1.5.5
equals method 1.5.3
equalsIgnoreCase method 1.5.3
final 4.2.1
formatted method 1.6.2
graphemeClusters method 8.4
hash codes 4.3.3
immutability of 1.5.5, 10.2.4
indexOf, lastIndexOf methods 1.5.5
join method 1.5.1
length method 1.1.3, 1.5.6
replace method 1.5.5
replaceAll method 9.4.6
split method 1.5.2, 9.4.5
startsWith method 1.5.5
substring method 1.5.2
toLowerCase method 1.5.5, 8.3
toUpperCase method 1.5.5
StringBuilder class 1.5.1
strings 1.1.3, 1.5

comparing 1.5.3
concatenating 1.5.1, 4.3.1
converting
from byte arrays 9.1.4
from objects 4.3.1
to numbers 1.5.4
converting to code points 8.3
empty 1.5.3, 1.5.4, 4.3.1
formatting for output 1.6.2
internal representation of 1.5.6
sorting 1.5.3, 3.5.1
splitting 1.5.2, 8.2
transforming to lower/uppercase 8.3
StringWriter class 9.1.6
strip 1.5.5
strong 2.8.1
subclasses 4.1.1
anonymous 4.1.7, 4.4.3
calling toString method in 4.3.1
constructors for 4.1.4
inheriting annotations 11.3
initializing instance variables in 4.1.4
methods in 4.1.2
preventing 4.2.1
public 4.1.3
superclass assignments in 4.1.5
subList method 7.1, 7.6.1
subMap method 7.6.1
subpath 9.2.1
subSet method
of NavigableSet 7.3
of SortedSet 7.3, 7.6.1
substring 1.5.2
subtractExact method 1.4.3
subtraction 1.4.2
accurate 1.4.6
not associative 8.12
subtypes 3.1.4
wildcards for 6.4.1
sum method
of LongAdder 10.6
of *Xxx*Stream 8.13
summarizing*Xxx* methods (Collectors) 8.8, 8.11
summaryStatistics method 8.13
summing*Xxx* methods (Collectors) 8.11
super keyword 3.2.3, 4.1.3, 4.1.4, 4.1.8, 6.4.2, 6.4.3
superclasses 4.1.1
annotating 11.1.4
calling equals method on 4.3.2
default methods of 4.2.5
methods of 4.1.3
public 4.1.3
serializability of 9.5.1
supertypes 3.1.4, 3.1.5, 3.1.8
wildcards for 6.4.2
Supplier interface 3.6.2, 10.5.1
supplyAsync method 10.5.1
supportsNormalTermination method
of Process 10.9.2
of ProcessHandle 10.9.3
@SuppressWarnings annotation 6.6.2, 11.3, 11.3.1, 11.3.2, 12.3
suspend 10.8.1
swap 7.1
Swing GUI toolkit 3.3.4, 10.5.3
SwingConstants interface 3.1.9
SwingWorker class 10.5.3
switch keyword 1.7.2
enhanced 1.7.2, 4.5.4
exhaustive 1.7.2
fall-through variant of 1.7.2
using enumerations in 4.4.5
with pattern matching 4.2.4
symbolic links 9.2.3, 9.2.4
synchronized keyword 10.7.1, 10.7.3
synchronized views 7.6.2
synchronized*Xxx* methods (Collections) 7.1
System class
getLogger method 5.3.2, 5.3.3
getProperties method 7.5.1
getProperty method 4.6.3, 5.1.9, 7.5.1
setOut method 2.5.2
setProperty method 5.3.4
system class loader 4.6.3, 4.6.4
system classes, enabling/disabling assertions for 5.2.2
system properties 7.5.1
System.err 5.1.8, 5.3.5, 10.8.3
System.in 1.6.1
System.Logger interface 5.3.2, 5.3.3
getName method 5.3.3

isLoggable method 5.3.3
log method 5.3.2, 5.3.3
System.Logger.Level enumeration 5.3.3
System.out 1.1.3, 1.3.4, 1.6.1, 1.6.2, 1.8.7, 1.9.3, 2.5.2, 3.5.1, 5.3, 9.1.6

T

t , T conversion characters 1.6.2
tab completion 1.1.4
tagging interfaces 4.3.4
tailMap method 7.6.1
tailSet method
of NavigableSet 7.3
of SortedSet 7.3, 7.6.1
take 10.3.2
takeWhile method 8.4
tar 2.6.2
@Target annotation 11.2, 11.3
tasks 10.1
canceling 10.1.2
combining results from 10.1.2
computationally intensive 10.1.1
coordinating work between 10.3.2
defining 3.3.3
executing 10.1.1
executing in a thread 3.3.3
groups of 10.8.3
long-running 10.5.3
running 10.1.1
submitting 10.1.2
vs. threads 10.1.1
working simultaneously 10.5.1
TAU 1.4.3
teeing 8.11
terminal window 1.1.2
test method 11.1, 11.2
of BiPredicate 3.6.2
of Predicate 3.6.2, 6.4.2
of *Xxx*Predicate 3.6.2
text blocks 1.5.7
thenAccept method 10.5.1, 10.5.2
thenAcceptBoth method 10.5.2
thenApply , thenApplyAsync methods (CompletableFuture) 10.5.2
thenCombine method 10.5.2
thenComparing method 3.8.3
thenCompose method 10.5.2
thenRun method 10.5.2
third-party libraries 12.8
this keyword 2.2.5
annotating 11.1.5
in constructors 2.3.3, 10.2.4
in lambda expressions 3.7.1
in method references 3.5.1
Thread class
getContextClassLoader method 4.6.4
interrupted , isInterrupted methods 10.1.3
isAlive method 10.8.1
join method 10.8.1
properties 10.8.3
resume method (deprecated) 10.8.1
setContextClassLoader method 4.6.4
setDaemon method 10.8.3
setDefaultUncaughtExceptionHandler method 5.1.8
setUncaughtExceptionHandler method 10.8.1
sleep method 10.1.3
start method 10.1.1, 10.8.1
stop , suspend methods (deprecated) 10.8.1
ThreadLocal class 10.8.2
ThreadLocalRandom.current method 10.8.2
threads 10.1.1, 10.8
atomic mutations in 10.6
daemon 10.8.3
groups of 10.8.3
interrupting 10.1.2, 10.1.3
locking 10.7.1
names of 10.8.3
platform 10.1.1
priorities of 10.8.3
race conditions in 8.14, 10.2.2
running tasks in 3.3.3
starting 10.8.1
states of 10.8.3
terminating 10.1.1
uncaught exception handlers of 10.8.3
virtual 10.1.1
visibility and 10.2.1, 10.7.2
vs. tasks 10.1.1
waiting on conditions 10.7.3
worker 10.5.3

throw keyword 5.1.1
Throwable class 5.1.2
in assertions 5.2.1
initCause method 5.1.7
no generic subtypes for 6.6.7
printStackTrace method 5.1.8
@throws annotation 2.8.3, 5.1.3
type variables in 6.6.7
TimeoutException class 10.1.2
Timestamp class 4.3.2
toAbsolutePath method 9.2.1
toArray method
of Collection 7.1
of Stream 3.5.2, 8.8
of *Xxx*Stream 8.13
toByteArray method
of BitSet 7.5.2
of ByteArrayOutputStream 9.1.1
toCollection method 8.8
toConcurrentMap method 8.9
ToDoubleFunction interface 3.6.2, 6.6.1
toFile method 9.2.1
toGenericString method 4.6.1
toHandle method 10.9.3
toIntExact method 1.4.4
ToIntFunction interface 3.6.2, 6.6.1
tokens 8.2, 9.1.5
toList method 8.2
toLongArray method 7.5.2
ToLongFunction interface 3.6.2, 6.6.1
toLowerCase method 1.5.5, 8.3
toMap method 8.9
toPath method 9.2.1
toSet method 8.8, 8.11
toString method
calling from subclasses 4.3.1
of Arrays 1.8.7, 4.3.1
of BitSet 7.5.2
of Class 4.6.1
of Double 1.5.4
of Enum 4.4.1
of Integer 1.5.4
of Modifier 4.6.1
of Object 4.3, 4.3.1
of Point 4.3.1
of records 2.4.1
toUnsignedInt method 1.2.1
toUpperCase method 1.5.5
transferTo method 9.1.3
transient keyword 9.5.2, 9.5.3
transitive keyword 12.11
TreeMap class 7.4.1, 8.9
TreeSet class 7.3
Troubleshooting. See Debugging
true literal 1.2.4
try keyword 5.1.4, 5.1.6
for visiting directories 9.2.4
try-with-resources 5.1.5
closing output streams with 9.1.3
for file locking 9.1.11
tryLock method 9.1.11
trySetAccessible method 4.7.2
Type interface 6.7.2
type bounds 6.3, 6.7.2
annotating 11.1.4
type erasure 6.5, 6.6.5
clashes after 6.6.6
type method (ServiceLoader.Provider) 4.6.5
type parameters 3.3.1, 6.1
annotating 11.1.3
primitive types and 6.1, 6.6.1
type variables
exceptions and 6.6.7
in static context 6.6.5
no instantiating of 6.6.3
wildcards with 6.4.3
TypeElement interface 11.5.2
TypeVariable interface 6.7.2

U

U+ 1.5.6
UnaryOperator interface 3.6.2
uncaught exception handlers 10.8.1, 10.8.3
unchecked exceptions 5.1.2
documenting 5.1.3
generic types and 6.6.7
UncheckedIOException class 9.1.5
Unicode 1.5.6, 8.13, 9.1.4
replacement character in 9.1.6
Unit tests 11
Unix

executable files in 1.1.2
path separator in 2.6.3, 7.5.1
wildcard in classpath in 2.6.3
unlock 10.7.1
unmodifiable*Xxx* methods (Collections) 7.1
unordered 8.14
updateAndGet method 10.6
URI class 9.3.2
URL class 9.3.2
final 4.2.1
getInputStream method 9.3
openConnection method 9.3.1
openStream method 9.1.1
URLClassLoader class 4.6.3
URLConnection class 9.3.1
connect method 9.3.1
getHeaderFields method 9.3.1
getInputStream method 9.3.1
getOutputStream method 9.3.1
setDoOutput method 9.3.1
setRequestProperty method 9.3.1
URLs, reading from 9.1.1, 9.3
user.dir, user.home, user.name system properties 7.5.1
uses keyword 12.13
UTF-16 1.2.3, 1.5.6, 8.13, 9.1.4
in regular expressions 9.4.1
UTF-8 9.1.4
modified 9.1.8
Util.createInstance 4.6.4
utility classes 2.6.4, 4.6.4

V

validateObject method 9.5.7
valueOf method
of BitSet 7.5.2
of Enum 4.4.1
values method
of Enum 4.4.1
of Map 7.4.1, 7.4.2, 7.6
var keyword 1.3.1, 1.3.3
varargs parameters
declaring 1.9.3
safety of 11.3, 11.3.1
VarHandle class 12.6
variable handles 12.6
VariableElement interface 11.5.2
variables 1.1.3, 1.3
atomic mutations of 10.6
capturing, in lambda expressions 3.7.2
declaring 1.3.1, 1.3.3
defined in interfaces 3.1.9
deprecated 2.8.5, 11.3, 11.3.1
documentation comments for 2.8.1, 2.8.4
effectively final 3.7.2
final 10.2.1, 10.2.4
holding object references 2.1.2
initializing 1.3.1, 1.3.4
instance 2.2.1, 2.2.5, 2.3.1, 2.3.6, 2.4.1, 2.4.2, 2.5.4, 4.1.4, 4.2.2, 4.2.3, 4.3.2, 9.5.2, 9.5.5, 9.5.6
local 1.7.5
naming 1.3.2
parameter 2.2.6
private 2.2.1, 2.6.4
public static final 3.1.9
redefining 1.7.5
scope of 1.7.5, 2.6.4
shared 10.2.1, 10.2.3, 10.7.1
static 2.5.1, 2.5.4, 2.6.6, 10.2.1
thread-local 10.8.2
using an abstract class as type of 4.2.2
visibility of 10.2.1, 10.7.2
volatile 10.2.1, 10.2.2
@version annotation 2.8.2, 2.8.8
versioning 9.5.6
views 7.6
virtual machine 1.1.2
instruction reordering in 10.2.1
Virtual threads 10.1.1
visibility 10.2.1
guaranteed with locks 10.7.2
visitFile, visitFileFailed methods (FileVisitor) 9.2.4
void keyword 1.1.1, 1.9.1
using class literals with 4.6.1
volatile keyword 10.2.1, 10.2.2

W

wait 10.7.3
waitFor method 10.9.2
waiting on a condition 10.7.3
walk 9.2.3, 9.2.5
walkFileTree method 9.2.3, 9.2.4

warning 11.3
warnings, suppressing 6.6.2, 6.6.4, 11.3.1
weak references 7.5.6
weaker access privilege 4.1.3
WeakHashMap class 7.5.6
weakly consistent iterators 10.3.3
WeakReference class 7.5.6
web pages
  extracting links from 10.5.2
  reading 10.5.2, 10.5.3
whenComplete method 10.5.1, 10.5.2
while keyword 1.7.3
  breaking/continuing 1.7.4
  declaring variables for 1.7.5
white space
  in regular expressions 9.4.1
  in text blocks 1.5.7
  removing 1.5.5
wildcards
  annotating 11.1.4
  capturing 6.4.5
  for annotation processors 11.5.1
  for types 6.4.1, 6.4.2
  in class path 2.6.3
  unbounded 6.4.4
  with imported classes 2.6.5
  with type variables 6.4.3
WildcardType interface 6.7.2
Window class 2.6.4
WindowAdapter class 3.2.2
WindowListener interface 3.2.2
words
  in regular expressions 9.4.1
  reading from a file 9.1.5
working directory 9.2.1, 10.9.1
wrapper classes 1.8.4
write method
  of Files 9.1.6, 9.2.3
  of OutputStream 9.1.3
  of Writer 9.1.6
writeByte, writeChar methods (DataOutput) 9.1.8
writeDouble method
  of DataOutput 9.1.8
  of ObjectOutputStream 9.5.3
writeExternal method 9.5.4
writeFloat, writeFully methods (DataOutput) 9.1.8
writeInt method 9.1.8, 9.1.9
writeLong method 9.1.8
writeObject method
  of HashSet 9.5.3
  of ObjectOutputStream 9.5.1, 9.5.3
Writer class 9.1.6
  write method 9.1.6
writeReplace method 9.5.5
writers 9.1
writeShort, writeUnsigned*Xxx*, writeUTF methods (DataOutput) 9.1.8

X

x, X
  conversion characters 1.6.2
XML descriptors, generating 11.5.3
xor 7.5.2
Xoroshiro128PlusPlus 3.1.1

Y

yield keyword 1.7.2
yield method (Thread) 10.1.1

Z

ZIP file systems 9.2.5
ZipInputStream, ZipOutputStream classes 9.2.5