Index

Symbols

! operator 3.5.7, 3.5.11
!= operator 3.5.7, 3.5.11, 3.8.4
(number sign)
  in javadoc hyperlinks 4.10.7
  printf flag 3.7.2
$ (dollar sign)
  delimiter, for inner classes 6.3.3
  in variable names 3.4.1
  printf flag 3.7.2
% (percent sign)
  arithmetic operator 3.5.1, 3.5.11
  conversion character 3.7.2
"for each" loop 3.10.3
  for array lists 5.3.2
  for collections 9.1.3, 10.6.8
  for multidimensional arrays 3.10.7
"Has-a" relationship 4.1.4
"Is-a" relationship 4.1.4, 5.1.5, 5.11
"Uses-a" relationship 4.1.4
& (ampersand)
  bitwise operator 3.5.10, 3.5.11
  in bounding types 8.4
  in reference parameters (C++) 4.5
&& operator 3.5.7, 3.5.11
> (right angle bracket)
  in shell syntax 3.7.3, 7.6
  relational operator 3.5.7, 3.5.11
>& (shell syntax) 7.6
>> , >>> operators 3.5.10, 3.5.11
>= operator 3.5.7, 3.5.11
< (left angle bracket)
  in shell syntax 3.7.3
  printf flag 3.7.2
  relational operator 3.5.7, 3.5.11
<< operator 3.5.10, 3.5.11
<. . .> (angle brackets) 5.3.1, 8.2
<= operator 3.5.7, 3.5.11
"""..." 3.6.10
"..." 3.1
', " (single, double quote), escape sequences
  for 3.3.3
((left parenthesis) 3.7.2
  printf flag 3.7.2
(. . .) (parentheses)
  empty, in method calls 3.1
  for casts 3.5.4, 3.5.11, 5.1.8
  for operator hierarchy 3.5.11
* (asterisk)
  arithmetic operator 3.5.1, 3.5.11
  for annotation processors 11.5.1
  in class path 4.8.6
  in imports 4.8.2
+ (plus sign)
  arithmetic operator 3.5.1, 3.5.3, 3.5.11
  for objects and strings 3.6.1, 5.2.5
  printf flag 3.7.2
++ operator 3.5.6, 3.5.11
, (comma)
  operator (C++) 3.5.11
  printf flag 3.7.2
- (minus sign)
  arithmetic operator 3.5.1, 3.5.11
  printf flag 3.7.2
-> operator
  in lambda expressions 6.2.2
  in switch expressions 3.8.5
-- operator 3.5.6, 3.5.11
. (period) 4.8.6
... (ellipsis) 5.5
.class extension 3.1
.exe extension 4.9.3
.java extension 3.1
/ (slash) 3.5.1, 3.5.11
/* . . . */ comments 3.2
/** . . . */ (Javadoc comment delimiters) 3.2, 4.10, 4.10.1
// comments 3.2

0, 0b, 0B, 0x, 0X prefixes (in integers) 3.3.1
0, printf flag 3.7.2
2> (shell syntax) 7.6
: (colon)
in assertions 7.4.1
in class path (UNIX) 4.8.6
inheritance token (C++) 5.1.1
:: (C++ operator) 4.3.7, 4.4.3, 5.1.2, 6.2.5
; (semicolon)
in class path (Windows) 4.8.6
in statements 3.1, 3.4.1
= operator 3.4.2, 3.5.5
== operator 3.5.7, 3.5.11
for class objects 5.10.1
for enumerated types 5.7
for floating-point numbers 3.8.4
for identity hash maps 9.4.7
for strings 3.6.5
wrappers and 5.4
? (question mark)
for wildcard types 8.7.1
?: operator 3.5.8, 3.5.11
with pattern matching 5.1.9
@ (at sign) 4.10.1, 4.10.3
in java command-line options 12.10
[. . .] (brackets)
empty, in generics 8.3
for arrays 3.10.2, 3.10.4
\ (backslash)
escape sequence for 3.3.3
in file names 3.7.3
in text blocks 3.6.10
\b (backslash character literal) 3.3.3
\f (form feed character literal) 3.3.3
\n (newline character literal) 3.3.3, 3.6.10
\r (carriage return character literal) 3.3.3
\s (space character literal) 3.3.3, 3.6.10
\t (tab character literal) 3.3.3
\u (Unicode character literal) 3.3.3
^ (caret) 3.5.10, 3.5.11, 6.2.2
_ (underscore)
as a reserved word Appendix
delimiter, in number literals 3.3.1
in instance field names (C++) 4.6.5
{. . .} (braces)
double, in inner classes 6.3.6
for blocks 3.1, 3.8.1
for enumerated type 3.4.4
in annotation elements 11.1.1
in lambda expressions 6.2.2
| operator 3.5.10, 3.5.11
|| operator 3.5.7, 3.5.11
~ operator 3.5.10, 3.5.11
🍺 (beer mug) 3.3.4

A

A, a conversion characters 3.7.2
abstract keyword 5.6, Appendix
Abstract classes 5.6
extending 5.6
interfaces and 6.1.1, 6.1.3
no instantiating for 5.6
object variables of 5.6
Abstract methods 5.6
in functional interfaces 6.2.3
AbstractCollection class 6.1.5, 9.1.4, 9.3.1
AbstractProcessor class 11.5.1
acceptEither method 10.7.2
Access modifiers
checking 5.10.4
final 3.4.3, 4.3.11, 5.1.7, 6.1.1, 6.3.5, 10.5.10
private 4.3.3, 4.8.5, 6.3.1
protected 5.1.10, 5.11, 6.1.9
public 3.1, 3.4.3, 4.3.1, 4.3.3, 4.8.5, 6.1.1
public static final 6.1.2
redundant 6.1.2
static 3.1, 4.4
static final 3.4.3
void 3.1
AccessibleObject class
canAccess, trySetAccessible methods 5.10.5
setAccessible method 5.10.5
Accessor methods 4.2.3, 4.3.8, 8.7.1
accumulate method
of LongAccumulator 10.5.11
accumulateAndGet method 10.5.11
ActionListener interface
actionPerformed method 6.1.7, 6.2.1, 6.3.1, 6.3.3, 6.3.6
implementing 6.2.3
ActiveX 1.2.5

add method
  of ArrayList 5.3.1, 5.3.2
  of BigDecimal 3.9
  of BigInteger 3.9
  of BlockingQueue 10.6.1
  of Collection 9.1.2, 9.1.4, 9.2
  of GregorianCalendar 4.2.3
  of HashSet 9.3.3
  of List 9.2, 9.3.1
  of ListIterator 9.3.1
  of LongAdder 10.5.11
  of Queue 9.3.5
  of Set 9.2
addAll method
  of ArrayList 8.1.2
  of Collection 9.1.4
  of Collections 9.6.4
  of List 9.3.1
addExact method 3.5.2
addFirst method
  of LinkedList 9.3.1
  of SequencedCollection 9.3.5
Addition 3.5.1, 3.5.11
  for different numeric types 3.5.3
  for objects and strings 3.6.1, 5.2.5
addLast method
  of LinkedList 9.3.1
  of SequencedCollection 9.3.5
addShutdownHook method 4.6.8
addSuppressed method 7.2.5, 7.2.6
Adobe Flash 1.3
Agent code 11.6.2
Aggregation 4.1.4
Algorithms 4.1
  for binary search 9.6.3
  for shuffling 9.6.2
  for sorting 9.6.2
  QuickSort 3.10.6, 9.6.2
  simple, in the Java Collections Framework 9.6.4
  writing 9.6.7
Algorithms + Data Structures = Programs (Wirth) 4.1
Algorithms in C++ (Sedgewick) 9.6.2
allOf method
  of CompletableFuture 10.7.2
  of EnumSet 9.4.7
allProcesses method 10.8.3
Amazon 2.1
and, andNot methods (BitSet) 9.7.6
Andreessen, Mark 1.4
Android 1.5, 10.7.3
AnnotatedConstruct interface 11.5.2
AnnotatedElement interface 11.4
  getAnnotation method 11.4
  getAnnotations method 11.4
  getAnnotationsByType method 11.4
  getDeclaredAnnotations method 11.4
  isAnnotationPresent method 11.4
Annotation interface
  extending 11.2
  methods of 11.2
Annotation interfaces 11.2
Annotation processors 11.5.1
  at bytecode level 11.6
Annotations 8.5.4
  accessing 11.2
  applicability of 11.3
  container 11.3.2, 11.4
  declaration 11.1.3
  documented 11.3, 11.3.2
  generating source code with 11.5.3
  inherited 11.3, 11.3.2, 11.4
  key/value pairs in 11.1.1, 11.2
  meta 11.2, 11.3.2
  modifiers and 11.1.4
  multiple 11.1.2
  processing
    at runtime 11.4
    source-level 11.5
  repeatable 11.1.2, 11.3, 11.3.2, 11.4
  standard 11.3
  type use 11.1.4
Anonymous arrays 3.10.1
Anonymous inner classes 6.3.6
Antisymmetry rule 6.1.1
anyOf method 10.7.2
Apache
  Commons CSV library 12.8
append method
  of StringBuilder 3.6.9
appendCodePoint method 3.6.9

Applets 1.3, 1.5
changing warning string in 4.8.5
running in a browser 1.3
Application Programming Interfaces (APIs), online documentation for 3.6.7, 3.6.8
Applications
compiling/launching from the command line 2.2, 3.1
debugging 2.2, 7.1
executing
without a separate Java runtime 12.14
extensible 5.1.6
for different Java releases 4.9.4
localizing 4.2.1, 5.10.3
managing in JVM 7.6
monitoring 11.6.2
responsive 10.7.3
terminating 3.1, 4.3.6
testing 7.4
applyToEither method 10.7.2
Arguments 3.1
of ProcessHandle.Info 10.8.3
string 3.1
variable number of 5.5
Arguments. See Parameters
Arithmetic operators 3.5.1
accuracy of 3.5.1
autoboxing with 5.4
combining with assignment 3.5.5
precedence of 3.5.11
Array class 5.10.6
get, getXxx, set, setXxx methods 5.10.6
getLength method 5.10.6
newInstance method 5.10.6
Array lists 9.3.2
anonymous 6.3.6
capacity of 5.3.1
elements of
accessing 5.3.2
adding 5.3.1, 5.3.2
removing 5.3.2
traversing 5.3.2
generic 5.3
raw vs. typed 5.3.3
Array variables 3.10.1
ArrayBlockingQueue class 10.6.1
ArrayDeque class 9.3.5
as a concrete collection type 9.3
ArrayIndexOutOfBoundsException class 3.10.2, 7.1.1, 7.1.2
ArrayList class 3.10.3, 5.3, 8.1, 9.3.1
add method 5.3.1, 5.3.2
addAll method 8.1.2
as a concrete collection type 9.3
declaring with var 5.3.1
ensureCapacity method 5.3.1
get, set methods 5.3.2
iterating over 9.1.3
remove method 5.3.2
removeIf method 6.2.4
size, trimToSize methods 5.3.1
synchronized 10.6.8
toArray method 8.8.7
Arrays 3.10.2
annotating 11.1.4
anonymous 3.10.1
circular 9.1.1
cloning 6.1.9
converting to collections 9.6.6
copying 3.10.4
on write 10.6.6
creating 3.10.1
elements of
computing in parallel 10.6.7
numbering 3.10.2
remembering types of 5.1.5
removing from the middle 9.3.1
traversing 3.10.3, 3.10.7
equality testing for 5.2.3
generic methods for 5.10.6
hash codes of 5.2.4
in command-line arguments 3.10.5
initializing 3.10.1, 3.10.2
length of 3.10.2
equal to 0 3.10.1
increasing 3.10.4
multidimensional 3.10.7, 3.10.8, 5.2.3, 5.2.5
not of generic types 6.2.6, 8.6, 8.8.3, 8.8.7
of integers 5.2.5
of subclass/superclass references 5.1.5
of wildcard types 8.8.3

out-of-bounds access in 7.1.1
parallel operations on 10.6.7
printing 3.10.7, 5.2.5
ragged 3.10.8
size of 5.3.1, 5.10.6
setting at runtime 5.3
sorting 3.10.6, 6.1.1, 10.6.7
Arrays class
asList method 9.5.8
binarySearch method 6.5.2, 9.6.3
copyOf method 3.10.4, 3.10.6, 5.10.6
copyOfRange method 3.10.6
deepEquals method 5.2.3
deepToString method 3.10.7, 5.2.5
equals method 3.10.6, 5.2.3
fill method 3.10.6
hashCode method 5.2.4
parallelXxx methods 10.6.7
sort method 3.10.6, 6.1.1, 6.2.1, 6.2.3
toString method 3.10.3, 3.10.6
ArrayStoreException class 5.1.5, 8.6, 8.8.3, 8.8.4
arrayType method 5.10.6
ASCII 3.3.4
asIterator method 9.7.2
asList method 9.5.8
ASM library 11.6
assert keyword 7.4, Appendix
Assertions 7.4
checking 11.1.4
checking parameters with 7.4.3
defined 7.4
documenting assumptions with 7.4.4
enabling/disabling 7.4.1, 7.4.2
Assignment 3.4.2, 3.5.5
Asynchronous computations 10.7
Asynchronous methods 10.4.1
AsyncTask class (Android) 10.7.3
atan, atan2 methods (Math) 3.5.2
Atomic operations 10.5.11
client-side locking for 10.5.7
in concurrent hash maps 10.6.3
performance of 10.5.11
Atomic*Type* classes 10.5.11
@author annotation 4.10.8, 4.10.10
Autoboxing 5.4
AutoCloseable interface 7.2.5
close method 7.2.5
await method 10.2.3, 10.5.4
of Condition 10.5.4
awaitTermination method 10.4.2
Azul 2.1

B

B, b conversion characters 3.7.2
Base classes. See Superclasses
BASE64Encoder class 12.5
Basic multilingual planes 3.3.4
Batch files 4.8.7
Beans class 4.9.1
beep method
of Toolkit 6.1.7
BiConsumer interface 6.2.8
BiFunction interface 6.2.4, 6.2.8
BIG-5 3.3.4
BigDecimal class 3.9
add, compareTo, subtract, multiply, divide, mod methods 3.9
BigInteger class 3.9
add, compareTo, subtract, multiply, divide, mod, sqrt methods 3.9
valueOf method 3.9
Binary search 9.6.3
BinaryOperator interface 6.2.8
binarySearch method
of Arrays 6.5.2, 9.6.3
of Collections 9.6.3
BiPredicate interface 6.2.8
Bit masks 3.5.10
Bit sets 9.7.6
BitSet class 9.1, 9.7.6
methods of 9.7.6
Bitwise operators 3.5.10, 3.5.11
Blank lines, printing 3.1
Blocking queues 10.6.1
BlockingDeque interface, methods of 10.6.1
BlockingQueue interface
add, element, peek, remove methods 10.6.1
offer, poll, put, take methods 10.6.1
Blocks 3.1, 3.8.1
nested 3.8.1
synchronized 10.5.7

`boolean` type 3.3.5, Appendix
converting from `boolean` 5.4
default initialization of 4.6.2
formatting output for 3.7.2
`hashCode` method 5.2.4
no casting to numeric types for 3.5.4
`boolean` operators 3.5.7, 3.5.11
Bounded collections 9.1.1
Bounds checking 3.10.4
`break` keyword 3.8.5, 3.8.6, Appendix
labeled/unlabeled 3.8.6
not allowed in `switch` expressions 3.8.5
Bridge methods 8.5.3, 8.8.11
Buckets (of hash tables) 9.3.3
Bulk operations 9.6.5
`byte` type 3.3.1, Appendix
converting from `byte` 5.4
`hashCode` method 5.2.4
`toUnsignedInt` method 3.3.1
Bytecode files 3.1
Bytecodes
engineering 11.6
at load time 11.6.2

C

C
`assert` macro in 7.4.1
function pointers in 5.10.7
integer types in 1.2.7, 3.3.1
C# 1.2.11
`foreach` loop in 3.8
polymorphism in 5.1.7
useful features of 1.4
C++
`#include` in 4.8.2
`>>` operator in 3.5.10
`,` (comma) operator in 3.5.11
`::` operator in 4.3.7, 5.1.2
access privileges in 4.3.9
algorithms in 9.6.1
arrays in 3.10.4, 3.10.8
`bitset` template in 9.7.6
`boolean` values in 3.3.5
classes in 3.1, 6.3
copy constructors in 4.2.1
dynamic binding in 5.1.3
dynamic casts in 5.1.8
exceptions in 7.1.1, 7.1.2, 7.1.3, 7.2.1
fields in
instance 4.6.3, 4.6.5
static 4.4.3
`for` loop in 3.8, 3.8.4
function pointers in 5.10.7
inheritance in 5.1.1, 5.1.4, 6.1.3
integer types in 1.2.7, 3.3.1
iterators as parameters in 9.7.2
methods in
accessor 4.2.3
default 6.1.6
destructor 4.6.8
static 4.4.3
`namespace` directive in 4.8.2
`new` operator in 4.3.4
`NULL` pointer in 4.2.1
object pointers in 4.2.1
operator overloading in 3.9
passing parameters in 4.5
performance of, compared to Java 9.7.6
polymorphism in 5.1.7
`protected` modifier in 5.1.10
pure virtual functions (`= 0`) in 5.6
references in 4.2.1
Standard Template Library in 9.1, 9.1.3
static member functions in 3.1
strings in 3.6.4, 3.6.5
superclasses in 5.1.3
syntax of 1.2.1
templates in 1.4, 8.2, 8.4, 8.5.1
`this` pointer in 4.6.6
type parameters in 8.3
`using` directive in 4.8.2
variables in 3.4.2
redefining in nested blocks 3.8.1
`vector` template in 5.3.1
virtual constructors in 5.10.1
`void*` pointer in 5.2.1
`C` , `c` conversion characters 3.7.2
`CachedRowSetImpl` class 12.5
`Calendar` class 4.2.2
`get/setTime` methods 5.1.7
Calendars

displaying 4.2.3
vs. time measurement 4.2.2
Call by reference 4.5
Call by value 4.5
Callable interface 10.4.3
call method 10.4.1
wrapper for 10.4.1
Callables 10.4.1
Callbacks 6.1.7
CamelCase 3.1
canAccess method 5.10.5
cancel method 10.4.1, 10.4.2
of Future 10.7.3
CancellationException class 10.7.3
Cardinality 9.7.6
Carriage return character 3.3.3
case keyword 3.5.9, 3.8.5, Appendix
cast method 8.9.1
of Class 8.9.1
Casts 3.5.4, 5.1.8
annotating 11.1.4
bad 7.1.1
checking before attempting 5.1.8
catch keyword 7.2, Appendix
annotating parameters of 11.1.3
ceiling method
of NavigableSet 9.3.4
char type 3.3.3, Appendix
Character class
converting from char 5.4
hashCode method 5.2.4
isJavaIdentifierXxx methods 3.4.1
Characters
escape sequences for 3.3.3
exotic 3.3.4
formatting output for 3.7.2
charAt method 3.6.3, 3.6.7
CharSequence interface 3.6.7, 6.1.3
Checked exceptions 5.10.1, 5.10.2
applicability of 7.3
declaring 7.1.2
suppressing with generics 8.8.10
Checked views 9.5.6
checkedCollection methods (Collections) 9.5.8
Checker Framework 11.1.4
checkFromIndexSize, checkFromToIndex, checkIndex
methods (Objects) 7.3
Child classes. See Subclasses
children method
of ProcessHandle 10.8.3
ChronoLocalDate 8.7.2
Church, Alonzo 6.2.2
Circular arrays 9.1.1
Clark, Jim 1.4
class keyword 3.1, 5.10.1, Appendix
arrayType method 5.10.6
cast method 8.9.1
componentType method 5.10.6
forName method 5.10.1
getClass method 5.10.1
getComponentType method 5.10.6
getConstructor method 5.10.1, 8.9.1
getConstructors method 5.10.4
getDeclaredConstructor method 8.9.1
getDeclaredConstructors method 5.10.4
getDeclaredMethods method 5.10.4, 5.10.7
getEnumConstants method 8.9.1
getField, getDeclaredField methods 5.10.5
getFields, getDeclaredFields methods 5.10.4, 5.10.5
getGenericXxx methods 8.9.4
getImage method 5.10.3
getMethod method 5.10.7
getMethods method 5.10.4
getName method 5.2.5, 5.10.1
getPackageName method 5.10.4
getRecordComponents method 5.10.4
getResource, getResourceAsStream
methods 5.10.3
getResourceAsStream method 12.7
getSuperclass method 5.2.5, 8.9.1
getTypeParameters method 8.9.4
isArray method 5.10.6
isEnum, isInterface, isRecord methods 5.10.4
newInstance method 5.10.1, 8.9.1
Class constants 3.4.3
Class declarations
annotations in 11.1.3, 11.3.2
Class diagrams 4.1.4
Class files 4.8.4, 4.8.6

compiling 3.1
format of 11.6
locating 4.8.6
modifying 11.6.1
names of 3.1, 4.3.1
transformers for 11.6.2
Class literals
no annotations for 11.1.4
Class loaders 6.5.2, 7.4.1, 7.4.2
Class path 4.8.6, 4.8.7
Class wins rule 6.1.6
Class<T> parameters 8.9.2
ClassCastException class 5.1.8, 5.10.6, 6.1.1, 8.6, 8.8.7, 8.9.1, 9.5.6
Classes 3.1, 4.1.1, 5.1
abstract 5.6, 6.1.1, 6.1.3
access privileges for 4.3.9
adding to packages 4.8.4
capabilities of 5.10.4
companion 6.1.4, 6.1.5
constructors for 4.3.3
defining 4.3
at runtime 6.5.1
deprecated 11.3, 11.3.1
designing 4.1.3, 4.11
documentation comments for 4.10.1, 4.10.7
encapsulation of 4.1.1, 4.1.2, 4.3.8, 12
extending 4.1.1
final 5.1.7, 6.1.9
generic 5.3, 5.3.1, 8.2, 8.6, 8.8.6, 8.9.1, 8.9.3
immutable 4.3.11, 4.7.1, 5.11
implementing multiple interfaces 6.1.2, 6.1.3
importing 4.8.2
inner 6.3
instances of 4.1.1, 4.2.1
legacy 4.7.1
loading 7.6
multiple source files for 4.3.2
names of 2.2, 3.1, 4.8.1, 4.11
full package 4.8.2
nested 11.1.4
number of basic types in 4.11
objects of, at runtime 5.10.5
package scope of 4.8.5
parameters in 4.3.7
predefined 4.2
private methods in 4.3.10
protected 5.1.10
public 4.8.2, 4.10.1
relationships between 4.1.4
sealed 5.8
sharing, among programs 4.8.6
unit testing 4.4.5
wrapper 5.4
ClassLoader class 7.4.4
CLASSPATH 4.8.7
clear method
of BitSet 9.7.6
of Collection 9.1.4
clearAssertionStatus method 7.4.4
Client-side locking 10.5.7
clone method
of array types 6.1.9
of Object 4.3.8, 6.1.9, 6.2.3
Cloneable interface 6.1.9
CloneNotSupportedException class 6.1.9
close method 10.4.2
of AutoCloseable 7.2.5
of Closeable 7.2.5
of Handler 7.5.7
Closures 6.2.7
Code errors 7.1
Code generator tools 11.3.1
Code planes 3.3.4
Code points, code units 3.3.4, 3.6.3
Collection interface 9.1.2, 9.2, 9.3.1
add method 9.1.2, 9.1.4, 9.2
addAll method 9.1.4
clear method 9.1.4
contains, containsAll methods 9.1.4, 9.3.1
equals method 9.1.4
generic 9.1.4
implementing 6.1.5
isEmpty method 6.1.5, 9.1.4
iterator method 9.1.2, 9.1.4
remove method 9.1.4
removeAll method 9.1.4
removeIf method 9.1.4, 9.6.4
retain method 9.1.4
retainAll method 9.1.4

size method 9.1.4
stream method 6.1.5
toArray method 5.3.2, 9.1.4, 9.6.6
Collections class 9
algorithms for 9.6.1
bounded 9.1.1
bulk operations in 9.6.5
concrete 9.3
concurrent modifications of 9.3.1
converting to arrays 9.6.6
debugging 9.3.1
elements of
inserting 9.2
maximum 9.6.1
removing 9.1.3
traversing 9.1.3
interfaces for 9.1
legacy 9.7
mutable 9.5.1
ordered 9.2, 9.3.1
performance of 9.2, 9.3.3
searching in 9.6.3
sorted 9.3.4
thread-safe 9.5.7, 10.6
type parameters for 8.1.2
using for method parameters 9.6.7
Collections class 9.6.2
addAll method 9.6.4
binarySearch method 9.6.3
checkedCollection methods 9.5.8
copy method 9.6.4
disjoint method 9.6.4
emptyCollection methods 9.5.8
enumeration method 9.7.2
fill method 9.6.4
frequency method 9.6.4
indexOfSubList method 9.6.4
lastIndexOfSubList method 9.6.4
list method 9.7.2
max, min methods 9.6.4
nCopies method 9.5.1, 9.5.8
replaceAll method 9.6.4
reverse method 9.6.4
rotate method 9.6.4
shuffle method 9.6.2
sort method 9.6.2
swap method 9.6.4
synchronizedCollection methods 9.5.7, 9.5.8, 10.6.8
unmodifiableCollection methods 9.5.2, 9.5.8
command method
of ProcessHandle.Info 10.8.3
Command line
arguments in 3.10.5
compiling/launching from 2.2, 3.1
commandLine method
of ProcessHandle.Info 10.8.3
Comments 3.2
automatic documentation and 3.2, 4.10
blocks of 3.2
not nesting 3.2
to the end of line 3.2
Commons CSV library 12.8
Companion classes 6.1.4, 6.1.5
Comparable interface 6.1.1, 6.5.2, 8.4, 9.3.3, 9.6.2
compareTo method 6.1.1, 8.4, 8.7.2
Comparator interface 6.1.8, 6.2.1, 6.2.9, 9.4.1, 9.6.2
chaining comparators in 6.2.9
comparing method 6.2.9
lambda expressions and 6.2.3
naturalOrder method 6.2.9
nullFirst/Last methods 6.2.9
of SortedSet 9.3.4
reversed, reverseOrder methods 6.2.9, 9.6.2
thenComparing method 6.2.9
compare method (integer types) 6.1.1, 6.2.3
compareAndSet method 10.5.11
compareTo method
in subclasses 6.1.1
of BigDecimal 3.9
of BigInteger 3.9
of Comparable 6.1.1, 8.4, 8.7.2
of Enum 5.7
of String 3.6.7
Compilation errors 2.3
Compiler
autoboxing in 5.4
bridge methods in 8.5.3
command-line options of 7.6
creating bytecode files in 3.1

deducting method types in 8.3
enforcing `throws` specifiers in 7.2.1
error messages in 2.3, 7.1.2
just-in-time 1.2.6, 1.2.8, 1.5, 4.3.7, 5.1.7, 9.7.6
launching 2.2
optimizing method calls in 1.2.9, 5.1.7
overloading resolution in 5.1.6
shared strings in 3.6.4, 3.6.5
translating typed array lists in 5.3.3
type parameters in 8.1.1
warnings in 3.8.5, 5.3.3
whitespace in 3.1
`CompletableFuture` class 10.7.2
`acceptEither` method 10.7.2
`allOf`, `anyOf` methods 10.7.2
`applyToEither` method 10.7.2
`exceptionally`, `exceptionallyCompose` methods 10.7.2
`handle` method 10.7.2
`orTimeout` method 10.7.2
`runAfterXxx` methods 10.7.2
`thenAccept`, `thenAcceptBoth`, `thenCombine`, `thenRun` methods 10.7.2
`thenApply`, `thenApplyAsync`, `thenCompose` methods 10.7.2
`whenComplete` method 10.7.2
`CompletionStage` interface 10.7.2
Components (of records) 4.7.1
`componentType` method 5.10.6
Computations
asynchronous 10.7
performance of 3.5.1, 3.5.2
truncated 3.5.1
`compute`, `computeIfXxx` methods
of `ConcurrentHashMap` 10.6.3
of `Map` 9.4.2
Concrete collections 9.3
Concrete methods 5.6
Concurrent hash maps
atomic updates in 10.6.3
bulk operations on 10.6.4
efficiency of 10.6.2
size of 10.6.2
vs. synchronization wrappers 10.6.8
Concurrent modification detection 9.3.1
Concurrent programming 1.2.10, 10, 10.8.2
records in 4.7.1
synchronization in 10.5
Concurrent sets 10.6.5
`ConcurrentHashMap` class 10.6.2
atomic updates in 10.6.3
`compute`, `computeIfXxx` methods 10.6.3
`forEach` method 10.6.4
`forEach`, `forEachXxx` methods 10.6.4
`get` method 10.6.3
`keySet`, `newKeySet` methods 10.6.5
`mappingCount` method 10.6.2
`merge` method 10.6.3
organizing buckets as trees in 10.6.2
`put`, `putIfAbsent` methods 10.6.3
`reduce`, `reduceXxx` methods 10.6.4
`replace` method 10.6.3
`search`, `searchXxx` methods 10.6.4
`ConcurrentLinkedQueue` class 10.6.2
`ConcurrentModificationException` class 9.3.1, 10.6.2, 10.6.8
`ConcurrentSkipListMap/Set` classes 10.6.2
`Condition` interface 10.5.6
`await` method 10.2.3, 10.5.4
`signal` method 10.5.4
`signal`, `signalAll` methods 10.5.5
`signalAll` method 10.5.4
vs. synchronization methods 10.5.6
Condition objects 10.5.4
Condition variables 10.5.4
Conditional operator 3.5.8
with pattern matching 5.1.9
Conditional statements 3.8.2
Configuration files
editing 7.5.4
`Console` class
of `System` 3.7.1
printing output to 3.1, 3.7.2
reading input from 3.7.1
`Console` class 3.7.1
`readLine/Password` methods 3.7.1
`ConsoleHandler` class 7.5.5, 7.5.6, 7.5.7
`const` keyword 3.4.3, Appendix
Constants 3.4.3
documentation comments for 4.10.4

names of 3.4.3
public 3.4.3, 4.4.2
static 4.4.2
Constructor class 5.10.4
getDeclaringClass method 5.10.4
getModifiers, getName methods 5.10.4
getXxxTypes methods 5.10.4
newInstance method 5.10.1
Constructor expressions 8.8.6
Constructor references 6.2.6
annotating 11.1.4
Constructors 4.3.3, 4.3.4, 4.6
annotating 11.1.3, 11.1.4
calling another constructor in 4.6.6
canonical, compact, custom 4.7.2
defined 4.2.1
documentation comments for 4.10.1
field initialization in 4.6.2, 4.6.4
final 5.10.4
initialization blocks in 4.6.7
names of 4.2.1, 4.3.4
no-argument 4.6.3, 5.1.3, 6.4
overloading 4.6.1
parameter names in 4.6.5
private 5.10.4
protected 4.10.1
public 4.10.1, 5.10.4
with super keyword 5.1.3
Consumer interface 6.2.8
Consumer threads 10.6.1
contains method
of Collection 9.1.4, 9.3.1
of HashSet 9.3.3
containsAll method 9.1.4, 9.3.1
containsKey/Value methods (Map) 9.4.1
continue keyword 3.8.6, Appendix
not allowed in switch expressions 3.8.5
Control flow 3.8
block scope 3.8.1
breaking 3.8.6
conditional statements 3.8.2
loops 3.8.3
"for each" 3.10.3
determinate 3.8.4
multiple selections 3.8.5
Conversion characters 3.7.2
Cooperative scheduling 10.2.2
Coordinated Universal Time (UTC) 4.2.2
Copies 9.5
unmodifiable 9.5.2, 9.5.8
copy method
of Collections 9.6.4
copyOf method
of Arrays 3.10.4, 3.10.6, 5.10.6
of EnumSet 9.4.7
of List, Map, Set 9.5.2, 9.5.8
of Map.Entry 9.4.3
copyOfRange method 3.10.6
CopyOnWriteArrayList class 10.6.6, 10.6.8
CopyOnWriteArraySet class 10.6.6
CORBA 12.1
Cornell, Gary 1.1
Corruption of data 10.5.1, 10.5.2
cos method
of Math 3.5.2
Count of Monte Cristo, The (Dumas) 10.7.3
Covariant return types 8.5.3
CSV files 12.8
Ctrl+\, for thread dump 10.5.5
Ctrl+C, for program termination 10.5.1, 10.5.4
current method
of ProcessHandle 10.8.3
of ThreadLocalRandom 10.5.14
currentThread method 10.3.2

D

d conversion character 3.7.2
D, d suffixes (for double numbers) 3.3.2
Daemon threads 10.3.3
Data types 3.3
boolean type 3.3.5
casting between 3.5.4
char type 3.3.3
conversions between 3.5.3, 5.1.8
floating-point 3.3.2
integer 3.3.1
Databases 11
DataFlavor class 12.1
Date class 4.2.2
getDay/Month/Year methods (deprecated) 4.2.2
toString method 4.2.1

Date and time
formatting output for 3.7.2
hash codes for 5.2.4
no built-in types for 4.2.1
Deadlocks 10.5.4, 10.5.5
Debugging 1.2.11, 7.6
collections 9.3.1
debuggers for 7.6
generic types 9.5.6
GUI programs 7.2.1
including class names in 6.3.6
messages for 7.1.4
reflection for 5.10.5
trapping program errors in a file for 7.6
when running applications in terminal window 2.2
Decrement operators 3.5.6
decrementExact method 3.5.2
Deep copies 6.1.9
deepEquals method 5.2.3
deepToString method 3.10.7, 5.2.5
default keyword 3.8.5, 6.1.5, Appendix
sealed classes and 5.8
Default for annotation element 11.2
Default methods 6.1.5
conflicts in 6.1.6
Deferred execution 6.2.8
delete method
of StringBuilder 3.6.9
Dependence 4.1.4
@Deprecated annotation 11.3, 11.3.1
Deprecated methods 4.2.2, 4.2.3
Deque interface 9.3.5
methods of 9.3.5
Deques 9.3.5
Derived classes. See Subclasses
descendants method
of ProcessHandle 10.8.3
destroy, destroyForcibly methods (Process) 10.8.2, 10.8.3
Determinate loops 3.8.4
Development environments
choosing 2.2
in terminal window 2.2
integrated 2.3
Device errors 7.1
Dialogs
centering 6.1.7
Diamond syntax 5.3.1
with anonymous subclasses 8.1.1
Digital signatures 1.2.5
Directories
starting, for a launched program 3.7.3
working, for a process 10.8.1
directory method 10.8.3
of ProcessBuilder 10.8.1
disjoint method
of Collections 9.6.4
divide method
of BigDecimal 3.9
of BigInteger 3.9
Division 3.5.1
do / while loop 3.8.3, Appendix
Documentation comments 3.2, 4.10
extracting 4.10.10
for fields 4.10.4
for methods 4.10.3
for packages 4.10.5
general 4.10.8
HTML markup in 4.10.6
hyperlinks in 4.10.7
inserting 4.10.1
links to other files in 4.10.7
overview 4.10.10
@Documented annotation 11.3, 11.3.2
doInBackground method 10.7.3
double type 3.3.2, Appendix
arithmetic computations with 3.5.1
compare method 6.1.1
converting from double 5.4
converting to other numeric types 3.5.3
hashCode method 5.2.4
POSITIVE_INFINITY, NEGATIVE_INFINITY, NaN constants 3.3.2
Double brace initialization 6.3.6
Double-precision numbers 3.3.2
DoubleAccumulator, DoubleAdder classes 10.5.11
Doubly linked lists 9.3.1
Dynamic binding 5.1.3, 5.1.6
Dynamic languages 1.2.11

E

E
  constant (Math) 3.5.2
E , e conversion characters 3.3.2, 3.7.2
Eclipse 2.2, 2.3, 7.6
  Adoptium 2.1
  configuring projects in 2.3
  editing source files in 2.3
  error messages in 2.3
  IDE 12.5
  imports in 4.8.2
  Yasson framework 12.7
Effectively final variables 7.2.5
Eiffel programming language 6.1.3
element method 11.5.2
  of BlockingQueue 10.6.1
  of Queue 9.3.5
Elements 11.1.1
else keyword 3.8.2, Appendix
else if 3.8.2
Emoji characters 3.3.4
emptyCollection methods (Collections) 9.5.8
EmptyStackException class 7.3
Encapsulation 4.1.1, 4.1.2, 12
  benefits of 4.3.8
  compile-time 12.10
  protected instance fields and 5.11
endsWith method 3.6.7
ensureCapacity method 5.3.1
Enterprise Edition 1.4
entry method
  of Map 9.5.1, 9.5.8
EntryLogger 11.6.2
EntryLoggingAgent.mf 11.6.2
entrySet method 9.4.3
enum keyword 3.4.4, 5.7, Appendix
  compareTo , ordinal methods 5.7
  toString , valueOf methods 5.7
Enumerated types 3.4.4
  equality testing for 5.7
  in switch statement 3.5.9
Enumeration interface 9.1, 9.7.2
  asIterator method 9.7.2
  hasMoreElements , nextElement methods 9.1.3, 9.7.2
  of Collections 9.7.2
Enumeration maps/sets 9.4.6
Enumerations 5.7
  always final 5.1.7
  annotating 11.1.3
  declared inside a class 6.3.7
  implementing interfaces 6.1.2
  legacy 9.7.2
EnumMap class 9.4.6, 9.4.7
  as a concrete collection type 9.3
EnumSet class 9.4.6
  allOf , copyOf , noneOf , of , range methods 9.4.7
  as a concrete collection type 9.3
environment method
  of ProcessBuilder 10.8.3
Environment variables, modifying 10.8.1
EOFException class 7.1.3
Epoch 4.2.2
equals method 6.1.6
  hashCode method and 5.2.4
  implementing 5.2.3
  inheritance and 5.2.3
  of Annotation 11.2
  of Arrays 3.10.6, 5.2.3
  of Collection 9.1.4
  of Object 5.2.2, 5.2.3, 5.2.5, 9.5.2
  of proxy classes 6.5.3
  of records 4.7.1, 5.2.2
  of Set 9.2
  of String 3.6.5, 3.6.7
  redefining 5.2.4
  wrappers and 5.4
equalsIgnoreCase method 3.6.5, 3.6.7
Error class 7.1.1
Errors
  checking, in mutator methods 4.3.8
  code 7.1
  compilation 2.3
  device 7.1
  internal 7.1.1, 7.1.2, 7.4.3
  messages for 7.2.2
  NoClassDefFoundError 2.2
  physical limitations 7.1
  user input 7.1
Escape sequences 3.3.3

Exception class 7.1.1, 7.2.6
Exception handlers 5.10.2, 7.1
Exception specification 7.1.2
exceptionally, exceptionallyCompose methods (CompletableFuture) 10.7.2
Exceptions 7.1.1
"throw early, catch late" 7.3
annotating 11.1.4
ArrayIndexOutOfBoundsException 3.10.2, 7.1.1, 7.1.2
ArrayStoreException 5.1.5, 8.6, 8.8.3, 8.8.4
CancellationException 10.7.3
catching 4.3.6, 5.10.2, 6.1.9, 7.1.2, 7.2
changing type of 7.2.3
checked 5.10.1, 5.10.2, 7.1.1, 7.1.2, 7.3
ClassCastException 5.1.8, 5.10.6, 6.1.1, 8.6, 8.8.7, 8.9.1, 9.5.6
CloneNotSupportedException 6.1.9
ConcurrentModificationException 9.3.1, 10.6.2, 10.6.8
creating classes for 7.1.3, 7.1.4
documentation comments for 4.10.3
EmptyStackException 7.3
EOFException 7.1.3
FileNotFoundException 7.1.2
finally clause in 7.2.4
generics in 8.8.10
hierarchy of 7.1.1, 7.3
IllegalAccessException 5.10.5
IllegalStateException 9.1.3, 9.1.4, 9.3.1, 9.3.5, 10.6.1
InaccessibleObjectException 5.10.5
InterruptedException 10.1, 10.3.2, 10.4.1
InvocationTargetException 5.10.1
IOException 3.7.3, 7.1.2, 7.1.3, 7.2.1, 7.2.5
logging 7.5.7
micromanaging 7.3
NoSuchElementException 9.1.3, 9.1.4, 9.3.1, 9.3.5
NullPointerException 4.3.6, 4.4.5, 5.4, 6.2.5, 7.1.1, 7.3
NumberFormatException 7.3
out-of-bounds 7.3
propagating 7.2.1, 7.3
rethrowing and chaining 7.2.3, 7.6
RuntimeException 7.1.1, 7.3
ServletException 7.2.3
squelching 7.3
stack trace for 7.2.6
throwing 5.10.2, 7.1.3
TimeoutException 10.4.1
tips for using 7.3
type variables in 8.8.9
uncaught 7.6, 10.2.4, 10.3.5
unchecked 5.10.2, 7.1.1, 7.1.2, 7.3
unexpected 7.5.7
UnsupportedOperationException 9.4.3, 9.5.2, 9.5.8
variables for, implicitly final 7.2.2
vs. simple tests 7.3
wrapping 7.2.3
exec method
of Runtime 10.8
Executable class 5.10.7
Executable JAR files 4.9.3
ExecutableElement interface 11.5.2
execute method 10.7.3
of SwingWorker 10.7.3
ExecutorCompletionService class 10.4.3
poll, submit, take methods 10.4.3
Executors class 10.4.2
groups of tasks, controlling 10.4.3
Executors class, newXxx methods 10.4.2
ExecutorService interface 10.4.2
awaitTermination method 10.4.2
close method 10.4.2
invokeAny/All methods 10.4.3
shutdown method 10.4.2
shutdownNow method 10.4.2
submit method 10.4.2
exit method
of System 3.1
Exit codes 3.1
exitValue method 10.8.2, 10.8.3
exp method
of Math 3.5.2
Explicit parameters 4.3.7
Exploratory programming 1.2.8
exports keyword 12.5, 12.12, Appendix
Expressions 3.5.5
extends keyword 5.1, 8.4, Appendix

F

F, f conversion characters 3.7.2
F, f suffixes (for float numbers) 3.3.2
Factory methods 4.4.4
Fair locks 10.5.3
Fallthrough behavior 3.8.5
false literal Appendix
fdlibm library 3.5.2
Field class 5.10.4
  get method 5.10.5
  getDeclaringClass method 5.10.4
  getModifiers, getName methods 5.10.4
  getType method 5.10.4
  set method 5.10.5
Fields
  adding, in subclasses 5.1.2
  annotating 11.1.3
  default initialization of 4.6.2
  documentation comments for 4.10.1, 4.10.4
  final 4.4.2, 5.1.7
  instance 4.1.1, 4.3.3, 4.3.8, 4.3.11, 4.6.4, 4.11
  private 4.11, 5.1.1, 5.1.2
  protected 4.10.1, 5.1.10, 5.11
  public 4.10.1, 4.10.4
  public static final 6.1.2
  static 4.4.1, 4.6.7, 4.8.3, 8.8.8
  volatile 10.5.9
  with the null value 4.3.6
File handlers 7.5.5
FileHandler class 7.5.5, 7.5.6, 7.5.7
FileNotFoundException class 7.1.2
Files class
  locating 3.7.3
  names of 2.2, 3.7.3
  reading 3.7.3
    all words from 7.2.5
    in a separate thread 10.7.3
  writing 3.7.3
fill method
  of Arrays 3.10.6
  of Collections 9.6.4
Filter class 7.5.6
  isLoggable method 7.5.7
final keyword 3.4.3, 5.1.7, Appendix
  checking 5.10.4
  for fields in interfaces 6.1.2
  for instance fields 4.3.11
  for methods in superclass 6.1.1
  for shared fields 10.5.10
  inner classes and 6.3.5
finalize method
  of Object 4.6.8
finally keyword 7.2.4, Appendix
  return statements in 7.2.4
  unlock operation in 10.5.3
  without catch 7.2.4
Financial calculations 3.3.2
findFirst method 6.4
first method
  of SortedSet 9.3.4
First Person, Inc. 1.4
firstKey method 9.4.1
Flags, for formatted output 3.7.2
float type 3.3.2, Appendix
  converting from float 5.4
  converting to other numeric types 3.5.3
  hashCode method 5.2.4
  POSITIVE_INFINITY, NEGATIVE_INFINITY, NaN constants 3.3.2
Floating-point numbers 3.3.2
  arithmetic computations with 3.5.1
  converting from/to integers 5.1.8
  equality of 3.8.4
  formatting output for 3.7.2
  rounding 3.3.2, 3.5.4
floor method
  of NavigableSet 9.3.4
floorMod method 3.5.1
flush method
  of Handler 7.5.7
for keyword 3.8.4, Appendix
  comma-separated expressions in 3.5.11
  defining variables inside 3.8.4
  for collections 9.1.3
forEach method
  of ConcurrentHashMap 10.6.4
  of Map 9.4.1
  of StackWalker 7.2.6
forEachRemaining method 9.1.3, 9.1.4
Fork-join framework 10.4.5

Form feed character 3.3.3
Format specifiers (printf) 3.7.2
format , formatted , formatTo methods (String) 3.7.2
formatMessage method 7.5.7
Formattable interface 3.7.2
Formatter class 7.5.6
Formatter class, methods of 7.5.7
forName method 5.10.1
frequency method of Collections 9.6.4
Function interface 6.2.8
Functional interfaces 6.2.3, 11.3, 11.3.1
abstract methods in 6.2.3
annotating 6.2.8
conversion to 6.2.3
generic 6.2.4
using supertype bounds in 8.7.2
@FunctionalInterface annotation 6.2.8, 11.3, 11.3.1, 11.3.2
Functions. See Methods
Future interface 10.4.3
cancel , get methods 10.4.1, 10.4.2, 10.7.3
isCancelled , isDone methods 10.4.1, 10.4.2
Futures 10.4.1
combining 10.7.2
completable 10.7.2
FutureTask class 10.4.1

G

G , g conversion characters 3.7.2
Garbage collection 3.6.4, 4.2.1
hash maps and 9.4.4
GB18030 3.3.4
General Public License (GPL) 1.5
@Generated annotation 11.3, 11.3.1
Generic programming 8
arrays and 6.2.6, 8.8.7
classes in 5.3, 5.3.1, 8.2
extending/implementing other generic classes 8.6
no throwing or catching instances of 8.8.9
collection interfaces in 9.6.6
converting to raw types 8.6
debugging 9.5.6
expressions in 8.5.2
in JVM 8.5, 8.9.3
inheritance rules for 8.6
legacy code and 8.5.4
methods in 8.3, 8.5.3, 9.1.4
reflection and 8.9
required skill levels for 8.1.1
static fields or methods and 8.8.8
type erasure in 8.5.1, 8.8.1, 8.8.7
clashes after 8.8.11
type matching in 8.9.2
vs. inheritance 8.1
wildcard types in 8.7
Generic types
annotating 11.1.4
GenericArrayType interface 8.9.3
getGenericComponentType method 8.9.4
get method
of Array 5.10.6
of ArrayList 5.3.2
of BitSet 9.7.6
of ConcurrentHashMap 10.6.3
of Field 5.10.5
of Future 10.4.1, 10.4.2, 10.7.3
of LinkedList 9.3.1
of List 9.2, 9.3.1
of LongAccumulator 10.5.11
of Map 9.2, 9.4.1
of Paths 6.1.4
of ServiceLoader.Provider 6.4
of ThreadLocal 10.4.4
of Vector 10.5.7
getAccessor method 5.10.4
getActualTypeArguments method (ParameterizedType) 8.9.4
getAndType methods (AtomicType) 10.5.11
getAnnotation method 11.4
getAnnotation , getAnnotationsByType methods
of AnnotatedConstruct 11.5.2
of AnnotatedElement 11.4
getAnnotations method 11.4
getAnnotationsByType method 11.4
getBoolean method
of Array 5.10.6
getBounds method (TypeVariable) 8.9.4
getByte method 5.10.6
getCause method 7.2.6

getChar method 5.10.6
getClass method
always returning raw types 8.8.2
of Class 5.10.1
of Object 5.2.5
getClassName method
of StackFrame 7.2.6
of StackTraceElement 7.2.6
getComponentType method 5.10.6
getConstructor method 5.10.1, 8.9.1
getConstructors method 5.10.4
getDay method 4.2.2
getDayXxx methods (LocalDate) 4.2.2, 4.2.3
getDeclaredAnnotations method 11.4
getDeclaredAnnotation*Xxx* methods
(AnnotatedElement) 11.4
getDeclaredConstructor method 8.9.1
getDeclaredConstructors method 5.10.4
getDeclaredField method 5.10.5
getDeclaredFields method 5.10.4, 5.10.5
getDeclaredMethods method 5.10.4, 5.10.7
getDeclaringClass method
of java.lang.reflect 5.10.4
of StackFrame 7.2.6
getDefaultToolkit method 6.1.7
getDefaultUncaughtExceptionHandler method 10.3.5
getDouble method
of Array 5.10.6
getElementsAnnotatedWith method 11.5.2
getEnclosedElements method 11.5.2
getEnumConstants method 8.9.1
getErrorStream method 10.8.1, 10.8.3
getExceptionTypes method 5.10.4
getField method 5.10.5
getFields method 5.10.4, 5.10.5
getFileName method
of StackFrame 7.2.6
of StackTraceElement 7.2.6
getFilter method
of Handler 7.5.7
getFirst method 9.3.5
getFloat method
of Array 5.10.6
getFormatter method 7.5.7
getGenericComponentType method
(GenericArrayType) 8.9.4
getGenericXxx methods (Class) 8.9.4
getGenericXxx methods (Method) 8.9.4
getGlobal method 7.6
getHead method 7.5.6, 7.5.7
getImage method
of Class 5.10.3
getInputStream method 10.8.1, 10.8.3
getInstance method 7.2.6
getInstant method 7.5.7
getInt method
of Array 5.10.6
getKey method 9.4.3
getLast method 9.3.5
getLength method 5.10.6
getLevel method
of Handler 7.5.7
of LogRecord 7.5.7
getLineNumber method
of StackFrame 7.2.6
of StackTraceElement 7.2.6
getLogger method 7.5.2, 7.5.3
getLoggerName method 7.5.7
getLong method
of Array 5.10.6
getLongThreadID method 7.5.7
getLowerBounds method (WildcardType) 8.9.4
getMessage method
of LogRecord 7.5.7
of Throwable 7.1.4
getMethod method 5.10.7
getMethodName method
of StackFrame 7.2.6
of StackTraceElement 7.2.6
getMethods method 5.10.4
getMillis method 7.5.7
getModifiers method
of java.lang.reflect 5.10.4
of java.lang.reflect.Member 5.10.4
getMonth method 4.2.2
getMonthXxx methods (LocalDate) 4.2.2, 4.2.3
getName method
of Class 5.2.5, 5.10.1
of java.lang.reflect 5.10.4

of java.lang.reflect.Member 5.10.4
of RecordComponent 5.10.4
of System.Logger 7.5.7
of TypeVariable 8.9.4
getOrDefault method 9.4.1
getOutputStream method 10.8.1, 10.8.3
getOwnerType method (ParameterizedType) 8.9.4
getPackageName method 5.10.4
getParameters method 7.5.7
getParameterTypes method 5.10.4
getProperties method 9.7.4
getProperty method
of Properties 9.7.3
of System 3.7.3
getProxyClass method 6.5.3
getQualifiedName method 11.5.2
getRawType method (ParameterizedType) 8.9.4
getRecordComponents method 5.10.4
getResource, getResourceAsStream methods (Class) 5.10.3
getResourceAsStream method (Class, Module) 12.7
getResourceBundle, getResourceBundleName methods (LogRecord) 7.5.7
getReturnType method 5.10.4
getSequenceNumber method 7.5.7
getShort method 5.10.6
getSimpleName method
of Element 11.5.2
getSourceXxxName methods (LogRecord) 7.5.7
getStackTrace method 7.2.6
getState method
of SwingWorker 10.7.3
of Thread 10.2.4
getSuperclass method 5.2.5, 8.9.1
getSuppressed method 7.2.5, 7.2.6
getTail method 7.5.6, 7.5.7
Getters/setters, generated automatically 11.5.3
getThrown method 7.5.7
getTime method 5.1.7
getType method
of Field 5.10.4
of RecordComponent 5.10.4
getTypeParameters method
of Class 8.9.4
of Method 8.9.4
getUncaughtExceptionHandler method 10.3.5
getUpperBounds method (WildcardType) 8.9.4
getValue method
of Map.Entry 9.4.3
getYear method
of Date (deprecated) 4.2.2
of LocalDate 4.2.2, 4.2.3
GMT (Greenwich Mean Time) 4.2.2
Goetz, Brian 10, 10.5.9
Gosling, James 1.4
goto keyword 3.8, 3.8.6, Appendix
Graphical User Interface
debugging 7.2.1
long-running tasks in 10.7.3
Green project 1.4
GregorianCalendar class 4.2.3
add method 4.2.3
constructors for 4.2.2, 4.6.1
GUI. See Graphical User Interface

H

H, h conversion characters 3.7.2
handle method
of CompletableFuture 10.7.2
Handler class
close method 7.5.7
flush method 7.5.7
get/setFilter methods 7.5.7
get/setFormatter methods 7.5.7
get/setLevel methods 7.5.7
publish method 7.5.7
Hansen, Per Brinch 10.5.8
hash method
of Objects 5.2.4
Hash codes 5.2.4, 9.3.3
default 5.2.4
formatting output for 3.7.2
Hash collisions 5.2.4, 9.3.3
Hash maps 9.4.1
concurrent 10.6.2
identity 9.4.7
linked 9.4.5
setting 9.4.1
vs. tree maps 9.4.1
weak 9.4.4
Hash sets 9.3.3

linked 9.4.5
Hash tables 9.3.3
legacy 9.7.1
load factor of 9.3.3
rehashing 9.3.3
hashCode method 5.2.4, 11.2
equals method and 5.2.4
null-safe 5.2.4
of Arrays 5.2.4
of Boolean, Byte, Character, Double, Float, Integer, Long, Short 5.2.4
of LocalDate 5.2.4
of Object 5.2.4, 9.3.3
of Objects 5.2.4
of proxy classes 6.5.3
of records 4.7.1, 5.2.4
of Set 9.2
of String 9.3.3
HashMap class 9.4.1
as a concrete collection type 9.3
HashSet class 9.3.3
add, contains methods 9.3.3
as a concrete collection type 9.3
iterating over 9.1.3
Hashtable class 9.1, 9.7, 9.7.1, 10.6.8
as a concrete collection type 9.3
synchronized methods 9.7.1
hasMoreElements method 9.1.3, 9.7.2
hasNext method
of Iterator 9.1.3, 9.1.4
of Scanner 3.7.1
hasNextXxx methods (Scanner) 3.7.1
hasPrevious method 9.3.1
headMap method
of NavigableMap 9.5.8
of SortedMap 9.5.3, 9.5.8
headSet method
of NavigableSet 9.5.3, 9.5.8
of SortedSet 9.5.3, 9.5.8
Heap 9.3.6
Helper methods 4.3.10, 6.1.4, 8.7.4
Hexadecimal numbers
formatting output for 3.7.2
prefix for 3.3.1
HexFormat class 3.7.2
higher method
of NavigableSet 9.3.4
Hoare, Tony 10.5.8
Hold count 10.5.3
HotJava browser 1.4
Hotspot just-in-time compiler 2.1.1, 9.7.6
HTML 1.4, 1.5
generating documentation in 11.5.3
in javadoc comments 4.10.6
I
Identifiers Appendix
Identity hash maps 9.4.7
identityHashCode method 9.4.7
IdentityHashMap class 9.4.7
as a concrete collection type 9.3
IEEE 754 specification 3.3.2, 3.5.2
if keyword 3.8.2, Appendix
IllegalAccessException class 5.10.5
IllegalStateException class 9.1.3, 9.1.4, 9.3.1, 9.3.5, 10.6.1
Immutable classes 4.3.11, 5.11
Implementations 9.1.1
implements keyword 6.1.1, Appendix
Implicit parameters 4.3.7
none, in static methods 4.4.3
state of 7.6
import keyword 4.8.2, Appendix
no annotations for 11.1.4
InaccessibleObjectException class 5.10.5
increment method
of LongAdder 10.5.11
Increment operators 3.5.6
Incremental linking 1.2.8
incrementAndGet method 10.5.11
incrementExact method 3.5.2
Indentation, in text blocks 3.6.10
Index class 3.10.2, 4.10.8
indexOf method
of List 9.3.1
of String 3.6.7
indexOfSubList method 9.6.4
Inferred types 6.2.2
info method
of ProcessHandle 10.8.3
Information hiding. See Encapsulation

Inheritance 4.1.4, 5
  design hints for 5.11
  equality testing and 5.2.3
  hierarchies of 5.1.4
  multiple 5.1.4, 6.1.3
  preventing 5.1.7
  private fields and 5.1.1
  vs. type parameters 8.1, 8.6
@Inherited annotation 11.3, 11.3.2
inheritIO method 10.8.3
initCause method 7.2.6
Initialization blocks 4.6.7
  static 4.6.7
Inlining 1.2.9, 5.1.7
Inner classes 6.3
  accessing object state with 6.3.1
  anonymous 6.3.6
  applicability of 6.3.3
  defined 6.3
  local 6.3.4
  private 6.3.1
  static 6.3, 6.3.7
  syntax of 6.3.2
  translated into regular classes 6.3.3
  vs. lambda expressions 6.2.3
Input, reading 3.7.1
insert method
  of StringBuilder 3.6.9
Instance fields 4.1.1
  final 4.3.11
  initializing 4.6.7, 4.11
    explicit 4.6.4
  names of 4.7.1
  not present in interfaces 6.1.1, 6.1.2
  private 4.3.3, 4.11
  protected 5.11
  public 4.3.3
  shadowing 4.3.4, 4.6.5
  values of 4.3.8
  volatile 10.5.9
  vs. local variables 4.3.4, 4.3.7, 4.6.2
instanceof keyword 3.5.11, 5.1.8, 5.2.3, 6.1.2, Appendix
  annotating 11.1.4
  pattern matching for 5.1.9
Instances 4.1.1
  creating on the fly 5.10.1
Instrumentation API 11.6.2
int type 3.3.1, Appendix
  converting to other numeric types 3.5.3
  fixed size for 1.2.7
  platform-independent 3.3.1
Integer class
  compare method 6.1.1, 6.2.3
  converting from int 5.4
  hashCode method 5.2.4
  intValue method 5.4
  parseInt method 5.4
  toString method 5.4
  valueOf method 5.4
Integer types 3.3.1
  arithmetic computations with 3.5.1
  arrays of 5.2.5
  computations of 3.5.2
  converting from/to floating-point 5.1.8
  formatting output for 3.7.2
  no unsigned types in Java 3.3.1
Integrated Development Environment (IDE) 2.3
IntelliJ IDEA 2.3
interface keyword 6.1.1, 11.2, Appendix
Interface types 9.1.1
Interface variables 6.1.2
Interfaces 6.1
  abstract classes and 6.1.3
  annotating 11.1.3, 11.1.4
  binary- vs. source-compatible 6.1.5
  callbacks and 6.1.7
  constants in 6.1.2
  declared inside a class 6.3.7
  documentation comments for 4.10.1
  evolution of 6.1.5
  extending 6.1.2
  for custom algorithms 9.6.7
  functional 6.2.3, 11.3, 11.3.1
  implementing 6.1.1, 6.1.2, 6.1.4
  methods in
    clashes between 6.1.6
    nonabstract 6.2.3
    private 6.1.4
    static 6.1.4

no instance fields in 6.1.1, 6.1.2
properties of 6.1.2
public 4.10.1
sealed 6.1.2
tagging 6.1.9, 8.5.1, 9.2
vs. implementations 9.1.1
Internal errors 7.1.1, 7.1.2, 7.4.3
Internationalization. See Localization
Internet Explorer 1.3
Interpreted languages 1.5
Interpreter 1.2.8
interrupt method
of Thread 10.3.2
interrupted method
of Thread 10.3.2
InterruptedException class 10.1, 10.3.2, 10.4.1
Intrinsic locks 10.5.6, 10.5.8, 10.5.9
Introduction to Algorithms (Cormen et al.) 9.3.4
intValue method 5.4
Invocation handlers 6.5.1
InvocationHandler interface 6.5.1, 6.5.3
InvocationTargetException class 5.10.1
invoke method
of InvocationHandler 6.5.1, 6.5.3
of Method 5.10.7
invokeAny/All methods (ExecutorService) 10.4.3
invokeDefault method 6.5.3
IOException class 3.7.3, 7.1.2, 7.1.3, 7.2.1, 7.2.5
isAbstract method 5.10.4
isAlive method 10.8.2, 10.8.3
isAnnotationPresent method 11.4
isArray method 5.10.6
isBlank method 3.6.7
isCancelled, isDone methods (Future) 10.4.1, 10.4.2
isEmpty method
of Collection 6.1.5, 9.1.4
of String 3.6.7
isEnum method 5.10.4
isFinal method 5.10.4
isInterface method
of Class 5.10.4
of Modifier 5.10.4
isInterrupted method 10.3.2
isJavaIdentifierXxx methods (Character) 3.4.1
isLoggable method
of Filter 7.5.6
of System.Logger 7.5.7
isLoggable method (Filter) 7.5.7
isNaN method 3.3.2
isNative method 5.10.4
isNativeMethod method
of StackFrame 7.2.6
of StackTraceElement 7.2.6
ISO 8601 format 11.3.1
ISO 8859-1 3.3.4, 9.7.3
isPrivate, isProtected, isPublic methods (Modifier) 5.10.4
isProxyClass method 6.5.3
isRecord method 5.10.4
isStatic, isStrict, isSynchronized methods (Modifier) 5.10.4
isVolatile method 5.10.4
Iterable interface 3.10.3
iterator method 9.1.3
"for each" loop 9.1.3
forEachRemaining method 9.1.3, 9.1.4
generic 9.1.4
hasNext method 9.1.3, 9.1.4
next method 9.1.3, 9.1.4
of Collection 9.1.2, 9.1.4
of ServiceLoader 6.4
remove method 9.1.3, 9.1.4
Iterators 9.1.3
being between elements 9.1.3
weakly consistent 10.6.2
IzPack 4.9.3

J

J#, J++ programming languages 1.2.11
jar 4.9.1, 12.6
command-line options of 4.9.1, 4.9.3, 4.9.5
Jar Bundler 4.9.3
JAR files 4.8.6, 4.9
analyzing dependencies of 12.14
creating 4.9.1
executable 4.9.3
file resources in 12.7
in jre/lib/ext directory 4.8.7
manifest of 4.9.2, 12.8
META-INF/services directory 12.13

modular 12.6, 12.8
multi-release 4.9.4
resources and 5.10.3
scanning for deprecated elements 11.3.1
Java 2.2
--add-exports option 12.10
--add-opens option 12.10
--illegal-access option 12.10
--module, --module-path options 12.3
-javaagent option 11.6.2
architecture-neutral object file format of 1.2.6
as a programming platform 1.1
available under GPL 1.5
backward compatibility of 4.9.4, 5.1.9, 6.2.8, 8
basic syntax of 3.1, 4.3.1
case-sensitiveness of 2.2, 3.1, 3.4.1, 9.7.1
command-line options of 4.9.5, 7.4.2
design of 1.2
documentation for 2.1.3
dynamic 1.2.11
history of 1.4
interpreter in 1.2.8
libraries in 1.2.1, 1.4, 1.5
installing 2.1.3
misconceptions about 1.5
networking capabilities of 1.2.3
no multiple inheritance in 6.1.3
no operator overloading in 3.9
no unsigned types in 3.3.1
reliability of 1.2.4
security of 1.2.5, 1.5
simplicity of 1.2.1, 6.2.1
strongly typed 3.3, 6.1.1
versions of 1.4
vs. C++ 1.2.1, 9.7.6
Java bug parade 3.1
Java Collections Framework 9
algorithms in 9.6.1
converting to/from arrays in 9.6.6
copies and views in 9.5
interfaces in 9.2
vs. implementations 9.1.1
legacy classes in 9.7
operations in
bulk 9.6.5
optional 9.5.8
vs. traditional collections libraries 9.1.3
Java Concurrency in Practice (Goetz) 10
Java Development Kit (JDK) 1.2.6, 2
documentation in 3.6.8
downloading 2.1.1
installation of 2.1
default 4.9.1
obsolete features in 12.1
setting up 2.1.2
Java Language Specification 3.1
Java Memory Model and Thread Specification 10.5.9
Java Persistence Architecture 11
Java Platform Module System 12, 12.14
migration to 12.8, 12.10
Java Runtime Environment (JRE) 2.1.1
Java Virtual Machine (JVM) 1.2.6
generics in 8.5, 8.9.3
launching 2.2
managing applications in 7.6
method tables in 5.1.6
thread priority levels in 10.3.6
truncating computations in 3.5.1
watching class loading in 7.6
Java Virtual Machine Specification 3.1, 11.6
java.awt package 12.1
java.awt.Toolkit class 6.1.7
java.desktop module 12.11
java.io.Console class 3.7.1
java.io.PrintWriter class 3.7.3
java.lang.annotation package 11.3
java.lang.annotation.Annotation interface 11.2
java.lang.Boolean class 5.2.4
java.lang.Byte class 5.2.4
java.lang.Character class 5.2.4
java.lang.Class class 5.2.5, 5.10.1, 5.10.3, 5.10.4, 5.10.5, 5.10.6, 8.9.4
java.lang.ClassLoader class 7.4.4
java.lang.Comparable interface 6.1.1
java.lang.Double class 5.2.4, 6.1.1
java.lang.Enum class 5.7
java.lang.Exception class 7.2.6
java.lang.Float class 5.2.4
java.lang.Integer class 5.2.4, 5.4, 6.1.1
java.lang.Long class 5.2.4

java.lang.Object class 4.1.1, 5.2.4, 5.2.5, 9.3.3
java.lang.ref.Cleaner class 4.6.8
java.lang.reflect package 5.10.4, 5.10.6
java.lang.reflect.AccessibleObject class 5.10.5
java.lang.reflect.AnnotatedElement interface 11.4
java.lang.reflect.Array class 5.10.6
java.lang.reflect.Constructor class 5.10.1, 5.10.4
java.lang.reflect.Field class 5.10.4, 5.10.5
java.lang.reflect.GenericArrayType interface 8.9.4
java.lang.reflect.InvocationHandler interface 6.5.3
java.lang.reflect.Method class 5.10.4, 5.10.7, 8.9.4
java.lang.reflect.Modifier class 5.10.4
java.lang.reflect.ParameterizedType interface 8.9.4
java.lang.reflect.Proxy class 6.5.3
java.lang.reflect.RecordComponent class 5.10.4
java.lang.reflect.TypeVariable interface 8.9.4
java.lang.reflect.WildcardType interface 8.9.4
java.lang.RuntimeException class 7.2.6
java.lang.Short class 5.2.4
java.lang.StackTraceElement class 7.2.6
java.lang.StackWalker class 7.2.6
java.lang.StackWalker.StackFrame interface 7.2.6
java.lang.String class 3.6.7
java.lang.StringBuilder class 3.6.9
java.lang.System class 3.7.1, 9.4.7, 9.7.4
java.lang.Throwable class 5.10.1, 7.1.4, 7.2.6
java.logging module 12.11
java.math.BigDecimal class 3.9
java.math.BigInteger class 3.9
java.nio.file.Path interface 3.7.3
java.se module 12.11
java.text.NumberFormat class 5.4
java.time.LocalDate class 4.2.3
java.util.ArrayDeque class 9.3.5
java.util.ArrayList class 5.3.1, 5.3.2
java.util.Arrays class 3.10.6, 5.2.3, 5.2.4, 6.1.1, 9.5.8
java.util.BitSet class 9.7.6
java.util.Collection interface 9.1.4, 9.6.4
java.util.Collections class 9.5.8, 9.6.2, 9.6.3, 9.6.4, 9.7.2, 10.6.8
java.util.Comparator interface 9.6.2
java.util.concurrent package 10.5.3
efficient collections in 10.6.2
java.util.concurrent.ArrayBlockingQueue class 10.6.1
java.util.concurrent.atomic package 10.5.11
java.util.concurrent.BlockingDeque interface 10.6.1
java.util.concurrent.BlockingQueue interface 10.6.1
java.util.concurrent.Callable interface 10.4.1
java.util.concurrent.ExecutorCompletionService class 10.4.3
java.util.concurrent.Executors class 10.4.2
java.util.concurrent.ExecutorService interface 10.4.2, 10.4.3
java.util.concurrent.Future interface 10.4.1
java.util.concurrent.FutureTask class 10.4.1
java.util.concurrent.LinkedBlockingDeque class 10.6.1
java.util.concurrent.LinkedBlockingQueue class 10.6.1
java.util.concurrent.locks.Condition interface 10.5.4
java.util.concurrent.locks.Lock interface 10.5.3, 10.5.4
java.util.concurrent.locks.ReentrantLock class 10.5.3
java.util.concurrent.PriorityBlockingQueue class 10.6.1
java.util.concurrent.ThreadLocalRandom class 10.5.14
java.util.concurrent.TransferQueue interface 10.6.1
java.util.Deque interface 9.3.5
java.util.Enumeration interface 9.7.2
java.util.EnumMap class 9.4.7
java.util.EnumSet class 9.4.7
java.util.function package 6.2.4
java.util.HashMap class 9.4.1
java.util.HashSet class 9.3.3
java.util.IdentityHashMap class 9.4.7
java.util.Iterator interface 9.1.4
java.util.LinkedHashMap class 9.4.7
java.util.LinkedHashSet class 9.4.7
java.util.LinkedList class 9.3.1
java.util.List interface 9.3.1, 9.5.8, 9.6.2, 9.6.4
java.util.ListIterator interface 9.3.1
java.util.logging package 7.5.1, 7.5.4
java.util.logging.ConsoleHandler class 7.5.7
java.util.logging.FileHandler class 7.5.7
java.util.logging.Filter interface 7.5.7
java.util.logging.Formatter class 7.5.7
java.util.logging.Handler class 7.5.7
java.util.logging.LogRecord class 7.5.7
java.util.Map interface 9.4.1, 9.4.2, 9.4.3, 9.5.8

java.util.NavigableMap interface 9.5.8
java.util.NavigableSet interface 9.3.4, 9.5.8
java.util.Objects class 4.4.5, 5.2.3
java.util.PriorityQueue class 9.3.6
java.util.Properties class 9.7.3
java.util.Queue interface 9.3.5
java.util.random.RandomGenerator interface 4.6.7
java.util.Scanner class 3.7.1, 3.7.3
java.util.SequencedCollection interface 9.3.5
java.util.Set interface 9.5.8
java.util.SortedMap interface 9.4.1, 9.5.8
java.util.SortedSet interface 9.3.4, 9.5.8
java.util.Stack class 9.7.5
java.util.Timer class 6.1.7
java.util.TreeMap class 9.4.1
java.util.TreeSet class 9.3.4
java.util.WeakHashMap class 9.4.7
javac 2.2
  -processor option 11.5.1
  -XprintRounds option 11.5.3
  current directory in 4.8.6
javadoc 4.10
  command-line options of 4.10.10
  comments in 4.10.1, 4.10.5
    extracting 4.10.10
    overview 4.10.10
    redeclaring Object methods for 6.2.3
  HTML markup in 4.10.6
  including annotations in 11.3.2
  links in 4.10.7
  online documentation of 4.10.10
JavaFX 10.7.3
javafx.css.CssParser class 4.9.4
javan.log files 7.5.5
javap 4.9.4, 6.3.3
JavaScript 1.5
javax.annotation package 11.3
javax.swing.JOptionPane class 6.1.7
javax.swing.SwingWorker class 10.7.3
javax.swing.Timer class 6.1.7
JAXB 12.7
JCommander 11
jconsole 7.5.4, 7.6, 10.5.5
jdeprscan 11.3.1
jdeps 12.14
JEP 264 (platform logging API) 7.5.1
jimage 12.14
jlink 12.14
jmod 12.14
JMOD files 12.14
Jmol applet 1.3
join method
  of String 3.6.7
  of Thread 10.2.3, 10.2.4
JOptionPane class
  showMessageDialog method 6.1.7
JShell 1.2.8, 2.4
JShell, loading modules into 12.6
JSlider class
  setLabelTable method 8.5.4
JSON 5.8
JSON-B 12.7
JUnit 11, 11.1
JUnit framework 7.6
Just-in-time compiler 1.2.6, 1.2.8, 1.5, 4.3.7, 5.1.7, 9.7.6
JVM
  specification for 11.6

K

Key/value pairs
  in annotations 11.1.1, 11.2
keySet method
  of ConcurrentHashMap 10.6.5
  of Map 9.4.3
Keywords Appendix
  hyphenated 5.8
  not used 3.4.3
  redundant 6.1.2
  reserved 3.1, 3.4.1
  restricted Appendix
Knuth, Donald 3.8.6
KOI-8 3.3.4

L

L, l suffixes (for long integers) 3.3.1
Lambda expressions 6.2
  accessing variables in 6.2.7
  annotating targets for 11.3.1
  atomic updates with 10.5.11
  capturing values by 6.2.7
  for loggers 7.5.3

functional interfaces and 6.2.3
method references and 6.2.5
not for variables of type Object 6.2.3
parameter types of 6.2.2
processing 6.2.8
result type of 6.2.2
scope of 6.2.7
syntax of 6.2.2
this keyword in 6.2.7
vs. inner classes 6.2.3
vs. method references 6.2.5
Langer, Angelika 8.9.4
Language model API 11.5.2
last method
of SortedSet 9.3.4
lastIndexOf method
of List 9.3.1
of String 3.6.7
lastIndexOfSubList method 9.6.4
lastKey method 9.4.1
Launch4J 4.9.3
Legacy classes 4.7.1
generics and 8.5.4
Legacy collections 9.7
bit sets 9.7.6
enumerations 9.7.2
hash tables 9.7.1
property maps 9.7.3
stacks 9.7.5
length method
of arrays 3.10.2
of BitSet 9.7.6
of String 3.6.3, 3.6.6, 3.6.7
of StringBuilder 3.6.9
Line feed character
escape sequence for 3.3.3
in output 3.1, 3.6.10
in text blocks 3.6.10
@link annotation 4.10.7
Linked hash maps/sets 9.4.5
Linked lists 9.3.1
concurrent modifications of 9.3.1
doubly linked 9.3.1
printing 9.3.1
random access in 9.3.1, 9.6.1
removing elements from 9.3.1
LinkedBlockingDeque class 10.6.1
LinkedBlockingQueue class 10.6.1
LinkedHashMap class 9.4.5, 9.4.7
access vs. insertion order in 9.4.5
as a concrete collection type 9.3
removeEldestEntry method 9.4.5, 9.4.7
LinkedHashSet class 9.4.5, 9.4.7
as a concrete collection type 9.3
LinkedList class 9.3.1, 9.3.5
addFirst/Last methods 9.3.1
as a concrete collection type 9.3
get method 9.3.1
getFirst/Last methods 9.3.1
listIterator method 9.3.1
next/previousIndex methods 9.3.1
removeAll method 9.3.1
removeFirst/Last methods 9.3.1
Linux
IDEs for 2.3
JDK in 2.1
no thread priorities in OpenJDK VM for 10.3.6
paths in 4.8.6, 4.8.7
troubleshooting Java programs in 2.2
List class 9.2
add method 9.2, 9.3.1
addAll method 9.3.1
copyOf method 9.5.2, 9.5.8
get method 9.2, 9.3.1
indexOf, lastIndexOf methods 9.3.1
listIterator method 9.3.1
of Collections 9.7.2
of method 9.5.1, 9.5.8, 9.6.6
remove method 9.2, 9.3.1
replaceAll method 9.6.4
set method 9.2, 9.3.1
sort method 9.6.2
subList method 9.5.3, 9.5.8
ListIterator interface 9.3.1
add method 9.3.1
hasPrevious method 9.3.1
next/previousIndex methods 9.3.1
of LinkedList 9.3.1
of List 9.3.1
previous method 9.3.1

remove method 9.3.1
set method 9.3.1
Lists 9.2
modifiable/resizable 9.6.2
unmodifiable 9.5.8
with given elements 9.5.1
load method
of Properties 9.7.3
of ServiceLoader 6.4
Load time 11.6.2
Local inner classes 6.3.4
accessing variables from outer methods in 6.3.5
Local variables
annotating 8.5.4, 11.1.3
vs. instance fields 4.3.4, 4.3.7, 4.6.2
LocalDate class 4.2.2
getXxx methods 4.2.2, 4.2.3
hashCode method 5.2.4
minusDays method 4.2.3
now, of methods 4.2.2, 4.2.3
plusDays method 4.2.2, 4.2.3
processing arrays of 8.7.2
Locales 3.7.2
Localization 4.2.1, 5.10.3
Lock interface 10.5.6
await method 10.5.4
lock method 10.5.3
newCondition method 10.5.4
signal method 10.5.4
signalAll method 10.5.4
tryLock method 10.2.3
unlock method 10.5.3
vs. synchronization methods 10.5.6
Locks 10.5.3
client-side 10.5.7
condition objects for 10.5.4
deadlocks 10.5.4, 10.5.5
fair 10.5.3
hold count for 10.5.3
in synchronized blocks 10.5.7
intrinsic 10.5.6, 10.5.8, 10.5.9
not with try-with-resources statement 10.5.3
not wrapper objects for 5.4
reentrant 10.5.3
Log file pattern variables 7.5.5
Log handlers 7.5.5
filtering/formatting 7.5.6
Log messages, adding to classes 11.6.1
log, log10 methods (Math) 3.5.2
Log4j 7.5.1
Logback 7.5.1
@LogEntry annotation 11.6.1
Logger class
getGlobal method 7.6
Logger interface (System) 7.5.2
getName method 7.5.7
isLoggable method 7.5.7
log method 7.5.2, 7.5.7
Loggers
filtering/formatting 7.5.6
hierarchy of 7.5.4
naming 7.5.2
Logging 7.5
configuring 7.5.4
including class names in 6.3.6
levels of 7.5.3, 7.5.4
messages for 5.2.5
recipe for 7.5.7
Logging proxy 7.6
Logical "and", "or" 3.5.7
Logical conditions 3.3.5
LogRecord class, methods of 7.5.7
long type 3.3.1, Appendix
converting from long 5.4
hashCode method 5.2.4
platform-independent 3.3.1
Long Term Support (LTS) 2.1.1
LongAccumulator class, methods of 10.5.11
LongAdder class 10.5.11, 10.6.3
add, increment, sum methods 10.5.11
Loops
"for each" 3.10.3
break statements in 3.8.6
continue statements in 3.8.6
determinate (for) 3.8.4
while 3.8.3
lower method
of NavigableSet 9.3.4

M

Mac OS X

executing JARs in 4.9.3
IDEs for 2.3
JDK in 2.1
main ,method
declared public 3.1
main method 4.4.5
body of 3.1
declared static void 3.1
not defined 4.3, 4.6.7
separate for each class 7.6
String[] args parameter of 3.10.5
tagged with throws 3.7.3
make tool 4.3.2
MANIFEST.MF 4.9.2
editing 4.9.2
newline characters in 4.9.3
Map interface 9.2
compute , computeIfXxx methods 9.4.2
containsKey/Value methods 9.4.1
copyOf method 9.5.2, 9.5.8
entry method 9.5.1, 9.5.8
entrySet method 9.4.3
forEach method 9.4.1
get method 9.2, 9.4.1
getOrDefault method 9.4.1
keySet method 9.4.3
merge method 9.4.2
of method 9.5.1, 9.5.8
ofEntries method 9.5.1, 9.5.8
put method 9.2, 9.4.1
putAll method 9.4.1
putIfAbsent method 9.4.2
remove method 9.4.1
replaceAll method 9.4.2
values method 9.4.3
Map.Entry interface 9.4.3
copyOf , getKey , get/setValue methods 9.4.3
mappingCount method 10.6.2
Maps 9.4
adding/retrieving objects to/from 9.4.1
concurrent 10.6.2
garbage collecting 9.4.4
hash vs. tree 9.4.1
implementations for 9.4.1
keys for 9.4.1
enumerating 9.4.3
subranges of 9.5.3
unmodifiable 9.5.8
with given key/value pairs 9.5.1
Marker interfaces 6.1.9
Math class 2.4, 3.5.2
E , PI static constants 3.5.2, 4.4.2
floorMod method 3.5.1
log , log10 methods 3.5.2
pow method 3.5.2, 4.4.3
round method 3.5.4
sqrt method 3.5.2, 5.10.7
trigonometric functions 3.5.2
xxxExact methods 3.5.2
max method
of Collections 9.6.4
Maximum value, computing 8.2
merge method
of ConcurrentHashMap 10.6.3
of Map 9.4.2
Merge sort algorithm 9.6.2
Meta-annotations 11.2, 11.3.2
META-INF 4.9.2
META-INF/versions directory 4.9.4
Method class 5.10.4
getDeclaringClass method 5.10.4
getGenericXxx methods 8.9.4
getModifiers , getName methods 5.10.4
getReturnType method 5.10.4
getTypeParameters method 8.9.4
getXxxTypes methods 5.10.4
invoke method 5.10.7
toString method 5.10.4
Method parameters. See Parameters
Method pointers 5.10.7
Method references 6.2.5
annotating 11.1.4
this , super parameters in 6.2.5
vs. lambda expressions 6.2.5
Method tables 5.1.6
MethodHandles class 12.7
Methods 4.1.1
abstract 5.6
in functional interfaces 6.2.3
accessor 4.2.3, 4.3.8, 8.7.1

adding logging messages to 11.6.1
adding, in subclasses 5.1.2
annotating 11.1.3
applying to objects 4.2.1
asynchronous 10.4.1
body of 3.1
bridge 8.5.3, 8.8.11
calling by reference vs. by value 4.5
casting 5.1.8
chaining calls of 6.2.8
concrete 5.6
conflicts in 6.1.6
consistent 5.2.3
default 6.1.5
deprecated 4.2.2, 4.2.3, 11.3, 11.3.1
destructor 4.6.8
documentation comments for 4.10.1, 4.10.7
dynamic binding for 5.1.3, 5.1.6
error checking in 4.3.8
exception specification in 7.1.2
factory 4.4.4
final 5.1.6, 5.1.7, 5.10.4, 6.1.1
generic 8.3, 8.5.3, 9.1.4
getters/setters, generated automatically 11.5.3
helper 4.3.10, 8.7.4
inlining 1.2.9, 5.1.7
invoking 3.1, 5.10.7
mutator 4.2.3, 4.3.8, 8.7.1
names of 4.7.1, 4.11
overloading 4.6.1
overriding 5.1.2, 5.2.3, 5.11, 11.3, 11.3.1
  exceptions and 7.1.2
  return type and 8.5.3
package scope of 4.8.5
passing objects to 4.2.1
private 4.3.10, 5.1.6, 5.10.4, 6.1.4
protected 4.10.1, 5.1.10, 5.11, 6.1.9
public 4.10.1, 5.10.4, 6.1.1
reflexive 5.2.3
return type of 4.6.1, 5.1.6
signature of 4.6.1, 5.1.6
static 4.4.3, 4.8.3, 5.1.6, 8.8.8, 10.5.6
  adding to interfaces 6.1.4
symmetric 5.2.3
tracing 6.5.2
transitive 5.2.3
used for serialization 11.3, 11.3.1
utility 6.1.4
varargs 5.5, 8.8.4
visibility of, in subclasses 5.1.6
Micro Edition 1.4, 2.1.1
Microsoft
  ActiveX 1.2.5
  C# 1.2.11, 1.4, 5.1.7
  Internet Explorer 1.3
  J#, J++ 1.2.11
  JDK in 2.1
  .NET platform 1.2.6
  Visual Basic 1.2.1, 4.2.1
  Visual Studio 2.2
Microsoft Windows. See Windows operating system
`min` method
  of `Collections` 9.6.4
Minimum value, computing 8.2
`minusDays` method 4.2.3
`mod` method
  of `BigDecimal` 3.9
  of `BigInteger` 3.9
`Modifier` class
  is*Xxx* methods 5.10.4
  `toString` method 5.10.4
`module` keyword 12.3, **Appendix**
`Module` class
  `getResourceAsStream` method 12.7
Module path 4.8.7
module-info.class 12.6, 12.8
module-info.java 12.3, 12.8
Modules 1.4, 4.8.5, 12, 12.14
  accessing 12.7, 12.10
  automatic 12.8, 12.9
  declaration of 12.3
  explicit 12.9
  exporting packages 12.5
  loading into JShell 12.6
  migration to 12.8, 12.10
  naming 12.2, 12.8
  not passing access rights 12.4
  open 12.7
  opening packages in 12.7
  packages with the same names in 12.5

qualified exports of 12.12
requiring 12.4
service implementations and 12.13
tools for 12.14
unnamed 5.10.5, 12.9
versioning 12.1, 12.3
Modulus 3.5.1
Monitor concept 10.5.8
Mosaic 1.4
Multi-release JARs 4.9.4
Multidimensional arrays 3.10.7, 3.10.8
printing 5.2.5
ragged 3.10.8
Multiple inheritance 6.1.3
not supported in Java 5.1.4
Multiple selections 3.8.5
Multiplication 3.5.1
multiply method
of BigDecimal 3.9
of BigInteger 3.9
multiplyExact method 3.5.2
Multitasking 10
Multithreading 1.2.10, 10
deadlocks in 10.5.4, 10.5.5
deferred execution in 6.2.8
performance and 10.5.3, 10.5.11, 10.6.1
preemptive vs. cooperative scheduling for 10.2.2
synchronization in 10.5
using pools for 10.4.2
Mutator methods 4.2.3, 8.7.1
error checking in 4.3.8

N

n conversion character 3.7.2
NaN 3.3.2
native keyword Appendix
naturalOrder method 6.2.9
Naughton, Patrick 1.4
NavigableMap interface 9.2
headMap, subMap, tailMap methods 9.5.8
NavigableSet interface 9.2, 9.3.4
ceiling, floor methods 9.3.4
headSet, subSet, tailSet methods 9.5.3, 9.5.8
higher, lower methods 9.3.4
pollFirst/Last methods 9.3.4
nCopies method 9.5.1, 9.5.8
negateExact method 3.5.2
Negation operator 3.5.7
Negative infinity 3.3.2
Nested classes
annotating 11.1.4
.NET platform 1.2.6
NetBeans 2.2, 2.3, 7.6
Netscape 1.4
LiveScript/JavaScript 1.5
Navigator browser 1.3
Networking 1.2.3
new keyword 3.5.11, 4.2.1, 4.3.4, Appendix
in constructor references 6.2.6
not for interfaces 6.1.2
return value of 4.2.1
with arrays 3.10.1
with generic classes 5.3.1
with threads 10.2.1
newCachedThreadPool method 10.4.2
newCondition method 10.5.4
newFixedThreadPool method 10.4.2
newInstance method
of Array 5.10.6
of Class 5.10.1, 8.9.1
of Constructor 5.10.1
newKeySet method 10.6.5
Newline. See Line feed character
newProxyInstance method 6.5.2, 6.5.3
newScheduledThreadPool method 10.4.2
newSingleThreadXxx methods (Executors) 10.4.2
next method
of Iterator 9.1.3, 9.1.4
of Scanner 3.7.1
nextDouble method 3.7.1
nextElement method 9.1.3, 9.7.2
nextIndex method
of LinkedList 9.3.1
of ListIterator 9.3.1
nextInt method
of RandomGenerator 4.6.7
of Scanner 3.7.1
nextLine method 3.7.1
No-argument constructors 4.6.3, 5.1.3, 6.4
NoClassDefFoundError class 2.2
non-sealed keyword 5.8, Appendix

noneOf method 9.4.7
@NonNull annotation 11.1.4
NoSuchElementException class 9.1.3, 9.1.4, 9.3.1, 9.3.5
Notepad 2.2
notify, notifyAll methods (Objects) 10.5.6
notify, notifyAll methods (of Object) 10.5.6
now method
of LocalDate 4.2.2, 4.2.3
null literal 4.2.1, Appendix
as a reference 4.3.6
equality testing to 5.2.3
nullFirst/Last methods (Comparator) 6.2.9
NullPointerException class 3.5.9, 4.3.6, 4.4.5, 5.4, 6.2.5, 7.1.1, 7.3
Number class 5.4
NumberFormat class
factory methods 4.4.4
parse method 5.4
NumberFormatException class 7.3
Numbers
floating-point 3.3.2, 3.5.1, 3.5.4, 3.7.2, 3.8.4, 5.1.8
generated random 10.5.14
hexadecimal 3.3.1, 3.7.2
octal 3.3.1, 3.7.2
prime 9.7.6
rounding 3.3.2, 3.5.4, 3.9
unsigned 3.3.1
Numeric types
casting 3.5.4
comparing 3.5.7, 6.2.9
converting
to other numeric types 3.5.3, 5.1.8
to strings 5.4
default initialization of 4.6.2
fixed sizes for 1.2.7
precision of 3.7.2, 3.9
printing 3.7.2

O

o conversion character 3.7.2
Oak 1.4, 7.1.1
Object class 4.1.1, 5.2, 10.5.6
clone method 4.3.8, 6.1.9, 6.2.3
equals method 5.2.2, 5.2.3, 5.2.5, 6.1.6, 9.5.2
getClass method 5.2.5
hashCode method 5.2.4, 9.3.3
no redefining for methods of 6.1.6
notify, notifyAll methods 10.5.6
toString method 5.2.5, 6.1.6, 6.2.3
wait method 10.2.3, 10.5.6
Object references
as method parameters 4.5
converting 5.1.8
default initialization of 4.6.2
modifying 4.5
Object traversal algorithms 9.4.7
Object variables 5.6
in predefined classes 4.2.1
initializing 4.2.1
setting to null 4.2.1
vs. C++ object pointers 4.2.1
vs. objects 4.2.1
Object-oriented programming (OOP) 1.2.2, 4.1, 5
passing objects in 6.1.7
time measurement in 4.2.2
vs. procedural 4.1
Object-relational mappers 12.7
Objects 4.1, 4.1.2
analyzing at runtime 5.10.5
applying methods to 4.2.1
behavior of 4.1.2
cloning 6.1.9
comparing 6.1.1
concatenating with strings 5.2.5
constructing 4.1.1, 4.6
default hash codes of 5.2.4
destruction of 4.6.8
equality testing for 5.2.2, 5.2.3, 5.10.1
finalize method of 4.6.8
identity of 4.1.2
implementing an interface 6.1.2
in predefined classes 4.2.1
initializing 4.2.1
intrinsic locks of 10.5.6
passing to methods 4.2.1
references to 4.2.1
runtime type identification of 5.10.1
serializing 9.4.7
sorting 6.1.1
state of 4.1.1, 4.1.2, 6.3.1

vs. object variables 4.2.1
Objects class
checkXxx methods 7.3
hash, hashCode methods 5.2.4
requireNonNull method 4.3.6, 4.4.5, 7.3
requireNonNullElse method 4.3.6, 4.4.5
Octal numbers
formatting output for 3.7.2
prefix for 3.3.1
of method
of EnumSet 9.4.7
of List, Map, Set 9.5.1, 9.5.8, 9.6.6
of LocalDate 4.2.2, 4.2.3
of Path 3.7.3, 6.1.4
of ProcessHandle 10.8.3
of RandomGenerator 4.6.7
ofEntries method 9.5.8
of Map 9.5.1
offer method
of BlockingQueue 10.6.1
of Queue 9.3.5
offerFirst/Last methods
of BlockingDeque 10.6.1
of Deque 9.3.5
On-demand initialization 10.5.12
onExit method 10.8.3
Online documentation 3.6.7, 3.6.8, 4.10, 4.10.10
open keyword 12.7, Appendix
OpenJ9 just-in-time compiler 2.1.1
OpenJDK 2.1, 2.1.1
opens keyword 12.7, 12.12, Appendix
Operators
arithmetic 3.5.1
bitwise 3.5.10, 3.5.11
boolean 3.5.7
hierarchy of 3.5.11
increment/decrement 3.5.6
no overloading for 3.9
relational 3.5.7
Optional operations 9.5.8
or method (BitSet) 9.7.6
Oracle 1.4
Ordered collections 9.2, 9.3.1
ordinal method
of Enum 5.7
org.omg.corba package 12.1
orTimeout method 10.7.2
OSGi platform 6.4
Out-of-bounds exceptions 7.3
Output
formatting 3.7.2
statements in 3.6.1
Overloading resolution 4.6.1, 5.1.6
@Override annotation 5.2.3, 11.3, 11.3.1
overview.html file 4.10.10

P

p (hexadecimal floating-point literals) 3.3.2
package keyword 4.8.2, 4.8.4, Appendix
package-info.java 4.10.5, 11.1.3
package.html file 4.10.5
Packages 4.8, 12.1
accessing 4.8.5
adding classes into 4.8.4
annotating 11.1.3
documentation comments for 4.10.1, 4.10.5
exporting 12.5
hidden 12.5
importing 4.8.2
names of 4.8.1, 5.10.1
opening 12.7
split 12.6
unnamed 4.8.4, 4.8.5, 4.10.10, 7.4.2
Parallelism threshold 10.6.4
parallelXxx methods (Arrays) 10.6.7
Parameter variables
annotating 11.1.3
Parameterized types. See Type parameters
ParameterizedType interface 8.9.3
getXxx methods 8.9.4
Parameters 4.5
checking, with assertions 7.4.3
documentation comments for 4.10.3
explicit 4.3.7
implicit 4.3.7, 4.4.3, 7.6
modifying 4.5
names of 4.6.5
using collection interfaces in 9.6.7
variable number of
passing generic types to 8.8.4
Parent classes. See Superclasses

parse method
of NumberFormat 5.4
parseInt method 5.4
Pascal 1.4
compiled code in 1.2.6
passing parameters in 4.5
Passwords
reading from console 3.7.1
Path interface, of method 3.7.3, 6.1.4
Paths class, get method 6.1.4
Pattern matching 5.1.9
Payne, Jonathan 1.4
peek method
of BlockingQueue 10.6.1
of Queue 9.3.5
of Stack 9.7.5
peekFirst/Last methods (Deque) 9.3.5
Performance 1.2.9
computations and 3.5.1, 3.5.2
JAR files and 4.8.6
measuring 9.7.6
multithreading and 10.5.3, 10.5.11, 10.6.1
of collections 9.2, 9.3.3, 10.6.2
of Java vs. C++ 9.7.6
of simple tests vs. catching exceptions 7.3
permits keyword 5.8, 6.1.2, Appendix
@Persistent annotation 11.3.2
Physical limitations 7.1
PI
constant (Math) 3.5.2, 4.4.2
Picocli 11
pid method
of ProcessHandle 10.8.3
Platform logging API 7.5.1, 7.5.4
plusDays method 4.2.2, 4.2.3
Point class 4.7, 4.7.1
poll method
of BlockingQueue 10.6.1
of ExecutorCompletionService 10.4.3
of Queue 9.3.5
pollFirst/Last methods
of Deque 9.3.5, 10.6.1
of NavigableSet 9.3.4
Polymorphism 5.1.3, 5.1.5, 5.8, 5.11
pop method
of Stack 9.7.5
Portability 1.2.7, 1.5, 3.5.1
Positive infinity 3.3.2
pow method
of Math 3.5.2, 4.4.3
Precision, of numbers 3.7.2
Preconditions 7.4.3
Predefined classes 4.2
mutator and accessor methods in 4.2.3
objects, object variables in 4.2.1
Predicate interface 6.2.4, 6.2.8
Preemptive scheduling 10.2.2
premain method (Instrumentation API) 11.6.2
previous method
of ListIterator 9.3.1
previousIndex method
of LinkedList 9.3.1
of ListIterator 9.3.1
Prime numbers 9.7.6
Primitive types 3.3
as method parameters 4.5
comparing 6.2.9
converting to objects 5.4
final fields of 4.3.11
not for type parameters 8.8.1
transforming hash map values to 10.6.4
values of, not object 5.2.1
Princeton University 1.2.5
print method
of System.out 3.1, 3.7.2
printf method
arguments of 5.5
conversion characters for 3.7.2
flags for 3.7.2
of System.out 3.7.2
println method
of System.out 3.1, 3.7.1
printStackTrace method 5.10.1, 7.2.6, 7.6
PrintStream class
print method 7.5
PrintWriter class 3.7.3
Priority queues 9.3.6
PriorityBlockingQueue class 10.6.1
PriorityQueue class 9.3.6
as a concrete collection type 9.3

private keyword 4.3.3, 4.8.5, 6.3.1, Appendix
checking 5.10.4
for fields, in superclasses 5.1.2
for methods 4.3.10
Procedures 4.1
process method 10.8, 10.8.3
destroy, destroyForcibly methods 10.8.2, 10.8.3
exitValue method 10.8.2, 10.8.3
get*Xxx*Stream methods 10.8.1, 10.8.3
isAlive method 10.8.2, 10.8.3
of SwingWorker 10.7.3
onExit method 10.8.3
supportsNormalTermination method 10.8.3
toHandle method 10.8.3
waitFor method 10.8.2, 10.8.3
ProcessBuilder class 10.8, 10.8.3
directory method 10.8.1, 10.8.3
environment method 10.8.3
inheritIO method 10.8.3
redirect*Xxx* methods 10.8.1, 10.8.3
start method 10.8.2, 10.8.3
startPipeline method 10.8.1, 10.8.3
Processes 10.8
building 10.8.1
killing 10.8.2
running 10.8.2
vs. threads 10
ProcessHandle interface 10.8.3
allProcesses method 10.8.3
children, descendants methods 10.8.3
current method 10.8.3
info method 10.8.3
of method 10.8.3
pid method 10.8.3
ProcessHandle.Info interface 10.8.3
Processor interface 11.5.1
Producer threads 10.6.1
Programs. See Applications
Properties class 9.7
getProperty method 9.7.3
load method 9.7.3
setProperty method 9.7.3
store method 9.7.3
stringPropertyNames method 9.7.3
@Property annotation 11.5.3
Property files
generating 11.5.3
Property maps 9.7.3
reading/writing 9.7.3
protected keyword 5.1.10, 5.11, 6.1.9, Appendix
provides keyword 12.13, Appendix
Proxies 6.5
properties of 6.5.3
purposes of 6.5.2
Proxy class 6.5.3
get/isProxyClass methods 6.5.3
newProxyInstance method 6.5.2, 6.5.3
public keyword 3.1, 3.4.3, 4.3.1, 4.3.3, 4.8.5, 6.1.1, Appendix
checking 5.10.4
for fields in interfaces 6.1.2
for main method 3.1
for only one class in source file 4.3.1
not specified for interfaces 6.1.1
publish method 10.7.3
of Handler 7.5.7
of SwingWorker 10.7.3
Pure virtual functions (C++) 5.6
push method
of Stack 9.7.5
put method
of BlockingQueue 10.6.1
of ConcurrentHashMap 10.6.3
of Map 9.2, 9.4.1
putAll method 9.4.1
putFirst/Last methods (BlockingDeque) 10.6.1
putIfAbsent method
of ConcurrentHashMap 10.6.3
of Map 9.4.2

Q

Qualified exports 12.12
Queue class 9.3.5
implementing 9.1.1
methods of 9.3.5
Queues 9.1.1, 9.3.5
blocking 10.6.1
concurrent 10.6.2
QuickSort algorithm 3.10.6, 9.6.2

R

Race conditions 10.5.1, 10.5.2

and atomic operations 10.5.11
Ragged arrays 3.10.8
Random class
thread-safe 10.5.14
RandomAccess interface 9.2, 9.6.2, 9.6.3
RandomGenerator interface
nextInt method 4.6.7
of method 4.6.7
range method
of EnumSet 9.4.7
Raw types 8.5.1
converting type parameters to 8.6
type inquiring at runtime 8.8.2
readLine/Password methods (Console) 3.7.1
Receiver parameter 11.1.5
record keyword Appendix
RecordComponent class, getXxx methods 5.10.4
Records 4.7, 5.1.1
adding methods to 4.7.1
always final 5.1.7
declared inside a class 6.3.7
equals method of 5.2.2
hashCode method of 5.2.4
implementing interfaces 6.1.2
instance fields of 4.7.1
toString method of 5.2.5
Rectangle class 9.3.4
Rectangles
comparing 9.3.4
Recursive computations 10.4.5
RecursiveAction, RecursiveTask classes 10.4.5
Red Hat 2.1
Red-black trees 9.3.4
redirect*Xxx* methods (ProcessBuilder) 10.8.1, 10.8.3
reduce, reduceXxx methods
(ConcurrentHashMap) 10.6.4
Reentrant locks 10.5.3
ReentrantLock class 10.5.3
Reflection 5.1, 5.10
accessing
private members 12.7, 12.10
accessing nonpublic features with 5.10.5
analyzing
classes 5.10.4
objects, at runtime 5.10.5
generics and 5.10.6, 8.9
overusing 5.11
processing annotations with 11.4
Reinhold, Mark 1.4
Relational operators 3.5.7, 3.5.11
Relative resource names 5.10.3
remove method
of ArrayList 5.3.2
of BlockingQueue 10.6.1
of Collection 9.1.4
of Iterator 9.1.3, 9.1.4
of List 9.2, 9.3.1
of ListIterator 9.3.1
of Map 9.4.1
of Queue 9.3.5
of ThreadLocal 10.4.4
removeAll method
of Collection 9.1.4
of LinkedList 9.3.1
removeEldestEntry method 9.4.5, 9.4.7
removeFirst/Last methods
of LinkedList 9.3.1
of SequencedCollection 9.3.5
removeIf method
of ArrayList 6.2.4
of Collection 9.1.4, 9.6.4
repeat method
of String 3.6.1, 3.6.7
@Repeatable annotation 11.3, 11.3.2
@RepeatedTest annotation 11.1.1
REPL 2.4
replace method
of ConcurrentHashMap 10.6.3
of String 3.6.7
replaceAll method
of Collections 9.6.4
of List 9.6.4
of Map 9.4.2
requireNonNull method 4.3.6, 4.4.5, 7.3
requireNonNullElse method 4.3.6, 4.4.5
requires keyword 12.4, 12.5, 12.8, 12.11
Reserved words. See Keywords
Resources 5.10.3
exhaustion of 7.1.1
in JAR files 12.7

localizing 5.10.3
names of 5.10.3
Restricted views 9.5.8
resume method
of Thread (deprecated) 10.2.4
retain method
of Collection 9.1.4
retainAll method 9.1.4
@Retention annotation 11.2, 11.3
return keyword 4.10.3, Appendix
in finally blocks 7.2.4
in lambda expressions 6.2.2
not allowed in switch expressions 3.8.5
Return types 5.1.6
covariant 8.5.3
documentation comments for 4.10.3
for overridden methods 8.5.3
Return values 4.2.1
reverse method
of Collections 9.6.4
reversed, reverseOrder methods
(Comparator) 6.2.9, 9.6.2
rotate method
of Collections 9.6.4
round method
of Math 3.5.4
RoundEnvironment interface 11.5.2
RoundingMode enumeration 3.9
rt.jar file
no longer present 12.14
run method
of Thread 10.1
runAfterXxx methods (CompletableFuture) 10.7.2
runFinalizersOnExit method 4.6.8
Runnable interface 6.2.8, 10.1
lambda expressions and 6.2.3
run method 6.2.8, 10.1
Runtime class
adding shutdown hooks at 4.6.8
analyzing objects at 5.10.5
creating classes at 6.5.1
exec method 10.8
setting the size of an array at 5.3
type identification at 5.1.8, 5.10.1, 8.8.2
Runtime image file 12.14
RuntimeException class 7.1.1, 7.2.6, 7.3

S

S, s conversion characters 3.7.2
@SafeVarargs annotation 8.8.4, 11.3, 11.3.1
Scala programming language 6.1.6
Scanner class 3.7.1, 3.7.3
hasNext method 3.7.1
hasNextXxx methods 3.7.1
next method 3.7.1
nextXxx methods 3.7.1
sealed keyword 5.8, 6.1.2, Appendix
search, searchXxx methods
(ConcurrentHashMap) 10.6.4
Security class 1.2.5, 1.5
@see annotation 4.10.7
SequencedCollection interface
methods of 9.3.5
@Serial annotation 11.3, 11.3.1
Serialization 9.4.7
Service loaders 6.4, 12.13
ServiceLoader class 6.4, 12.13
iterator, load methods 6.4
stream method 6.4
ServiceLoader.Provider interface 6.4
ServiceLoader.Provider interface, methods of 6.4
Services 6.4
ServletException 7.2.3
Servlets 7.2.3
set method
add, equals, hashCode, methods of 9.2
copyOf method 9.5.2, 9.5.8
of Array 5.10.6
of ArrayList 5.3.2
of BitSet 9.7.6
of Field 5.10.5
of List 9.2, 9.3.1
of ListIterator 9.3.1
of method 9.5.1, 9.5.8
of ThreadLocal 10.4.4
of Vector 10.5.7
setAccessible method 5.10.5
setBoolean method 5.10.6
setByte, setChar methods (Array) 5.10.6
setClassAssertionStatus method 7.4.4
setDaemon method 10.3.3

setDefaultAssertionStatus method 7.4.4
setDefaultUncaughtExceptionHandler method 7.6, 10.3.5
setDouble method 5.10.6
setFilter method
of Handler 7.5.7
setFloat method 5.10.6
setFormatter method 7.5.7
setInt method 5.10.6
setLabelTable method 8.5.4
setLevel method
of Handler 7.5.7
setLong method 5.10.6
setOut method 4.4.2
setPackageAssertionStatus method 7.4.4
setPriority method 10.3.6
setProperty method 7.5.4
of Properties 9.7.3
Sets 9.3.3
concurrent 10.6.2
intersecting 9.6.5
mutating elements of 9.3.3
subranges of 9.5.3
thread-safe 10.6.5
unmodifiable 9.5.8
with given elements 9.5.1
setShort method 5.10.6
setTime method 5.1.7
setUncaughtExceptionHandler method 10.3.5
setValue method 9.4.3
Shallow copies 6.1.9
Shell
redirection syntax of 3.7.3
scripts for, generating 11.5.3
scripts in 4.8.7
Shift operators 3.5.10
short type 3.3.1, Appendix
converting from short 5.4
hashCode method 5.2.4
showMessageDialog method 6.1.7
shuffle method
of Collections 9.6.2
Shuffling 9.6.2
shutdown method
of ExecutorService 10.4.2
Shutdown hooks 4.6.8
shutdownNow method 10.4.2
Sieve of Eratosthenes benchmark 9.7.6
signal method
of Condition 10.5.4, 10.5.5
signalAll method 10.5.4, 10.5.5
Signatures (of methods) 4.6.1, 5.1.6
Signatures. See Digital signatures
sin method
of Math 3.5.2
size method
of ArrayList 5.3.1
of BitSet 9.7.6
of Collection 9.1.4
of concurrent collections 10.6.2
sleep method
of Thread 10.1, 10.3.2
SLF4J 7.5.1
Smart cards 1.2.1
SOAP 12.1
SocketHandler class 7.5.5
sort method
of Arrays 3.10.6, 6.1.1, 6.2.1, 6.2.3
of Collections 9.6.2
of List 9.6.2
SortedMap interface 9.2
comparator, first/lastKey methods 9.4.1
headMap, subMap, tailMap methods 9.5.3, 9.5.8
SortedSet interface 9.2
comparator, first, last methods 9.3.4
headSet, subSet, tailSet methods 9.5.3, 9.5.8
Sorting
algorithms for 3.10.6, 9.6.2
arrays 3.10.6, 6.1.1
assertions for 7.4.3
order of 9.6.2
people, by name 6.2.9
strings by length 6.1.8, 6.2.1, 6.2.2
Source code, generating 11.3, 11.3.1, 11.5.3
Source files 4.8.6
editing in Eclipse 2.3
installing 2.1.3
Space. See Whitespace
Special characters 3.3.3
Split packages 12.6

sqrt method
of BigInteger 3.9
of Math 3.5.2, 5.10.7
src.zip file 2.1.3
Stack class 9.1, 9.7, 9.7.5
methods of 9.7.5
Stack trace 7.2.6, 10.5.5
no displaying to users 7.3
StackFrame
getXxx methods 7.2.6
isNativeMethod method 7.2.6
toString method 7.2.6
Stacks 9.7.5
StackTraceElement class, methods of 7.2.6
StackWalker class 7.2.6
forEach method 7.2.6
getInstance method 7.2.6
walk method 7.2.6
Standard Edition 1.4, 2.1.1
Standard Java library
companion classes in 6.1.4
online API documentation for 3.6.7, 3.6.8, 4.10, 4.10.10
Standard Template Library (STL) 9.1, 9.1.3
start method
of ProcessBuilder 10.8.2, 10.8.3
of Thread 10.1, 10.2.2
of Timer 6.1.7
Starting directory, for a launched program 3.7.3
startInstant method
of ProcessHandle.Info 10.8.3
startPipeline method 10.8.1, 10.8.3
startsWith method 3.6.7
Statements 3.1
conditional 3.8.2
in output 3.6.1
static keyword 3.4.3, 4.4, 12.11, Appendix
for fields in interfaces 6.1.2
for main method 3.1
Static binding 5.1.6
Static constants 4.4.2
documentation comments for 4.10.4
Static fields 4.4.1
accessing, in static methods 4.4.3
importing 4.8.3
initializing 4.6.7
no type variables in 8.8.8
Static imports 4.8.3
Static methods 4.4.3
accessing static fields in 4.4.3
adding to interfaces 6.1.4
importing 4.8.3
no type variables in 8.8.8
Static nested classes 6.3, 6.3.7
Static variables 4.4.2
stop method
of Thread (deprecated) 10.2.4, 10.3.2
of Timer 6.1.7
store method
of Properties 9.7.3
stream method
of BitSet 9.7.6
of Collection 6.1.5
of ServiceLoader 6.4
Stream interface, toArray method 6.2.6
strictfp keyword Appendix
StrictMath class 3.5.2
String class 3.6
charAt method 3.6.3, 3.6.7
compareTo method 3.6.7
endsWith method 3.6.7
equals, equalsIgnoreCase methods 3.6.5, 3.6.7
format, formatted, formatTo methods 3.7.2
hashCode method 5.2.4, 9.3.3
immutability of 3.6.4, 4.3.11, 5.1.7
implementing CharSequence 6.1.3
indexOf method 3.6.7, 4.6.1
isBlank, isEmpty methods 3.6.7
join method 3.6.7
lastIndexOf method 3.6.7
length method 3.6.3, 3.6.6, 3.6.7
repeat method 3.6.1, 3.6.7
replace method 3.6.7
startsWith method 3.6.7
strip method 3.6.7
stripLeading/Trailing methods 3.6.7
substring method 3.6.3, 3.6.7, 9.5.3
toLowerCase, toUpperCase methods 3.6.7
transform method 6.2.8
trim method 3.6.7

StringBuffer class 3.6.9
StringBuilder class 3.6.9
append method 3.6.9
appendCodePoint method 3.6.9
delete method 3.6.9
implementing CharSequence 6.1.3
insert method 3.6.9
length method 3.6.9
toString method 3.6.9
stringPropertyNames method 9.7.3
Strings 3.6
building 3.6.9
code points/code units of 3.6.3
comparing 6.1.8
concatenating 3.6.1
with objects 5.2.5
converting to numbers 5.4
empty 3.6.6, 3.6.7
equality of 3.6.5
formatting output for 3.7.2
immutability of 3.6.4
length of 3.6.3, 3.6.6
null 3.6.6
shared, in compiler 3.6.4, 3.6.5
sorting by length 6.1.8, 6.2.1, 6.2.2
spanning multiple lines 3.6.10
substrings of 3.6.3
using "..." for 3.1
strip method
of String 3.6.7
stripLeading/Trailing methods (String) 3.6.7
Strongly typed languages 3.3, 6.1.1
Subclasses 5.1
adding fields/methods to 5.1.2
anonymous 6.3.6, 8.1.1
cloning 6.1.9
comparing objects from 6.1.1
constructors for 5.1.3
defining 5.1.1
forbidding 5.8
inheriting annotations 11.3
method visibility in 5.1.6
no access to private fields of superclass 5.1.10
non-sealed 5.8
overriding superclass methods in 5.1.2
subList method (List) 9.5.3, 9.5.8
subMap method
of NavigableMap 9.5.8
of SortedMap 9.5.3, 9.5.8
submit method
of ExecutorCompletionService 10.4.3
of ExecutorService 10.4.2
Subranges 9.5.3
subSet method
of NavigableSet 9.5.3, 9.5.8
of SortedSet 9.5.3, 9.5.8
Substitution principle 5.1.5
substring method
of String 3.6.3, 3.6.7, 9.5.3
subtract method
of BigDecimal 3.9
of BigInteger 3.9
subtractExact method 3.5.2
Subtraction 3.5.1
sum method
of LongAdder 10.5.11
Sun Microsystems 1.1, 1.2.5, 1.4, 1.5
HotJava browser 1.4
super keyword 5.1.2, 8.7.2, Appendix
in method references 6.2.5
vs. this 5.1.2, 5.1.3
Superclass wins rule 6.1.6
Superclasses 5.1
accessing private fields of 5.1.2
annotating 11.1.4
common fields and methods in 5.6, 5.11
overriding methods of 5.2.3
throws specifiers in 7.1.2, 7.2.1
Supertype bounds 8.7.2
Supplier interface 6.2.8
supportsNormalTermination method 10.8.3
@SuppressWarnings annotation 3.8.5, 5.3.3, 8.5.4, 8.8.4, 8.8.10, 11.3, 11.3.1, 11.3.2
Surrogates area (Unicode) 3.3.4
suspend method
of Thread (deprecated) 10.2.4
swap method
of Collections 9.6.4
Swing 10.7.3
SwingWorker class 10.7.3

doInBackground method 10.7.3
execute method 10.7.3
getState method 10.7.3
process, publish methods 10.7.3
switch keyword 3.5.9, 3.8.5, Appendix
enumerated constants in 3.5.9
throwing exceptions in 3.8.5
value of 3.5.9
with fallthrough 3.8.5
with pattern matching 5.8
Synchronization 10.5
condition objects for 10.5.4
final fields and 10.5.10
in Vector 9.3.2
lock objects for 10.5.3
monitor concept for 10.5.8
race conditions in 10.5.1, 10.5.2, 10.5.11
volatile fields and 10.5.9
Synchronization wrappers 10.6.8
synchronized keyword 10.5.3, 10.5.6, 10.5.8, Appendix
Synchronized blocks 10.5.7
Synchronized views 9.5.7
synchronizedCollection methods (Collections) 9.5.7, 9.5.8, 10.6.8
System class
console method 3.7.1
exit method 3.1
getLogger method 7.5.2, 7.5.3
getProperties method 9.7.4
getProperty method 3.7.3, 9.7.4
identityHashCode method 9.4.7
runFinalizersOnExit method 4.6.8
setOut method 4.4.2
setProperty method 7.5.4
System.err 7.5.5, 7.6
System.in 3.7.1
System.Logger interface 7.5.2
getName method 7.5.7
isLoggable method 7.5.7
log method 7.5.2, 7.5.7
System.Logger.Level enumeration 7.5.3
System.out 3.1, 4.4.2, 7.5, 7.6
print method 3.7.2
printf method 3.7.2, 5.5
println method 3.7.1

T

T, t conversion characters 3.7.2
Tab completion 2.4
Tabs, in text blocks 3.6.10
Tagging interfaces 6.1.9, 8.5.1, 9.2
tailMap method
of NavigableMap 9.5.8
of SortedMap 9.5.3, 9.5.8
tailSet method
of NavigableSet 9.5.3, 9.5.8
of SortedSet 9.5.3, 9.5.8
take method
of BlockingQueue 10.6.1
of ExecutorCompletionService 10.4.3
takeFirst/Last methods (BlockingDeque) 10.6.1
tan method
of Math 3.5.2
tar command 4.9.1
@Target annotation 11.2, 11.3
Tasks
asynchronously running 10.4.1
controlling groups of 10.4.3
decoupling from mechanism of running 10.1
long-running 10.7.3
multiple 10
work stealing for 10.4.5
Template code bloat 8.5.1
Terminal window 2.2
@Test annotation 11.1, 11.2
Text blocks 3.6.10
thenAccept, thenAcceptBoth, thenCombine methods (CompletableFuture) 10.7.2
thenApply, thenApplyAsync methods (CompletableFuture) 10.7.2
thenComparing method 6.2.9
thenCompose method 10.7.2
thenRun method 10.7.2
this keyword 4.3.7, 4.6.5, Appendix
annotating 11.1.5
in first statement of constructor 4.6.6
in inner classes 6.3.2
in lambda expressions 6.2.7
in method references 6.2.5
vs. super 5.1.2, 5.1.3

Thread class 10.1, 10.2.2, 10.2.4, 10.3.2, 10.3.3, 10.3.5, 10.3.6
currentThread method 10.3.2
extending 10.1
get/setUncaughtExceptionHandler methods 10.3.5
getDefaultUncaughtExceptionHandler method 10.3.5
getState method 10.2.4
interrupt, isInterrupted methods 10.3.2
interrupted method 10.3.2
join method 10.2.3, 10.2.4
methods with timeout 10.2.3
resume method 10.2.4
run method 10.1
setDaemon method 10.3.3
setDefaultUncaughtExceptionHandler method 7.6, 10.3.5
setPriority method 10.3.6
sleep method 10.1, 10.3.2
start method 10.1, 10.2.2
stop method (deprecated) 10.2.4, 10.3.2
suspend method (deprecated) 10.2.4
yield method 10.2.2
Thread dump 10.5.5
Thread groups 10.3.5
Thread pools 10.4.2
Thread-safe collections 10.6
callables and futures 10.4.1
concurrent 10.6.2
copy on write arrays 10.6.6
synchronization wrappers 10.6.8
Thread.UncaughtExceptionHandler interface 10.3.5
uncaughtException method 10.3.5
ThreadGroup class 10.3.5
uncaughtException method 10.3.5
ThreadLocal class 10.4.4
ThreadLocal class, methods of 10.4.4
ThreadLocalRandom class, current method 10.5.14
ThreadPoolExecutor class 10.4.2
Threads
accessing collections from 9.5.7, 10.6
blocked 10.2.3, 10.3.2
condition objects for 10.5.4
daemon 10.3.3
executing code in 6.2.8
idle 10.4.5
interrupting 10.3.2
listing all 10.5.5
locking 10.5.7
new 10.2.1
preemptive vs. cooperative scheduling for 10.2.2
priorities of 10.3.6
producer/customer 10.6.1
runnable 10.2.2
states of 10.2
synchronizing 10.5
terminated 10.1, 10.2.4, 10.3.2
thread-local variables in 10.5.14
timed waiting 10.2.3
unblocking 10.5.4
uncaught exceptions in 10.3.5
vs. processes 10
waiting 10.2.3, 10.5.4
work stealing for 10.4.5
worker 10.7.3
throw keyword 7.1.3, Appendix
Throwable class 7.1.1, 7.3
add/getSuppressed methods 7.2.5, 7.2.6
get/initCause methods 7.2.6
getMessage method 7.1.4
getStackTrace method 7.2.6
printStackTrace method 5.10.1, 7.2.6, 7.6
toString method 7.1.4
throws keyword 4.10.3, 5.10.2, 7.1.2, Appendix
for main method 3.7.3
Time measurement vs. calendars 4.2.2
Timed waiting threads 10.2.3
TimeoutException class 10.4.1, 10.7.2
Timer class 6.1.7, 6.2.1
start, stop methods 6.1.7
to keyword Appendix
toArray method
of ArrayList 8.8.7
of Collection 5.3.2, 9.1.4, 9.6.6
of Stream 6.2.6
toHandle method 10.8.3
toLowerCase method 3.6.7
Toolkit class
beep method 6.1.7
getDefaultToolkit method 6.1.7

toString method
adding to all classes 5.2.5
Formattable and 3.7.2
of Annotation 11.2
of Arrays 3.10.3, 3.10.6
of Date 4.2.1
of Enum 5.7
of Integer 5.4
of Modifier 5.10.4
of Object 5.2.5, 6.1.6
of proxy classes 6.5.3
of records 4.7.1, 5.2.5
of StackFrame 7.2.6
of StackTraceElement 7.2.6
of StringBuilder 3.6.9
of Throwable 7.1.4
redeclaring 6.2.3
working with any class 5.10.5
Total ordering 9.3.4
totalCpuDuration method
of ProcessHandle.Info 10.8.3
toUnsignedInt method 3.3.1
toUpperCase method 3.6.7
TraceHandler 6.5.2
TransferQueue interface 10.6.1
transfer, tryTransfer methods 10.6.1
transform method 6.2.8
of String 6.2.8
transient keyword Appendix
transitive keyword 12.11, Appendix
Tree maps 9.4.1
Tree sets 9.3.4
red-black 9.3.4
total ordering of 9.3.4
vs. priority queues 9.3.6
TreeMap class 9.2, 9.4.1
as a concrete collection type 9.3
vs. HashMap 9.4.1
TreeSet class 9.2, 9.3.4
as a concrete collection type 9.3
Trigonometric functions 3.5.2
trim method
of String 3.6.7
trimToSize method 5.3.1
Troubleshooting. See Debugging
true literal Appendix
Truncated computations 3.5.1
try keyword Appendix
try-with-resources statement 7.2.5
effectively final variables in 7.2.5
no locks with 10.5.3
try/catch 7.2.1, 7.2.3
generics and 8.8.9
wrapping entire task in try block 7.3
try/finally 7.2.4
tryLock method 10.2.3
trySetAccessible method 5.10.5
Two-dimensional arrays 3.10.7, 3.10.8
type method 8.9.3
of ServiceLoader.Provider 6.4
Type bounds
annotating 11.1.4
Type erasure 8.5.1, 8.8.1
clashes after 8.8.11
Type parameters 5.3
annotating 11.1.3
converting to raw types 8.6
not for arrays 8.6, 8.8.3
not instantiated with primitive types 8.8.1
vs. inheritance 8.1
Type variables
bounds for 8.4
common names of 8.2
in exceptions 8.8.9
in static fields or methods 8.8.8
matching in generic methods 8.9.2
no instantiating for 8.8.6
replacing with bound types 8.5.1
TypeElement interface 11.5.2
Types. See Data types
TypeVariable interface 8.9.3
getBounds, getName methods 8.9.4

U

UCSD Pascal system 1.2.6
UML (Unified Modeling Language) notation 4.1.4
UnaryOperator interface 6.2.8
uncaughtException method 10.3.5
Unchecked exceptions 5.10.2, 7.1.1, 7.1.2
applicability of 7.3
Unequality operator 3.5.7

Unicode 1.2.7, 3.3.3, 3.3.4, 3.6
Unit testing 4.4.5
Unit tests 11
University of Illinois 1.4
UNIX 4.8.6, 4.8.7
unlock method
of Lock 10.5.3
Unmodifiable copies 9.5.2, 9.5.8
Unmodifiable views 9.5.2
unmodifiableCollection methods (Collections) 9.5.2, 9.5.8
Unnamed modules 5.10.5
Unnamed packages 4.8.4, 4.8.5, 4.10.10, 7.4.2
UnsupportedOperationException class 9.4.3, 9.5.1, 9.5.2, 9.5.8
updateAndGet method 10.5.11
user method
of ProcessHandle.Info 10.8.3
User input 7.1
User Interface. See Graphical User Interface
User-defined types 5.4
uses keyword 12.13, Appendix
UTC (Coordinated Universal Time) 4.2.2
UTF-8 3.7.3
Utility classes/methods 6.1.4, 6.1.5

V

valueOf method
of BigInteger 3.9
of Enum 5.7
of Integer 5.4
values method
of Map 9.4.3
var keyword 4.3.5, 6.2.2, 6.3.6, Appendix
diamond syntax and 5.3.1
Varargs methods 5.5
passing generic types to 8.8.4
Varargs parameters
safety of 11.3, 11.3.1
VarHandle class 5.10.5, 12.7
Variable handles 5.10.5, 12.7
VariableElement interface 11.5.2
Variables 3.4.1
accessing
from outer methods 6.3.5
in lambda expressions 6.2.7
annotating 8.5.4
copying 6.1.9
declarations of 3.4.1, 5.1.9
deprecated 11.3, 11.3.1
effectively final 6.2.7, 7.2.5
initializing 3.4.2, 4.11
local 4.3.5, 5.1.9, 8.5.4
mutating in lambda expressions 6.2.7
names of 3.4.1
package scope of 4.8.5
printing/logging values of 7.6
static 4.4.2
thread-local 10.5.14
Vector class 9.1, 9.7, 9.7.2, 10.5.7, 10.6.8
for dynamic arrays 5.3.1
get, set methods 10.5.7
synchronization in 9.3.2
@version annotation 4.10.8, 4.10.10
Views 9.5
bulk operations for 9.6.5
checked 9.5.6
restricted 9.5.8
subranges of 9.5.3
synchronized 9.5.7
unmodifiable 9.5.2
Visual Basic
built-in date type in 4.2.1
syntax of 1.2.1
Visual Studio 2.2
void keyword 3.1, Appendix
volatile keyword 10.5.9, 10.5.11, Appendix
Volatile fields 10.5.9
von der Ahé, Peter 8.3

W

wait method
of Object 10.2.3, 10.5.6
Wait sets 10.5.4
waitFor method 10.8.2, 10.8.3
walk method
of StackWalker 7.2.6
Warning messages 11.3
Warning messages, suppressing 11.3.1
Warnings
fallthrough behavior and 3.8.5
generic 5.3.3, 8.5.4, 8.8.4, 8.8.10

suppressing 8.8.4, 8.8.10
when using reflection 5.10.5
Weak hash maps 9.4.4
Weak references 9.4.4
WeakHashMap class 9.4.4, 9.4.7
as a concrete collection type 9.3
Weakly consistent iterators 10.6.2
WeakReference class 9.4.4
Web pages
dynamic 1.3
extracting links from 10.7.2
reading 10.7.3
whenComplete method 10.7.2
while keyword 3.8.3, Appendix
Whitespace
escape sequence for 3.3.3, 3.6.10
in text blocks 3.6.10
irrelevant to compiler 3.1
leading/trailing 3.6.7, 3.6.10
Wildcard types 8.1.2, 8.7
annotating 11.1.4
arrays of 8.8.3
capturing 8.7.4
supertype bounds for 8.7.2
unbounded 8.7.3
WildcardType interface 8.9.3
getLowerBounds, getUpperBounds methods 8.9.4
Windows operating system
executing JARs in 4.9.3
IDEs for 2.3
JDK in 2.1
paths in 4.8.6, 4.8.7
thread priority levels in 10.3.6
Windows. See Dialogs
Wirth, Niklaus 1.2.6, 1.4, 4.1
with keyword Appendix
withInitial method 10.5.14
Work stealing 10.4.5
Worker threads 10.7.3
Working directory, for a process 10.8.1
Wrappers 5.4
class constructors for 5.4
equality testing for 5.4
immutability of 5.4
locks and 5.4, 10.5.7

X

X, x conversion characters 3.7.2
XML 1.4, 1.5
XML descriptors, generating 11.5.3
XML/JSON binding 12.7
xor method (BitSet) 9.7.6

Y

Yasson 12.7
yield keyword 3.8.5, Appendix
yield method (Thread) 10.2.2

Z

ZIP archives
for JMOD files 12.14
ZIP format 4.8.6, 4.9

Previous chapter

< Appendix