Index

Symbols

3FS (distributed filesystem), Distributed Filesystems

A

aborts (transactions), Transactions, Atomicity
- cascading, No dirty reads
- in two-phase commit, Two-Phase Commit
- performance of optimistic concurrency control, Performance of serializable snapshot isolation
- retrying aborted transactions, Handling errors and aborts

abstraction, Layering of cloud services, Simplicity: Managing Complexity, Data Models and Query Languages, Summary
accidental complexity, Simplicity: Managing Complexity
accountability, Responsibility and Accountability
accounting (financial data), Summary, Advantages of immutable events
Accumulo (database), Data locality for reads and writes, Column compression
ACID properties (transactions), The Meaning of ACID
- atomicity, Atomicity, Single-Object and Multi-Object Operations
- consistency, Consistency, Maintaining integrity in the face of software bugs
- durability, Making B-trees reliable, Durability
- isolation, Isolation, Single-Object and Multi-Object Operations

acknowledgments (messaging), Acknowledgments and redelivery
active/active replication (see multi-leader replication)
active/passive replication (see leader-based replication)
ActiveMQ (messaging), Message brokers, XA transactions, Message brokers compared to databases
ActiveRecord (object-relational mapper), Object-relational mapping, Handling errors and aborts
activity (workflows) (see workflow engines)
actor model, Distributed actor frameworks, Event-driven architectures and RPC
- (see also event-driven architecture)

ad hoc queries, Analytics
adaptive capacity, Skewed Workloads and Relieving Hot Spots
adjacency list/matrix, Graph-Like Data Models
admission control, Combining circuit switching and packet switching
Advanced Message Queuing Protocol (AMQP), Message brokers compared to databases
  – (see also messaging systems)
  – comparison to log-based messaging, Logs compared to traditional messaging, Replaying old messages
  – message ordering, Acknowledgments and redelivery
aerospace systems, Uses of Byzantine fault tolerance
Aerospike (database), Single-object writes
AGE (graph database), The Cypher Query Language
aggregation
  – data cubes and materialized views, Materialized Views and Data Cubes
  – in batch processes, Sorting Versus In-Memory Aggregation
  – in stream processes, Stream analytics
aggregation pipeline (MongoDB), Normalization, Denormalization, and Joins, Query languages for documents
Agile, Evolvability: Making Change Easy
  – minimizing irreversibility, Batch Processing, Reprocessing data for application evolution
  – moving faster with confidence, The end-to-end argument again
agreement, Single-value consensus, Atomic commitment as consensus
  – (see also consensus)
AI (artificial intelligence), Vector Embeddings
  – (see also machine learning)
AI Act (European Union), Data Systems, Law, and Society
AirByte (data connector), Data Warehousing
Airflow (workflow scheduler), Durable Execution and Workflows, Batch Processing, Scheduling workflows
  – cloud data warehouse integration, Query Languages
  – use for ETL, Extract–Transform–Load
Akamai response time study, Average, Median, and Percentiles
Akka (actor framework), Distributed actor frameworks
algorithms
  – algorithm correctness, Defining the correctness of an algorithm
  – B-trees, B-Trees-Using B-tree variants
  – for distributed systems, System Model and Reality
  – mergesort, Constructing and merging SSTables, Shuffling Data

– scheduling, Resource allocation
– SSTables and LSM-trees, The SSTable file format-Compaction strategies
all-to-all replication topologies, Multi-leader replication topologies
AllegroGraph (database), Graph-Like Data Models, The SPARQL query language
ALTER TABLE statement (SQL), Schema flexibility in the document model
Amazon
– Dynamo (see Dynamo (database))
– response time study, Average, Median, and Percentiles
Amazon EBS (virtual block device), Separation of storage and compute, Setting Up New Followers
Amazon Kinesis (messaging), Cloud Data Warehouses
Amazon Neptune (graph database), Graph-Like Data Models
– Cypher query language, The Cypher Query Language
– SPARQL query language, The SPARQL query language
Amazon S3 (object storage), Layering of cloud services, Setting Up New Followers, Batch Processing, Distributed Filesystems, Object Stores
– checking data integrity, Don't just blindly trust what they promise
– conditional writes, Fencing off zombies and delayed requests
– object size, Separation of storage and compute
– S3 Express One Zone, Object Stores, Object Stores
– use in MapReduce, MapReduce
Amazon Web Services (AWS)
– Amazon EBS, Separation of storage and compute, Setting Up New Followers
– Amazon Kinesis, Cloud Data Warehouses
– Amazon Neptune, Graph-Like Data Models, The Cypher Query Language, The SPARQL query language
– Amazon S3 (see Amazon S3 (object storage))
– Aurora, Cloud Native System Architecture
– ClockBound, Clock readings with a confidence interval, Synchronized clocks for global snapshots
– correctness testing, Formal Methods and Randomized Testing
– DynamoDB (see DynamoDB (database))
– Kinesis (see Kinesis (messaging))
amplification
– of bias, Bias and Discrimination
– of failures, Maintaining derived state
– of tail latency, Use of Response Time Metrics, Local Secondary Indexes
– write amplification, Write amplification
AMQP (see Advanced Message Queuing Protocol (AMQP))
analytical systems, Operational Versus Analytical Systems

– as derived data systems, Systems of Record and Derived Data
– ETL from operational systems, Data Warehousing
– governance, Beyond the data lake
– operational systems compared with, Operational Versus Analytical Systems-Systems of Record and Derived Data
analytics, Operational Versus Analytical Systems-Systems of Record and Derived Data
– comparison to transaction processing, Characterizing Transaction Processing and Analytics
– data normalization, Trade-offs of normalization
– data warehousing (see data warehousing)
– predictive (see predictive analytics)
– relation to batch processing, Analytics-Analytics
– schemas for, Stars and Snowflakes: Schemas for Analytics-Stars and Snowflakes: Schemas for Analytics
– snapshot isolation for queries, Snapshot Isolation and Repeatable Read
– stream analytics, Stream analytics
analytics engineers/engineering, Operational Versus Analytical Systems
anti-entropy, Catching up on missed writes
Antithesis (deterministic simulation testing), Deterministic simulation testing
Apache Accumulo (see Accumulo)
Apache ActiveMQ (see ActiveMQ)
Apache Arrow (see Arrow (data format))
Apache Avro (see Avro)
Apache Beam (see Beam)
Apache BookKeeper (see BookKeeper)
Apache Cassandra (see Cassandra)
Apache Curator (see Curator)
Apache DataFusion (see DataFusion (query engine))
Apache Druid (see Druid (database))
Apache Flink (see Flink (processing framework))
Apache Giraph, Machine Learning
Apache HBase (see HBase)
Apache Hive (see Hive (data warehouse))
Apache Iceberg (see Iceberg (table format))
Apache Jena (see Jena)
Apache Kafka (see Kafka)
Apache Kinesis (messaging), Using logs for message storage
Apache Lucene (see Lucene)
Apache Oozie (see Oozie (workflow scheduler))

Apache ORC (see ORC (data format))
Apache Parquet (see Parquet (data format))
Apache Pig (query language), Query Languages
Apache Pinot (see Pinot (database))
Apache Pulsar (see Pulsar)
Apache Qpid (see Qpid)
Apache Samza (see Samza)
Apache Solr (see Solr)
Apache Spark (see Spark (processing framework))
Apache Storm (see Storm)
Apache Superset (see Superset (data visualization software))
Apache Thrift (see Thrift)
Apache Tinkerpop Gremlin, Query Languages
Apache ZooKeeper (see ZooKeeper)
Apama (stream analytics), Complex event processing
APIs (see application programming interfaces (APIs))
append-only files (see logs)
append-only log, The Many Faces of Consensus
application programming interfaces (APIs), Data Models and Query Languages
  - for change streams, API support for change streams
  - for distributed transactions, XA transactions
  - for services, Dataflow Through Services: REST and RPC-Data encoding and evolution for RPC
    - (see also services)
    - evolvability, Data encoding and evolution for RPC
    - RESTful, Web services
application state (see state)
approximate search (see similarity search)
archival storage, data from databases, Archival storage
arcs (see edges)
ArcticDB (database), DataFrames, Matrices, and Arrays
arithmetic mean, Average, Median, and Percentiles
arrays
  - array databases, DataFrames, Matrices, and Arrays
  - multidimensional, DataFrames, Matrices, and Arrays
Arrow (data format), Column-Oriented Storage, DataFrames
artificial intelligence (AI), Vector Embeddings
  - (see also machine learning)
ASCII text, Protocol Buffers
ASN.1 (schema language), The Merits of Schemas

associative table, Many-to-One and Many-to-Many Relationships, Property Graphs
asynchronous communication, Event-Driven Architectures
asynchronous networks, Unreliable Networks, Glossary
  – comparison to synchronous networks, Synchronous Versus Asynchronous Networks
  – system model, System Model and Reality
asynchronous replication, Synchronous Versus Asynchronous Replication, Glossary
  – data loss on failover, Leader failure: Failover
  – reads from asynchronous follower, Problems with Replication Lag
  – with multiple leaders, Multi-Leader Replication
Asynchronous Transfer Mode (ATM), Combining circuit switching and packet switching
atomic broadcast, Shared logs as consensus
atomic clocks, Clock readings with a confidence interval, Synchronized clocks for global snapshots
  – (see also clocks)
atomicity (concurrency), Glossary
  – atomic increment, Single-object writes
  – compare-and-set (CAS), Conditional writes (compare-and-set), What Makes a System Linearizable?
    – (see also compare-and-set (CAS))
  – denormalized data, Trade-offs of normalization
  – fetch-and-add/increment, ID Generators and Logical Clocks, Consensus, Fetch-and-add as consensus
  – write operations, Atomic write operations
atomicity (transactions), Atomicity, Single-Object and Multi-Object Operations, Glossary
  – atomic commit, The Many Faces of Consensus
    – avoiding, Multishard request processing, Coordination-avoiding data systems
    – blocking and nonblocking, Three-phase commit
    – in stream processing, Exactly-once message processing, Exactly-Once Message Processing Revisited, Atomic commit revisited
    – maintaining derived data, Keeping Systems in Sync
  – distributed transactions, Distributed Transactions-Exactly-Once Message Processing Revisited
  – for multi-object transactions, Single-Object and Multi-Object Operations
  – for single-object writes, Single-object writes
  – relation to consensus, Atomic commitment as consensus
auditability, Trust, but Verify-Tools for auditable data systems

– designing for, Designing for auditability
– self-auditing systems, Don't just blindly trust what they promise
– through immutability, Advantages of immutable events
– tools for auditable data systems, Tools for auditable data systems
Aurora (cloud database), Cloud Native System Architecture
Aurora DSQL (database), Snapshot Isolation and Repeatable Read
auto-scaling, Operations: Automatic Versus Manual Rebalancing
Automerge (sync engine), Pros and cons of sync engines
availability, Reliability and Fault Tolerance
– (see also fault tolerance)
– in CAP theorem, The CAP theorem
– in leader election, Subtleties of consensus
– in service level agreements (SLAs), Use of Response Time Metrics
availability zones, Tolerating hardware faults through redundancy, Reading your own writes
Avro (data format), From data warehouse to data lake, Avro-Dynamically generated schemas
– dynamically generated schemas, Dynamically generated schemas
– object container files, But what is the writer's schema?, Archival storage
– reader determining writer's schema, But what is the writer's schema?
– schema evolution, The writer's schema and the reader's schema
– use in batch processing, MapReduce
awk (Unix tool), Simple Log Analysis, Simple Log Analysis, Distributed Job Orchestration
AWS (Amazon Web Services) (see Amazon Web Services (AWS))
Axon Framework, Event Sourcing and CQRS
Azkaban (workflow scheduler), Batch Processing
Azure Blob Storage (object storage), Layering of cloud services, Setting Up New Followers, Fencing off zombies and delayed requests
Azure Cosmos DB, Conflict-free replicated datatypes and operational transformation
Azure managed disks, Separation of storage and compute
Azure SQL DB (database), Cloud Native System Architecture
Azure Storage, Object Stores
Azure Synapse Analytics (database), Cloud Native System Architecture
Azure Virtual Machines, Handling faults

B

B-trees (indexes), Storage and Retrieval, B-Trees-Using B-tree variants

- B+ trees, Using B-tree variants
- branching factor, B-Trees
- comparison to LSM-trees, Comparing B-Trees and LSM-Trees-Disk space usage
- crash recovery, Making B-trees reliable
- growing by splitting a page, B-Trees
- immutable variants, Using B-tree variants, Indexes and snapshot isolation
- similarity to shard splitting, Rebalancing key-range sharded data
- variants, Using B-tree variants

B2 (object storage), Distributed Filesystems

Backblaze B2 (see B2 (object storage))

backend, Trade-Offs in Data Systems Architecture

backoff, exponential, Describing Performance, Handling errors and aborts

backpressure, Describing Performance, Read performance, Messaging Systems, Glossary

- in batch processing, Scheduling workflows
- in TCP, The Limitations of TCP

backups

- database snapshot for replication, Setting Up New Followers
- in multitenant systems, Sharding for Multitenancy
- integrity of, Don't just blindly trust what they promise
- snapshot isolation for, Snapshot Isolation and Repeatable Read
- using object storage, Setting Up New Followers
- versus replication, Replication

backward compatibility, Encoding and Evolution

BadgerDB (database), Serializable Snapshot Isolation

bash shell (Unix), Storage and Indexing for OLTP

Basically Available, Soft state, and Eventual consistency (BASE), contrast to ACID, The Meaning of ACID

batch processing, Batch Processing-Summary, Glossary

- and functional programming, MapReduce
- benefits of, Batch Processing
- combining with stream processing, Unifying batch and stream processing
- comparison to stream processing, Processing Streams
- dataflow engines, Dataflow Engines-Dataflow Engines
- fault tolerance, Handling faults, Messaging Systems
- for data integration, Batch and Stream Processing-Unifying batch and stream processing
- graphs and iterative processing, Machine Learning
- high-level APIs and languages, Query Languages-Query Languages
- in cloud data warehouses, Query Languages

- in distributed systems, Batch Processing in Distributed Systems
- join and group by, Joins and Grouping-Joins and Grouping
- limitations, Batch Processing
- log-based messaging and, Replaying old messages
- maintaining derived state, Maintaining derived state
- measuring performance, Batch Processing
- models of, Batch Processing Models
- resource allocation, Resource allocation-Resource allocation
- resource managers, Distributed Job Orchestration
- schedulers, Distributed Job Orchestration
- serving derived data, Serving Derived Data-Serving Derived Data
- shuffling data, Shuffling Data-Shuffling Data
- task execution, Distributed Job Orchestration
- use cases, Batch Use Cases-Serving Derived Data
- using Unix tools (example), Batch Processing with Unix Tools-Sorting Versus In-Memory Aggregation

batch processing frameworks, comparison to operating systems, Batch Processing in Distributed Systems

Beam (dataflow library), Stream analytics, Unifying batch and stream processing

BERT (language model), Vector Embeddings

BGP (Border Gateway Protocol), Combining circuit switching and packet switching

BI (business intelligence), Operational Versus Analytical Systems

bias, Bias and Discrimination

bidirectional replication (see multi-leader replication)

big ball of mud, Simplicity: Managing Complexity

big data, versus data minimization, Data Systems, Law, and Society, Legislation and Self-Regulation

BigQuery (database), Cloud Native System Architecture, Cloud Data Warehouses, Batch Processing

- DataFrames, Query Languages
- sharding and clustering, Sharding by hash range
- shuffling data, Shuffling Data
- snapshot isolation support, Snapshot Isolation and Repeatable Read

Bigtable (database)

- sharding scheme, Sharding by Key Range
- storage layout, Constructing and merging SSTables
- wide-column data model, Data locality for reads and writes, Column compression

binary data encodings, Binary encodings-The Merits of Schemas

- Avro, Avro-Dynamically generated schemas

– MessagePack, Binary encodings-Binary encodings
– Protocol Buffers, Protocol Buffers-Field tags and schema evolution
binary strings, lack of support in JSON and XML, JSON, XML, and Binary Variants
binlog (MySQL), Setting Up New Followers, Logical (row-based) log replication
Bitcoin (cryptocurrency), Tools for auditable data systems
– Byzantine fault tolerance, Uses of Byzantine fault tolerance
– concurrency bugs in exchanges, Weak Isolation Levels
bitmap indexes, Column compression
BitTorrent uTP protocol, The Limitations of TCP
Bkd-trees (indexes), Multidimensional and Full-Text Indexes
blameless postmortems, Humans and Reliability
Blazegraph (database), Graph-Like Data Models, The SPARQL query language
blob storage (see object storage)
block (filesystem), Distributed Filesystems
block device (disk), Separation of storage and compute
blockchains, Summary, Uses of Byzantine fault tolerance, Consensus, Tools for auditable data systems
blocking atomic commit, Three-phase commit
Bloom filter (algorithm), Bloom filters, Read performance, Stream analytics
BookKeeper (replicated log), Allocating work to nodes
Border Gateway Protocol (BGP), Combining circuit switching and packet switching
bounded datasets, Summary, Glossary
– (see also batch processing)
bounded delays, Glossary
– in networks, Synchronous Versus Asynchronous Networks
– process pauses, Provididng response time guarantees
BPEL (Business Process Execution Language), Durable Execution and Workflows
BPMN (Business Process Model and Notation), Durable Execution and Workflows, Durable Execution and Workflows
broadcast (see shared logs)
brokerless messaging, Direct messaging from producers to consumers
BSP (bulk synchronous parallel), Machine Learning
BTM (transaction coordinator), Two-Phase Commit
Bufstream (messaging), Disk space usage
build or buy, Cloud Versus Self-Hosting
bulk synchronous parallel (BSP), Machine Learning
bursty network traffic patterns, Can we not simply make network delays predictable?
business analyst, Operational Versus Analytical Systems, From data warehouse to data lake

business data processing, Characterizing Transaction Processing and Analytics
business intelligence (BI), Operational Versus Analytical Systems
Business Process Execution Language (BPEL), Durable Execution and Workflows
Business Process Model and Notation (BPMN), Durable Execution and Workflows
  - example, Durable Execution and Workflows
byte sequence, encoding data in, Formats for Encoding Data
Byzantine faults, Byzantine Faults-Weak forms of lying, System Model and Reality, Glossary
  - Byzantine fault-tolerant systems, Uses of Byzantine fault tolerance
  - Byzantine Generals Problem, Byzantine Faults
  - consensus algorithms and, Consensus, Tools for auditable data systems

C

caches, Keeping Everything in Memory, Glossary
  - and materialized views, Materialized Views and Data Cubes
  - as derived data, Systems of Record and Derived Data, Composing Data Storage Technologies-Unbundled versus integrated systems
  - in CPUs, Query Execution: Compilation and Vectorization, Linearizability and network delays
  - invalidation and maintenance, Keeping Systems in Sync, Maintaining materialized views
  - linearizability, Linearizability
  - local disks in the cloud, Separation of storage and compute
calendar sync, Sync Engines and Local-First Software, Pros and cons of sync engines
California Consumer Privacy Act (CCPA), Data Systems, Law, and Society
Camunda (workflow engine), Durable Execution and Workflows
canonical version (of data), Systems of Record and Derived Data
CAP theorem, The CAP theorem-The CAP theorem, Glossary
capacity planning, Operations in the Cloud Era
Cap'n Proto (data format), Formats for Encoding Data
carbon emissions, Distributed Versus Single-Node Systems
CAS (see compare-and-set (CAS))
cascading aborts, No dirty reads
cascading failures, Software faults, Operations: Automatic Versus Manual Rebalancing, Timeouts and Unbounded Delays
Cassandra (database)
  - change data capture, Implementing CDC, API support for change streams
  - compaction strategy, Compaction strategies

  - consistency level ANY, Single-Leader Versus Leaderless Replication Performance
  - hash-range sharding, Sharding by Hash of Key, Sharding by hash range
  - last-write-wins conflict resolution, Detecting Concurrent Writes
  - leaderless replication, Leaderless Replication
  - lightweight transactions, Single-object writes
  - linearizability, lack of, Implementing Linearizable Systems
  - log-structured storage, Constructing and merging SSTables
  - multi-region support, Multi-Region Operation
  - secondary indexes, Local Secondary Indexes
  - use of clocks, Understanding the limitations of quorum consistency
  - vnodes (sharding), Sharding

cat (Unix tool), Simple Log Analysis

catalog, Cloud Data Warehouses

causal context, Version vectors
  - (see also causal dependencies)

causal dependencies, The happens-before relation and concurrency-Version vectors
  - capturing, Version vectors, The limits of total ordering, Ordering events to capture causality, Reads are events too
  - in transactions, Decisions based on an outdated premise
  - sending message to friends (example), Ordering events to capture causality

causality, Glossary
  - causal ordering, Logical Clocks
  - consistency with, Logical Clocks-Enforcing constraints using logical clocks
  - happens-before relation, The happens-before relation and concurrency
  - in serializable transactions, Decisions based on an outdated premise-Detection of writes that affect prior reads
  - ordering events to capture, Ordering events to capture causality
  - violations of, Consistent prefix reads, Problems with different topologies, Timestamps for ordering events
  - with synchronized clocks, Synchronized clocks for global snapshots

CCPA (California Consumer Privacy Act), Data Systems, Law, and Society

CDC (see change data capture (CDC))

cell-based architecture, Sharding for Multitenancy

CEP (complex event processing), Complex event processing

CephFS (distributed filesystem), Batch Processing, Object Stores

certificate transparency, Tools for auditable data systems

cgroups, Distributed Job Orchestration

chain of commands, Chain of Commands Versus Custom Program

change data capture (CDC), Logical (row-based) log replication, Change Data Capture
  - API support for change streams, API support for change streams
  - comparison to event sourcing, CDC versus event sourcing
  - implementing, Implementing CDC
  - initial snapshot, Initial snapshot
  - log compaction, Log compaction
change stream, Single-Leader Replication
changelogs, State, Streams, and Immutability
  - change data capture, Change Data Capture
  - in stream joins, Stream–table join (stream enrichment)
  - log compaction, Log compaction
chaos engineering, Fault Tolerance, Fault injection
checkpointing
  - in high-performance computing, Cloud Computing Versus Supercomputing
  - in stream processors, Microbatching and checkpointing
circuit breaker (limiting retries), Describing Performance
circuit-switched networks, Synchronous Versus Asynchronous Networks
circular buffers, Disk space usage
circular replication topologies, Multi-leader replication topologies
Citus (database), Fixed number of shards
claiming a username (example), More examples of write skew
ClickHouse (database), Characterizing Transaction Processing and Analytics, Cloud Native System Architecture, Maintaining materialized views
clickstream data, analysis of, Joins and Grouping
clients
  - calling services, Dataflow Through Services: REST and RPC
  - offline-capable, Sync Engines and Local-First Software, Stateful, offline-capable clients
  - pushing state changes to, Pushing state changes to clients
  - request routing, Request Routing
ClockBound (time sync), Clock readings with a confidence interval, Synchronized clocks for global snapshots
clocks, Unreliable Clocks-Limiting the impact of garbage collection
  - atomic clocks, Clock readings with a confidence interval, Synchronized clocks for global snapshots
  - confidence interval, Clock readings with a confidence interval-Synchronized clocks for global snapshots
  - for global snapshots, Synchronized clocks for global snapshots
  - hybrid logical clocks, Hybrid logical clocks

- logical (see logical clocks)
- skew, Relying on Synchronized Clocks-Clock readings with a confidence interval, Implementing Linearizable Systems
- slewing, Monotonic clocks
- synchronization and accuracy, Clock Synchronization and Accuracy-Clock Synchronization and Accuracy
- synchronization using GPS, Unreliable Clocks, Clock Synchronization and Accuracy, Clock readings with a confidence interval, Synchronized clocks for global snapshots
- time-of-day versus monotonic clocks, Monotonic Versus Time-of-Day Clocks
- timestamping events, Whose clock are you using, anyway?

cloud native, Cloud Native System Architecture-Operations in the Cloud Era

cloud services, Cloud Versus Self-Hosting-Cloud Computing Versus Supercomputing

- availability zones, Tolerating hardware faults through redundancy, Reading your own writes
- data warehouses, Cloud Data Warehouses
- need for service discovery, Service discovery
- pros and cons, Pros and Cons of Cloud Services-Pros and Cons of Cloud Services
- quotas, Operations in the Cloud Era
- regions (see regions (geographic distribution))
- serverless, Microservices and Serverless
- shared resources, Variability of network delays
- versus supercomputing, Cloud Computing Versus Supercomputing

Cloudflare

- R2 (see R2 (object storage))

clustered indexes, Storing Values Within the Index

clustering (record ordering), Sharding by hash range

CMS (concurrent mark sweep), Limiting the impact of garbage collection

CockroachDB (database)

- consensus-based replication, Single-Leader Replication
- consistency model, What Makes a System Linearizable?
- key-range sharding, Sharding, Sharding by Key Range
- serializable transactions, Serializable Snapshot Isolation
- sharded secondary indexes, Global Secondary Indexes
- transactions, What Exactly Is a Transaction?, Database-Internal Distributed Transactions
- use of model-checking, Model checking and specification languages

code generation

  - for query execution, Query Execution: Compilation and Vectorization
  - with Protocol Buffers, Protocol Buffers

collaborative editing, Real-time collaboration, offline-first, and local-first apps

column families (Bigtable), Data locality for reads and writes, Column compression

column-oriented storage, Column-Oriented Storage-Query Execution: Compilation and Vectorization

  - column compression, Column compression
  - Parquet, Column-Oriented Storage, Archival storage
  - sort order in, Sort order in column storage-Sort order in column storage
  - vectorized processing, Query Execution: Compilation and Vectorization
  - versus wide-column model, Column compression
  - writing to, Writing to column-oriented storage

comma-separated values (CSV), Storage and Indexing for OLTP, JSON, XML, and Binary Variants

command query responsibility segregation (CQRS), Event Sourcing and CQRS-Event Sourcing and CQRS, Deriving several views from the same event log

commands (event sourcing), Event Sourcing and CQRS

commit point, A system of promises

commits (transactions), Transactions

  - atomic commit, Distributed Transactions-Exactly-Once Message Processing Revisited
    - (see also atomicity; transactions)
  - read-committed isolation, Read Committed
  - three-phase commit (3PC), Three-phase commit
  - two-phase commit (2PC), Two-Phase Commit-Coordinator failure

Common Object Request Broker Architecture (CORBA), The problems with remote procedure calls

commutative operations, Conflict resolution and replication

compaction

  - of changelogs, Log compaction
    - (see also logs, compaction)
  - of log-structured storage, Constructing and merging SSTables
    - issues with, Read performance
    - size-tiered and leveled approaches, Compaction strategies, Disk space usage

compare-and-set (CAS), Conditional writes (compare-and-set), What Makes a System Linearizable?

  - implementing locks, Coordination Services
  - implementing uniqueness constraints, Constraints and uniqueness guarantees
  - on object storage, Setting Up New Followers

  - relation to consensus, Implementing Linearizable Systems, Consensus, Compare-and-set as consensus
  - relation to fencing tokens, Fencing off zombies and delayed requests
  - relation to transactions, Single-object writes
compatibility, Modes of Dataflow
  - calling services, Data encoding and evolution for RPC
  - foward and backward, Encoding and Evolution
  - properties of encoding formats, Summary
  - using databases, Dataflow Through Databases-Archival storage
compensating transactions, Advantages of immutable events, Loosely interpreted constraints
compilation, Query Execution: Compilation and Vectorization
complex event processing (CEP), Complex event processing
complexity
  - distilling in theoretical models, Mapping system models to the real world
  - essential and accidental, Simplicity: Managing Complexity
  - hiding using abstraction, Data Models and Query Languages
  - managing, Simplicity: Managing Complexity
composing data systems (see unbundling databases)
compression, in SSTables, The SSTable file format
compute-intensive applications, Trade-Offs in Data Systems Architecture
computer games, Pros and cons of sync engines
concatenated indexes, Multidimensional and Full-Text Indexes
concurrency
  - actor programming model, Distributed actor frameworks, Event-driven architectures and RPC
    - (see also event-driven architecture)
  - bugs from weak transaction isolation, Weak Isolation Levels
  - conflict resolution, Dealing with Conflicting Writes-Types of conflict
  - definition, Dealing with Conflicting Writes
  - detecting concurrent writes, Detecting Concurrent Writes-Version vectors
  - dual writes, problems with, Keeping Systems in Sync
  - happens-before relation, The happens-before relation and concurrency
  - in replicated systems, Problems with Replication Lag-Version vectors, Linearizability-Linearizability and network delays
  - lost updates, Preventing Lost Updates
  - multiversion concurrency control (MVCC), Multiversion concurrency control, Synchronized clocks for global snapshots
  - optimistic concurrency control, Pessimistic versus optimistic concurrency control

- ordering of operations, What Makes a System Linearizable?
- reducing, through event logs, Concurrency control
- time and relativity, The happens-before relation and concurrency
- transaction isolation, Isolation
- write skew (transaction isolation), Write Skew and Phantoms-Materializing conflicts

concurrent mark sweep (CMS), Limiting the impact of garbage collection
conditional write, Conditional writes (compare-and-set)
- in transactions, Single-object writes
- on object storage, Setting Up New Followers

conference management system (example), Event Sourcing and CQRS
confidence interval, Clock readings with a confidence interval
conflict-free replicated datatypes (CRDTs), Conflict-free replicated datatypes and operational transformation
- for leaderless replication, Capturing the happens-before relationship
- preventing lost updates, Conflict resolution and replication

conflicts
- avoidance, Conflict avoidance
- causal dependencies, The happens-before relation and concurrency
- conflict detection
  - in distributed transactions, Problems with XA transactions
  - in log-based systems, Uniqueness constraints require consensus
  - in serializable snapshot isolation (SSI), Detection of writes that affect prior reads
  - in two-phase commit, A system of promises
- conflict resolution, Dealing with Conflicting Writes-Types of conflict
  - automatic, Automatic conflict resolution
  - by aborting transactions, Pessimistic versus optimistic concurrency control
  - by apologizing, Loosely interpreted constraints
  - in leaderless systems, Detecting Concurrent Writes
  - last write wins (LWW), Last write wins (discarding concurrent writes), Timestamps for ordering events
  - using atomic operations, Conflict resolution and replication
  - using CRDTs and OT, Conflict-free replicated datatypes and operational transformation
- determining what is a conflict, Types of conflict, Uniqueness in log-based messaging
- in leaderless replication, Detecting Concurrent Writes
- lost updates, Preventing Lost Updates-Conflict resolution and replication
- materializing, Materializing conflicts

- siblings, Manual conflict resolution, Capturing the happens-before relationship, Capturing the happens-before relationship
- write skew (transaction isolation), Write Skew and Phantoms-Materializing conflicts

Confluent
- Freight (messaging), Setting Up New Followers, Disk space usage
- schema registry, JSON Schema, But what is the writer's schema?

congestion (networks)
- avoidance, The Limitations of TCP
- limiting accuracy of clocks, Clock readings with a confidence interval
- queueing delays, Network congestion and queueing

consensus, Consensus-Summary, Glossary
- algorithms, Consensus, Consensus in Practice
- consensus numbers, Fetch-and-add as consensus
- coordination services, Coordination Services-Service discovery
- cost of, Pros and cons of consensus
- impossibility of, Consensus
- preventing split brain, From single-leader replication to consensus
- reconfiguration, Subtleties of consensus
- relation to atomic commitment, Atomic commitment as consensus
- relation to compare-and-set (CAS), Implementing Linearizable Systems, Compare-and-set as consensus
- relation to fetch-and-add, Fetch-and-add as consensus
- relation to replication, Using shared logs
- relation to shared logs, Shared logs as consensus
- relation to uniqueness constraints, Uniqueness constraints require consensus
- safety and liveness properties, Single-value consensus
- single-value consensus, Single-value consensus

consent (GDPR), Consent and Freedom of Choice

consistency, Consistency, Timeliness and Integrity
- across different databases, Leader failure: Failover, Keeping Systems in Sync, Deriving several views from the same event log, Derived data versus distributed transactions
- causal, Consistent prefix reads, Problems with different topologies, Ordering events to capture causality
- consistent prefix reads, Consistent prefix reads-Consistent prefix reads
- consistent snapshots, Setting Up New Followers, Snapshot Isolation and Repeatable Read-Snapshot isolation, repeatable read, and naming confusion, Synchronized clocks for global snapshots, Initial snapshot, Creating an index
  - (see also snapshots)

- crash recovery, Making B-trees reliable
- defined, Aiming for Correctness
- enforcing constraints (see constraints)
- eventual, Problems with Replication Lag
  - (see also eventual consistency)
- in ACID transactions, Consistency, Maintaining integrity in the face of software bugs
- in CAP theorem, The CAP theorem
- in leader election, Subtleties of consensus
- in microservices, Problems with Distributed Systems
- linearizability, Solutions for Replication Lag, Linearizability-Linearizability and network delays
- meanings of, Consistency
- monotonic reads, Monotonic reads
- of multi-leader replication, Geographically Distributed Operation
- of secondary indexes, The need for multi-object transactions, Indexes and snapshot isolation, Reasoning about dataflows, Creating an index
- read-after-write, Reading your own writes-Reading your own writes
- strong (see linearizability)
- timeliness and integrity, Timeliness and Integrity
- using quorums, Understanding the limitations of quorum consistency, Implementing Linearizable Systems

consistent hashing, Consistent hashing

consistent prefix reads, Consistent prefix reads

constraints (databases), Consistency, Characterizing write skew
- coordination avoidance, Coordination-avoiding data systems
- ensuring idempotence, Uniquely identifying requests
- in log-based systems, Enforcing Constraints-Multishard request processing
  - across multiple shards, Multishard request processing
- in two-phase commit, Distributed Transactions, A system of promises
- relation to consensus, Uniqueness constraints require consensus
- requiring linearizability, Constraints and uniqueness guarantees

Consul (coordination service), Coordination Services, Service discovery

consumers (message streams), Message brokers, Transmitting Event Streams
- backpressure, Messaging Systems
- consumer groups, Multiple consumers
- consumer offsets in logs, Consumer offsets
- failures, Consumer offsets
- fan-out, Materializing and Updating Timelines, Multiple consumers, Logs compared to traditional messaging

- load balancing, Multiple consumers, Logs compared to traditional messaging
- not keeping up with producers, Messaging Systems, Disk space usage, Making unbundling work

content models (JSON Schema), JSON Schema

contention
- between transactions, Handling errors and aborts
- blocking threads, Process Pauses
- performance of optimistic concurrency control, Pessimistic versus optimistic concurrency control
- under two-phase locking, Performance of 2PL

context switches, Latency and Response Time, Process Pauses

convergence (conflict resolution), Automatic conflict resolution-Conflict-free replicated datatypes and operational transformation

coordination
- avoidance, Coordination-avoiding data systems
- cross-datacenter, The limits of total ordering
- cross-region, Geographically Distributed Operation
- cross-shard ordering, Sharding, Synchronized clocks for global snapshots, Using shared logs, Multishard request processing
- routing requests to shards, Request Routing
- services, Locking and leader election, Coordination Services-Service discovery

coordinator (in 2PC), Two-Phase Commit
- failure, Coordinator failure
- in XA transactions, XA transactions-Problems with XA transactions
- recovery, Recovering from coordinator failure

copy-on-write (B-trees), Using B-tree variants, Indexes and snapshot isolation

CORBA (Common Object Request Broker Architecture), The problems with remote procedure calls

coronal mass ejection (see solar storm)

correctness
- auditability, Trust, but Verify-Tools for auditable data systems
- Byzantine fault tolerance, Uses of Byzantine fault tolerance
- dealing with partial failures, Faults and Partial Failures
- in log-based systems, Enforcing Constraints-Multishard request processing
- of algorithm within system model, Defining the correctness of an algorithm
- of derived data, Designing for auditability
- of immutable data, Advantages of immutable events
- of personal data, Responsibility and Accountability, Privacy and Use of Data
- of time, Problems with different topologies, Clock Synchronization and Accuracy-Synchronized clocks for global snapshots

  - of transactions, Consistency, Aiming for Correctness, Maintaining integrity in the face of software bugs
  - timeliness and integrity, Timeliness and Integrity-Coordination-avoiding data systems

corruption of data
  - detecting, The end-to-end argument, Don't just blindly trust what they promise-Tools for auditable data systems
  - due to pathological memory access, Hardware and Software Faults
  - due to radiation, Uses of Byzantine fault tolerance
  - due to split brain, Leader failure: Failover, Distributed Locks and Leases
  - due to weak transaction isolation, Weak Isolation Levels
  - integrity as absence of, Timeliness and Integrity
  - network packets, Weak forms of lying
  - on disks, Durability
  - preventing using write-ahead logs, Making B-trees reliable
  - recovering from, Batch Processing

cosine similarity (semantic search), Vector Embeddings

Couchbase (database)
  - document data model, Relational Versus Document Models
  - durability, Keeping Everything in Memory
  - hash sharding, Fixed number of shards
  - join support, Convergence of document and relational databases
  - rebalancing, Operations: Automatic Versus Manual Rebalancing
  - vBuckets (sharding), Sharding

CouchDB (database), Batch Processing
  - as sync engine, Pros and cons of sync engines
  - B-tree storage, Indexes and snapshot isolation
  - conflict resolution, Manual conflict resolution

coupling (loose and tight), Evolvability: Making Change Easy

covering indexes, Storing Values Within the Index

CozoDB (database), Datalog: Recursive Relational Queries

CPUs
  - cache coherence and memory barriers, Linearizability and network delays
  - caching and pipelining, Query Execution: Compilation and Vectorization
  - computing the wrong result, Hardware and Software Faults
  - SIMD instructions, Query Execution: Compilation and Vectorization

CQRS (command query responsibility segregation), Event Sourcing and CQRS-Event Sourcing and CQRS, Deriving several views from the same event log

crash-stop and crash-recovery faults, System Model and Reality

CRDTs (see conflict-free replicated datatypes)

CREATE INDEX statement (SQL), Multicolumn and Secondary Indexes, Creating an index
credit rating agencies, Responsibility and Accountability
crypto-shredding, Event Sourcing and CQRS, Limitations of immutability
cryptocurrencies, Summary
cryptography, The end-to-end argument
CSV (comma-separated values), Storage and Indexing for OLTP, JSON, XML, and Binary Variants
Curator (ZooKeeper recipes), Locking and leader election, Allocating work to nodes
Cypher (query language), Graph-Like Data Models, The Cypher Query Language, The SPARQL query language

D

Daft (processing framework)
  - DataFrames, DataFrames
  - shuffling data, Shuffling Data
DAG (see directed acyclic graphs (DAG))
Dagster (workflow scheduler), Durable Execution and Workflows, Batch Processing, Scheduling workflows, Query Languages
dashboard (business intelligence), Characterizing Transaction Processing and Analytics
Dask (processing framework), DataFrames, Matrices, and Arrays
data catalog, Cloud Data Warehouses
data connectors, Data Warehousing
data contracts, Extract–Transform–Load, CDC versus event sourcing
data corruption (see corruption of data)
data cubes, Materialized Views and Data Cubes
data engineers/engineering, Operational Versus Analytical Systems
data fabric, Extract–Transform–Load
data formats (see encoding)
data infrastructure, Trade-Offs in Data Systems Architecture
data integration, Data Integration-Unifying batch and stream processing
  - batch and stream processing, Batch and Stream Processing-Unifying batch and stream processing
    - maintaining derived state, Maintaining derived state
    - reprocessing data, Reprocessing data for application evolution
    - unifying, Unifying batch and stream processing
  - by unbundling databases, Unbundling Databases-Multishard data processing

- combining tools by deriving data, Combining Specialized Tools by Deriving Data-Ordering events to capture causality
  - derived data versus distributed transactions, Derived data versus distributed transactions
  - limits of total ordering, The limits of total ordering
  - ordering events to capture causality, Ordering events to capture causality
  - reasoning about dataflows, Reasoning about dataflows
- need for, Systems of Record and Derived Data
- using batch processing, Batch Processing, Extract–Transform–Load

data lake, From data warehouse to data lake, Analytics
data locality (see locality)
data mesh, Extract–Transform–Load
data minimization, Data Systems, Law, and Society, Legislation and Self-Regulation
data models, Data Models and Query Languages-Summary
- DataFrames and arrays, DataFrames, Matrices, and Arrays
- graph-like models, Graph-Like Data Models-GraphQL
  - Datalog language, Datalog: Recursive Relational Queries-Datalog: Recursive Relational Queries
  - property graphs, Property Graphs
  - RDF and triple stores, Triple Stores and SPARQL-The SPARQL query language
- relational model versus document model, Relational Versus Document Models-Convergence of document and relational databases
- supporting multiple, Event Sourcing and CQRS

data pipelines, From data warehouse to data lake, Systems of Record and Derived Data, Extract–Transform–Load
data protection regulations (see General Data Protection Regulation (GDPR))
data residence laws, Distributed Versus Single-Node Systems, Sharding for Multitenancy
data science/scientists, Operational Versus Analytical Systems, From data warehouse to data lake
data silo, Data Warehousing
data systems
- correctness, constraints, and integrity, Aiming for Correctness-Tools for auditable data systems
- data integration, Data Integration-Unifying batch and stream processing
- goals for using, Trade-Offs in Data Systems Architecture
- heterogeneous, keeping in sync, Keeping Systems in Sync
- maintainability, Maintainability-Evolvability: Making Change Easy
- possible faults in, Transactions

- reliability, Reliability and Fault Tolerance-Humans and Reliability
  - hardware faults, Hardware and Software Faults
  - human errors, Humans and Reliability
  - importance of, Humans and Reliability
  - software faults, Software faults
- scalability, Scalability-Principles for Scalability
- unbundling databases, Unbundling Databases-Multishard data processing
- unreliable clocks, Unreliable Clocks-Limiting the impact of garbage collection

data warehousing, Data Warehousing, Glossary
- cloud-based solutions, Cloud Data Warehouses
- ETL (extract-transform-load), Data Warehousing, Keeping Systems in Sync
- for batch processing, Batch Processing
- keeping data systems in sync, Keeping Systems in Sync
- schema design, Stars and Snowflakes: Schemas for Analytics
- sharding and clustering, Sharding by hash range
- slowly changing dimension (SCD), Time dependence of joins

data-intensive applications, Trade-Offs in Data Systems Architecture

database administrator (DBA), Operations in the Cloud Era

database-internal distributed transactions, Distributed Transactions Across Different Systems, Database-Internal Distributed Transactions

databases
- archival storage, Archival storage
- comparison with message brokers, Message brokers compared to databases
- dataflow through, Dataflow Through Databases
- end-to-end argument for, The end-to-end argument-Applying end-to-end thinking in data systems, The end-to-end argument again
- relation to event streams, Databases and Streams-Limitations of immutability
  - (see also changelogs)
  - API support for change streams, API support for change streams, Separation of application code and state
  - change data capture, Change Data Capture-API support for change streams
  - event sourcing, CDC versus event sourcing
  - keeping systems in sync, Keeping Systems in Sync-Keeping Systems in Sync
  - philosophy of immutable events, State, Streams, and Immutability-Limitations of immutability
- unbundling, Unbundling Databases-Multishard data processing
  - composing data storage technologies, Composing Data Storage Technologies-Unbundled versus integrated systems
  - designing applications around dataflow, Designing Applications Around Dataflow-Stream processors and services

- observing derived state, Observing Derived State-Multishard data processing

Databricks, Cloud Data Warehouses

datacenters

- failures of, Hardware and Software Faults
- geographically distributed (see regions (geographic distribution))
- multitenancy and shared resources, Variability of network delays
- network architecture, Cloud Computing Versus Supercomputing
- network faults, Network Faults in Practice

dataflow, Modes of Dataflow-Distributed actor frameworks, Designing Applications Around Dataflow-Stream processors and services

- correctness of dataflow systems, Correctness of dataflow systems
- dataflow engines, Dataflow Engines
  - comparison to stream processing, Processing Streams
  - DataFrames, DataFrames
  - support in batch processing frameworks, Batch Processing
- event-driven, Event-Driven Architectures-Distributed actor frameworks
- reasoning about, Reasoning about dataflows
- through databases, Dataflow Through Databases
- through services, Dataflow Through Services: REST and RPC-Data encoding and evolution for RPC
- workflow engines (see workflow engines)

DataFrames, DataFrames, Matrices, and Arrays

- implementation, DataFrames
- in batch processing, DataFrames
- in notebooks, Machine Learning
- support in batch processing frameworks, Batch Processing

DataFusion (query engine), Cloud Data Warehouses

Datalog (query language), Graph-Like Data Models, Datalog: Recursive Relational Queries-Datalog: Recursive Relational Queries

Datastream (change data capture), API support for change streams

datatypes

- binary strings in XML and JSON, JSON, XML, and Binary Variants
- conflict-free, Conflict-free replicated datatypes and operational transformation
- in Avro encodings, Avro
- in Protocol Buffers, Field tags and schema evolution
- numbers in XML and JSON, JSON, XML, and Binary Variants

Datensparsamkeit, Data Systems, Law, and Society

Datomic (database)

- B-tree storage, Indexes and snapshot isolation

  - data model, Graph-Like Data Models, Triple Stores and SPARQL
  - Datalog query language, Datalog: Recursive Relational Queries
  - excision (deleting data), Limitations of immutability
  - languages for transactions, Pros and cons of stored procedures
  - serial execution of transactions, Actual Serial Execution

Daylight Saving Time (DST), Time-of-day clocks

Db2 (database), Implementing CDC

DBA (database administrator), Operations in the Cloud Era

DCOM (Distributed Component Object Model), The problems with remote procedure calls

DDD (domain-driven design), Simplicity: Managing Complexity, Event Sourcing and CQRS

DDSketch (percentile estimation), Use of Response Time Metrics

dead letter queues (DLQs), Acknowledgments and redelivery

deadlocks, Explicit locking

  - detection, in distributed transaction, Problems with XA transactions
  - in two-phase locking (2PL), Implementation of 2PL

Debezium (change data capture), Implementing CDC

  - Cassandra, API support for change streams
  - for data integration, Unbundled versus integrated systems

declarative languages, Data Models and Query Languages, Glossary

  - and sync engines, Pros and cons of sync engines
  - Datalog, Datalog: Recursive Relational Queries
  - in document databases, Convergence of document and relational databases
  - recursive SQL queries, Graph Queries in SQL
  - SPARQL, The SPARQL query language

decoding, Formats for Encoding Data

DeepSeek (see 3FS)

delays

  - bounded network delays, Synchronous Versus Asynchronous Networks
  - bounded process pauses, Provididng response time guarantees
  - unbounded network delays, Timeouts and Unbounded Delays
  - unbounded process pauses, Process Pauses

deleting data, Limitations of immutability

  - in LSM storage, Disk space usage
  - legal basis, Data Systems, Law, and Society

Delta Lake (table format), Constructing and merging SSTables, Cloud Data Warehouses, Sharding by hash range

demilitarized zone (DMZ), Serving Derived Data

denormalization (data representation), Normalization, Denormalization, and Joins-Many-to-One and Many-to-Many Relationships, Glossary
- in derived data systems, Systems of Record and Derived Data
- in event sourcing/CQRS, Event Sourcing and CQRS
- in social network case study, Denormalization in the social networking case study
- materialized views, Materialized Views and Data Cubes
- updating derived data, Single-Object and Multi-Object Operations, The need for multi-object transactions, Combining Specialized Tools by Deriving Data
- versus normalization, Deriving several views from the same event log
derived data, Systems of Record and Derived Data, Stream Processing, Glossary
- batch processing, Batch Processing
- event sourcing and CQRS, Event Sourcing and CQRS
- from change data capture, Implementing CDC
- maintaining derived state through logs, Databases and Streams-API support for change streams, State, Streams, and Immutability-Concurrency control
- observing, by subscribing to streams, End-to-end event streams
- outputs of batch and stream processing, Batch and Stream Processing
- through application code, Application code as a derivation function
- versus distributed transactions, Derived data versus distributed transactions
deserialization (see decoding)
design patterns, Simplicity: Managing Complexity
deterministic operations, Pros and cons of stored procedures, Faults and Partial Failures, Glossary
- and idempotence, Idempotence, Reasoning about dataflows
- computing derived data, Maintaining derived state, Correctness of dataflow systems, Designing for auditability
- in event sourcing, Event Sourcing and CQRS
- in state machine replication, Using shared logs, Databases and Streams
- in statement-based replication, Statement-based replication
- in testing, Deterministic simulation testing
- joins, Time dependence of joins
- making code deterministic, Deterministic simulation testing
- overview, Deterministic simulation testing
deterministic simulation testing (DST), Deterministic simulation testing
DevOps, Operations in the Cloud Era
DFSs (see distributed filesystems (DFSs))
dimension tables, Stars and Snowflakes: Schemas for Analytics
dimensional modeling (see star schemas)
directed acyclic graphs (DAG), Scheduling workflows

– (see also workflow engines)
dirty reads (transaction isolation), No dirty reads
dirty writes (transaction isolation), No dirty writes
disaggregation, of storage and compute, Separation of storage and compute
Discord (group chat), GraphQL
discrimination, Bias and Discrimination
disk space usage, Disk space usage
disks (see hard disks)
distributed actor frameworks, Distributed actor frameworks
Distributed Component Object Model (DCOM), The problems with remote procedure calls
distributed filesystems (DFSs), Distributed Filesystems-Distributed Filesystems
– comparison to object storage, Object Stores
– use by Flink, Rebuilding state after a failure
distributed ledgers, Summary
Distributed Replicated Block Device (DRBD), Single-Leader Replication
distributed systems, The Trouble with Distributed Systems-Summary, Glossary
– Byzantine faults, Byzantine Faults-Weak forms of lying
– detecting network faults, Fault Detection
– faults and partial failures, Faults and Partial Failures
– formalization of consensus, Single-value consensus
– impossibility results, The CAP theorem, Consensus
– issues with failover, Leader failure: Failover
– multi-region (see regions (geographic distribution))
– network problems, Unreliable Networks-Can we not simply make network delays predictable?
– problems with, Problems with Distributed Systems
– quorums, relying on, The Majority Rules
– reasons for using, Distributed Versus Single-Node Systems, Replication
– synchronized clocks, relying on, Relying on Synchronized Clocks-Synchronized clocks for global snapshots
– system models, System Model and Reality-Deterministic simulation testing
– use of clocks and time, Unreliable Clocks
distributed transactions (see transactions)
Ditto (database), Pros and cons of sync engines
Django (web framework), Handling errors and aborts
DLQs (dead letter queues), Acknowledgments and redelivery
DMZ (demilitarized zone), Serving Derived Data
DNS (Domain Name System), Load balancers, service discovery, and service meshes, Request Routing, Service discovery

Docker (container manager), Separation of application code and state
document data model, Relational Versus Document Models-Convergence of document and relational databases
  - comparison to relational model, When to Use Which Model-Convergence of document and relational databases
  - multi-object transactions, need for, The need for multi-object transactions
  - sharded secondary indexes, Sharding and Secondary Indexes
  - versus relational model
    - convergence of models, Convergence of document and relational databases
    - data locality, Data locality for reads and writes
document-partitioned indexes (see local secondary indexes)
Domain Name System (DNS), Load balancers, service discovery, and service meshes, Request Routing, Service discovery
domain-driven design (DDD), Simplicity: Managing Complexity, Event Sourcing and CQRS
dotted version vectors, Version vectors
double-entry bookkeeping, Summary
DRBD (Distributed Replicated Block Device), Single-Leader Replication
drift (clocks), Clock Synchronization and Accuracy
drill-down, Data Storage for Analytics
Druid (database), Characterizing Transaction Processing and Analytics, Column-Oriented Storage, Deriving several views from the same event log
  - handling writes, Writing to column-oriented storage
  - pre-aggregation, Analytics
  - serving derived data, Serving Derived Data
Dryad (dataflow engine), Dataflow Engines
DST (Daylight Saving Time), Time-of-day clocks
DST (deterministic simulation testing), Deterministic simulation testing
dual writes, problems with, Keeping Systems in Sync
DuckDB (database), Problems with Distributed Systems, Compaction strategies
  - column-oriented storage, Column-Oriented Storage
  - use for ETL, Extract–Transform–Load
duplicates, suppression of, Duplicate suppression, Uniquely identifying requests
  - (see also idempotence)
durability (transactions), Making B-trees reliable, Durability, Glossary
durable execution, Durable Execution and Workflows
  - reliance on determinism, Deterministic simulation testing
  - Restate (see Restate (workflow engine))
  - Temporal (see Temporal (workflow engine))
durable functions (see workflow engines)

duration (time), Unreliable Clocks, Monotonic clocks
dynamically typed languages, analogy to schema-on-read, Schema flexibility in the document model
Dynamo (database), Leaderless Replication
Dynamo-style databases (see leaderless replication)
DynamoDB (database)
- auto-scaling, Operations: Automatic Versus Manual Rebalancing
- hash-range sharding, Sharding by hash range
- leader-based replication, Single-Leader Replication
- sharded secondary indexes, Global Secondary Indexes

E

EC2 (Elastic Compute Cloud), spot instances, Handling faults
ECC (error-correcting codes), Hardware and Software Faults, Distributed Filesystems
EDB Postgres Distributed (database), Geographically Distributed Operation
edges (in graphs), Graph-Like Data Models, Property Graphs
edit distance (full-text search), Full-Text Search
EE (Java Enterprise Edition), The problems with remote procedure calls, Two-Phase Commit, XA transactions
effectively-once semantics, Fault Tolerance, Exactly-once execution of an operation, Correctness of dataflow systems
- (see also exactly-once semantics)
EFS (Elastic File System), Distributed Filesystems
EJB (Enterprise JavaBeans), The problems with remote procedure calls
Elastic Compute Cloud (EC2)
- spot instances, Handling faults
Elastic File System (EFS), Distributed Filesystems
elasticity, Distributed Versus Single-Node Systems, Cloud Data Warehouses
Elasticsearch (search server)
- local secondary indexes, Local Secondary Indexes
- percolator (stream search), Search on streams
- serving derived data, Serving Derived Data
- shard rebalancing, Fixed number of shards
- use of Lucene, Full-Text Search
Elm (programming language), End-to-end event streams
ELT (extract-load-transform), Data Warehousing, Extract–Transform–Load
embarrassingly parallel (algorithms)
- ETL (see extract-transform-load (ETL))

- MapReduce, MapReduce
  - (see also MapReduce)

embedded storage engines, Compaction strategies

embedding (vector), Vector Embeddings

encodings (data formats), Encoding and Evolution-The Merits of Schemas

- Avro, Avro-Dynamically generated schemas
- binary variants of JSON and XML, Binary encodings
- compatibility, Encoding and Evolution
  - calling services, Data encoding and evolution for RPC
  - using databases, Dataflow Through Databases-Archival storage
- defined, Formats for Encoding Data
- JSON, XML, and CSV, JSON, XML, and Binary Variants
- language-specific formats, Language-Specific Formats
- merits of schemas, The Merits of Schemas
- Protocol Buffers, Protocol Buffers-Field tags and schema evolution
- representations of data, Formats for Encoding Data

end-to-end argument, The end-to-end argument-Applying end-to-end thinking in data systems

- checking integrity, The end-to-end argument again
- publish/subscribe streams, End-to-end event streams

enrichment (stream), Stream–table join (stream enrichment)

Enterprise JavaBeans (EJB), The problems with remote procedure calls

enterprise software, Trade-Offs in Data Systems Architecture

entities (see vertices)

ephemeral storage, Separation of storage and compute

epoch (consensus algorithms), From single-leader replication to consensus

epoch (Unix timestamps), Time-of-day clocks

Epsilon (garbage collector), Limiting the impact of garbage collection

erasure coding (error correction), Distributed Filesystems

Erlang/OTP (actor framework), Distributed actor frameworks

error handling

- for network faults, Network Faults in Practice
- in transactions, Handling errors and aborts

error-correcting codes (ECC), Hardware and Software Faults, Distributed Filesystems

Esper (CEP engine), Complex event processing

essential complexity, Simplicity: Managing Complexity

etcd (coordination service), Coordination Services-Service discovery

- generating fencing tokens, Fencing off zombies and delayed requests, Coordination Services

- linearizable operations, Implementing Linearizable Systems, Subtleties of consensus
- locks and leader election, Locking and leader election
- use for service discovery, Load balancers, service discovery, and service meshes, Service discovery
- use for shard assignment, Request Routing
- use of Raft algorithm, Single-Leader Replication

Ethereum (blockchain), Tools for auditable data systems

Ethernet (networks), Cloud Computing Versus Supercomputing, Unreliable Networks, Can we not simply make network delays predictable?, The end-to-end argument

ethics, Doing the Right Thing-Legislation and Self-Regulation
- code of ethics and professional practice, Doing the Right Thing
- legislation and self-regulation, Legislation and Self-Regulation
- predictive analytics, Predictive Analytics-Feedback Loops
  - amplifying bias, Bias and Discrimination
  - feedback loops, Feedback Loops
- privacy and tracking, Privacy and Tracking-Legislation and Self-Regulation
  - consent and freedom of choice, Consent and Freedom of Choice
  - data as assets and power, Data as Assets and Power
  - meaning of privacy, Privacy and Use of Data
  - surveillance, Surveillance
- respect, dignity, and agency, Legislation and Self-Regulation
- unintended consequences, Doing the Right Thing, Feedback Loops

ETL (see extract-transform-load (ETL))

Euclidean distance (semantic search), Vector Embeddings

European Union
- AI Act (see AI Act)
- GDPR (see General Data Protection Regulation (GDPR))

event sourcing, Event Sourcing and CQRS-Event Sourcing and CQRS
- and change data capture, CDC versus event sourcing
- comparison to change data capture, CDC versus event sourcing
- immutability and auditability, State, Streams, and Immutability, Designing for auditability
- large, reliable data systems, Correctness of dataflow systems
- reliance on determinism, Deterministic simulation testing

event streams (see streams)

event-driven architecture, Event-Driven Architectures-Distributed actor frameworks

events, Transmitting Event Streams

- deciding on total order of, The limits of total ordering
- deriving views from event log, Deriving several views from the same event log
- event time versus processing time, Event time versus processing time, Microbatching and checkpointing, Unifying batch and stream processing
- immutable, advantages of, Advantages of immutable events, Designing for auditability
- ordering to capture causality, Ordering events to capture causality
- reads as, Reads are events too
- stragglers, Handling straggler events
- timestamp of, in stream processing, Whose clock are you using, anyway?

EventSource (browser API), Pushing state changes to clients

EventStoreDB (database), Event Sourcing and CQRS

eventual consistency, Replication, Problems with Replication Lag, Distinguishing between safety and liveness

- (see also conflicts)
- and perpetual inconsistency, Timeliness and Integrity
- strong eventual consistency, Automatic conflict resolution

evidence, data used as, Humans and Reliability

evolvability, Evolvability: Making Change Easy, Encoding and Evolution

- calling services, Data encoding and evolution for RPC
- event sourcing, Event Sourcing and CQRS
- graph-structured data, Property Graphs
- of databases, Dataflow Through Databases-Archival storage, Deriving several views from the same event log, Reprocessing data for application evolution
- reprocessing data, Reprocessing data for application evolution, Unifying batch and stream processing
- schema evolution in Avro, The writer's schema and the reader's schema
- schema evolution in Protocol Buffers, Field tags and schema evolution
- schema-on-read, Schema flexibility in the document model, Encoding and Evolution, The Merits of Schemas

exactly-once semantics, Fault Tolerance, Exactly-once message processing, Exactly-Once Message Processing Revisited, Fault Tolerance, Exactly-once execution of an operation

- parity with batch processors, Unifying batch and stream processing
- preservation of integrity, Correctness of dataflow systems
- using durable execution, Durable Execution and Workflows

excision (Datomic), Limitations of immutability

exclusive mode (locks), Implementation of 2PL

exponential backoff, Describing Performance, Handling errors and aborts

ext4 (filesystem), Distributed Filesystems

eXtended Architecture transactions (see XA transactions)
extract-load-transform (ELT), Data Warehousing, Extract–Transform–Load
extract-transform-load (ETL), Data Warehousing, Keeping Systems in Sync, Glossary
- relation to batch processing, Extract–Transform–Load
- using batch processing, Batch Processing

F

FaaS (function as a service), Microservices and Serverless
Facebook
- Faiss (vector index), Vector Embeddings
- React (user interface library), End-to-end event streams
- social graphs, Graph-Like Data Models
facts
- fact table (star schema), Stars and Snowflakes: Schemas for Analytics
- in Datalog, Datalog: Recursive Relational Queries
- in event sourcing, Event Sourcing and CQRS
fail-slow faults, System Model and Reality
fail-stop model, System Model and Reality
failover, Leader failure: Failover, Glossary
- (see also leader-based replication)
- in leaderless replication, absence of, Writing to the Database When a Node Is Down
- potential problems, Leader failure: Failover
failures
- amplification by distributed transactions, Maintaining derived state
- failure detection, Fault Detection
  - automatic rebalancing causing cascading failures, Operations: Automatic Versus Manual Rebalancing
  - timeouts and unbounded delays, Timeouts and Unbounded Delays, Variability of network delays
  - using a coordination service, Coordination Services
- faults versus, Reliability and Fault Tolerance
- partial failures, Faults and Partial Failures, Summary
Faiss (vector index), Vector Embeddings
false positive (Bloom filters), Bloom filters
fan-out (messaging systems), Materializing and Updating Timelines, Multiple consumers
fault injection, Fault Tolerance, Network Faults in Practice, Fault injection

fault isolation, Sharding for Multitenancy
fault tolerance, Reliability and Fault Tolerance-Humans and Reliability, Glossary
- formalization in consensus, Single-value consensus
- human fault tolerance, Batch Processing
- in batch processing, Handling faults
- in distributed systems, Distributed Versus Single-Node Systems
- in log-based systems, Applying end-to-end thinking in data systems, Timeliness and Integrity-Correctness of dataflow systems
- in stream processing, Fault Tolerance-Rebuilding state after a failure
  - atomic commit, Atomic commit revisited
  - idempotence, Idempotence
  - maintaining derived state, Maintaining derived state
  - microbatching and checkpointing, Microbatching and checkpointing
  - rebuilding state after a failure, Rebuilding state after a failure
- of distributed transactions, XA transactions-Exactly-Once Message Processing Revisited
- of leader-based and leaderless replication, Single-Leader Versus Leaderless Replication Performance
- transaction atomicity, Atomicity, Distributed Transactions-Exactly-once message processing
faults
- Byzantine faults, Byzantine Faults-Weak forms of lying
- failures versus, Reliability and Fault Tolerance
- handled by transactions, Transactions
- handling in supercomputers and cloud computing, Cloud Computing Versus Supercomputing
- hardware, Hardware and Software Faults
- in distributed systems, Faults and Partial Failures
- introducing deliberately (see fault injection)
- network faults, Network Faults in Practice-Fault Detection
  - asymmetric faults, The Majority Rules
  - detecting, Fault Detection
  - tolerance of, in multi-leader replication, Geographically Distributed Operation
- software faults, Software faults
- tolerating (see fault tolerance)
feature engineering (machine learning), From data warehouse to data lake
federated databases, The meta-database of everything
Feldera (database), Maintaining materialized views
fence (CPU instruction), Linearizability and network delays

fencing (preventing split brain), Fencing off zombies and delayed requests-Fencing with multiple replicas
  - generating fencing tokens, Using shared logs, Coordination Services
  - properties of fencing tokens, Defining the correctness of an algorithm
  - stream processors writing to databases, Idempotence, Exactly-once execution of an operation
fetch-and-add, The Many Faces of Consensus, Fetch-and-add as consensus
Fibre Channel (networks), Distributed Filesystems
field tags (Protocol Buffers), Protocol Buffers-Field tags and schema evolution
Figma (graphics software), Real-time collaboration, offline-first, and local-first apps
filesystem in userspace (FUSE), Setting Up New Followers, Distributed Filesystems, Object Stores
financial data
  - accounting ledgers, Summary
  - immutability, Advantages of immutable events
  - time-series data, DataFrames, Matrices, and Arrays
Fivetran (data connector), Data Warehousing
FizzBee (specification language), Model checking and specification languages
flat index (vector index), Vector Embeddings
FlatBuffers (data format), Formats for Encoding Data
Flink (processing framework), Batch Processing, Scheduling workflows, Dataflow Engines
  - cost efficiency, Query Languages
  - DataFrames, DataFrames, Matrices, and Arrays, DataFrames
  - fault tolerance, Handling faults, Microbatching and checkpointing, Rebuilding state after a failure
  - FlinkML, Machine Learning
  - for data warehouses, Cloud Data Warehouses
  - high availability using ZooKeeper, Coordination Services
  - integration of batch and stream processing, Unifying batch and stream processing
  - query optimizer, Query Languages
  - shuffling data, Shuffling Data
  - stream processing, Stream analytics
  - streaming SQL support, Complex event processing
flow control, The Limitations of TCP, Messaging Systems, Glossary
FLP result (on consensus), Consensus
Flyte (workflow scheduler), Machine Learning
followers, Single-Leader Replication, Glossary

- (see also leader-based replication)
- failure of, Follower failure: Catch-up recovery
- setting up new, Setting Up New Followers

formal methods, Formal Methods and Randomized Testing-Deterministic simulation testing
formats, for encoding, Formats for Encoding Data-The Merits of Schemas
forward compatibility, Encoding and Evolution
Fossil (version control system), Concurrency control
FoundationDB (database), Formal Methods and Randomized Testing
- consistency model, What Makes a System Linearizable?
- deterministic simulation testing, Deterministic simulation testing
- key-range sharding, Sharding by Key Range
- process-per-core model, Pros and Cons of Sharding
- serializable transactions, Serializable Snapshot Isolation, Performance of serializable snapshot isolation
- transactions, What Exactly Is a Transaction?, Database-Internal Distributed Transactions

fractional indexing, When to Use Which Model
fragmentation (of B-trees), Disk space usage
frame (computer graphics), Pros and cons of sync engines
frontend (web development), Trade-Offs in Data Systems Architecture
FrostDB (database), Deterministic simulation testing
fsync (system call), Making B-trees reliable, Durability
full-text search, Summary, Full-Text Search, Glossary
- Lucene storage engine, Full-Text Search
- sharded indexes, Sharding and Secondary Indexes

function as a service (FaaS), Microservices and Serverless
functional programming, MapReduce
functional requirements, Defining Nonfunctional Requirements
FUSE (see filesystem in userspace (FUSE))
fuzzing, Formal Methods and Randomized Testing
fuzzy search (see similarity search)

G

Gallina (specification language), Model checking and specification languages
game development, Pros and cons of sync engines
garbage collection (GC), Sequential versus random writes
- immutability and, Limitations of immutability

- process pauses, Latency and Response Time, Process Pauses-Limiting the impact of garbage collection
  - (see also process pauses)

gas stations algorithmic pricing, Feedback Loops

GC (see garbage collection (GC))

GDPR (see General Data Protection Regulation (GDPR))

Gelly API (Flink), Machine Learning

GenBank (genome database), Summary

General Data Protection Regulation (GDPR), Data Systems, Law, and Society, Limitations of immutability, Consent and Freedom of Choice

- consent, Consent and Freedom of Choice
- data minimization, Legislation and Self-Regulation
- legitimate interest, Consent and Freedom of Choice
- right of access, Sharding for Multitenancy
- right to erasure, Data Systems, Law, and Society, Sharding for Multitenancy

genome analysis, Summary

geographic distribution (see regions (geographic distribution))

geospatial indexes, Multidimensional and Full-Text Indexes

Git (version control system), Concurrency control

- local-first software, Real-time collaboration, offline-first, and local-first apps
- merge conflicts, Manual conflict resolution

GitHub, postmortems, Leader failure: Failover

Global Positioning System (GPS), use for clock synchronization, Clock Synchronization and Accuracy, Clock readings with a confidence interval, Synchronized clocks for global snapshots

global secondary indexes, Global Secondary Indexes, Summary

global transaction identifiers (GTIDs), Setting Up New Followers

globally unique identifiers (see UUIDs)

GlusterFS (distributed filesystem), Batch Processing, Distributed Filesystems, Object Stores

GNU Coreutils (Linux), Sorting Versus In-Memory Aggregation

Go (programming language), Limiting the impact of garbage collection

GoldenGate (change data capture), Implementing CDC

- (see also Oracle)

Google

- BigQuery (see BigQuery (database))
- Bigtable (see Bigtable (database))
- Chubby (lock service), Coordination Services
- Cloud Storage (object storage), Setting Up New Followers, Fencing off zombies and delayed requests, Object Stores

- Compute Engine, Handling faults
- Dataflow (stream processor), Stream analytics, Atomic commit revisited, Unifying batch and stream processing
  - (see also Beam)
  - data warehouse integration, Cloud Data Warehouses
  - shuffling data, Shuffling Data
- Datastream (change data capture), API support for change streams
- Docs (collaborative editor), Real-time collaboration, offline-first, and local-first apps, Conflict-free replicated datatypes and operational transformation
- Dremel (query engine), Column-Oriented Storage
- Firestore (database), Pros and cons of sync engines
- MapReduce (batch processing), Batch Processing
  - (see also MapReduce)
- Percolator (transaction system), Implementing a linearizable ID generator
- persistent disks (cloud service), Separation of storage and compute
- Pub/Sub (messaging), Message brokers, Message brokers compared to databases, Using logs for message storage
- response time study, Average, Median, and Percentiles
- Sheets (collaborative spreadsheet), Real-time collaboration, offline-first, and local-first apps, Conflict-free replicated datatypes and operational transformation
- Spanner (see Spanner (database))
- TrueTime (clock API), Clock readings with a confidence interval

gossip protocol, Request Routing

governance, Beyond the data lake

government use of data, Data as Assets and Power

GPS (see Global Positioning System (GPS))

GPT (language model), Vector Embeddings

GPU (graphics processing unit), Layering of cloud services, Distributed Versus Single-Node Systems

GQL (Graph Query Language), Graph Queries in SQL

gradual rollout (see rolling upgrades)

Graph Query Language (GQL), Graph Queries in SQL

graphics processing unit (GPU), Layering of cloud services, Distributed Versus Single-Node Systems

GraphQL (query language), Graph-Like Data Models, GraphQL, Pros and cons of stored procedures

graphs, Glossary

- as data models, Graph-Like Data Models-GraphQL
  - property graphs, Property Graphs

- RDF and triple-stores, Triple Stores and SPARQL-The SPARQL query language
- DAGs (see directed acyclic graphs)
- processing and analysis, Machine Learning
- query languages
  - Cypher, The Cypher Query Language
  - Datalog, Datalog: Recursive Relational Queries-Datalog: Recursive Relational Queries
  - GraphQL, GraphQL
  - Gremlin, Graph-Like Data Models
  - recursive SQL queries, Graph Queries in SQL
  - SPARQL, The SPARQL query language-The SPARQL query language
- traversal, Property Graphs

GraphX API (Spark), Machine Learning

gray failures, Single-Leader Versus Leaderless Replication Performance, System Model and Reality

Gremlin (graph query language), Graph-Like Data Models

grep (Unix tool), Simple Log Analysis

gRPC (service calls), Microservices and Serverless, Web services, Data encoding and evolution for RPC

GTIDs (global transaction identifiers), Setting Up New Followers

GUIDs (see UUIDs)

H

Hadoop (data infrastructure)
- comparison to distributed databases, Batch Processing
- MapReduce (see MapReduce)
- NodeManager, Distributed Job Orchestration
- YARN (see YARN (job scheduler))

Hadoop Distributed File System (HDFS), Batch Processing, Distributed Filesystems
- (see also distributed filesystems)
- checking data integrity, Don't just blindly trust what they promise
- DataNode, Distributed Filesystems
- NameNode, Distributed Filesystems
- use in MapReduce, MapReduce
- workflow example, Scheduling workflows

HANA (see SAP HANA (database))

happens-before relation, The happens-before relation and concurrency

HAProxy, Load balancers, service discovery, and service meshes

hard disks
  – detecting corruption, The end-to-end argument, Don't just blindly trust what they promise
  – faults in, Hardware and Software Faults, Durability
  – sequential versus random writes, Sequential versus random writes
  – sequential write throughput, Disk space usage
hardware faults, Hardware and Software Faults
hash function, in Bloom filters, Bloom filters, Glossary
hash join, in stream processing, Stream–table join (stream enrichment)
hash sharding, Sharding by Hash of Key-Consistent hashing, Summary
  – consistent hashing, Consistent hashing
  – problems with hash mod N, Hash modulo number of nodes
  – range queries, Sharding by hash range
  – suitable hash functions, Sharding by Hash of Key
  – with fixed number of shards, Fixed number of shards
hash tables, Log-Structured Storage
Hazelcast (in-memory data grid)
  – FencedLock, Fencing off zombies and delayed requests
  – Flake ID Generator, ID Generators and Logical Clocks
HBase (database)
  – bug due to lack of fencing, Distributed Locks and Leases
  – key-range sharding, Sharding by Key Range
  – log-structured storage, Constructing and merging SSTables
  – regions (sharding), Sharding
  – request routing, Request Routing
  – size-tiered compaction, Compaction strategies
  – wide-column data model, Data locality for reads and writes, Column compression
HDFS (see Hadoop Distributed File System (HDFS))
HdrHistogram (percentile estimation), Use of Response Time Metrics
head (Unix tool), Simple Log Analysis, Distributed Job Orchestration
head vertex (property graphs), Property Graphs
head-of-line blocking, Latency and Response Time
heap files (databases), Storing Values Within the Index, Multiversion concurrency control
heat management, Skewed Workloads and Relieving Hot Spots
hedged requests, Single-Leader Versus Leaderless Replication Performance
heterogeneous distributed transactions, Distributed Transactions Across Different Systems, Problems with XA transactions
heuristic decisions (in 2PC), Recovering from coordinator failure

Hex (notebook), Machine Learning
hexagons, for geospatial indexing, Multidimensional and Full-Text Indexes
Hibernate (object-relational mapper), Object-relational mapping
hierarchical model, Relational Versus Document Models
hierarchical navigable small world (vector index), Vector Embeddings
hierarchical queries (see recursive queries, SQL common table expressions)
high availability (see fault tolerance)
high-frequency trading, Clock Synchronization and Accuracy
high-performance computing (HPC), Cloud Computing Versus Supercomputing
highest random weight hashing algorithm, Consistent hashing
hinted handoff (leaderless replication), Catching up on missed writes
histograms, Use of Response Time Metrics
Hive (data warehouse), Cloud Data Warehouses, Query Languages
HNSW (hierarchical navigable small world) (vector index), Vector Embeddings
homogeneous data, Graph-Like Data Models
hopping windows (stream processing), Types of windows
  - (see also windows)
Hoptimator (query engine), The meta-database of everything
Horizon scandal, Humans and Reliability, Transactions
horizontal scaling (see scaling out)
HornetQ (messaging), Message brokers, XA transactions, Message brokers compared to databases
hot keys, Sharding of Key-Value Data
hot shard (see hot spots)
hot spots, Sharding of Key-Value Data
  - due to celebrities, Skewed Workloads and Relieving Hot Spots
  - for time-series data, Sharding by Key Range
  - relieving, Skewed Workloads and Relieving Hot Spots
hot standbys (see followers) (see leader-based replication)
HPC (high-performance computing), Cloud Computing Versus Supercomputing
HTAP (see hybrid transactional/analytic processing)
HTTP, use in APIs (see services)
human errors, Humans and Reliability, Network Faults in Practice
hybrid logical clocks, Hybrid logical clocks
hybrid transactional/analytical processing (HTAP), Data Warehousing, Data Storage for Analytics
hydrating IDs (join), Denormalization in the social networking case study
HyPer (database), Serializable Snapshot Isolation
hypergraph, Property Graphs
HyperLogLog (algorithm), Stream analytics

I

I/O operations, waiting for, Process Pauses
IaaS (infrastructure as a service), Cloud Versus Self-Hosting, Layering of cloud services
IBM
  - Db2 (database)
    - distributed transaction support, XA transactions
    - serializable isolation, Snapshot isolation, repeatable read, and naming confusion, Implementation of 2PL
  - MQ (messaging), XA transactions, Message brokers compared to databases
  - System R (database), What Exactly Is a Transaction?
  - WebSphere (messaging), Message brokers
Iceberg (table format), Cloud Data Warehouses, Analytics
  - databases on object storage, Setting Up New Followers
  - log-based message broker storage, Disk space usage
idempotence, The problems with remote procedure calls, Idempotence, Glossary
  - by giving requests unique IDs, Uniquely identifying requests
  - for exactly-once semantics, Exactly-Once Message Processing Revisited
  - idempotent operations, Exactly-once execution of an operation
  - in workflow engines, Durable Execution and Workflows
IDL (interface definition language), Protocol Buffers, Avro, Web services
immutability
  - advantages of, Advantages of immutable events, Designing for auditability
  - and right to erasure, Data Systems, Law, and Society, Disk space usage
  - crypto-shredding for deletion, Event Sourcing and CQRS, Limitations of immutability
  - deriving state from event log, State, Streams, and Immutability-Limitations of immutability
  - for crash recovery, Constructing and merging SSTables
  - in B-trees, Using B-tree variants, Indexes and snapshot isolation
  - in event sourcing, Event Sourcing and CQRS, CDC versus event sourcing
  - limitations of, Concurrency control
impedance mismatch, The Object-Relational Mismatch
in doubt (transaction status), Coordinator failure
  - holding locks, Holding locks while in doubt
  - orphaned transactions, Recovering from coordinator failure
in-memory aggregation, Sorting Versus In-Memory Aggregation
in-memory databases, Keeping Everything in Memory
  - durability, Durability

- serial transaction execution, Actual Serial Execution

incidents

- accounting software bugs leading to wrongful convictions, Humans and Reliability
- blameless postmortems, Humans and Reliability
- crashes due to leap seconds, Clock Synchronization and Accuracy
- data corruption and financial losses due to concurrency bugs, Weak Isolation Levels
- data corruption on hard disks, Durability
- data loss due to last-write-wins, Timestamps for ordering events
- disclosure of sensitive data due to primary key reuse, Leader failure: Failover
- errors in transaction serializability, Maintaining integrity in the face of software bugs
- gigabit network interface with 1 Kb/s throughput, System Model and Reality
- leap second crash, Software faults
- network faults, Network Faults in Practice
- network interface dropping only inbound packets, Network Faults in Practice
- network partitions and whole-datacenter failures, Faults and Partial Failures
- sending message to ex-partner, Ordering events to capture causality
- sharks biting undersea cables, Network Faults in Practice
- SSD failure after 32,768 hours, Software faults
- thread contention bringing down a service, Process Pauses
- vibrations in server rack, Latency and Response Time
- violation of uniqueness constraint, Maintaining integrity in the face of software bugs

incremental view maintenance (IVM), Maintaining materialized views, Unbundled versus integrated systems

indexes, Storage and Indexing for OLTP, Glossary

- and snapshot isolation, Indexes and snapshot isolation
- as derived data, Systems of Record and Derived Data, Composing Data Storage Technologies-Unbundled versus integrated systems
- B-trees, B-Trees-Using B-tree variants
- clustered, Storing Values Within the Index
- comparison of B-trees and LSM-trees, Comparing B-Trees and LSM-Trees-Disk space usage
- covering (with included columns), Storing Values Within the Index
- creating, Creating an index
- full-text search, Full-Text Search
- geospatial, Multidimensional and Full-Text Indexes
- index-range locking, Index-range locks

- multicolumn (concatenated), Multidimensional and Full-Text Indexes
- secondary, Multicolumn and Secondary Indexes
  - (see also secondary indexes)
- sharding and secondary indexes, Sharding and Secondary Indexes-Global Secondary Indexes, Summary
- sparse, The SSTable file format
- SSTables and LSM-trees, The SSTable file format-Compaction strategies
- updating when data changes, Keeping Systems in Sync, Maintaining materialized views

Industrial Revolution, Remembering the Industrial Revolution

InfiniBand (networks), Combining circuit switching and packet switching

InfluxDB IOx (storage engine), Column-Oriented Storage

information retrieval (see full-text search)

infrastructure as a service (IaaS), Cloud Versus Self-Hosting, Layering of cloud services

InnoDB (storage engine)
- clustered index on primary key, Storing Values Within the Index
- not preventing lost updates, Automatically detecting lost updates
- preventing write skew, Characterizing write skew, Implementation of 2PL
- serializable isolation, Implementation of 2PL
- snapshot isolation support, Snapshot Isolation and Repeatable Read

instance (cloud computing), Layering of cloud services

integrating different data systems (see data integration)

integrity, Timeliness and Integrity
- coordination-avoiding data systems, Coordination-avoiding data systems
- correctness of dataflow systems, Correctness of dataflow systems
- in consensus formalization, Single-value consensus, Atomic commitment as consensus
- integrity checks, Don't just blindly trust what they promise
  - (see also auditability)
  - end-to-end, The end-to-end argument, The end-to-end argument again
  - use of snapshot isolation, Snapshot Isolation and Repeatable Read
- maintaining despite software bugs, Maintaining integrity in the face of software bugs

interface definition language (IDL), Protocol Buffers, Avro, Web services

invariants, Consistency
- (see also constraints)

inverted file (IVF) index (vector index), Vector Embeddings

inverted index, Full-Text Search

irreversibility, minimizing, Evolvability: Making Change Easy, Event Sourcing and CQRS, Batch Processing
ISDN (Integrated Services Digital Network), Synchronous Versus Asynchronous Networks
isolation (in operating systems) (see cgroups)
isolation (in transactions), The Meaning of ACID, Isolation, Single-Object and Multi-Object Operations, Glossary
- correctness and, Aiming for Correctness
- for single-object writes, Single-object writes
- serializability, Serializability-Performance of serializable snapshot isolation
  - actual serial execution, Actual Serial Execution-Summary of serial execution
  - serializable snapshot isolation (SSI), Serializable Snapshot Isolation-Performance of serializable snapshot isolation
  - two-phase locking (2PL), Two-Phase Locking-Index-range locks
- violating, Single-Object and Multi-Object Operations
- weak isolation levels, Weak Isolation Levels-Materializing conflicts
  - preventing lost updates, Preventing Lost Updates-Conflict resolution and replication
  - read-committed, Read Committed-Implementing read-committed
  - snapshot isolation, Snapshot Isolation and Repeatable Read-Snapshot isolation, repeatable read, and naming confusion
IVF (vector index), Vector Embeddings
IVM (incremental view maintenance), Maintaining materialized views, Unbundled versus integrated systems

J

Jaeger (tracing tool), Problems with Distributed Systems
Java Database Connectivity (JDBC)
- distributed transaction support, XA transactions
- network drivers, The Merits of Schemas
Java Enterprise Edition (EE), The problems with remote procedure calls, Two-Phase Commit, XA transactions
Java Message Service (JMS), Message brokers compared to databases
- (see also messaging systems)
- comparison to log-based messaging, Logs compared to traditional messaging, Replaying old messages
- distributed transaction support, XA transactions
- message ordering, Acknowledgments and redelivery
Java Transaction API (JTA), Two-Phase Commit, XA transactions

Java Virtual Machine (JVM)
  - garbage collection, Process Pauses, Limiting the impact of garbage collection
  - JIT compilation, Query Execution: Compilation and Vectorization
  - process reuse in batch processors, Dataflow Engines
JDBC (see Java Database Connectivity (JDBC))
Jena (RDF framework), The RDF data model, The SPARQL query language
Jepsen (fault tolerance testing), Fault injection, Aiming for Correctness
JIT (just-in-time) compilation, Query Execution: Compilation and Vectorization
jitter (network delay), Average, Median, and Percentiles, Variability of network delays
JMESPath (query language), Query Languages
JMS (see Java Message Service (JMS))
join table, Many-to-One and Many-to-Many Relationships, Property Graphs
joins, Glossary
  - expressing as relational operators, Query Languages
  - handling GraphQL query, GraphQL
  - in application code, Normalization, Denormalization, and Joins, Denormalization in the social networking case study
  - in DataFrames, DataFrames, Matrices, and Arrays
  - in relational and document databases, Normalization, Denormalization, and Joins
  - sort-merge joins, Joins and Grouping
  - stream joins, Stream Joins-Time dependence of joins
    - stream-stream join, Stream–stream join (window join)
    - stream-table join, Stream–table join (stream enrichment)
    - table-table join, Table–table join (materialized view maintenance)
    - time-dependence of, Time dependence of joins
  - support in document databases, Convergence of document and relational databases
JOTM (transaction coordinator), Two-Phase Commit
journaling (filesystems), Making B-trees reliable
JSON
  - aggregation pipeline (query language), Query languages for documents
  - Avro schema representation, Avro
  - binary variants, Binary encodings
  - data locality, Data locality for reads and writes
  - document data model, Relational Versus Document Models
  - for application data, issues with, JSON, XML, and Binary Variants
  - GraphQL response, GraphQL
  - in relational databases, Schema flexibility in the document model

- representing a résumé (example), The document data model for one-to-many relationships
- Schema, JSON Schema

JSON Pointer, Query languages for documents
JSON-LD, Triple Stores and SPARQL
JSONPath (query language), Query languages for documents, Query Languages
JTA (Java Transaction API), Two-Phase Commit
JuiceFS (distributed filesystem), Distributed Filesystems, Object Stores
jump consistent hashing, Consistent hashing
Jupyter (notebook), Machine Learning
just-in-time (JIT) compilation, Query Execution: Compilation and Vectorization
JVM (see Java Virtual Machine (JVM))

K

Kafka (messaging), Message brokers, Using logs for message storage
- consumer groups, Multiple consumers
- for data integration, Unbundled versus integrated systems
- for event sourcing, Event Sourcing and CQRS
- Kafka Connect (database integration), Implementing CDC, API support for change streams, Deriving several views from the same event log
- Kafka Streams (stream processor), Stream analytics
  - exactly-once semantics, Exactly-Once Message Processing Revisited
  - fault tolerance, Rebuilding state after a failure
- ksqlDB (stream database), Maintaining materialized views
- leader-based replication, Single-Leader Replication
- log compaction, Log compaction, Maintaining materialized views
- message offsets, Using logs for message storage, Idempotence
- partitions (sharding), Sharding
- request routing, Request Routing
- schema registry, But what is the writer's schema?
- serving derived data, Serving Derived Data
- tiered storage, Disk space usage
- transactions, Database-Internal Distributed Transactions, Atomic commit revisited
- unclean leader election, Subtleties of consensus
- use of model-checking, Model checking and specification languages

kappa architecture, Unifying batch and stream processing
key-value stores, Storage and Indexing for OLTP
- comparison to object stores, Object Stores

- in-memory, Keeping Everything in Memory
- LSM storage, Log-Structured Storage-Disk space usage
- sharding, Sharding of Key-Value Data-Skewed Workloads and Relieving Hot Spots
  - by hash of key, Sharding by Hash of Key, Summary
  - by key range, Sharding by Key Range, Summary
  - skew and hot spots, Skewed Workloads and Relieving Hot Spots

Kinesis (messaging), Message brokers
knowledge graphs, Graph-Like Data Models
Kryo (Java), Language-Specific Formats
ksqlDB (stream database), Maintaining materialized views
Kubernetes (cluster manager), Cloud Versus Self-Hosting, Microservices and Serverless, Distributed Job Orchestration, Separation of application code and state
- Kubeflow, Machine Learning
- kubelet, Distributed Job Orchestration
- operators, Distributed Job Orchestration
- use of etcd, Request Routing, Coordination Services

KùzuDB (database), Problems with Distributed Systems, Graph-Like Data Models
- as embedded storage engine, Compaction strategies
- Cypher query language, The Cypher Query Language

L

L4S (Low Latency, Low Loss, and Scalable Throughput), Combining circuit switching and packet switching
labeled property graphs (see property graphs)
lambda architecture, Unifying batch and stream processing
lambda calculus, Separation of application code and state
Lamport timestamps, Lamport timestamps
Lance (data format), Cloud Data Warehouses, Column-Oriented Storage
- (see also column-oriented storage)

large language models (LLMs), Vector Embeddings, Machine Learning
last write wins (LWW), Last write wins (discarding concurrent writes), Detecting Concurrent Writes, Implementing Linearizable Systems
- problems with, Timestamps for ordering events
- prone to lost updates, Conflict resolution and replication

latency, Latency and Response Time
- (see also response time)
- across regions, Distributed Versus Single-Node Systems

- instability under two-phase locking, Performance of 2PL
- network latency and resource utilization, Can we not simply make network delays predictable?
- reducing by request hedging, Single-Leader Versus Leaderless Replication Performance
- response time versus, Latency and Response Time
- tail latency, Average, Median, and Percentiles, Use of Response Time Metrics, Local Secondary Indexes

law (see legal matters)
layering (of cloud services), Layering of cloud services
leader-based replication, Single-Leader Replication-Logical (row-based) log replication
- (see also replication)
- failover, Leader failure: Failover
- handling node outages, Handling Node Outages
- implementation of replication logs
  - change data capture, Change Data Capture-API support for change streams
    - (see also changelogs)
  - statement-based, Statement-based replication
  - write-ahead log (WAL) shipping, Write-ahead log shipping
- linearizability of operations, Implementing Linearizable Systems
- locking and leader election, Locking and leader election
- log sequence number, Setting Up New Followers, Consumer offsets
- read-scaling architecture, Problems with Replication Lag, Single-Leader Versus Leaderless Replication Performance
- relation to consensus, Consensus, From single-leader replication to consensus, Pros and cons of consensus
- setting up new followers, Setting Up New Followers
- synchronous versus asynchronous, Synchronous Versus Asynchronous Replication-Synchronous Versus Asynchronous Replication

leaderless replication, Leaderless Replication-Version vectors
- (see also replication)
- catching up on missed writes, Catching up on missed writes
- detecting concurrent writes, Detecting Concurrent Writes-Version vectors
  - version vectors, Version vectors
- multi-region, Multi-Region Operation
- quorums, Using quorums for reading and writing-Multi-Region Operation
  - consistency limitations, Understanding the limitations of quorum consistency-Monitoring staleness, Implementing Linearizable Systems

leaf page (B-tree), B-Trees

leap seconds, Software faults, Time-of-day clocks, Clock Synchronization and Accuracy
leases, Process Pauses
  - implementation with coordination service, Coordination Services
  - need for fencing, Distributed Locks and Leases
  - relation to consensus, Single-value consensus
ledgers (accounting), Summary., Advantages of immutable events
legacy systems, maintenance of, Maintainability
legal matters, Data Systems, Law, and Society-Data Systems, Law, and Society
  - data deletion, Data Systems, Law, and Society
  - data residence, Distributed Versus Single-Node Systems, Sharding for Multitenancy
  - privacy regulation, Data Systems, Law, and Society, Legislation and Self-Regulation
legitimate interest (GDPR), Consent and Freedom of Choice
leveled compaction, Compaction strategies, Disk space usage
Levenshtein automata, Full-Text Search
limping (partial failure), System Model and Reality
Linear (project management software), Real-time collaboration, offline-first, and local-first apps
linear algebra, DataFrames, Matrices, and Arrays
linear scalability, Understanding Load
linearizability, Solutions for Replication Lag, Linearizability-Linearizability and network delays, Glossary
  - and consensus, Consensus
  - cost of, The Cost of Linearizability-Linearizability and network delays
    - CAP theorem, The CAP theorem
    - memory on multi-core CPUs, Linearizability and network delays
  - definition, What Makes a System Linearizable?-What Makes a System Linearizable?
  - ID generation, Linearizable ID Generators
  - in coordination services, Coordination Services
  - of derived data systems, Coordination-avoiding data systems
  - of different replication methods, Implementing Linearizable Systems-Implementing Linearizable Systems
  - reads in consensus systems, Subtleties of consensus
  - relying on, Relying on Linearizability-Cross-channel timing dependencies
    - constraints and uniqueness, Constraints and uniqueness guarantees
    - cross-channel timing dependencies, Cross-channel timing dependencies
    - locking and leader election, Locking and leader election

  - versus serializability, What Makes a System Linearizable?
linked data, Triple Stores and SPARQL
LinkedIn
  - Espresso (database), But what is the writer's schema?
  - LIquid (database), Datalog: Recursive Relational Queries
  - profile (example), The document data model for one-to-many relationships
Linux, leap second bug, Software faults
Litestream (backup tool), Setting Up New Followers
live migration, Process Pauses
liveness properties, Distinguishing between safety and liveness
LLMs (large language models), Vector Embeddings, Machine Learning
LLVM (compiler), Query Execution: Compilation and Vectorization
LMDB (storage engine), Compaction strategies, Using B-tree variants, Indexes and snapshot isolation
load
  - coping with, Principles for Scalability
  - describing, Understanding Load
load balancing, Describing Performance, Load balancers, service discovery, and service meshes
  - in hardware, Load balancers, service discovery, and service meshes
  - in software, Load balancers, service discovery, and service meshes
  - using message brokers, Multiple consumers
load shedding, Describing Performance
local secondary indexes, Local Secondary Indexes, Summary
local-first software, Real-time collaboration, offline-first, and local-first apps
locality (data access), The document data model for one-to-many relationships, Data locality for reads and writes, Glossary
  - in batch processing, Dataflow Engines
  - in stateful clients, Sync Engines and Local-First Software, Stateful, offline-capable clients
  - in stream processing, Stream–table join (stream enrichment), Rebuilding state after a failure, Stream processors and services, Uniqueness in log-based messaging
location transparency, The problems with remote procedure calls, Distributed actor frameworks
lock-in, Pros and Cons of Cloud Services
locks, Glossary
  - deadlock, Explicit locking, Implementation of 2PL
  - distributed locking, Distributed Locks and Leases-Fencing with multiple replicas, Locking and leader election

  - fencing tokens, Fencing off zombies and delayed requests
  - implementation with coordination service, Coordination Services
  - relation to consensus, Single-value consensus
- for transaction isolation
  - in snapshot isolation, Multiversion concurrency control
  - in two-phase locking (2PL), Two-Phase Locking-Index-range locks
  - making operations atomic, Atomic write operations
  - performance, Performance of 2PL
  - preventing dirty writes, Implementing read-committed
  - preventing phantoms with index-range locks, Index-range locks, Detection of writes that affect prior reads
  - read locks (shared mode), Implementing read-committed, Implementation of 2PL
  - shared mode and exclusive mode, Implementation of 2PL
- in distributed transactions
  - deadlock detection, Problems with XA transactions
  - in-doubt transactions holding locks, Holding locks while in doubt
- materializing conflicts with, Materializing conflicts
- preventing lost updates by explicit locking, Explicit locking

log sequence number, Setting Up New Followers, Consumer offsets

log-structured storage, Storage and Retrieval-Compaction strategies
- (see also LSM-trees (indexes))

logical clocks, Timestamps for ordering events, ID Generators and Logical Clocks-Enforcing constraints using logical clocks, Ordering events to capture causality
- for last-write-wins, Last write wins (discarding concurrent writes)
- for read-after-write consistency, Reading your own writes
- hybrid logical clocks, Hybrid logical clocks
- insufficiency for enforcing constraints, Enforcing constraints using logical clocks
- Lamport timestamps, Lamport timestamps

logical replication, Logical (row-based) log replication, Implementing CDC

LogicBlox (database), Datalog: Recursive Relational Queries

logs (data structure), Storage and Indexing for OLTP, Shared logs as consensus, Glossary
- (see also shared logs)
- advantages of immutability, Advantages of immutable events
- and right to erasure, Data Systems, Law, and Society
- compaction, Constructing and merging SSTables, Compaction strategies, Log compaction, State, Streams, and Immutability
  - for stream operator state, Rebuilding state after a failure
- implementing uniqueness constraints, Uniqueness in log-based messaging

- log-based messaging, Log-Based Message Brokers-Replaying old messages
  - comparison to traditional messaging, Logs compared to traditional messaging, Replaying old messages
  - consumer offsets, Consumer offsets
  - disk space usage, Disk space usage
  - replaying old messages, Replaying old messages, Reprocessing data for application evolution
  - slow consumers, When consumers cannot keep up with producers
  - using logs for message storage, Using logs for message storage
- log-structured storage, Storage and Indexing for OLTP-Compaction strategies
- relation to consensus, Shared logs as consensus
- replication, Single-Leader Replication, Implementation of Replication Logs-Logical (row-based) log replication
  - change data capture, Change Data Capture-API support for change streams
    - (see also changelogs)
  - coordination with snapshot, Setting Up New Followers
  - logical (row-based) replication, Logical (row-based) log replication
  - statement-based replication, Statement-based replication
  - write-ahead log (WAL) shipping, Write-ahead log shipping
- scalability limits, The limits of total ordering

Looker (business intelligence software), Characterizing Transaction Processing and Analytics, Analytics

loose coupling, Making unbundling work

lost updates (see updates)

Lotus Notes (sync engine), Pros and cons of sync engines

Low Latency, Low Loss and Scalable Throughput (L4S), Combining circuit switching and packet switching

LSM-trees (indexes), The SSTable file format-Compaction strategies, Comparing B-Trees and LSM-Trees-Disk space usage

Lucene (storage engine), Full-Text Search

LWW (see last write wins)

M

machine learning
- batch inference, Machine Learning
- data preparation with DataFrames, DataFrames, Matrices, and Arrays
- deleting training data, Data Systems, Law, and Society
- deploying data products, Beyond the data lake
- ethical considerations, Predictive Analytics

– (see also ethics)
– feature engineering, From data warehouse to data lake, Machine Learning
– in analytics systems, Operational Versus Analytical Systems
– iterative processing, Machine Learning
– LLMs (see large language models (LLMs))
– models derived from training data, Application code as a derivation function
– relation to batch processing, Machine Learning-Machine Learning
– using a data lake, From data warehouse to data lake
– using GPUs, Layering of cloud services, Distributed Versus Single-Node Systems
– using matrices, DataFrames, Matrices, and Arrays
madsim (deterministic simulation testing), Deterministic simulation testing
magic scaling sauce, Principles for Scalability
maintainability, Maintainability-Evolvability: Making Change Easy, A Philosophy of Streaming Systems
– evolvability (see evolvability)
– operability, Operability: Making Life Easy for Operations
– simplicity and managing complexity, Simplicity: Managing Complexity
many-to-many relationships, Many-to-One and Many-to-Many Relationships, Graph-Like Data Models
many-to-one relationships, Many-to-One and Many-to-Many Relationships, Stars and Snowflakes: Schemas for Analytics
MapReduce (batch processing), Batch Processing, MapReduce-MapReduce
– analysis of user activity events (example), Joins and Grouping
– comparison to stream processing, Processing Streams
– disadvantages and limitations of, MapReduce
– fault tolerance, Handling faults
– higher-level tools, Query Languages
– mapper and reducer functions, MapReduce
– shuffling data, Shuffling Data
– sort-merge joins, Joins and Grouping
– workflows (see workflow engines)
Marshal (Ruby), Language-Specific Formats
marshaling (see encoding)
MartenDB (database), Event Sourcing and CQRS
master-slave replication (obsolete term), Single-Leader Replication
materialization, Glossary
– aggregate values, Materialized Views and Data Cubes
– conflicts, Materializing conflicts
– materialized views, Materialized Views and Data Cubes

- as derived data, Systems of Record and Derived Data, Composing Data Storage Technologies-Unbundled versus integrated systems
- in event sourcing, Event Sourcing and CQRS
- incremental view maintenance, Maintaining materialized views
  - (see also incremental view maintenance (IVM))
- maintaining, using stream processing, Maintaining materialized views, Table–table join (materialized view maintenance)

- social network timeline example, Materializing and Updating Timelines

Materialize (database), Materialized Views and Data Cubes, Maintaining materialized views

matrices, DataFrames, Matrices, and Arrays

mean, Average, Median, and Percentiles

median, Average, Median, and Percentiles

meeting room booking (example), More examples of write skew, Predicate locks

Memgraph (database), Graph-Like Data Models, The Cypher Query Language

memory

- barrier (CPU instruction), Linearizability and network delays
- corruption, Hardware and Software Faults
- in-memory databases, Keeping Everything in Memory
  - durability, Durability
  - serial transaction execution, Actual Serial Execution
- in-memory representation of data, Formats for Encoding Data
- memtable (in LSM-trees), Constructing and merging SSTables
- use by indexes, Log-Structured Storage

memtable (in LSM-trees), Constructing and merging SSTables

Mercurial (version control system), Concurrency control

merge (DataFrame operator), DataFrames, Matrices, and Arrays

merging sorted files, Constructing and merging SSTables, Shuffling Data

Merkle trees, Tools for auditable data systems

Mesos (cluster manager), Separation of application code and state

message brokers (see messaging systems)

message queues (see messaging systems)

message-oriented middleware (see messaging systems)

message-passing (see event-driven architecture)

MessagePack (encoding format), Binary encodings

messaging systems, Event-Driven Architectures, Stream Processing-Replaying old messages

- (see also streams)
- backpressure, buffering, or dropping messages, Messaging Systems
- brokerless messaging, Direct messaging from producers to consumers

- event logs, Log-Based Message Brokers-Replaying old messages
  - as data model, Event Sourcing and CQRS
  - comparison to traditional messaging, Logs compared to traditional messaging, Replaying old messages
  - consumer offsets, Consumer offsets
  - replaying old messages, Replaying old messages, Reprocessing data for application evolution, Unifying batch and stream processing
  - slow consumers, When consumers cannot keep up with producers
- exactly-once semantics, Exactly-once message processing, Exactly-Once Message Processing Revisited, Fault Tolerance
- message brokers, Message brokers-Acknowledgments and redelivery
  - acknowledgments and redelivery, Acknowledgments and redelivery
  - comparison to event logs, Logs compared to traditional messaging, Replaying old messages
  - multiple consumers of same topic, Multiple consumers
  - versus RPC, Event-Driven Architectures
- message loss, Messaging Systems
- reliability, Messaging Systems
- uniqueness in log-based messaging, Uniqueness in log-based messaging

metastable failure, Describing Performance

metered billing
- serverless, Microservices and Serverless
- storage, Operations in the Cloud Era

metrics, for response time, Use of Response Time Metrics

microbatching, Microbatching and checkpointing

microservices, Microservices and Serverless
- (see also services)
- causal dependencies across services, The limits of total ordering
- loose coupling, Making unbundling work
- relation to batch/stream processors, Batch Processing, Stream processors and services

Microsoft
- Azure Blob Storage (see Azure Blob Storage)
- Azure managed disks, Separation of storage and compute
- Azure Service Bus (messaging), Message brokers, Message brokers compared to databases
- Azure SQL DB (database), Cloud Native System Architecture
- Azure Storage, Object Stores
- Azure Stream Analytics, Stream analytics
- Azure Synapse Analytics (database), Cloud Native System Architecture

- DCOM (Distributed Component Object Model), The problems with remote procedure calls
- Microsoft Power BI (see Power BI (business intelligence software))
- MSDTC (transaction coordinator), Two-Phase Commit
- SQL Server (see SQL Server)

migrating (rewriting) data, Schema flexibility in the document model, Different values written at different times, Deriving several views from the same event log, Reprocessing data for application evolution

MinIO (object storage), Distributed Filesystems

mobile apps, Trade-Offs in Data Systems Architecture, Compaction strategies

model checking, Model checking and specification languages

modulus operator (%), Hash modulo number of nodes

Mojo (programming language), Limiting the impact of garbage collection

MongoDB (database), Batch Processing

- aggregation pipeline, Query languages for documents
- atomic operations, Atomic write operations
- BSON, Data locality for reads and writes
- document data model, Relational Versus Document Models
- hash-range sharding, Sharding by Hash of Key, Sharding by hash range
- in the cloud, Cloud Native System Architecture
- joins ($lookup operator), Normalization, Denormalization, and Joins, Convergence of document and relational databases
- JSON Schema validation, JSON Schema
- leader-based replication, Single-Leader Replication
- ObjectIDs, ID Generators and Logical Clocks
- range-based sharding, Sharding by Key Range
- request routing, Request Routing
- secondary indexes, Local Secondary Indexes
- shard splitting, Rebalancing key-range sharded data
- stored procedures, Pros and cons of stored procedures

monitoring, Operations in the Cloud Era, Humans and Reliability, Operability: Making Life Easy for Operations

monotonic clocks, Monotonic clocks

monotonic reads, Monotonic reads

Morel (query language), Query Languages

MSMQ (messaging), XA transactions

multi-leader replication, Multi-Leader Replication-Types of conflict

- (see also replication)
- collaborative editing, Real-time collaboration, offline-first, and local-first apps
- conflict detection, Types of conflict

- conflict resolution, Dealing with Conflicting Writes
- for multi-region replication, Geographically Distributed Operation, The Cost of Linearizability
- linearizability, lack of, Implementing Linearizable Systems
- offline-capable clients, Sync Engines and Local-First Software
- replication topologies, Multi-leader replication topologies-Problems with different topologies

multi-object transactions, The need for multi-object transactions
Multi-Paxos (consensus algorithm), Leaderless Replication, Consensus in Practice
multi-reader single-writer lock, Implementation of 2PL
multi-table index cluster tables (Oracle), Data locality for reads and writes
multicolumn indexes, Multidimensional and Full-Text Indexes
multidimensional arrays, DataFrames, Matrices, and Arrays
multidimensional index, Multidimensional and Full-Text Indexes
multiplayer game (example), More examples of write skew
multitenancy, Separation of storage and compute, Variability of network delays
- by sharding, Sharding for Multitenancy
- using embedded databases, Compaction strategies

multiversion concurrency control (MVCC), Multiversion concurrency control, Summary
- detecting stale MVCC reads, Detection of stale MVCC reads
- indexes and snapshot isolation, Indexes and snapshot isolation
- using synchronized clocks, Synchronized clocks for global snapshots

mutual exclusion, Pessimistic versus optimistic concurrency control
- (see also locks)

MVCC (see multiversion concurrency control (MVCC))
MySQL (database)
- archiving WAL to object stores, Setting Up New Followers
- binlog coordinates, Setting Up New Followers
- change data capture, Implementing CDC, API support for change streams
- circular replication topology, Multi-leader replication topologies
- consistent snapshots, Setting Up New Followers
- distributed transaction support, XA transactions
- global transaction identifiers (GTIDs), Setting Up New Followers
- in the cloud, Cloud Native System Architecture
- InnoDB storage engine (see InnoDB)
- leader-based replication, Single-Leader Replication
- multi-leader replication, Geographically Distributed Operation
- row-based replication, Logical (row-based) log replication
- sharding (see Vitess (database))

- snapshot isolation support, Snapshot isolation, repeatable read, and naming confusion
  - (see also InnoDB)
- statement-based replication, Statement-based replication

N

N+1 query problem, Object-relational mapping
nanomsg (messaging library), Direct messaging from producers to consumers
Narayana (transaction coordinator), Two-Phase Commit
NAS (Network Attached Storage), Shared-Memory, Shared-Disk, and Shared-Nothing Architectures, Distributed Filesystems
NATS (messaging), Message brokers
natural language processing (NLP), From data warehouse to data lake
Neo4j (database)
- Cypher query language, The Cypher Query Language
- graph data model, Graph-Like Data Models
Neon (database), Setting Up New Followers
Nephele (dataflow engine), Dataflow Engines
netcode (game development), Pros and cons of sync engines
Network Attached Storage (NAS), Shared-Memory, Shared-Disk, and Shared-Nothing Architectures, Distributed Filesystems
Network File System (NFS), Distributed Filesystems, Object Stores
network latency/delay, Latency and Response Time
network model (data representation), Relational Versus Document Models
network partitions, Sharding
Network Time Protocol (NTP), Unreliable Clocks
- accuracy, Clock Synchronization and Accuracy, Timestamps for ordering events
- adjustments to monotonic clocks, Monotonic clocks
- multiple server addresses, Weak forms of lying
networks
- congestion and queueing, Network congestion and queueing
- datacenter network topologies, Cloud Computing Versus Supercomputing
- faults (see faults)
- linearizability and network delays, Linearizability and network delays
- network partitions, Network Faults in Practice
  - in CAP theorem, The Cost of Linearizability
- timeouts and unbounded delays, Timeouts and Unbounded Delays

NewSQL, Relational Versus Document Models, Solutions for Replication Lag, What Exactly Is a Transaction?, Database-Internal Distributed Transactions
next-key locking, Index-range locks
NFS (Network File System), Distributed Filesystems, Object Stores
NGINX, Load balancers, service discovery, and service meshes
Nimble (data format), Cloud Data Warehouses, Column-Oriented Storage
- (see also column-oriented storage)
NLP (natural language processing), From data warehouse to data lake
node (in graphs) (see vertices)
nodes (processes), Distributed Versus Single-Node Systems, Glossary
- allocating work to, Allocating work to nodes
- handling outages in leader-based replication, Handling Node Outages
- system models for failure, System Model and Reality
- writing to databases, Writing to the Database When a Node Is Down-Monitoring staleness
noisy neighbors, Variability of network delays
Non-Volatile Memory Express (NVMe) (see solid state drives (SSDs))
nonblocking atomic commit, Three-phase commit
nondeterministic operations, Statement-based replication
- (see also deterministic operations)
- in distributed systems, Deterministic simulation testing
- in workflow engines, Durable Execution and Workflows
- partial failures, Faults and Partial Failures
- sources of nondeterminism, Deterministic simulation testing
nonfunctional requirements, Defining Nonfunctional Requirements, Summary
nonrepeatable reads, Snapshot Isolation and Repeatable Read
- (see also read skew)
nonsimple domains, Convergence of document and relational databases
nonuniform memory access (NUMA), Pros and Cons of Sharding
normalization (data representation), Normalization, Denormalization, and Joins-Many-to-One and Many-to-Many Relationships, Glossary
- foreign-key references, The need for multi-object transactions
- in social network case study, Denormalization in the social networking case study
- in systems of record, Systems of Record and Derived Data
- versus denormalization, Deriving several views from the same event log
NoSQL, Relational Versus Document Models, Solutions for Replication Lag, What Exactly Is a Transaction?, Unbundling Databases
Notation3 (N3), Triple Stores and SPARQL
NP-hard, Resource allocation

NTP (see Network Time Protocol (NTP))
NUMA (nonuniform memory access), Pros and Cons of Sharding
numbers, in XML and JSON encodings, JSON, XML, and Binary Variants
NumPy (Python library), DataFrames, Matrices, and Arrays, Column-Oriented Storage
NVMe (Non-Volatile Memory Express) (see solid state drives (SSDs))

O

object databases, Relational Versus Document Models
object storage, Layering of cloud services, Object Stores-Object Stores
- Amazon S3 (see Amazon S3 (object storage))
- Azure Blob Storage (see Azure Blob Storage)
- comparison to distributed filesystems, Object Stores
- comparison to key-value stores, Object Stores
- databases backed by, Setting Up New Followers
- for backups, Replication
- for cloud data warehouses, Cloud Data Warehouses, Writing to column-oriented storage
- for database replication, Setting Up New Followers
- Google Cloud Storage (see Google, Cloud Storage)
- object size, Separation of storage and compute
- storing LSM segment files, Constructing and merging SSTables
- support for fencing, Fencing off zombies and delayed requests
- use in data lakes, From data warehouse to data lake

object-relational mapping (ORM) frameworks, Object-relational mapping
- error handling and aborted transactions, Handling errors and aborts
- unsafe read-modify-write cycle code, Atomic write operations

object-relational mismatch, The Object-Relational Mismatch
observability, Problems with Distributed Systems, Humans and Reliability, Operability: Making Life Easy for Operations
observer pattern, Separation of application code and state
OBT (one big table), Stars and Snowflakes: Schemas for Analytics, Stars and Snowflakes: Schemas for Analytics
offline systems, Batch Processing
- (see also batch processing)

offline-first applications, Real-time collaboration, offline-first, and local-first apps, Stateful, offline-capable clients
offsets
- consumer offsets in sharded logs, Consumer offsets

– messages in sharded logs, Using logs for message storage
OLAP (online analytical processing), Characterizing Transaction Processing and Analytics, Materialized Views and Data Cubes, Glossary
OLTP (see online transaction processing (OLTP))
on-premises deployment, Cloud Versus Self-Hosting, Cloud Data Warehouses
one big table (OBT), Stars and Snowflakes: Schemas for Analytics, Stars and Snowflakes: Schemas for Analytics
one-hot encoding, DataFrames, Matrices, and Arrays
one-to-few relationships, The document data model for one-to-many relationships
one-to-many relationships, The document data model for one-to-many relationships, The document data model for one-to-many relationships
online analytical processing (OLAP), Characterizing Transaction Processing and Analytics, Materialized Views and Data Cubes, Glossary
online systems, Cloud Computing Versus Supercomputing, Batch Processing
– (see also services)
online transaction processing (OLTP), Characterizing Transaction Processing and Analytics, Glossary
– analytical queries versus, Analytics
– data normalization, Trade-offs of normalization
– storage engines optimized for, Storage and Retrieval-Keeping Everything in Memory
– workload characteristics, Actual Serial Execution
ontologies, Triple Stores and SPARQL
Oozie (workflow scheduler), Batch Processing
Open Graph protocol (Facebook), Triple Stores and SPARQL
OpenAPI (service definition format), Microservices and Serverless, JSON Schema, Web services
openCypher (see Cypher (query language))
OpenHistogram (percentile estimation), Use of Response Time Metrics
OpenLink Virtuoso (see Virtuoso (database))
OpenStack, Object Stores
OpenTelemetry (tracing tool), Problems with Distributed Systems
operability, Operability: Making Life Easy for Operations
operating systems versus databases, Unbundling Databases
operational systems, Operational Versus Analytical Systems, Systems of Record and Derived Data
– (see also online transaction processing (OLTP))
– analytical systems compared with, Operational Versus Analytical Systems-Systems of Record and Derived Data
– ETL into analytical systems, Data Warehousing

operational transformation (OT), Conflict-free replicated datatypes and operational transformation
operations teams, Operations in the Cloud Era
operators (query execution), Query Execution: Compilation and Vectorization, Processing Streams
optimistic concurrency control, Pessimistic versus optimistic concurrency control
optimistic locking, Conditional writes (compare-and-set)
Oracle (database)
  - distributed transaction support, XA transactions
  - GoldenGate (change data capture), Implementing CDC
  - hierarchical queries, Graph Queries in SQL
  - lack of serializability, Isolation
  - leader-based replication, Single-Leader Replication
  - multi-leader replication, Geographically Distributed Operation
  - multi-table index cluster tables, Data locality for reads and writes
  - not preventing write skew, Characterizing write skew
  - PL/SQL language, Pros and cons of stored procedures
  - preventing lost updates, Automatically detecting lost updates
  - read-committed isolation, Implementing read-committed
  - Real Application Clusters (RAC), Locking and leader election
  - snapshot isolation support, Snapshot Isolation and Repeatable Read, Snapshot isolation, repeatable read, and naming confusion
  - TimesTen (in-memory database), Keeping Everything in Memory
  - WAL-based replication, Write-ahead log shipping
ORC (data format), Cloud Data Warehouses, Column-Oriented Storage
  - (see also column-oriented storage)
orchestration (service deployment), Cloud Versus Self-Hosting, Microservices and Serverless
  - batch job execution, Distributed Job Orchestration-Distributed Job Orchestration
  - workflow engines, Batch Processing
ordering
  - event logs, Event Sourcing and CQRS
  - limits of total ordering, The limits of total ordering
  - logical timestamps, Logical Clocks
  - of auto-incrementing IDs, ID Generators and Logical Clocks
  - shared logs, Consensus in Practice-Pros and cons of consensus
Orkes (workflow engine), Durable Execution and Workflows
Orleans (actor framework), Distributed actor frameworks
ORM (see object-relational mapping (ORM) frameworks)

orphan pages (B-trees), Making B-trees reliable
OT (operational transformation), Conflict-free replicated datatypes and operational transformation
outbox pattern, CDC versus event sourcing
outliers (response time), Average, Median, and Percentiles
outsourcing, Cloud Versus Self-Hosting
overload, Describing Performance, Handling errors and aborts

P

PACELC principle, The CAP theorem
package managers, Separation of application code and state
packet switching, Can we not simply make network delays predictable?
packets
- corruption of, Weak forms of lying
- sending via UDP, Direct messaging from producers to consumers
PageRank (algorithm), Graph-Like Data Models, Query Languages
paging (see virtual memory)
Pandas (Python library), From data warehouse to data lake, DataFrames, Matrices, and Arrays, Column-Oriented Storage, DataFrames
Parquet (data format), From data warehouse to data lake, Cloud Data Warehouses, Column-Oriented Storage, Archival storage, Query Languages
- (see also column-oriented storage)
- databases on object storage, Setting Up New Followers
- document data model, Column-Oriented Storage
- use in batch processing, MapReduce
parsing (see decoding)
partial failures, Faults and Partial Failures, System Model and Reality, Summary
partial synchrony (system model), System Model and Reality
partition key, Pros and Cons of Sharding, Sharding of Key-Value Data, Logs compared to traditional messaging
partitioning (see sharding)
Paxos (consensus algorithm), Consensus, Consensus in Practice
- ballot number, From single-leader replication to consensus
- Multi-Paxos, Consensus in Practice
Payment Card Industry (PCI) compliance, Data Systems, Law, and Society
percentiles, Average, Median, and Percentiles, Glossary
- calculating efficiently, Use of Response Time Metrics
- in service level agreements (SLAs), Use of Response Time Metrics
- in service level objectives (SLOs), Use of Response Time Metrics

Percolator (Google), Implementing a linearizable ID generator
Percona XtraBackup (MySQL tool), Setting Up New Followers
performance
  – degradation as fault, System Model and Reality
  – describing, Describing Performance
  – of distributed transactions, Distributed Transactions Across Different Systems
  – of in-memory databases, Keeping Everything in Memory
  – of linearizability, Linearizability and network delays
  – of multi-leader replication, Geographically Distributed Operation
permission isolation, Sharding for Multitenancy
perpetual inconsistency, Timeliness and Integrity
pessimistic concurrency control, Pessimistic versus optimistic concurrency control
pgcapture (change data capture), Implementing CDC
pglogical (PostgreSQL extension), Geographically Distributed Operation
PGQL (Property Graph Query Language), Graph Queries in SQL
pgvector (vector index), Vector Embeddings
phantoms (transaction isolation), Phantoms causing write skew
  – materializing conflicts, Materializing conflicts
  – preventing, in serializability, Predicate locks
physical clocks (see clocks)
pickle (Python), Language-Specific Formats
Pinot (database), Characterizing Transaction Processing and Analytics, Column-Oriented Storage
  – handling writes, Writing to column-oriented storage
  – pre-aggregation, Analytics
  – serving derived data, Serving Derived Data, Serving Derived Data
pipelined execution, in data warehouse queries, Query Execution: Compilation and Vectorization
pivot table, DataFrames, Matrices, and Arrays
point in time, Unreliable Clocks
point queries, Characterizing Transaction Processing and Analytics, Comparing B-Trees and LSM-Trees
Polaris (data catalog), Cloud Data Warehouses
polling, Representing Users, Posts, and Follows, Transmitting Event Streams-Pushing state changes to clients
polystores, The meta-database of everything
portable operating system interface (POSIX), Setting Up New Followers, Distributed Filesystems
  – compliant filesystems, Object Stores
Post Office Horizon scandal, Humans and Reliability, Transactions

Post/Redirect/Get pattern, Duplicate suppression
PostgreSQL (database)
- archiving WAL to object stores, Setting Up New Followers
- change data capture, Implementing CDC, API support for change streams
- distributed transaction support, XA transactions
- foreign data wrappers, The meta-database of everything
- full text search support, Combining Specialized Tools by Deriving Data
- in the cloud, Cloud Native System Architecture
- JSON Schema validation, JSON Schema
- leader-based replication, Single-Leader Replication
- log sequence number, Setting Up New Followers
- logical decoding, Logical (row-based) log replication
- materialized view maintenance, Maintaining materialized views
- MVCC implementation, Multiversion concurrency control, Indexes and snapshot isolation
- partitioning versus sharding, Sharding
- pgvector (vector index), Vector Embeddings
- PL/pgSQL language, Pros and cons of stored procedures
- PostGIS geospatial indexes, Multidimensional and Full-Text Indexes
- preventing lost updates, Automatically detecting lost updates
- preventing write skew, Characterizing write skew, Serializable Snapshot Isolation
- read-committed isolation, Implementing read-committed
- representing graphs, Property Graphs
- serializable snapshot isolation (SSI), Serializable Snapshot Isolation
- sharding (see Citus (database))
- snapshot isolation support, Snapshot Isolation and Repeatable Read, Snapshot isolation, repeatable read, and naming confusion
- WAL-based replication, Write-ahead log shipping
postings list, Full-Text Search, Local Secondary Indexes
postmortems, blameless, Humans and Reliability
PouchDB (database), Pros and cons of sync engines
Power BI (business intelligence software), Characterizing Transaction Processing and Analytics, Analytics
pre-aggregation, Analytics, Serving Derived Data
pre-splitting, Rebalancing key-range sharded data
Precision Time Protocol (PTP), Clock Synchronization and Accuracy
predicate locks, Predicate locks
predictive analytics, Operational Versus Analytical Systems, Predictive Analytics-Feedback Loops

- amplifying bias, Bias and Discrimination
- ethics of (see ethics)
- feedback loops, Feedback Loops

preemption, Resource allocation
- in distributed schedulers, Handling faults
- of threads, Process Pauses

Prefect (workflow scheduler), Durable Execution and Workflows, Batch Processing, Scheduling workflows, Query Languages

Pregel model, Machine Learning

Presto (query engine), Cloud Data Warehouses

preventing double-spending (example), More examples of write skew

primary (see leader-based replication)

primary keys, Multicolumn and Secondary Indexes, Glossary
- autoincrementing, ID Generators and Logical Clocks
- versus partition key, Sharding by hash range

primary-backup replication (see leader-based replication)

privacy, Privacy and Tracking-Legislation and Self-Regulation
- consent and freedom of choice, Consent and Freedom of Choice
- data as assets and power, Data as Assets and Power
- deleting data, Limitations of immutability
- ethical considerations (see ethics)
- legislation and self-regulation, Legislation and Self-Regulation
- meaning of, Privacy and Use of Data
- regulation, Data Systems, Law, and Society
- surveillance, Surveillance
- tracking behavioral data, Privacy and Tracking

probabilistic algorithms
- Bloom filters, Bloom filters
- in stream analytics, Stream analytics
- percentile estimation, Use of Response Time Metrics

process pauses, Process Pauses-Limiting the impact of garbage collection

processing time (of events), Reasoning About Time

producers (message streams), Transmitting Event Streams

product analytics, Characterizing Transaction Processing and Analytics, Column-Oriented Storage

programming languages for stored procedures, Pros and cons of stored procedures

projections (event sourcing), Event Sourcing and CQRS

Prolog (language), Datalog: Recursive Relational Queries
- (see also Datalog)

Property Graph Query Language (PGQL), Graph Queries in SQL

property graphs, Property Graphs
  - Cypher query language, The Cypher Query Language
  - Property Graph Query Language (PGQL), Graph Queries in SQL
property-based testing, Humans and Reliability, Formal Methods and Randomized Testing
Protocol Buffers (data format), Protocol Buffers-Field tags and schema evolution
provenance of data, Designing for auditability
PTP (Precision Time Protocol), Clock Synchronization and Accuracy
publish/subscribe model, Messaging Systems
publishers (message streams), Transmitting Event Streams
Pulsar (streaming platform), Acknowledgments and redelivery
PyTorch (machine learning library), Machine Learning

Q

QoS (quality of service), Combining circuit switching and packet switching
Qpid (messaging), Message brokers compared to databases
quality of service (QoS), Combining circuit switching and packet switching
query engines
  - compilation and vectorization, Query Execution: Compilation and Vectorization
  - in cloud data warehouse, Cloud Data Warehouses
  - operators, Query Execution: Compilation and Vectorization
  - optimizing declarative queries, Data Models and Query Languages
query languages, Data Models and Query Languages-Summary
  - Cypher, The Cypher Query Language
  - Datalog, Datalog: Recursive Relational Queries
  - GraphQL, GraphQL
  - MongoDB aggregation pipeline, Normalization, Denormalization, and Joins, Query languages for documents
  - recursive SQL queries, Graph Queries in SQL
  - SPARQL, The SPARQL query language
  - SQL, Normalization, Denormalization, and Joins
query optimizers, Query Execution: Compilation and Vectorization, Query Languages
queueing, Describing Performance
  - variability of network delays, Network congestion and queueing
    - head-of-line blocking, Latency and Response Time
    - latency and response time, Latency and Response Time
queues (messaging), Message brokers
QUIC (protocol), The Limitations of TCP

quorums, Using quorums for reading and writing-Multi-Region Operation, Glossary
  - for leaderless replication, Using quorums for reading and writing
  - in consensus algorithms, From single-leader replication to consensus
  - limitations of consistency, Understanding the limitations of quorum consistency-Monitoring staleness, Implementing Linearizable Systems
  - making decisions in distributed systems, The Majority Rules
  - monitoring staleness, Monitoring staleness
  - multi-region replication, Multi-Region Operation
  - relying on durability, Mapping system models to the real world
quotas, Operations in the Cloud Era

R

R (language), From data warehouse to data lake, DataFrames, Matrices, and Arrays, DataFrames
R-trees (indexes), Multidimensional and Full-Text Indexes
R2 (object storage), Layering of cloud services, Distributed Filesystems
RabbitMQ (messaging), Message brokers, Single-Leader Replication, Message brokers compared to databases
race conditions, Isolation
  - (see also concurrency)
  - avoiding with linearizability, Cross-channel timing dependencies
  - caused by dual writes, Keeping Systems in Sync
  - causing loss of money, Weak Isolation Levels
  - dirty writes, No dirty writes
  - in counter increments, No dirty writes
  - lost updates, Preventing Lost Updates-Conflict resolution and replication
  - preventing with serializable isolation, Serializability
  - weak transaction isolation, Weak Isolation Levels
  - write skew, Write Skew and Phantoms-Materializing conflicts
Raft (consensus algorithm), Consensus, Consensus in Practice, Uniqueness constraints require consensus
  - leader-based replication, Single-Leader Replication
  - sensitivity to network problems, Pros and cons of consensus
  - term number, From single-leader replication to consensus
  - use in etcd, Implementing Linearizable Systems
RAID (redundant array of independent disks), Separation of storage and compute
RAID (Redundant Array of Independent Disks), Tolerating hardware faults through redundancy, Distributed Filesystems

railways
– changing the gauge on, Reprocessing data for application evolution
– modeling network as a graph, Graph-Like Data Models
RAM (see memory)
RAMCloud (in-memory storage), Keeping Everything in Memory
random writes (access pattern), Sequential versus random writes
range (CockroachDB), Sharding
range queries
– in B-trees, B-Trees, Read performance
– in LSM-trees, Read performance
– not efficient in hash maps, Log-Structured Storage
– with hash sharding, Sharding by hash range
ranking algorithms, Machine Learning
Ray (workflow scheduler), Machine Learning
RDF (Resource Description Framework), The RDF data model, The SPARQL query language
RDMA (Remote Direct Memory Access), Layering of cloud services, Cloud Computing Versus Supercomputing
React (user interface library), End-to-end event streams
reactive programming, Pros and cons of sync engines
read models (event sourcing), Event Sourcing and CQRS
read path (derived data), Observing Derived State
read repair (leaderless replication), Catching up on missed writes, Implementing Linearizable Systems
read replicas (see followers) (see leader-based replication)
read skew (transaction isolation), Snapshot Isolation and Repeatable Read, Summary
read uncommitted isolation level, Implementing read-committed
read-after-write consistency, Reading your own writes, Timeliness and Integrity
read-committed isolation level, Read Committed-Implementing read-committed
– implementing, Implementing read-committed
– multiversion concurrency control (MVCC), Multiversion concurrency control
– no dirty reads, No dirty reads
– no dirty writes, No dirty writes
read-modify-write cycle, Preventing Lost Updates
read-scaling architecture, Problems with Replication Lag, Single-Leader Versus Leaderless Replication Performance, Pros and Cons of Sharding
read-your-writes consistency (see read-after-write consistency)
reader's schema (Avro), The writer’s schema and the reader’s schema
reads as events, Reads are events too

real-time
  – analytics (see product analytics)
  – collaborative editing, Real-time collaboration, offline-first, and local-first apps
  – publish/subscribe dataflow, End-to-end event streams
  – response time guarantees, Provididng response time guarantees
  – time-of-day clocks, Time-of-day clocks
real-time operating system (RTOS), Provididng response time guarantees
Realm (database), Pros and cons of sync engines
rebalancing shards, Rebalancing key-range sharded data, Glossary
  – (see also sharding)
  – automatic or manual rebalancing, Operations: Automatic Versus Manual Rebalancing
  – fixed number of shards, Fixed number of shards
  – fixed number of shards per node, Sharding by hash range
  – problems with hash mod N, Hash modulo number of nodes
recency guarantee (linearizability), Linearizability
recipients (see consumers)
recommendation engines, Operational Versus Analytical Systems
  – building using DataFrames, DataFrames, Matrices, and Arrays
  – iterative processing, Machine Learning
reconfiguration (consensus), Subtleties of consensus
recursive queries
  – in Cypher, The Cypher Query Language
  – in Datalog, Datalog: Recursive Relational Queries
  – in SPARQL, The SPARQL query language
  – lack of, in GraphQL, GraphQL
  – relational, Datalog: Recursive Relational Queries-Datalog: Recursive Relational Queries
  – SQL common table expressions, Graph Queries in SQL
Red Hat, JSON Schema
red-black tree, Constructing and merging SSTables
redelivery (messaging), Acknowledgments and redelivery
Redis (database)
  – atomic operations, Atomic write operations
  – CRDT support, Conflict-free replicated datatypes and operational transformation
  – durability, Keeping Everything in Memory
  – Lua scripting, Pros and cons of stored procedures
  – multi-leader replication, Geographically Distributed Operation
  – process-per-core model, Pros and Cons of Sharding

  - single-threaded execution, Actual Serial Execution
redo log (see write-ahead log)
Redpanda (messaging), Message brokers, Setting Up New Followers, Disk space usage
Redshift (database), Cloud Data Warehouses
redundancy
  - hardware components, Tolerating hardware faults through redundancy
  - of derived data, Systems of Record and Derived Data
    - (see also derived data)
redundant array of independent disks (RAID), Separation of storage and compute
Redundant Array of Independent Disks (RAID), Tolerating hardware faults through redundancy, Distributed Filesystems
Reed–Solomon codes (error correction), Distributed Filesystems
refactoring, Evolvability: Making Change Easy
  - (see also evolvability)
regions (geographic distribution), Reading your own writes
  - (see also datacenters)
  - consensus across, Pros and cons of consensus
  - definition, Reading your own writes
  - latency, Distributed Versus Single-Node Systems
  - linearizable ID generation, Implementing a linearizable ID generator
  - replication across, Geographically Distributed Operation-Problems with different topologies, The Cost of Linearizability, The limits of total ordering
    - leaderless, Multi-Region Operation
    - multi-leader, Geographically Distributed Operation
regions (sharding), Sharding
register (data structure), What Makes a System Linearizable?
regulation (see legal matters)
relational data model, From data warehouse to data lake, Relational Versus Document Models-Convergence of document and relational databases
  - comparison to document model, When to Use Which Model-Convergence of document and relational databases
  - graph queries in SQL, Graph Queries in SQL
  - in-memory databases with, Keeping Everything in Memory
  - many-to-one and many-to-many relationships, Many-to-One and Many-to-Many Relationships
  - multi-object transactions, need for, The need for multi-object transactions
  - object-relational mismatch, The Object-Relational Mismatch
  - representing a reorderable list, When to Use Which Model
  - versus document model

  - convergence of models, Convergence of document and relational databases
  - data locality, Data locality for reads and writes

relational databases
  - eventual consistency, Problems with Replication Lag
  - history, Relational Versus Document Models
  - leader-based replication, Single-Leader Replication
  - logical logs, Logical (row-based) log replication
  - philosophy compared to Unix, Unbundling Databases, The meta-database of everything
  - schema changes, Schema flexibility in the document model, Encoding and Evolution, Different values written at different times
  - sharded secondary indexes, Sharding and Secondary Indexes
  - statement-based replication, Statement-based replication
  - use of B-tree indexes, B-Trees

relationships (see edges)

reliability, Reliability and Fault Tolerance-Humans and Reliability, A Philosophy of Streaming Systems
  - building a reliable system from unreliable components, Faults and Partial Failures
  - hardware faults, Hardware and Software Faults
  - human errors, Humans and Reliability
  - importance of, Humans and Reliability
  - of messaging systems, Messaging Systems
  - software faults, Software faults

Remote Direct Memory Access (RDMA), Layering of cloud services, Cloud Computing Versus Supercomputing

Remote Method Invocation (Java RMI), The problems with remote procedure calls

remote procedure calls (RPCs), The problems with remote procedure calls-Data encoding and evolution for RPC
  - (see also services)
  - data encoding and evolution, Data encoding and evolution for RPC
  - issues with, The problems with remote procedure calls
  - using Avro, But what is the writer's schema?
  - versus message brokers, Event-Driven Architectures

rendezvous hashing, Consistent hashing

renewable energy, Distributed Versus Single-Node Systems

repeatable reads (transaction isolation), Snapshot isolation, repeatable read, and naming confusion

replication, Replication-Summary, Glossary
  - and durability, Durability

- conflict resolution and, Conflict resolution and replication
- consistency properties, Problems with Replication Lag-Solutions for Replication Lag
  - consistent prefix reads, Consistent prefix reads
  - monotonic reads, Monotonic reads
  - reading your own writes, Reading your own writes
- in distributed filesystems, Distributed Filesystems
- leaderless, Leaderless Replication-Version vectors
  - detecting concurrent writes, Detecting Concurrent Writes-Version vectors
  - limitations of quorum consistency, Understanding the limitations of quorum consistency-Monitoring staleness, Implementing Linearizable Systems
- monitoring staleness, Monitoring staleness
- multi-leader, Multi-Leader Replication-Types of conflict
  - across multiple regions, Geographically Distributed Operation, The Cost of Linearizability
  - conflict resolution, Dealing with Conflicting Writes-Types of conflict
  - replication topologies, Multi-leader replication topologies-Problems with different topologies
- reasons for using, Distributed Versus Single-Node Systems, Replication
- replication lag, Problems with Replication Lag-Solutions for Replication Lag
- replication logs (see logs)
- sharding and, Sharding
- single-leader, Single-Leader Replication-Logical (row-based) log replication
  - failover, Leader failure: Failover
  - implementation of replication logs, Implementation of Replication Logs-Logical (row-based) log replication
  - relation to consensus, From single-leader replication to consensus, Pros and cons of consensus
  - setting up new followers, Setting Up New Followers
  - synchronous versus asynchronous, Synchronous Versus Asynchronous Replication-Synchronous Versus Asynchronous Replication
- state machine replication, Statement-based replication, Pros and cons of stored procedures, Using shared logs, Databases and Streams
  - event sourcing, Event Sourcing and CQRS
  - reliance on determinism, Deterministic simulation testing
- using consensus, Pros and cons of consensus
- using erasure coding, Distributed Filesystems
- using object storage, Setting Up New Followers
- versus backups, Replication
- with heterogeneous data systems, Keeping Systems in Sync

Representational State Transfer (REST), Web services
– (see also services)
representations of data (see data models)
reprocessing data, Replaying old messages, Reprocessing data for application evolution, Unifying batch and stream processing
– (see also evolvability)
request hedging, Single-Leader Versus Leaderless Replication Performance
request identifiers, Uniquely identifying requests, Multishard request processing
request routing, Request Routing-Request Routing
residence laws for data, Distributed Versus Single-Node Systems, Sharding for Multitenancy
resilient systems, Reliability and Fault Tolerance
– (see also fault tolerance)
Resource Description Framework (RDF), The RDF data model, The SPARQL query language
resource isolation, Cloud Computing Versus Supercomputing, Sharding for Multitenancy
resource limits, Operations in the Cloud Era
response time
– as performance metric, Describing Performance, Batch Processing
– guarantees on, Privididng response time guarantees
– impact on users, Average, Median, and Percentiles
– in replicated systems, Single-Leader Versus Leaderless Replication Performance
– latency versus, Latency and Response Time
– mean and percentiles, Average, Median, and Percentiles
– metrics for, Use of Response Time Metrics
– user experience, Average, Median, and Percentiles
responsibility and accountability, Responsibility and Accountability
REST (Representational State Transfer), Web services
– (see also services)
Restate (workflow engine), Durable Execution and Workflows
RethinkDB (database)
– join support, Convergence of document and relational databases
– key-range sharding, Sharding by Key Range
retrieval-augmented generation, Vector Embeddings
retry storm, Describing Performance, Software faults
reverse ETL, Beyond the data lake
Riak (database)

- CRDT support, Conflict-free replicated datatypes and operational transformation, Detecting Concurrent Writes
- dotted version vectors, Version vectors
- gossip protocol, Request Routing
- hash sharding, Fixed number of shards
- leaderless replication, Leaderless Replication
- linearizability, lack of, Implementing Linearizable Systems
- multi-region support, Multi-Region Operation
- rebalancing, Operations: Automatic Versus Manual Rebalancing
- secondary indexes, Local Secondary Indexes
- sloppy quorums, Single-Leader Versus Leaderless Replication Performance
- vnodes (sharding), Sharding

ring buffers, Disk space usage
RisingWave (database), Maintaining materialized views
road network, Graph-Like Data Models
roaring bitmaps, Column compression
rockets, Uses of Byzantine fault tolerance
RocksDB (storage engine), Constructing and merging SSTables
- as embedded storage engine, Compaction strategies
- leveled compaction, Compaction strategies
- serving derived data, Serving Derived Data

rollbacks (transactions), Transactions
rolling upgrades, Tolerating hardware faults through redundancy, Encoding and Evolution, Sharding for Multitenancy, Faults and Partial Failures
routing (see request routing)
row-based replication, Logical (row-based) log replication
row-oriented storage, Column-Oriented Storage
RPCs (see remote procedure calls)
RTOS (real-time operating system), Provididng response time guarantees
rules (Datalog), Datalog: Recursive Relational Queries
run-length encoding, Column compression
Rust (programming language), Limiting the impact of garbage collection

S

S3 (object storage) (see Amazon S3 (object storage))
SaaS (see software as a service (SaaS))
safety and liveness properties, Distinguishing between safety and liveness, Single-value consensus
safety guarantees, Transactions

sagas (see compensating transactions)
Samza (stream processor), Stream analytics
SAN (Storage Area Network), Shared-Memory, Shared-Disk, and Shared-Nothing Architectures
SAP HANA (database), Data Storage for Analytics
scalability, Scalability-Principles for Scalability, A Philosophy of Streaming Systems
- auto-scaling, Operations: Automatic Versus Manual Rebalancing
- by sharding, Pros and Cons of Sharding
- describing load, Understanding Load
- describing performance, Describing Performance
- in distributed systems, Distributed Versus Single-Node Systems
- linear, Understanding Load
- principles for, Principles for Scalability
- replication and, Problems with Replication Lag
- scaling up versus scaling out, Shared-Memory, Shared-Disk, and Shared-Nothing Architectures
scaling out, Shared-Memory, Shared-Disk, and Shared-Nothing Architectures, Pros and Cons of Sharding
- (see also shared-nothing architecture)
scaling up, Shared-Memory, Shared-Disk, and Shared-Nothing Architectures
SCD (slowly changing dimension), Time dependence of joins
scheduling
- algorithms, Resource allocation
- batch jobs, Distributed Job Orchestration-Scheduling workflows
- gang scheduling, Resource allocation
schema-on-read, Schema flexibility in the document model, The Merits of Schemas
schema-on-write, Schema flexibility in the document model
schemaless databases (see schema-on-read)
schemas, Glossary
- Avro, Avro-Dynamically generated schemas
  - reader determining writer's schema, But what is the writer's schema?
  - schema evolution, The writer's schema and the reader's schema
- dynamically generated, Dynamically generated schemas
- evolution of, Reprocessing data for application evolution
  - affecting application code, Encoding and Evolution
  - compatibility checking, But what is the writer's schema?
  - in databases, Dataflow Through Databases-Archival storage
  - in service calls, Data encoding and evolution for RPC

  - flexibility in document model, Schema flexibility in the document model
  - for analytics, Stars and Snowflakes: Schemas for Analytics-Stars and Snowflakes: Schemas for Analytics
  - for JSON and XML, JSON, XML, and Binary Variants, JSON Schema
  - generation and migration using ORMs, Object-relational mapping
  - merits of, The Merits of Schemas
  - migration, Schema flexibility in the document model
  - Protocol Buffers, Protocol Buffers-Field tags and schema evolution
  - schema migration on railways, Reprocessing data for application evolution
  - traditional approach to design, fallacy in, Deriving several views from the same event log

scientific computing, Cloud Computing Versus Supercomputing

scikit-learn (Python library), From data warehouse to data lake

SCTP (Stream Control Transmission Protocol), The Limitations of TCP

ScyllaDB (database)

  - cluster metadata, Request Routing
  - consistency level ANY, Single-Leader Versus Leaderless Replication Performance
  - hash-range sharding, Sharding by Hash of Key, Sharding by hash range
  - last-write-wins conflict resolution, Detecting Concurrent Writes
  - leaderless replication, Leaderless Replication
  - lightweight transactions, Single-object writes
  - linearizability, lack of, Implementing Linearizable Systems
  - log-structured storage, Constructing and merging SSTables
  - multi-region support, Multi-Region Operation
  - use of clocks, Understanding the limitations of quorum consistency, Timestamps for ordering events
  - vnodes (sharding), Sharding

search engines (see full-text search)

searching on streams, Search on streams

secondaries (see followers) (see leader-based replication)

secondary indexes, Multicolumn and Secondary Indexes, Glossary

  - for many-to-many relationships, Many-to-One and Many-to-Many Relationships
  - problems with dual writes, Keeping Systems in Sync
  - sharding, Sharding and Secondary Indexes-Global Secondary Indexes, Summary
    - global, Global Secondary Indexes
    - index maintenance, Maintaining derived state
    - local, Local Secondary Indexes
  - updating, transaction isolation and, The need for multi-object transactions

secondary sort (MapReduce), Joins and Grouping
sed (Unix tool), Simple Log Analysis
self-hosting, Cloud Versus Self-Hosting, Cloud Data Warehouses
self-joins, Summary
self-validating systems, Don't just blindly trust what they promise
semantic search, Vector Embeddings
Semantic Web, Triple Stores and SPARQL
semisynchronous replication, Synchronous Versus Asynchronous Replication
sender (see producers)
sequential writes (access pattern), Sequential versus random writes
serializability, Isolation, Weak Isolation Levels, Serializability-Performance of serializable snapshot isolation, Glossary
- linearizability versus, What Makes a System Linearizable?
- pessimistic versus optimistic concurrency control, Pessimistic versus optimistic concurrency control
- serial execution, Actual Serial Execution-Summary of serial execution
  - sharding, Sharding
  - using stored procedures, Encapsulating transactions in stored procedures, Using shared logs
- serializable snapshot isolation (SSI), Serializable Snapshot Isolation-Performance of serializable snapshot isolation
  - detecting stale MVCC reads, Detection of stale MVCC reads
  - detecting writes that affect prior reads, Detection of writes that affect prior reads
  - distributed execution, Performance of serializable snapshot isolation, Database-Internal Distributed Transactions
  - performance of SSI, Performance of serializable snapshot isolation
  - preventing write skew, Decisions based on an outdated premise-Detection of writes that affect prior reads
- strict serializability, What Makes a System Linearizable?, Timeliness and Integrity
- two-phase locking (2PL), Two-Phase Locking-Index-range locks
  - index-range locks, Index-range locks
  - performance, Performance of 2PL
Serializable (Java), Language-Specific Formats
serializable snapshot isolation (SSI), Serializable Snapshot Isolation-Performance of serializable snapshot isolation
serialization, Formats for Encoding Data
- (see also encoding)
serverless, Microservices and Serverless

service discovery, Load balancers, service discovery, and service meshes, Request Routing, Service discovery
  - registration, Load balancers, service discovery, and service meshes
  - using DNS, Load balancers, service discovery, and service meshes, Request Routing, Service discovery
service framework, Web services
service level agreements (SLAs), Use of Response Time Metrics, Understanding Load
service level objectives (SLOs), Use of Response Time Metrics
service mesh, Load balancers, service discovery, and service meshes
Service Organization Control (SOC), Data Systems, Law, and Society
service time, Latency and Response Time
service-oriented architecture (SOA), Microservices and Serverless
  - (see also services)
services, Dataflow Through Services: REST and RPC-Data encoding and evolution for RPC
  - causal dependencies across services, The limits of total ordering
  - loose coupling, Making unbundling work
  - microservices, Microservices and Serverless
  - relation to batch/stream processors, Batch Processing, Stream processors and services
  - remote procedure calls (RPCs), The problems with remote procedure calls-Data encoding and evolution for RPC
  - similarity to databases, Dataflow Through Services: REST and RPC
  - web services, Web services
session windows (stream processing), Types of windows
  - (see also windows)
sharding, Sharding-Summary, Glossary
  - and consensus, Using shared logs
  - and replication, Sharding
  - distributed transactions across shards, Distributed Transactions
  - hot shards, Sharding of Key-Value Data
  - in batch processing, Batch Processing
  - key-range splitting, Rebalancing key-range sharded data
  - multishard operations, Multishard data processing
    - enforcing constraints, Multishard request processing
    - secondary index maintenance, Maintaining derived state
  - of key-value data, Sharding of Key-Value Data-Skewed Workloads and Relieving Hot Spots
    - by key range, Sharding by Key Range

    - skew and hot spots, Skewed Workloads and Relieving Hot Spots
  - origin of the term, Sharding
  - partition key, Pros and Cons of Sharding, Sharding of Key-Value Data
  - rebalancing shards, Rebalancing key-range sharded data-Operations: Automatic Versus Manual Rebalancing
    - automatic or manual rebalancing, Operations: Automatic Versus Manual Rebalancing
    - problems with hash mod N, Hash modulo number of nodes
    - using fixed number of shards, Fixed number of shards
    - using N shards per node, Sharding by hash range
  - request routing, Request Routing-Request Routing
  - secondary indexes, Sharding and Secondary Indexes-Global Secondary Indexes
    - global, Global Secondary Indexes
    - local, Local Secondary Indexes
  - serial execution of transactions and, Sharding
  - sorting sharded data, Shuffling Data

shared logs, Consensus in Practice-Pros and cons of consensus, Uniqueness in log-based messaging
  - algorithms, Consensus in Practice
  - for event sourcing, Event Sourcing and CQRS
  - for messaging, Log-Based Message Brokers-Replaying old messages
  - relation to consensus, Shared logs as consensus
  - using, Using shared logs

shared mode (locks), Implementation of 2PL

shared subscription (message queues), Multiple consumers

shared-disk architecture, Shared-Memory, Shared-Disk, and Shared-Nothing Architectures, Distributed Filesystems

shared-memory architecture, Shared-Memory, Shared-Disk, and Shared-Nothing Architectures

shared-nothing architecture, Shared-Memory, Shared-Disk, and Shared-Nothing Architectures, Glossary
  - distributed filesystems, Distributed Filesystems
    - (see also distributed filesystems)
  - use of network, Unreliable Networks

sharks
  - biting undersea cables, Network Faults in Practice
  - counting (example), Query languages for documents

Shenandoah (garbage collector), Limiting the impact of garbage collection

shredding
  - deletion (see crypto-shredding)

  - in columnar encoding, Column-Oriented Storage
  - in relational model, When to Use Which Model

shuffle (batch processing), Shuffling Data-Shuffling Data

shunning (Fossil), Limitations of immutability

siblings (concurrent values), Manual conflict resolution, Capturing the happens-before relationship, Conflict resolution and replication

  - (see also conflicts)

silo, Data Warehousing

SIMD (single-instruction-multidata) instructions, Query Execution: Compilation and Vectorization

similarity search

  - edit distance, Full-Text Search
  - genome data, Summary

simplicity, Simplicity: Managing Complexity

Singer (data connector), Data Warehousing

single-instruction-multidata (SIMD) instructions, Query Execution: Compilation and Vectorization

single-leader replication (see leader-based replication)

single-threaded execution, Atomic write operations, Actual Serial Execution, Logs compared to traditional messaging, Concurrency control

SingleStore (database), Keeping Everything in Memory, Data Storage for Analytics

site reliability engineer (SRE), Operations in the Cloud Era

size-tiered compaction, Compaction strategies, Disk space usage

skew, Glossary

  - clock skew, Relying on Synchronized Clocks-Clock readings with a confidence interval, Implementing Linearizable Systems
  - in transaction isolation
    - read skew, Snapshot Isolation and Repeatable Read, Summary
    - write skew, Write Skew and Phantoms-Materializing conflicts, Decisions based on an outdated premise-Detection of writes that affect prior reads
      - (see also write skew)
  - meanings of, Snapshot Isolation and Repeatable Read
  - unbalanced workload, Sharding of Key-Value Data
    - compensating for, Skewed Workloads and Relieving Hot Spots
    - due to celebrities, Skewed Workloads and Relieving Hot Spots
    - for time-series data, Sharding by Key Range

skip list, Constructing and merging SSTables

Slack (group chat), GraphQL

SLAs (service level agreements), Use of Response Time Metrics, Understanding Load

SlateDB (database), Constructing and merging SSTables, Setting Up New Followers
slicing and dicing, Data Storage for Analytics
sliding windows (stream processing), Types of windows
  – (see also windows)
sloppy quorums, Single-Leader Versus Leaderless Replication Performance
SLOs (service level objectives), Use of Response Time Metrics
slowly changing dimension (data warehouses), Time dependence of joins
smearing (leap seconds adjustments), Clock Synchronization and Accuracy
snapshots (databases)
  – as backups, Replication
  – computing derived data, Creating an index
  – in change data capture, Initial snapshot
  – serializable snapshot isolation (SSI), Serializable Snapshot Isolation-Performance of serializable snapshot isolation
  – setting up a new replica, Setting Up New Followers
  – snapshot isolation and repeatable read, Isolation, Snapshot Isolation and Repeatable Read-Snapshot isolation, repeatable read, and naming confusion
    – implementing with MVCC, Multiversion concurrency control
    – indexes and MVCC, Indexes and snapshot isolation
    – visibility rules, Visibility rules for observing a consistent snapshot
  – synchronized clocks for global snapshots, Synchronized clocks for global snapshots
Snowflake (database), Cloud Native System Architecture, Cloud Data Warehouses, Cloud Data Warehouses, Batch Processing
  – column-oriented storage, Column-Oriented Storage
  – handling writes, Writing to column-oriented storage
  – sharding and clustering, Sharding by hash range
  – Snowpark, Query Languages
Snowflake (ID generator), ID Generators and Logical Clocks
snowflake schemas, Stars and Snowflakes: Schemas for Analytics
SOA (service-oriented architecture), Microservices and Serverless
  – (see also services)
SOAP (web services), The problems with remote procedure calls
SOC (Service Organization Control), Data Systems, Law, and Society
social graph, Graph-Like Data Models
society, responsibility toward, Data Systems, Law, and Society, Legislation and Self-Regulation
sociotechnical systems, Humans and Reliability
software as a service (SaaS), Trade-Offs in Data Systems Architecture, Cloud Versus Self-Hosting

- ETL from, Data Warehousing
- multitenancy, Sharding for Multitenancy

software bugs, Software faults, Maintaining integrity in the face of software bugs

solar storm, Hardware and Software Faults

solid state drives (SSDs)

- compared to object storage, Setting Up New Followers
- detecting corruption, The end-to-end argument, Don't just blindly trust what they promise
- failure rate, Hardware and Software Faults
- faults in, Durability
- firmware bugs, Software faults
- read throughput, Read performance
- sequential versus random writes, Sequential versus random writes

Solr (search server)

- local secondary indexes, Local Secondary Indexes
- request routing, Request Routing
- use of Lucene, Full-Text Search

sort (Unix tool), Simple Log Analysis, Sorting Versus In-Memory Aggregation, Distributed Job Orchestration

sort-merge joins (MapReduce), Joins and Grouping

Sorted String Tables (see SSTables)

source of truth (see systems of record)

Spanner (database)

- consistency model, What Makes a System Linearizable?
- data locality, Data locality for reads and writes
- in the cloud, Cloud Native System Architecture
- snapshot isolation using clocks, Synchronized clocks for global snapshots
- transactions, What Exactly Is a Transaction?, Database-Internal Distributed Transactions
- TrueTime API, Clock readings with a confidence interval

Spark (processing framework), From data warehouse to data lake, Cloud Native System Architecture, Batch Processing, Scheduling workflows, Dataflow Engines

- cost efficiency, Query Languages
- DataFrames, DataFrames, Matrices, and Arrays, DataFrames
- fault tolerance, Handling faults
- for data warehouses, Cloud Data Warehouses
- high availability using ZooKeeper, Coordination Services
- MLlib, Machine Learning
- query optimizer, Query Languages
- shuffling data, Shuffling Data

- Spark Streaming, Stream analytics, Microbatching and checkpointing
- streaming SQL support, Complex event processing
- use for ETL, Extract–Transform–Load

SPARQL (query language), Graph-Like Data Models, The SPARQL query language
sparse bitmaps (columnar encoding), Column compression
sparse indexes (SSTables), The SSTable file format
sparse matrices, DataFrames, Matrices, and Arrays
specialized hardware, in distributed systems, Distributed Versus Single-Node Systems
split brain, Leader failure: Failover, Request Routing, Glossary
- enforcing constraints, Uniqueness constraints require consensus
- in consensus algorithms, Consensus, From single-leader replication to consensus
- preventing, Implementing Linearizable Systems
- using fencing tokens to avoid, Fencing off zombies and delayed requests-Fencing with multiple replicas

spot instances, Handling faults
spreadsheets, Trade-Offs in Data Systems Architecture, DataFrames, Matrices, and Arrays
- dataflow programming, Designing Applications Around Dataflow
- pivot table, DataFrames, Matrices, and Arrays

SQL (Structured Query Language), Simplicity: Managing Complexity, Relational Versus Document Models, Cloud Data Warehouses
- for analytics, Data Warehousing, Column-Oriented Storage
- graph queries in, Graph Queries in SQL
- isolation levels standard, issues with, Snapshot isolation, repeatable read, and naming confusion
- joins, Normalization, Denormalization, and Joins
- résumé (example), The document data model for one-to-many relationships
- social network home timelines (example), Representing Users, Posts, and Follows
- SQL injection vulnerability, Uses of Byzantine fault tolerance
- statement-based replication, Statement-based replication
- stored procedures, Pros and cons of stored procedures
- views, Datalog: Recursive Relational Queries

SQL Server (database)
- archiving WAL to object stores, Setting Up New Followers
- change data capture, Implementing CDC
- data warehousing support, Data Storage for Analytics
- distributed transaction support, XA transactions

- leader-based replication, Single-Leader Replication
- multi-leader replication, Geographically Distributed Operation
- preventing lost updates, Automatically detecting lost updates
- preventing write skew, Characterizing write skew, Implementation of 2PL
- read-committed isolation, Implementing read-committed
- serializable isolation, Implementation of 2PL, Serializable Snapshot Isolation
- snapshot isolation support, Snapshot Isolation and Repeatable Read
- T-SQL language, Pros and cons of stored procedures

SQLite (database), Problems with Distributed Systems, Compaction strategies, Setting Up New Followers

SRE (site reliability engineer), Operations in the Cloud Era

SS2PL (strong strict two-phase locking), Two-Phase Locking

SSDs (see solid state drives)

SSI (serializable snapshot isolation), Serializable Snapshot Isolation-Performance of serializable snapshot isolation

SSTables (storage format), The SSTable file format-Compaction strategies
- constructing and maintaining, Constructing and merging SSTables
- making LSM-Tree from, Constructing and merging SSTables

staged rollout (see rolling upgrades)

staleness (old data), Reading your own writes
- cross-channel timing dependencies, Cross-channel timing dependencies
- in leaderless databases, Writing to the Database When a Node Is Down
- in multiversion concurrency control, Detection of stale MVCC reads
- monitoring for, Monitoring staleness
- of client state, Pushing state changes to clients
- versus linearizability, Linearizability
- versus timeliness, Timeliness and Integrity

standbys (see leader-based replication)

star replication topologies, Multi-leader replication topologies

star schemas, Stars and Snowflakes: Schemas for Analytics-Stars and Snowflakes: Schemas for Analytics

Star Wars analogy (event time versus processing time), Event time versus processing time

starvation (scheduling), Resource allocation

state
- derived from log of immutable events, State, Streams, and Immutability
- interplay between state changes and application code, Dataflow: Interplay between state changes and application code
- maintaining derived state, Maintaining derived state

- maintenance by stream processor in stream–stream joins, Stream–stream join (window join)
- observing derived state, Observing Derived State-Multishard data processing
- rebuilding after stream processor failure, Rebuilding state after a failure
- separation of application code and, Separation of application code and state

state machine replication, Statement-based replication, Pros and cons of stored procedures, Using shared logs, Databases and Streams
- event sourcing, Event Sourcing and CQRS
- reliance on determinism, Deterministic simulation testing

stateless systems, Trade-Offs in Data Systems Architecture

statement-based replication, Statement-based replication, Deterministic simulation testing

statically typed languages, analogy to schema-on-write, Schema flexibility in the document model

statistical and numerical algorithms, DataFrames, Matrices, and Arrays

StatsD (metrics aggregator), Direct messaging from producers to consumers

steal time, Process Pauses

stock market feeds, Direct messaging from producers to consumers

stop-the-world (see garbage collection)

storage area network (SAN), Shared-Memory, Shared-Disk, and Shared-Nothing Architectures, Distributed Filesystems

storage engines, Storage and Retrieval-Summary
- column-oriented, Column-Oriented Storage-Query Execution: Compilation and Vectorization
  - column compression, Column compression-Column compression
  - defined, Column-Oriented Storage
  - Parquet, Cloud Data Warehouses, Column-Oriented Storage, Archival storage
  - sort order in, Sort order in column storage-Sort order in column storage
  - versus wide-column model, Column compression
  - writing to, Writing to column-oriented storage
- in-memory storage, Keeping Everything in Memory, Durability
- row-oriented, Storage and Indexing for OLTP-Keeping Everything in Memory
  - B-trees, B-Trees-Using B-tree variants
  - comparing B-trees and LSM-trees, Comparing B-Trees and LSM-Trees-Disk space usage
  - defined, Column-Oriented Storage

stored procedures, Encapsulating transactions in stored procedures-Pros and cons of stored procedures, Glossary
- and shared logs, Using shared logs

  - pros and cons of, Pros and cons of stored procedures
  - similarity to stream processors, Application code as a derivation function

Storm (stream processor), Stream analytics
  - distributed RPC, Event-driven architectures and RPC, Multishard data processing
  - Trident state handling, Idempotence

straggler events, Handling straggler events

Stream Control Transmission Protocol (SCTP), The Limitations of TCP

stream processing, Stream Processing-Summary, Glossary
  - accessing external services within job, Microbatching and checkpointing, Idempotence, Exactly-once execution of an operation
  - combining with batch processing, Unifying batch and stream processing
  - comparison to batch processing, Processing Streams
  - complex event processing (CEP), Complex event processing
  - fault tolerance, Fault Tolerance-Rebuilding state after a failure
    - atomic commit, Atomic commit revisited
    - idempotence, Idempotence
    - microbatching and checkpointing, Microbatching and checkpointing
    - rebuilding state after a failure, Rebuilding state after a failure
  - for data integration, Batch and Stream Processing-Unifying batch and stream processing
  - for event sourcing, Event Sourcing and CQRS
  - maintaining derived state, Maintaining derived state
  - maintenance of materialized views, Maintaining materialized views
  - messaging systems (see messaging systems)
  - reasoning about time, Reasoning About Time-Types of windows
    - event time versus processing time, Event time versus processing time, Microbatching and checkpointing, Unifying batch and stream processing
    - knowing when window is ready, Handling straggler events
    - types of windows, Types of windows
  - relation to databases (see streams)
  - relation to services, Stream processors and services
  - relationship to batch processing, Batch Processing
  - search on streams, Search on streams
  - single-threaded execution, Logs compared to traditional messaging, Concurrency control
  - stream analytics, Stream analytics
  - stream joins, Stream Joins-Time dependence of joins
    - stream–stream join, Stream–stream join (window join)
    - stream–table join, Stream–table join (stream enrichment)

- table-table join, Table–table join (materialized view maintenance)
- time-dependence of, Time dependence of joins

streams
- end-to-end, pushing events to clients, End-to-end event streams
- messaging systems (see messaging systems)
- processing (see stream processing)
- relation to databases, Databases and Streams-Limitations of immutability
  - (see also changelogs)
  - API support for change streams, API support for change streams
  - change data capture, Change Data Capture-API support for change streams
  - derivative of state by time, State, Streams, and Immutability
  - event sourcing, CDC versus event sourcing
  - keeping systems in sync, Keeping Systems in Sync-Keeping Systems in Sync
  - philosophy of immutable events, State, Streams, and Immutability-Limitations of immutability
- topics, Transmitting Event Streams
- transmitting, Transmitting Event Streams-Replaying old messages

strict serializability, What Makes a System Linearizable?, Timeliness and Integrity
striping (in columnar encoding), Column-Oriented Storage
strong consistency (see linearizability)
strong eventual consistency, Automatic conflict resolution
strong one-copy serializability, What Makes a System Linearizable?
strong strict two-phase locking (SS2PL), Two-Phase Locking
Structured Query Language (see SQL (Structured Query Language))
subjects, predicates, and objects (in triple-stores), Triple Stores and SPARQL
subscribers (message streams), Message brokers, Transmitting Event Streams
- (see also consumers)

supercomputers, Cloud Computing Versus Supercomputing
Superset (data visualization software), Analytics
surveillance, Surveillance
- (see also privacy)

sushi principle, From data warehouse to data lake
sustainability, Distributed Versus Single-Node Systems
Swagger (service definition format), Web services, Web services
swapping to disk (see virtual memory)
Swift (programming language), Limiting the impact of garbage collection
sync engines, Sync Engines and Local-First Software-Pros and cons of sync engines
- examples of, Pros and cons of sync engines

- for local-first software, Real-time collaboration, offline-first, and local-first apps
synchronous networks, Synchronous Versus Asynchronous Networks, Glossary
- comparison to asynchronous networks, Synchronous Versus Asynchronous Networks
- system model, System Model and Reality
synchronous replication, Synchronous Versus Asynchronous Replication, Multi-Leader Replication, Glossary
system administrator (sysadmin), Operations in the Cloud Era
system models, Knowledge, Truth, and Lies, System Model and Reality-Deterministic simulation testing
- assumptions in, Trust, but Verify
- correctness of algorithms, Defining the correctness of an algorithm
- mapping to the real world, Mapping system models to the real world
- safety and liveness, Distinguishing between safety and liveness
systems of record, Systems of Record and Derived Data, Glossary
- change data capture, Implementing CDC, Reasoning about dataflows
- event logs, Event Sourcing and CQRS
- treating event log as, State, Streams, and Immutability
systems thinking, Feedback Loops

T

t-digest (algorithm), Use of Response Time Metrics
Tableau (data visualization software), Characterizing Transaction Processing and Analytics, Analytics
table–table joins, Table–table join (materialized view maintenance)
tail (Unix tool), Using logs for message storage
tail latency (see latency)
tail vertex (property graphs), Property Graphs
task (workflows) (see workflow engines)
TCP (Transmission Control Protocol), The Limitations of TCP
- comparison to circuit switching, Can we not simply make network delays predictable?
- comparison to UDP, Network congestion and queueing
- connection failures, Fault Detection
- flow control, Network congestion and queueing, Messaging Systems
- packet checksums, Weak forms of lying, The end-to-end argument, Trust, but Verify
- reliability and duplicate suppression, Duplicate suppression

- retransmission timeouts, Variability of network delays
- use for transaction sessions, Single-Object and Multi-Object Operations

Temporal (workflow engine), Durable Execution and Workflows

TensorFlow (machine learning library), Machine Learning

Teradata (database), Cloud Native System Architecture, Cloud Data Warehouses

term-partitioned indexes (see global secondary indexes)

termination (consensus), Single-value consensus, Atomic commitment as consensus

testing, Humans and Reliability

thrashing (out of memory), Process Pauses

threads (concurrency)

- actor model, Distributed actor frameworks, Event-driven architectures and RPC
  - (see also event-driven architecture)
- atomic operations, Atomicity
- background threads, Constructing and merging SSTables
- execution pauses, Can we not simply make network delays predictable?, Process Pauses-Process Pauses
- memory barriers, Linearizability and network delays
- preemption, Process Pauses
- single (see single-threaded execution)

three-phase commit (3PC), Three-phase commit

three-way relationships, Property Graphs

Thrift (data format), Protocol Buffers

throughput, Describing Performance, Understanding Load, Batch Processing

TIBCO, Message brokers

- Enterprise Message Service, Message brokers compared to databases
- StreamBase (stream analytics), Complex event processing

TiDB (database)

- consensus-based replication, Single-Leader Replication
- regions (sharding), Sharding
- request routing, Request Routing
- serving derived data, Serving Derived Data
- sharded secondary indexes, Global Secondary Indexes
- snapshot isolation support, Snapshot Isolation and Repeatable Read
- timestamp oracle, Implementing a linearizable ID generator
- transactions, What Exactly Is a Transaction?, Database-Internal Distributed Transactions
- use of model-checking, Model checking and specification languages

tiered storage, Setting Up New Followers, Disk space usage

TigerBeetle (database), Summary, Formal Methods and Randomized Testing, Deterministic simulation testing
TigerGraph (database), Graph Queries in SQL
Tigris (object storage), Distributed Filesystems
TileDB (database), DataFrames, Matrices, and Arrays
time
- concurrency and, The happens-before relation and concurrency
- cross-channel timing dependencies, Cross-channel timing dependencies
- in distributed systems, Unreliable Clocks-Limiting the impact of garbage collection
  - (see also clocks)
  - clock synchronization and accuracy, Clock Synchronization and Accuracy
  - relying on synchronized clocks, Relying on Synchronized Clocks-Synchronized clocks for global snapshots
- process pauses, Process Pauses-Limiting the impact of garbage collection
- reasoning about, in stream processors, Reasoning About Time-Types of windows
  - event time versus processing time, Event time versus processing time, Microbatching and checkpointing, Unifying batch and stream processing
  - knowing when window is ready, Handling straggler events
  - timestamp of events, Whose clock are you using, anyway?
  - types of windows, Types of windows
- system models for distributed systems, System Model and Reality
- time-dependence in stream joins, Time dependence of joins
time travel, Batch Processing
time-of-day clocks, Time-of-day clocks, Hybrid logical clocks
time-series data
- as DataFrames, DataFrames, Matrices, and Arrays
- column-oriented storage, Column-Oriented Storage
timeliness, Timeliness and Integrity
- coordination-avoiding data systems, Coordination-avoiding data systems
- correctness of dataflow systems, Correctness of dataflow systems
timeouts, Unreliable Networks, Glossary
- dynamic configuration of, Variability of network delays
- for failover, Leader failure: Failover
- length of, Timeouts and Unbounded Delays
TimescaleDB (database), Column-Oriented Storage
timestamps, Logical Clocks
- assigning to events in stream processing, Whose clock are you using, anyway?
- for read-after-write consistency, Reading your own writes

- for transaction ordering, Synchronized clocks for global snapshots
- insufficiency for enforcing constraints, Enforcing constraints using logical clocks
- key range sharding by, Sharding by Key Range
- Lamport, Lamport timestamps
- logical, Ordering events to capture causality
- ordering events, Timestamps for ordering events
- timestamp oracle, Implementing a linearizable ID generator

TLA+ (specification language), Model checking and specification languages
token bucket algorithm, Describing Performance
tombstones, Constructing and merging SSTables, Disk space usage, Log compaction
topics (messaging), Message brokers, Transmitting Event Streams
torn pages (B-trees), Making B-trees reliable
total order, The Many Faces of Consensus, Glossary
- broadcast (see shared logs)
- limits of, The limits of total ordering
- on logical timestamps, Logical Clocks

tracing, Problems with Distributed Systems
tracking behavioral data, Privacy and Tracking
- (see also privacy)

trade-offs, in data systems architecture, Trade-Offs in Data Systems Architecture-Data Systems, Law, and Society
transaction coordinator (see coordinator)
transaction manager (see coordinator)
transaction processing, Characterizing Transaction Processing and Analytics-Characterizing Transaction Processing and Analytics
- comparison to analytics, Characterizing Transaction Processing and Analytics
- comparison to data warehousing, Data Storage for Analytics

transactions, Transactions-Summary, Glossary
- ACID properties of, The Meaning of ACID
  - atomicity, Atomicity
  - consistency, Consistency
  - durability, Durability
  - isolation, Isolation
- and derived data integrity, Timeliness and Integrity
- and replication, Solutions for Replication Lag
- compensating (see compensating transactions)
- concept of, What Exactly Is a Transaction?
- distributed transactions, Distributed Transactions-Exactly-Once Message Processing Revisited

- avoiding, Derived data versus distributed transactions, Making unbundling work, Enforcing Constraints-Coordination-avoiding data systems
- failure amplification, Maintaining derived state
- for sharded systems, Pros and Cons of Sharding
- in doubt/uncertain status, Coordinator failure, Holding locks while in doubt
- two-phase commit, Two-Phase Commit-Three-phase commit
- use of, Distributed Transactions Across Different Systems-Exactly-once message processing
- XA transactions, XA transactions-Problems with XA transactions

- OLTP versus analytical queries, Analytics
- purpose of, Transactions
- serializability, Serializability-Performance of serializable snapshot isolation
- actual serial execution, Actual Serial Execution-Summary of serial execution
- pessimistic versus optimistic concurrency control, Pessimistic versus optimistic concurrency control
- serializable snapshot isolation (SSI), Serializable Snapshot Isolation-Performance of serializable snapshot isolation
- two-phase locking (2PL), Two-Phase Locking-Index-range locks

- single-object and multi-object, Single-Object and Multi-Object Operations-Handling errors and aborts
- handling errors and aborts, Handling errors and aborts
- need for multi-object transactions, The need for multi-object transactions
- single-object writes, Single-object writes

- snapshot isolation (see snapshots)
- strict serializability, What Makes a System Linearizable?
- weak isolation levels, Weak Isolation Levels-Materializing conflicts
- preventing lost updates, Preventing Lost Updates-Conflict resolution and replication
- read-committed, Read Committed-Snapshot Isolation and Repeatable Read

Transmission Control Protocol (TCP) (see TCP (Transmission Control Protocol))

transmitting event streams, Transmitting Event Streams-Replaying old messages

traversal (graphs), Property Graphs

trie (data structure), The SSTable file format, Constructing and merging SSTables, Full-Text Search

triggers (databases), Transmitting Event Streams

Trino (data warehouse), Cloud Data Warehouses

- federated databases, The meta-database of everything
- query optimizer, Query Languages
- use for ETL, Extract–Transform–Load
- workflow example, Scheduling workflows

triple-stores, Triple Stores and SPARQL-The SPARQL query language
tumbling windows (stream processing), Types of windows, Microbatching and checkpointing
  - (see also windows)
Turbopuffer (vector search), Setting Up New Followers
Turtle (RDF data format), Triple Stores and SPARQL
Twitter (see X (social network))
two-phase commit (2PC), Two-Phase Commit-Coordinator failure, Glossary
  - confusion with two-phase locking, Two-Phase Locking
  - coordinator failure, Coordinator failure
  - coordinator recovery, Recovering from coordinator failure
  - how it works, A system of promises
  - performance cost, Distributed Transactions Across Different Systems
  - problems with XA transactions, Problems with XA transactions
  - transactions holding locks, Holding locks while in doubt
two-phase locking (2PL), Two-Phase Locking-Index-range locks, Glossary
  - confusion with two-phase commit, Two-Phase Locking
  - growing and shrinking phases, Implementation of 2PL
  - index-range locks, Index-range locks
  - performance of, Performance of 2PL
type checking, dynamic versus static, Schema flexibility in the document model

U

UDP (User Datagram Protocol)
  - comparison to TCP, Network congestion and queueing
  - multicast, Direct messaging from producers to consumers
Ultima Online (game), Sharding
unbounded datasets, Glossary
  - (see also streams)
unbounded delays, Glossary
  - in networks, Timeouts and Unbounded Delays
  - process pauses, Process Pauses
unbundling databases, Unbundling Databases-Multishard data processing
  - composing data storage technologies, Composing Data Storage Technologies-Unbundled versus integrated systems
  - designing applications around dataflow, Designing Applications Around Dataflow-Stream processors and services
  - observing derived state, Observing Derived State-Multishard data processing
    - materialized views and caching, Materialized views and caching

- multishard data processing, Multishard data processing
- pushing state changes to clients, Pushing state changes to clients

uncertain (transaction status) (see in doubt)
union type (in Avro), Schema evolution rules
uniq (Unix tool), Simple Log Analysis, Distributed Job Orchestration
uniqueness constraints
- requiring consensus, Uniqueness constraints require consensus
- requiring linearizability, Constraints and uniqueness guarantees
- uniqueness in log-based messaging, Uniqueness in log-based messaging

Unity (data catalog), Cloud Data Warehouses
universally unique identifiers (UUIDs), ID Generators and Logical Clocks
Unix philosophy
- comparison to relational databases, Unbundling Databases, The meta-database of everything
- comparison to stream processing, Processing Streams

Unix pipes, Simple Log Analysis, Scheduling workflows
unmarshaling (see decoding)
UPDATE statement (SQL), Schema flexibility in the document model
updates
- preventing lost updates, Preventing Lost Updates-Conflict resolution and replication
  - atomic write operations, Atomic write operations
  - automatically detecting lost updates, Automatically detecting lost updates
  - compare-and-set (CAS), Conditional writes (compare-and-set)
  - conflict resolution and replication, Conflict resolution and replication
  - using explicit locking, Explicit locking
- preventing write skew, Write Skew and Phantoms-Materializing conflicts

User Datagram Protocol (UDP) (see UDP (User Datagram Protocol))
utilization
- batch process scheduling, Resource allocation
- increasing through preemption, Handling faults
- trade-off with latency, Can we not simply make network delays predictable?

uTP protocol (BitTorrent), The Limitations of TCP
UUIDs (universally unique identifiers), ID Generators and Logical Clocks

V

validity (consensus), Single-value consensus, Atomic commitment as consensus
vBuckets (sharding), Sharding
vector clocks, Version vectors

– (see also version vectors)
– and Lamport/hybrid logical clocks, Lamport/hybrid logical clocks versus vector clocks
– and version vectors, Version vectors
vector embedding, Vector Embeddings
vectorized processing, Query Execution: Compilation and Vectorization, Vector Embeddings
vendor lock-in, Pros and Cons of Cloud Services
Venice (database), Serving Derived Data
verification, Trust, but Verify-Tools for auditable data systems
– avoiding blind trust, Don't just blindly trust what they promise
– designing for auditability, Designing for auditability
– end-to-end integrity checks, The end-to-end argument again
– tools for auditable data systems, Tools for auditable data systems
version control systems
– merge conflicts, Manual conflict resolution
– reliance on immutable data, Concurrency control
version vectors, Problems with different topologies, Version vectors
– dotted, Version vectors
– versus vector clocks, Version vectors
Vertica (database), Cloud Data Warehouses, Writing to column-oriented storage
vertical scaling (see scaling up)
vertices (in graphs), Graph-Like Data Models, Property Graphs
video games, Pros and cons of sync engines
video transcoding (example), Cross-channel timing dependencies
views (SQL queries), Datalog: Recursive Relational Queries
– (see also materialization)
Viewstamped Replication (consensus algorithm), Consensus, Consensus in Practice, From single-leader replication to consensus
virtual block device, Separation of storage and compute
virtual file system (VFS), Distributed Filesystems, Distributed Filesystems
virtual machines, Layering of cloud services
– context switches, Process Pauses
– network performance, Network congestion and queueing
– noisy neighbors, Variability of network delays
– virtualized clocks in, Clock Synchronization and Accuracy
virtual memory, Latency and Response Time, Process Pauses
Virtuoso (database), The SPARQL query language
VisiCalc (spreadsheets), Designing Applications Around Dataflow
Vitess (database), Sharding by Key Range

vnodes (sharding), Sharding
vocabularies (linked data), Triple Stores and SPARQL
Voice over IP (VoIP), Network congestion and queueing
VoltDB (database)
- cross-shard serializability, Sharding
- deterministic stored procedures, Pros and cons of stored procedures
- in-memory storage, Keeping Everything in Memory
- process-per-core model, Pros and Cons of Sharding
- secondary indexes, Local Secondary Indexes
- serial execution of transactions, Actual Serial Execution
- statement-based replication, Statement-based replication, Rebuilding state after a failure
- transactions in stream processing, Atomic commit revisited

W

WAL (write-ahead log), Making B-trees reliable, Durable Execution and Workflows, Write-ahead log shipping
WAL-G (backup tool), Setting Up New Followers
wall-clock time, Time-of-day clocks
WarpStream (messaging), Setting Up New Followers, Disk space usage
web graph, Graph-Like Data Models
web services, Web services-Web services
- (see also services)
webhooks, Direct messaging from producers to consumers
webMethods (messaging), Message brokers
WebSocket (protocol), Pushing state changes to clients
wide-column data model, Data locality for reads and writes, Column compression
windows (stream processing), Stream analytics, Reasoning About Time-Types of windows
- infinite windows for changelogs, Maintaining materialized views, Stream–table join (stream enrichment)
- knowing when all events have arrived, Handling straggler events
- stream joins within a window, Stream–stream join (window join)
- types of windows, Types of windows
WITH RECURSIVE syntax (SQL), Graph Queries in SQL
Word2Vec (language model), Vector Embeddings
workflow engines, Durable Execution and Workflows
- Airflow (see Airflow (workflow scheduler))
- batch processing, Scheduling workflows

- Camunda (see Camunda (workflow engine))
- Dagster (see Dagster (workflow scheduler))
- durable execution, Durable Execution and Workflows
- ETL (see extract-transform-load (ETL))
- executor, Durable Execution and Workflows
- orchestrators, Durable Execution and Workflows, Batch Processing
- Orkes (see Orkes (workflow engine))
- Prefect (see Prefect (workflow scheduler))
- reliance on determinism, Deterministic simulation testing
- Restate (see Restate (workflow engine))
- Temporal (see Temporal (workflow engine))

working set, Sorting Versus In-Memory Aggregation

write amplification, Write amplification

write path (derived data), Observing Derived State

write skew (transaction isolation), Write Skew and Phantoms-Materializing conflicts

- characterizing, Write Skew and Phantoms-Phantoms causing write skew, Decisions based on an outdated premise
- examples of, Write Skew and Phantoms, More examples of write skew
- materializing conflicts, Materializing conflicts
- occurrence in practice, Maintaining integrity in the face of software bugs
- phantoms, Phantoms causing write skew
- preventing
  - in snapshot isolation, Decisions based on an outdated premise-Detection of writes that affect prior reads
  - in two-phase locking, Predicate locks-Index-range locks
  - options for, Characterizing write skew

write-ahead log (WAL), Making B-trees reliable, Durable Execution and Workflows, Write-ahead log shipping

writer's schema (Avro), The writer's schema and the reader's schema

writes (database)

- atomic write operations, Atomic write operations
- detecting writes affecting prior reads, Detection of writes that affect prior reads
- preventing dirty writes with read committed, No dirty writes

WS-* framework, The problems with remote procedure calls

WS-AtomicTransaction (2PC), Two-Phase Commit

X

X (social network)

- constructing home timelines (example), Case Study: Social Network Home Timelines, Deriving several views from the same event log, Table–table join (materialized view maintenance), Materialized views and caching
  - cost of joins, Denormalization in the social networking case study
- Snowflake (ID generator), ID Generators and Logical Clocks

XA transactions, Two-Phase Commit, XA transactions-Problems with XA transactions
- heuristic decisions, Recovering from coordinator failure
- problems with, Problems with XA transactions

xargs (Unix tool), Simple Log Analysis

XFS (filesystem), Distributed Filesystems

XGBoost (machine learning library), Machine Learning

XML
- binary variants, Binary encodings
- data locality, Data locality for reads and writes
- encoding RDF data, The RDF data model
- for application data, issues with, JSON, XML, and Binary Variants
- in relational databases, Schema flexibility in the document model
- XML databases, Relational Versus Document Models, Query languages for documents

Xorq (query engine), The meta-database of everything

XPath, Query languages for documents

XQuery, Query languages for documents

Y

Yahoo response time study, Average, Median, and Percentiles

YARN (job scheduler), Distributed Job Orchestration, Distributed Job Orchestration, Scheduling workflows, Separation of application code and state

Yjs (sync engine), Pros and cons of sync engines

YugabyteDB (database)
- hash-range sharding, Sharding by hash range
- key-range sharding, Sharding by Key Range
- multi-leader replication, Geographically Distributed Operation
- request routing, Request Routing
- sharded secondary indexes, Global Secondary Indexes
- tablets (sharding), Sharding
- transactions, What Exactly Is a Transaction?, Database-Internal Distributed Transactions
- use of clock synchronization, Synchronized clocks for global snapshots

Z

Zab (consensus algorithm), Implementing Linearizable Systems, Consensus, Consensus in Practice
zero-copy, Formats for Encoding Data
zero-disk architecture (ZDA), Setting Up New Followers
ZeroMQ (messaging library), Direct messaging from producers to consumers
ZGC (Z garbage collector), Limiting the impact of garbage collection
Zipkin (tracing tool), Problems with Distributed Systems
zombies (split brain), Fencing off zombies and delayed requests
zones (cloud computing) (see availability zones)
ZooKeeper (coordination service), Coordination Services-Service discovery
- generating fencing tokens, Fencing off zombies and delayed requests, Using shared logs, Coordination Services
- linearizable operations, Implementing Linearizable Systems
- locks and leader election, Locking and leader election
- observers, Service discovery
- use for service discovery, Load balancers, service discovery, and service meshes, Service discovery
- use for shard assignment, Request Routing
- use of Zab algorithm, Consensus