[Index]

A

--all (git branch), 107, 285

--all (git log), 77, 284

ancestors of branches, rebasing and, 213

-A option (git add), 36

-a option (ls command), 11

app password, 92

arguments, 7

authentication

    app password, 92

    credentials, 91–93

    personal access tokens, 92

author information, 40

B

Bitbucket, 22, 90

    app password, 92

    HTTPS, 92

pull requests, 234

-b option (git checkout), 86

-b option (git init), 23

branches

as pointers, 45

collaboration, 125–131

commits, 45, 51–54

creating, 53–55

and switching to, 86, 241

default, 24

naming conventions, 48

deleting, 122–124, 137–139

development history, 65

feature branches, 45

git log command, 45

HEAD, 55

listing, 49, 53, 80

local

deleting, 123

integrating changes, 135–136

pushing to remote repository, 107–112

tracking, 106

main, 23, 48

managing, team rules, 125

master, 23

merging, 64–65

origin/HEAD pointer, 120

primary, 45

rebasing and, 195

information, saving, 214

in practice, 218–223

preparations, 211–213

remote, 106

deleting, 123, 249–251

tracking, 106

remote-tracking, 106, 120

source branch, 64

switching, 57–60

creating and, 86, 241

merges and, 71–73

working directory and, 75–77

target branch, 64

topic branches, 45, 126

upstream, 129, 147–150, 242–245

uses, 44–45

visualizing, 57

C

cd command, 12, 283

checking out commits, 80–85

clear command, 8, 283

clearing command line, 8

CLI (command line interface), 3

cloning, 134

origin shortname, 103

project directory names, 116

upstream branches and, 147

collaboration, 2

branches and, 125–131

simulation, 118–119

command line window, 3. *See also* integrated terminals

applications, 4

clearing, 8

closing, 16–17

command execution, 5

command prompt, 3

current directory, 3

cursor, 5

directories, 9–10

opening, 3–4

Vim text editor, 161–163

command prompt, 3

directories, 5

commands, 5

arguments, 7

cd, 12, 283

clear, 8, 283

git add, 36, 38, 284

git branch, 53, 123, 148, 284, 285, 286

git cat-file, 52

git checkout, 57–58, 80–85, 284

git clone, 116, 285

git commit, 8, 38, 284

git config, 17, 283

git fetch, 133, 285

git init, 23, 96, 97, 283

git log, 40–42, 284

git merge, 70, 78, 284, 286

git pull, 168–171, 286

git push, 96, 106, 123, 129, 147, 285

git rebase, 195, 213, 286

git remote, 104, 285

git restore, 205–206, 206

git status, 34–36, 49, 73, 185–187, 205, 284

git switch, 57–58, 71, 284

git version, 6, 7

ls, 11, 283

mkdir, 14, 283

options, 7

output, 6

pwd, 5, 9, 283

comments, pull requests, 236–237, 247

commit history, 29

Git Diagram, 29

commit ID, 28. *See also* commit hash, under commits

commit message, 36, 38–39

commits, 28–29

author information, 40

branches and, 45

checking out, 80–85

commit hash, 28, 51

date and time, 41

git commit command, 38

git log command, 45

git status command, 34–37

list, 40–42, 77

parents, 52, 64–65

uses, 34

visual representation, 52, 287

configuration setting, 17–20

conflict markers, 176, 182

-c option (git switch), 86, 240

cursor, command line window, 5

D

default branch, 48, 100

naming conventions, 48

deleting branches, 122–124, 137–139

desktop directory, 13

detached HEAD state, 56, 81–84

development history, 67, 143, 159, 211

directories, 9

command prompt, 3

contents, viewing, 10

creating, 14–16

current directory, 3

desktop, 13

friend-rainbow, 115

.git, 22

heads, 47, 57

hidden, 22

navigating into and out of, 12–15

objects, 29

rainbow, 15, 21

working directory, 26

-d option (git branch), 123

E

editors. *See* text editors

email. *See* user.email variable

explicit merges, 238

F

fast-forward merges, 64, 65, 70–78

feature branch, 61–62

development history, 65

main branch and, 55–56

merges and, 70

pushing to remote repository, 110

feature branches, 45

File Explorer (Microsoft Windows), 9

files

adding to projects, 30–32

editing

multiple times between commits, 151–158

save in text editor, 48

.gitconfig, 17

hidden, viewing, 22

index, staging area, 27–28, 36–38, 205

merge conflict markers, 176

modified, 48–51

staging, 201–211

state, 49

tracked, 35, 36, 40

unmodified, 48–51

unstaging, 201–211

untracked, 31, 35, 40

working simultaneously, 158–161

filesystem window, 9

Finder (macOS), 9

friend-rainbow repository, 115–116

origin/HEAD pointer, 120

origin shortname, 122

G

.git directory, 22

Git

installing, 7

overview, 1

version number, 7

git add command, 36, 284

Git Bash, 4

git branch command, 53, 123, 148–149, 284, 285, 286

git cat-file command, 52

git checkout command, 57–58, 80–85, 284

git clone command, 116, 285

git commit command, 8, 38, 284

git config command, 17, 283

.gitconfig file, 17

Git Diagram, 288

    building, 23–31

    commit history, 29

    local repository, 25

    staging area, 27–28

    working directory, 26–27

git fetch command, 133, 285

GitHub, 22, 90

    HTTPS and, 92

    personal access token, 92

    pull requests, 234

git init command, 23, 96, 97, 283

GitLab, 22, 90

    HTTPS and, 92

    passwords, 92

    pull requests, 234–235

git log command, 40–42, 284

branches, 45

output, 41

git merge command, 70, 78–80, 284, 286

git pull command, 168–171

git push command, 96, 106, 123, 129, 147, 285

git rebase command, 168, 195, 213, 286

git remote command, 104, 285

git restore command, 205–206, 286

git status command, 34, 49, 185–187, 205, 284

git switch command, 57–58, 71, 284

git version command, 6, 7

--global option (git config), 17–19

GUI (graphical user interface), 3

H

hashes, 28

HEAD, 55–57, 81–85

rebasing, 215

heads directory, 47, 57

hidden directories, 22

hidden files, 22

histories. *See* commit history; development history

hosting services, 22, 89

account setup, 90

authentication, 91

Bitbucket, 22, 90

GitHub, 22, 90

GitLab, 22, 90

HTTPS (Hypertext Transfer Protocol Secure), 91, 92

licenses, 100

pull requests, 234–235

creating, 245

remote repositories, 90

creating, 100

direct work, 112

SSH (Secure Shell), 89, 93–94

HTTPS (Hypertext Transfer Protocol Secure), 89, 92

I

index file, staging area, 27, 37–38

init.defaultBranch variable, 24

initializing repositories, 22–25

integrated terminals, 19

L

licenses, hosting services, 100

--list (git config), 17

local branches

creating, 53–55

deleting, 123

merges, 64–69, 135–136

pushing to remote repository, 107–112

switching, 57–60

tracking, 106

local repositories, 21

cloning from remote, 114–122

connections

listing, 104

multiple, 102

friend-rainbow, 115

Git Diagram, 25

initializing, 22–26, 97

interaction with remote repositories, 97

name same as remote repository, 100

rainbow, 24

Repository Diagram, 44–45, 288

starting work from, 96–97

ls command, 11, 283

M

macOS, 4

command line application, 4

command prompt, 3

filesystem application, 9

installing Git, 9

viewing hidden files and directories, 22

main branch, 23, 48

commits, 47

feature branch and, 55

master branch, 23, 48. *See also* main branch

merge conflicts, 69, 143, 175–177

aborting merge, 184

markers, 176, 182

rebasing, 175, 217–218

resolution process, 176, 182–184

git status and, 185–187

scenario setup, 177–183

merge requests, 234. *See also* pull requests

merges, 64–65

aborting, 184

explicit, 238

fast-forward merges, 64, 65, 70–78

git merge command, 70, 78–80

non-fast-forward merges, 239

pull requests and, 233, 237–240, 248–249

source branch, 64

steps, 70

switching branches, 71–73

target branch, 64

three-way merges, 64, 67–70, 182

executing, 163–168

histories and, 143

importance, 143–146

merge conflicts, 175–176

scenario setup, 146–147

Vim and, 161–163

types of merges, 64–69

Microsoft Windows, 4

command line application, 4

command prompt, 3

filesystem application, 9

installing Git, 9

viewing hidden files and directories, 22

mkdir command, 14, 283

modified files, 48–51

-m option (git commit), 38, 161

N

naming conventions, default branch, 48

non-fast-forward merges, 239

O

objects directory, 29

options, 7

origin/feature remote-tracking branch, 111, 118, 120, 124, 137–138

origin/HEAD pointer, 120

origin/main remote-tracking branch, 109–110, 118, 128–130, 135

origin shortname, 122

origin/topic remote-tracking branch, 249–250

P

parent of commit, 52

password, GitLab, 92

personal access tokens, 92

-p option (git cat-file), 52

-p option (git fetch), 137

-p option (git pull), 250

prerequisites

- all chapters, 260
- chapter 2, 261
- chapter 3, 261–263
- chapter 4, 262–263
- chapter 5, 263–265
- chapter 6, 265–267
- chapter 7, 265–267
- chapter 8, 267–271
- chapter 9, 270–273
- chapter 10, 273–276
- chapter 11, 276–280
- chapter 12, 279–282

private repositories, 100

project directories

cloning names, 116

converting to local repository, 22

projects

files, adding, 30–32

sample, 15

public repositories, 100

pulling data, from remote repository, 167–171

pull requests, 233. *See also* merge requests

approving, 246–248

benefits, 235–238

closing, 233

collaborators and, 247

comments, 247

hosting services, 234–235

creating on, 245

merging, 237–240, 248–249

opening, 233

preparations, 240–242

reviewing, 246–248

steps, 234

pushing to remote repository, 96, 129

pwd command, 5, 9, 283

R

rainbow directory, 15–16, 21

convert to Git repository, 24

empty, 23

rainbowcolors.txt file, 30–32

Rainbow project, 6

collaboration, 115–119

othercolors.txt file, 146, 175, 204–208

rainbowcolors.txt file, 30–31

as tracked file, 40, 48

as unmodified file, 49

text editor, 19–20

rainbow-remote repository, 100–102

cloning, 116

rainbow repository, 22

commit history, 29

Repository Diagram, 44, 288

working directory, 26

remote branches, 106

deleting, 123, 249–251

tracking, 106

remote repositories, 21

authentication, 91–93

cloning, 114, 116

local, 103

connections

adding, 102–106

listing, 104

creating with data, 99–103

fetching changes, 133

hosting services and, 90

interaction with local repositories, 97

project names, 100

public versus private, 100

pulling data, 167–171

pushing local branches to, 107–112

reasons to use, 98

shortname, 102

starting work from, 97

URLs/URIs, 100, 102, 268

working directly on hosting service, 112

repositories

cloning, upstream branches, 129

friend-rainbow, 115

origin shortname, 122

initializing

git init command, 23

master branch, 23

interactions, 97

local, 21

connections, multiple, 102

friend-rainbow, 115

Git Diagram, 25, 288

initializing, 22–26, 97

rainbow, 24

Repository Diagram, 44–45, 288

rainbow, 27, 115

commit history, 29

Repository Diagram, 44, 288

working directory, 26

remote, 21, 268

cloning, 114, 116

connections, adding, 102–106

creating with data, 99–103

fetching changes, 133

hosting services and, 90

project names, 100

public versus private, 100

pulling data, 167–171

pushing local branches to, 107–112

reasons to use, 98

starting work from, 97

URLs, 100, 102

working directly on hosting service, 112

Repository Diagram, 44, 288–289

local repository, 44–45

S

settings, special, 113

--set-upstream option (git push), 242

--set-upstream-to option (git branch), 148

shortnames, 102

origin shortname, 122

snapshot, 28

source branch, 64

SSH (Secure Shell), 89, 93–94

--staged option (git restore), 205

staging area, 27

files

adding, 36

modified, 205

Git Diagram, 27–28

rainbowcolors.txt file, 37–39, 50

unstaging, 205

T

target branch, 64, 175

Terminal (macOS), 4

text editors, 19–20

integrated terminals, 19–20

modified files, 48

special settings, 113

unmodified files, 48

Vim, 161–163

Visual Studio Code, 19

three-way merges, 64, 67–70, 145

executing, 163–167

histories, and, 143

importance, 143–146

merge conflicts, 175–176

scenario setup, 146–147

Vim and, 161–163

topic branch, 241–242, 248–250

topic branches, 45, 126

tracked files, 40

U

unmodified files, 48–51

unstaging files, 201–211

untracked files, 40

-u option (git branch), 148

upstream branches, 106

cloning and, 147

defining, 129, 147–150, 242–245

URLs, remote repositories, 100

user.email variable, 17

user.name variable, 17

V

version control system, 1

Vim, 161–163

Visual Studio Code, 19

-v option (git remote), 104

-vv option (git branch), 129

W

Windows Explorer (Microsoft Windows), 9

word processors, 19

working directory, 26

    files

        modified, 48

        unmodified, 48

    git add command, 38

    Git Diagram, 26–27

    switching branches and, 75–77