Index

Symbols

- * (asterisk)
  - in aggregate functions, Grouping Concepts, How Nulls Are Handled
  - in select clause, The select Clause
- \ (backslash), as escape character, Including single quotes
- ( ) (parentheses)
  - enclosing subqueries, Derived (subquery-generated) tables
  - grouping arithmetic operations, Working with Numeric Data
  - grouping compound queries, Set Operation Precedence
  - grouping filter conditions, The where Clause, Using Parentheses
- % (percent sign), modulo operator, Performing Arithmetic Functions
- + (plus sign), concatenation operator, SQL Server, Including special characters
  - (see also arithmetic operators)
- ' ' (quotes, single)
  - enclosing strings, String Generation
  - escape sequence for, Including single quotes-Including single quotes
- || (vertical bar, double), concatenation operator, Oracle, Including special characters

A

- abs() function, Handling Signed Data
- acos() function, Performing Arithmetic Functions
- add constraint keywords, Constraint Creation
- add index keywords, Index Creation
- add unique keywords, Unique indexes
- add_months() function, Temporal functions that return dates
- ADO.NET, SQL: A Nonprocedural Language
- aggregate functions, Grouping Concepts-How Nulls Are Handled, Reporting Functions-Window Frames
  - expressions in, Using Expressions
  - filtering based on, Grouping Concepts-Grouping Concepts

    - list of, Aggregate Functions-Aggregate Functions
    - null values with, How Nulls Are Handled-How Nulls Are Handled
- aggregated data, views for, Data Aggregation
- aliases
    - for columns, Column Aliases
    - for tables, Using the Same Table Twice, Self-Joins
- all keyword, Removing Duplicates
- all operator, The all operator-The all operator
- alter table statement, Generating numeric key data
    - adding constraints in, Constraint Creation
    - adding indexes in, Index Creation, Unique indexes
    - removing constraints in, Constraint Creation
    - removing indexes in, Index Creation
    - specifying storage engine, Transaction Savepoints
- Amazon Web Services (AWS), Cloud Computing
- analytic functions, Analytic Function Concepts-Localized Sorting
    - column value concatenation with, Column Value Concatenation
    - data windows used by, Data Windows-Data Windows, Generating Multiple Rankings, Reporting Functions, Window Frames
    - localized sorting using, Localized Sorting-Localized Sorting
    - ranking functions, Ranking-Generating Multiple Rankings
    - reporting functions, Reporting Functions-Column Value Concatenation
- and operator, The where Clause, Condition Evaluation
- ANSI mode, String Generation
- ANSI SQL92 join syntax, The ANSI Join Syntax-The ANSI Join Syntax
- any operator, The any operator-The any operator
- Apache Drill, SQL Unplugged, SQL and Big Data-Introduction to Apache Drill
    - df (distributed filesystem) plug-in, Querying Files Using Drill
    - querying files, Querying Files Using Drill-Querying Files Using Drill
    - querying MongoDB, Querying MongoDB Using Drill-Querying MongoDB Using Drill
    - querying multiple databases, Drill with Multiple Data Sources-Drill with Multiple Data Sources
    - querying MySQL, Querying MySQL Using Drill-Querying MySQL Using Drill
- Archive storage engine, Transaction Savepoints
- arithmetic functions, Performing Arithmetic Functions-Performing Arithmetic Functions
- arithmetic operators, Building a Condition, Working with Numeric Data
- as keyword, Column Aliases, Defining Table Aliases
- asc keyword, Ascending Versus Descending Sort Order

- ascii() function, Including special characters
- asin() function, Performing Arithmetic Functions
- asterisk (*)
  - in aggregate functions, Grouping Concepts, How Nulls Are Handled
  - in select clause, The select Clause
- atan() function, Performing Arithmetic Functions
- atomicity, What Is a Transaction?
- autocommit mode, Starting a Transaction
- auto_increment keyword, Generating numeric key data
- avg() function, Aggregate Functions, Reporting Functions-Window Frames
- AWS (Amazon Web Services), Cloud Computing

B

- B-tree (balanced-tree) indexes, B-tree indexes
- backslash (\), as escape character, Including single quotes
- begin transaction command, Starting a Transaction
- between operator, The between operator-The between operator, Correlated Subqueries
- big data, Big Data-Cloud Computing
  - Apache Drill for, SQL and Big Data-Introduction to Apache Drill
    - (see also Apache Drill)
  - cloud computing, Cloud Computing-Cloud Computing
  - future of, Future of SQL
  - Hadoop, SQL Unplugged, Hadoop, Introduction to Apache Drill
  - NoSQL and document databases, SQL Unplugged, NoSQL and Document Databases, Introduction to Apache Drill
- bigint type, Numeric Data
- bitmap indexes, Bitmap indexes
- books and publications
  - Database in Depth (O'Reilly), What's in Store
  - The Database Relational Model (Addison-Wesley), What's in Store
  - High Performance MySQL (O'Reilly), Query Mechanics
  - An Introduction to Database Systems (Addison-Wesley), What's in Store
  - Learning Apache Drill (O'Reilly), Introduction to Apache Drill
  - Mastering Regular Expressions (O'Reilly), Using regular expressions
  - "A Relational Model of Data for Large Shared Data Banks" (Codd), The Relational Model
  - SQL in a Nutshell (O'Reilly), String functions that return strings
  - Unicode Explained (O'Reilly), Character sets

- branch nodes, B-tree indexes

C

- C#, SQL integration toolkit for, SQL: A Nonprocedural Language
- Cartesian product, Cartesian Product-Cartesian Product, Cross Joins-Cross Joins
  - (see also cross joins)
- case expressions, What Is Conditional Logic?-The case Expression
  - conditional updates using, Conditional Updates-Conditional Updates
  - division-by-zero checks using, Division-by-Zero Errors-Division-by-Zero Errors
  - existence checks using, Checking for Existence-Checking for Existence
  - handling null values using, Handling Null Values-Handling Null Values
  - result set transformations using, Result Set Transformations-Result Set Transformations
  - searched case expressions, Searched case Expressions-Searched case Expressions
  - simple case expressions, Simple case Expressions-Simple case Expressions
  - subqueries in, Searched case Expressions-Searched case Expressions, Conditional Updates
- cast() function, String-to-date conversions-String-to-date conversions, Conversion Functions-Conversion Functions
- ceil() function, Controlling Number Precision
- char type, Character Data, Working with String Data
- char() function, Including special characters
- character data (see strings; text types)
- character sets, Character sets-Character sets, Including special characters
- charindx() function, String functions that return numbers
- check constraints, Step 3: Building SQL Schema Statements, Column Value Violations, Constraints
- chr() function, Including special characters
- clob type, Text data, Working with String Data
- cloud computing, Cloud Computing-Cloud Computing
- clustering, Clustering
- coalesce() function, The case Expression
- Codd, E. F. (author), "A Relational Model of Data for Large Shared Data Banks", The Relational Model
- code examples (see examples)
- columns, The Relational Model, What Is SQL?
  - aliases for, in select clause, Column Aliases
  - concatenating values of, Column Value Concatenation

    - numeric placeholders for, Sorting via Numeric Placeholders
    - viewing information about, information_schema
- commit command, Ending a Transaction
- common table expressions (CTEs), Common table expressions-Common table expressions
- comparison operators, Building a Condition
    - (see also conditions)
- composite partitioning, Composite partitioning-Composite partitioning
- compound keys, The Relational Model
- compound queries, Set Theory in Practice, Set Operation Precedence
    - (see also sets)
- concat() function, Including special characters-Including special characters, String functions that return strings-String functions that return strings
- concatenation operator
    - || (for Oracle Database), Including special characters, String functions that return strings
    - + (for SQL Server), Including special characters, String functions that return strings
- conditional logic, What Is Conditional Logic?-What Is Conditional Logic?
    - (see also case expressions)
- conditions, Building a Condition
    - (see also operators)
    - equality conditions, Equality Conditions-Data modification using equality conditions
    - evaluation of, Condition Evaluation-Using the not Operator
    - filter conditions, The where Clause, Filtering
    - grouping with parentheses, The where Clause, Using Parentheses
    - join conditions, Table Links, Equality Conditions, The ANSI Join Syntax
    - matching conditions, Matching Conditions-Using regular expressions, String functions that return numbers
    - membership conditions, Membership Conditions-Using not in, The in and not in operators-The any operator
    - with multicolumn subqueries, Multicolumn Subqueries-Multicolumn Subqueries
    - multiple, The where Clause, Condition Evaluation-Using the not Operator
    - with null values, Null: That Four-Letter Word-Null: That Four-Letter Word
    - range conditions, Range Conditions-String ranges, Correlated Subqueries
    - regular expressions in, Using regular expressions-Using regular expressions
    - with scalar subqueries, Noncorrelated Subqueries-Noncorrelated Subqueries
- connection ID, Query Mechanics

- consistency, Constraints
- constraint clause, Step 3: Building SQL Schema Statements, Step 3: Building SQL Schema Statements
- constraints, Constraints
  - check constraints, Step 3: Building SQL Schema Statements, Column Value Violations
  - creating, Constraint Creation-Constraint Creation
  - foreign key constraints, Step 3: Building SQL Schema Statements, Nonexistent Foreign Key, What Is a Join?
  - on subclauses for, Constraint Creation-Constraint Creation
  - primary key constraints, Step 3: Building SQL Schema Statements
  - removing, Constraint Creation
  - types of, Constraints-Constraints
  - viewing information about, information_schema
- containing query or statement, Derived (subquery-generated) tables, What Is a Subquery?
- conventions used in this book, Conventions Used in This Book
- conversion functions, Invalid Date Conversions, String-to-date conversions-Functions for generating dates, Conversion Functions-Conversion Functions
- convert() function, Functions for generating dates
- Coordinated Universal Time (UTC), Dealing with Time Zones
- correlated subqueries, Correlated Subqueries-Data Manipulation Using Correlated Subqueries
- cos() function, Performing Arithmetic Functions
- cot() function, Performing Arithmetic Functions
- count() function, Grouping Concepts, Aggregate Functions, Counting Distinct Values-Counting Distinct Values, Outer Joins, Reporting Functions
- create index statement, Index Creation
- create table statement, Step 3: Building SQL Schema Statements-Step 3: Building SQL Schema Statements, Constraint Creation
- create view statement, Views, What Are Views?
- cross joins, Cartesian Product, Cross Joins-Cross Joins
- CSV storage engine, Transaction Savepoints
- CTEs (common table expressions), Common table expressions-Common table expressions
- current_date() function, Functions for generating dates
- current_time() function, Functions for generating dates
- current_timestamp() function, Functions for generating dates

D

- data dictionary, SQL Statement Classes, Data About Data
  - (see also metadata)
- data security (see security)
- data statements, SQL Statement Classes, SQL Statement Classes
  - (see also delete statement; insert statement; select statement; update statement)
- data types, MySQL Data Types-Temporal Data
  - numeric, Numeric Data-Numeric Data
  - strings, Character Data, Working with String Data-Working with String Data
  - temporal, Temporal Data-Temporal Data, String representations of temporal data
  - text, Text data-Text data
- data windows, Data Windows-Data Windows, Generating Multiple Rankings, Reporting Functions, Window Frames
- database connection, Query Mechanics
- Database in Depth (Date), What's in Store
- The Database Relational Model (Date), What's in Store
- database servers, What Is MySQL?-What Is MySQL?
  - (see also DB2 Universal Database; MySQL; Oracle Database; SQL Server)
- database systems, Introduction to Databases
- databases, Introduction to Databases-The Relational Model
  - big data, Big Data-Cloud Computing, SQL and Big Data-Introduction to Apache Drill, Future of SQL
  - clustering, Clustering
  - consistency of, Constraints
  - data types for, MySQL Data Types-Temporal Data
  - hierarchical, Nonrelational Database Systems-Nonrelational Database Systems
  - history of, Introduction to Databases-The Relational Model
  - listing in MySQL, Using the mysql Command-Line Tool
  - metadata for (see metadata)
  - multiuser (see multiuser databases)
  - network, Nonrelational Database Systems-Nonrelational Database Systems
  - new technologies for, SQL Unplugged
  - partitioning (see partitioning databases)
  - querying (see queries; SQL)
  - relational (see relational databases)
  - sharding, Sharding-Sharding
  - specifying in MySQL, Using the mysql Command-Line Tool

- date type, Temporal Data, Generating Temporal Data, String representations of temporal data
- Date, C. J. (author)
  - Database in Depth (O'Reilly), What's in Store
  - The Database Relational Model (Addison-Wesley), What's in Store
  - An Introduction to Database Systems (Addison-Wesley), What's in Store
- dateadd() function, Temporal functions that return dates
- datediff() function, Temporal functions that return numbers-Temporal functions that return numbers, Using Expressions
- datepart() function, Temporal functions that return strings
- dates (see temporal data)
- datetime type, Temporal Data, Generating Temporal Data, String representations of temporal data
- date_add() function, Temporal functions that return dates-Temporal functions that return dates
- daylight saving time, Dealing with Time Zones
- dayname() function, Temporal functions that return strings
- DB2 Universal Database, What Is MySQL?
  - clob type, Text data
  - except all implemented, The except Operator
  - intersect all implemented, The intersect Operator
- deadlock detection, Ending a Transaction
- deallocate statement, Dynamic SQL Generation
- decode() function, The case Expression
- delete statement, Deleting Data, Data Manipulation Using Correlated Subqueries
- dense_rank() function, Ranking Functions-Ranking Functions
- deployment verification, Deployment Verification
- derived tables, Derived (subquery-generated) tables
- desc keyword, Ascending Versus Descending Sort Order
- describe command, Step 3: Building SQL Schema Statements, The Sakila Database, What Are Views?
- distinct keyword, Removing Duplicates, Counting Distinct Values
- division-by-zero error checking, Division-by-Zero Errors-Division-by-Zero Errors
- document databases, NoSQL and Document Databases
- double type, Numeric Data
- drop constraint keywords, Constraint Creation
- drop index keywords (MySQL), Index Creation
- drop index statement (Oracle Database and SQL Server), Index Creation
- drop table statement, The Sakila Database
- DSL/Alpha language, What Is SQL?

- dual table, Using the mysql Command-Line Tool
- durability, What Is a Transaction?
- dynamic SQL execution, Dynamic SQL Generation
- dynamic SQL generation, Dynamic SQL Generation-Dynamic SQL Generation

E

- engine keyword, Transaction Savepoints
  - (see also storage engines)
- entities, What Is SQL?
- enum type, Step 3: Building SQL Schema Statements
- equality conditions, Equality Conditions-Data modification using equality conditions
- ER (entity-relationship) diagram for Sakila database, ER Diagram for Example Database
- errors
  - column value, invalid, Column Value Violations
  - date value, formatted incorrectly, Invalid Date Conversions
  - division-by-zero, checking for, Division-by-Zero Errors-Division-by-Zero Errors
  - foreign key, nonexistent, Nonexistent Foreign Key
  - primary key, nonunique, Nonunique Primary Key
- examples
  - MySQL used for, What Is MySQL?
  - Sakila database for, Using the Examples in This Book, Creating a MySQL Database, Creating a MySQL Database, The Sakila Database-The Sakila Database
- except and except all operators, Set Theory Primer, The except Operator-The except Operator
- execute immediate command, Dynamic SQL Generation
- execute statement, Dynamic SQL Generation
- execution plan, Query Mechanics
- exists operator, The exists Operator-The exists Operator, Checking for Existence-Checking for Existence
- exit command, Using the mysql Command-Line Tool
- exp() function, Performing Arithmetic Functions
- explain statement, How Indexes Are Used
- explicit groups, Implicit Versus Explicit Groups-Implicit Versus Explicit Groups
- exponentiation, Performing Arithmetic Functions
- expressions
  - arithmetic (see arithmetic functions; arithmetic operators)

    - in conditions, Building a Condition
        - (see also conditions)
- extract() function, Temporal functions that return strings

F

- files
    - querying with Apache Drill, Querying Files Using Drill-Querying Files Using Drill
    - text types for, Text data-Text data
- filter conditions, The where Clause, Filtering
    - (see also conditions; having clause; where clause)
- fixed-length strings, Character Data
- float type, Numeric Data
- floating-point numbers, Numeric Data, Controlling Number Precision-Controlling Number Precision
- floor() function, Controlling Number Precision
- for xml clause, The insert statement
- foreign key constraints, Step 3: Building SQL Schema Statements, Nonexistent Foreign Key, What Is a Join?, Constraints
- foreign keys, The Relational Model, What Is SQL?
    - joins using, What Is a Join?
    - nonexistant, error from, Nonexistent Foreign Key
    - self-referencing, Self-Joins
- Friedl, Jeffrey E. F. (author), Mastering Regular Expressions (O'Reilly), Using regular expressions
- from clause, The select Clause, The from Clause-Defining Table Aliases
    - older join syntax in, The ANSI Join Syntax
    - omitting, Using the mysql Command-Line Tool, The select Clause
    - subqueries in, Subqueries as Data Sources-Task-oriented subqueries
    - table aliases in, Defining Table Aliases
    - table names in, Tables-Views
- full-text indexes, Text indexes
- functions
    - aggregate (see aggregate functions)
    - analytic (see analytic functions)
    - arithmetic, Performing Arithmetic Functions-Performing Arithmetic Functions
    - conversion, Invalid Date Conversions, String-to-date conversions-Functions for generating dates, Conversion Functions-Conversion Functions
    - string, String Manipulation-String functions that return strings

G

- getutcdate() function, Dealing with Time Zones
- Givre, Charles (author), Learning Apache Drill, Introduction to Apache Drill
- global index, Index Partitioning
- global.time_zone value, Dealing with Time Zones
- GMT (Greenwich Mean Time), Dealing with Time Zones
- Go, SQL integration toolkit for, SQL: A Nonprocedural Language
- group by clause, The group by and having Clauses-The group by and having Clauses, Grouping Concepts, Implicit Versus Explicit Groups-Implicit Versus Explicit Groups
- grouping, Grouping Concepts-Grouping Concepts
  - (see also parentheses (( )))
  - aggregate functions with, Grouping Concepts-How Nulls Are Handled
  - based on expressions, Grouping via Expressions-Grouping via Expressions
  - explicit groups, Implicit Versus Explicit Groups-Implicit Versus Explicit Groups
  - filtering results of, Grouping Concepts-Grouping Concepts, Group Filter Conditions-Group Filter Conditions
  - implicit groups, Implicit Versus Explicit Groups
  - multicolumn grouping, Multicolumn Grouping
  - rollups with, Generating Rollups-Generating Rollups
  - single-column grouping, Single-Column Grouping
  - sorting results of, Grouping Concepts
- group_concat() function, Column Value Concatenation

H

- Hadoop, SQL Unplugged, Hadoop, Introduction to Apache Drill
- hash partitioning, Hash partitioning-Hash partitioning
- hashing function, Hash partitioning
- having clause, The group by and having Clauses-The group by and having Clauses, Grouping Concepts, Group Filter Conditions-Group Filter Conditions, The all operator
  - (see also conditions)
- HDFS (Hadoop Distributed File System), Hadoop
- hierarchical database systems, Nonrelational Database Systems-Nonrelational Database Systems
- High Performance MySQL (Schwartz, et al.), Query Mechanics
- Hive, Introduction to Apache Drill
- horizontal partitioning, Table Partitioning

I

- IBM DB2 Universal Database (see DB2 Universal Database)
- ID, connection, Query Mechanics
- if() function, The case Expression
- implicit groups, Implicit Versus Explicit Groups
- in operator, Membership Conditions-Using subqueries, The in and not in operators-The in and not in operators
- index partitioning, Index Partitioning
- indexes, Indexes-Indexes
  - B-tree indexes, B-tree indexes
  - bitmap indexes, Bitmap indexes
  - creating, Index Creation-Multicolumn indexes
  - default type of, B-tree indexes
  - disadvantages of, The Downside of Indexes-The Downside of Indexes
  - displaying, Index Creation
  - ideal number of, The Downside of Indexes
  - multicolumn indexes, Multicolumn indexes
  - query optimizer using, Index Creation, How Indexes Are Used-How Indexes Are Used
  - removing, Index Creation
  - text indexes, Text indexes
  - unique indexes, Unique indexes-Unique indexes
  - viewing information about, information_schema
- information_schema database, Data About Data-information_schema
  - (see also schema statements)
  - Apache Drill access to, Querying Files Using Drill
  - querying, information_schema-information_schema
- inner join keywords, Table Links-Table Links, Inner Joins
- inner joins, Inner Joins-Inner Joins
- InnoDB storage engine, Nonexistent Foreign Key, Transaction Savepoints, Constraints
- insert statement, The insert statement-The insert statement, Subqueries as Expression Generators
- insert() function, String functions that return strings-String functions that return strings
- instr() function, String functions that return numbers
- int type, Numeric Data
- integers, Numeric Data

- intersect and intersect all operators, Set Theory Primer, The intersect Operator-The intersect Operator
- An Introduction to Database Systems (Date), What's in Store
- is not null operator, Null: That Four-Letter Word
- is null operator, Null: That Four-Letter Word-Null: That Four-Letter Word

J

- Java, SQL integration toolkit for, SQL: A Nonprocedural Language
- JDBC (Java Database Connectivity), SQL: A Nonprocedural Language
- JDBC driver for MySQL, Querying MySQL Using Drill
- join keyword, Cartesian Product, Inner Joins
  - (see also on subclause; using subclause)
- joins, The Relational Model, Table Links-Table Links, Querying Multiple Tables-The ANSI Join Syntax
  - ANSI SQL92 syntax for, The ANSI Join Syntax-The ANSI Join Syntax
  - conditions for, Table Links, Equality Conditions, The ANSI Join Syntax
  - cross joins, Cartesian Product, Cross Joins-Cross Joins
  - default type of, Inner Joins
  - inner joins, Inner Joins-Inner Joins
  - multiple, constructing, Joining Three or More Tables-Using the Same Table Twice
  - multiple, order of, Joining Three or More Tables
  - natural joins, Natural Joins-Natural Joins
  - older syntax for, The ANSI Join Syntax
  - outer joins, Inner Joins, Outer Joins-Three-Way Outer Joins
  - partition-wise joins, Partitioning Benefits
  - same table joined multiple times in, Using the Same Table Twice-Using the Same Table Twice
  - self-joins, Self-Joins-Self-Joins
  - subqueries as tables in, Using Subqueries as Tables-Using Subqueries as Tables
  - views using, What Are Views?, Joining Partitioned Data-Joining Partitioned Data
- JSON files
  - document databases using, NoSQL and Document Databases
  - loading into MongoDB, Querying MongoDB Using Drill-Querying MongoDB Using Drill

K

- keys (see foreign keys; primary keys)
- Korpela, Jukka (author), Unicode Explained (O'Reilly), Character sets

L

- lag() function, Lag and Lead-Lag and Lead
- last_day() function, Temporal functions that return dates
- lead() function, Lag and Lead-Lag and Lead
- leaf nodes, B-tree indexes
- Learning Apache Drill (O'Reilly), Introduction to Apache Drill
- left outer joins, Outer Joins-Left Versus Right Outer Joins
- len() function, String functions that return numbers
- length() function, String functions that return numbers
- like operator, Using wildcards, String functions that return numbers
- list partitioning, List partitioning-List partitioning
- ln() function, Performing Arithmetic Functions
- local index, Index Partitioning
- locate() function, String functions that return numbers
- locking, Locking-Lock Granularities
  - granularities of, Lock Granularities-Lock Granularities
  - read lock, Locking
  - storage engine determining, Transaction Savepoints-Transaction Savepoints
  - versioning approach, Locking
  - write lock, Locking
- logical operators
  - and operator, The where Clause, Condition Evaluation
  - not operator, Using the not Operator
  - or operator, The where Clause, Condition Evaluation
- longtext type, Text data
- low-cardinality data, Bitmap indexes

M

- MapReduce, Hadoop
- Mastering Regular Expressions (O'Reilly), Using regular expressions
- matching conditions, Matching Conditions-Using regular expressions, String functions that return numbers
- max() function, Aggregate Functions, Reporting Functions-Reporting Functions

- mediumint type, Numeric Data
- mediumtext type, Text data
- membership conditions, Membership Conditions-Using not in, The in and not in operators-The any operator
- MEMORY storage engine, Transaction Savepoints
- Merge storage engine, Transaction Savepoints
- metadata, Data About Data-Data About Data
  - about partitioned tables, Range partitioning
  - Apache Drill access to, Querying Files Using Drill
  - deployment verification using, Deployment Verification
  - dynamic SQL generation using, Dynamic SQL Generation-Dynamic SQL Generation
  - in information_schema database, Data About Data-information_schema
  - querying, information_schema-information_schema
  - schema generation scripts from, Schema Generation Scripts-Schema Generation Scripts
- Microsoft SQL Server (see SQL Server)
- min() function, Aggregate Functions, Reporting Functions-Reporting Functions
- minus operator, The except Operator
- mod() function, Performing Arithmetic Functions
- MongoDB
  - document databases using, NoSQL and Document Databases
  - querying with Apache Drill, Querying MongoDB Using Drill-Querying MongoDB Using Drill
- multi-parent hierarchy, Nonrelational Database Systems
- multibyte character sets, Character sets
- multicolumn grouping, Multicolumn Grouping
- multicolumn indexes, Multicolumn indexes
- multicolumn subqueries, Multicolumn Subqueries-Multicolumn Subqueries
- multiple-row, single-column subqueries, Multiple-Row, Single-Column Subqueries-The any operator
- multiuser databases, Multiuser Databases
  - locking for, Locking-Lock Granularities, Transaction Savepoints-Transaction Savepoints
  - transactions for, What Is a Transaction?-Transaction Savepoints
- MyISAM storage engine, Transaction Savepoints
- MySQL, What Is MySQL?
  - auto_increment keyword, Generating numeric key data
  - data types, MySQL Data Types-Temporal Data
  - databases in, listing, Using the mysql Command-Line Tool

  - databases in, specifying, Using the mysql Command-Line Tool
  - date formats, Invalid Date Conversions
  - date ranges allowed, Temporal Data
  - default index type, B-tree indexes
  - dual table in, Using the mysql Command-Line Tool
  - except operator not implemented, The except Operator
  - full-text indexes, Text indexes
  - if() function, The case Expression
  - installing, Creating a MySQL Database
  - intersect operator not implemented, The intersect Operator
  - JDBC driver for, Querying MySQL Using Drill
  - locking granularities, Lock Granularities
  - metadata access, Data About Data
  - parentheses not allowed in compound queries, Set Operation Precedence
  - query execution by, Query Mechanics-Query Mechanics
  - querying with Apache Drill, Querying MySQL Using Drill-Querying MySQL Using Drill
  - silent truncation of strings, String Generation-String Generation
  - storage engines, Transaction Savepoints-Transaction Savepoints
  - transaction approach, Starting a Transaction
  - updatable view restrictions, Updatable Views
  - utc_timestamp() function, Dealing with Time Zones
- mysql command, SQL: A Nonprocedural Language, Using the mysql Command-Line Tool-Using the mysql Command-Line Tool
  - feedback from, SQL Examples
  - query execution by, Query Mechanics-Query Mechanics
  - --xml option, The insert statement
- MySQL stored procedure language, SQL: A Nonprocedural Language
- MySQL Workbench, Schema Generation Scripts

N

- natural joins, Natural Joins-Natural Joins
- natural keys, The Relational Model
- network database systems, Nonrelational Database Systems-Nonrelational Database Systems
- NewSQL, SQL Unplugged
- noncorrelated subqueries, Noncorrelated Subqueries-Multicolumn Subqueries
- nonprocedural languages, SQL: A Nonprocedural Language

- nonrelational databases, Nonrelational Database Systems-Nonrelational Database Systems
- normalization, The Relational Model, Step 2: Refinement-Step 2: Refinement
- NoSQL, SQL Unplugged, NoSQL and Document Databases, Introduction to Apache Drill
- not in operator, Using not in, The in and not in operators-The in and not in operators
- not null keywords, Step 3: Building SQL Schema Statements
- not operator, Using the not Operator
- now() function, Using the mysql Command-Line Tool
- null values, Step 3: Building SQL Schema Statements
  - aggregate functions handling, How Nulls Are Handled-How Nulls Are Handled
  - all operator handling, The all operator
  - case expressions handling, Handling Null Values-Handling Null Values
  - comparisons with, Null: That Four-Letter Word-Null: That Four-Letter Word
  - disallowing for a table column, Step 3: Building SQL Schema Statements
  - not in operator handling, The all operator
  - outer joins resulting in, Outer Joins
- numeric data
  - arithmetic functions for, Performing Arithmetic Functions-Performing Arithmetic Functions
  - arithmetic operators for, Building a Condition, Working with Numeric Data
  - precision of, controlling, Controlling Number Precision-Controlling Number Precision
  - signed, functions for, Handling Signed Data-Handling Signed Data
- numeric data types, Numeric Data-Numeric Data

O

- on delete clause, Constraint Creation-Constraint Creation
- on subclause, Table Links, Equality Conditions, Inner Joins
- on update clause, Constraint Creation-Constraint Creation
- online resources
  - Apache Drill's SQL implementation, Querying MySQL Using Drill
  - database management systems, What's in Store
  - for this book, How to Contact Us
  - MySQL, Creating a MySQL Database
  - Oracle Database Reference Guide, information_schema
  - Sakila database, Using the Examples in This Book, Creating a MySQL Database, Creating a MySQL Database

- operators
  - between conditions (see logical operators)
  - for null values, Null: That Four-Letter Word-Null: That Four-Letter Word
  - for sets (see set operators)
  - within conditions (see arithmetic operators; comparison operators)
- optimizer, SQL: A Nonprocedural Language
- optimizer hints, SQL: A Nonprocedural Language
- or operator, The where Clause, Condition Evaluation
- Oracle Database, What Is MySQL?
  - add_months() function, Temporal functions that return dates
  - bitmap indexes, Bitmap indexes
  - char, varchar2 and clob sizes, Text data
  - chr() function, Including special characters
  - clob type, Text data, Working with String Data
  - concatenation operator (||), Including special characters, String functions that return strings
  - create index statement, Index Creation
  - current date and time functions, Functions for generating dates
  - date ranges allowed, Temporal Data
  - decode() function, The case Expression
  - default index type, B-tree indexes
  - drop index statement, Index Creation
  - execute immediate command, Dynamic SQL Generation
  - from clause required in, Using the mysql Command-Line Tool
  - instr() function, String functions that return numbers
  - locking approach, Locking
  - locking granularities, Lock Granularities
  - metadata access, Data About Data, information_schema
  - minus operator, The except Operator
  - pivot clause, Result Set Transformations
  - plan_table table, How Indexes Are Used
  - replace() function, String functions that return strings
  - rollups, generating, Generating Rollups
  - sequence object, Generating numeric key data
  - session time zone setting, Dealing with Time Zones
  - substr() function, String functions that return strings
  - subtracting dates, Temporal functions that return numbers
  - temporary tables, duration of, Temporary tables
  - to_date() function, Functions for generating dates
  - transaction approach, Starting a Transaction

  - unique keyword, Unique indexes
  - updatable view restrictions, Updating Complex Views
  - varchar2 data type, Character Data
  - VPD (Virtual Private Database), Data Security
- Oracle Exadata platform, Clustering
- Oracle SQL Developer, Schema Generation Scripts
- Oracle Text, Text indexes
- order by clause, The order by Clause-Sorting via Numeric Placeholders
  - in compound queries, Sorting Compound Query Results-Sorting Compound Query Results
  - with grouping, Grouping Concepts
  - localized, Localized Sorting-Localized Sorting
  - subqueries in, Subqueries as Expression Generators
- outer joins, Inner Joins, Outer Joins-Three-Way Outer Joins
  - left outer joins, Outer Joins-Left Versus Right Outer Joins
  - right outer joins, Left Versus Right Outer Joins-Left Versus Right Outer Joins
  - three-way outer joins, Three-Way Outer Joins-Three-Way Outer Joins
- over clause, Data Windows, Generating Multiple Rankings, Reporting Functions

P

- Package database/sql, SQL: A Nonprocedural Language
- packet capture (PCAP) files, Querying Files Using Drill-Querying Files Using Drill
- page locks, Lock Granularities
- parentheses (( ))
  - enclosing subqueries, Derived (subquery-generated) tables
  - grouping arithmetic operations, Working with Numeric Data
  - grouping compound queries, Set Operation Precedence
  - grouping filter conditions, The where Clause, Using Parentheses
- partition by clause, Data Windows, Localized Sorting, Generating Multiple Rankings, Reporting Functions
- partition by hash keywords, Hash partitioning
- partition by list keywords, List partitioning
- partition by range keywords, Range partitioning
- partition function, Table Partitioning
- partition key, Table Partitioning
- partition pruning, Partitioning Benefits
- partition-wise joins, Partitioning Benefits
- partitioning databases, Partitioning-Partitioning Concepts
  - benefits of, Partitioning Benefits

  - composite partitioning, Composite partitioning-Composite partitioning
  - hash partitioning, Hash partitioning-Hash partitioning
  - index partitioning, Index Partitioning
  - list partitioning, List partitioning-List partitioning
  - metadata regarding, Range partitioning
  - range partitioning, Range partitioning-Range partitioning
  - reasons for, Partitioning
  - reorganizing partitions, Range partitioning
  - table partitioning, Table Partitioning
- PCAP (packet capture) files, Querying Files Using Drill-Querying Files Using Drill
- percent sign (%), modulo operator, Performing Arithmetic Functions
- permissions, Query Mechanics, Data Security, Querying Files Using Drill
- pivot clause, Result Set Transformations
- PL/SQL language, SQL: A Nonprocedural Language
- plan_table table, How Indexes Are Used
- plus sign (+), concatenation operator, SQL Server, Including special characters
  - (see also arithmetic operators)
- position() function, String functions that return numbers
- PostgreSQL, What Is MySQL?
- pow() function, Performing Arithmetic Functions
- precision of floating-point types, Numeric Data
- prepare statement, Dynamic SQL Generation
- Presto, SQL and Big Data
- primary key constraints, Step 3: Building SQL Schema Statements, Constraints
- primary keys, The Relational Model, What Is SQL?, Step 3: Building SQL Schema Statements
  - generating values for, Generating numeric key data
  - nonunique, error from, Nonunique Primary Key
- private tables, Data Security
- procedural languages, SQL: A Nonprocedural Language
- programming languages, integrating SQL with, SQL: A Nonprocedural Language
- Python DB, SQL: A Nonprocedural Language
- Python, SQL integration toolkit for, SQL: A Nonprocedural Language

Q

- queries
  - aggregate functions in (see aggregate functions)
  - analytic functions in (see analytic functions)
  - with Apache Drill (see Apache Drill)

  - case expressions in (see case expressions)
  - clauses in, SQL Examples, Query Clauses
    - (see also from clause; group by clause; having clause; order by clause; select statement; where clause)
  - compound, Set Theory in Practice, Set Operation Precedence
    - (see also sets)
  - execution of, by MySQL, Query Mechanics-Query Mechanics
  - on multiple databases, Drill with Multiple Data Sources-Drill with Multiple Data Sources
  - on multiple tables (see joins)
  - permission to execute, Query Mechanics
  - subqueries (see subqueries)
  - tuning, How Indexes Are Used
  - XML output from, The insert statement
- query optimizer, Query Mechanics, Index Creation, How Indexes Are Used-How Indexes Are Used
- quit command, Using the mysql Command-Line Tool
- quote() function, Including single quotes
- quotes, single (' ')
  - enclosing strings, String Generation
  - escape sequence for, Including single quotes-Including single quotes

R

- range between subclause, Window Frames
- range conditions, Range Conditions-String ranges, Correlated Subqueries
- range partitioning, Range partitioning-Range partitioning
- rank() function, Ranking Functions-Generating Multiple Rankings
- ranking functions, Ranking-Generating Multiple Rankings
- read lock, Locking
- references keyword, Step 3: Building SQL Schema Statements, Constraint Creation
- regexp operator, Using regular expressions, String functions that return numbers
- regular expressions, Using regular expressions-Using regular expressions
- relational databases, The Relational Model-The Relational Model
  - future of, Future of SQL
  - history of, Preface, The Relational Model
  - querying (see queries; SQL)
  - relationship to SQL, What Is SQL?
  - servers using, What Is MySQL?-What Is MySQL?
    - (see also specific servers)

- "A Relational Model of Data for Large Shared Data Banks" (Codd), The Relational Model
- reorganize partition keywords, Range partitioning
- replace() function, String functions that return strings
- reporting functions, Reporting Functions-Column Value Concatenation
- resources (see books and publications; online resources)
- result sets, What Is SQL?, What Is SQL?, Query Mechanics
  - analytic functions for (see analytic functions)
  - duplicates in, including, Removing Duplicates, The intersect Operator, The except Operator
  - duplicates in, removing, Removing Duplicates, The union Operator, Counting Distinct Values
  - sorting, The order by Clause-Sorting via Numeric Placeholders
    - (see also order by clause)
  - sorting, for compound queries, Sorting Compound Query Results-Sorting Compound Query Results
  - transforming, Result Set Transformations-Result Set Transformations
- right outer joins, Left Versus Right Outer Joins-Left Versus Right Outer Joins
- Rogers, Paul (author), Learning Apache Drill, Introduction to Apache Drill
- rollback command, Ending a Transaction
- rollback to savepoint command, Transaction Savepoints
- rollback transaction command, Transaction Savepoints
- rollups, generating, Generating Rollups-Generating Rollups
- round() function, Controlling Number Precision
- row locks, Lock Granularities
- rows, The Relational Model, What Is SQL?
- rows between subclause, Window Frames
- rows unbounded preceding subclause, Window Frames
- row_number() function, Ranking Functions-Ranking Functions
- Ruby DBI, SQL: A Nonprocedural Language
- Ruby, SQL integration toolkit for, SQL: A Nonprocedural Language

S

- Sakila database, The Sakila Database-The Sakila Database
  - downloading, Using the Examples in This Book, Creating a MySQL Database, Creating a MySQL Database
  - ER diagram for, ER Diagram for Example Database
- save transaction command, Transaction Savepoints
- savepoint command, Transaction Savepoints

- savepoints, Transaction Savepoints-Transaction Savepoints
- scalar subqueries, Noncorrelated Subqueries-Noncorrelated Subqueries
  - in order by clause, Subqueries as Expression Generators
  - in select clause, Subqueries as Expression Generators
  - in values clause of insert statement, Subqueries as Expression Generators
- scale of floating-point types, Numeric Data
- schema statements, SQL Statement Classes
  - (see also alter table statement; create table statement; drop table statement)
  - metadata from (see metadata)
  - scripts generating, Schema Generation Scripts-Schema Generation Scripts
  - transactions not used for, Ending a Transaction
- Schwartz, Baron (author), High Performance MySQL (O'Reilly), Query Mechanics
- search expressions, Using wildcards
  - (see also matching conditions)
- searched case expressions, Searched case Expressions-Searched case Expressions
- security
  - permissions, Query Mechanics, Data Security, Querying Files Using Drill
  - views for, Data Security
  - VPD (Virtual Private Database), Data Security
- select statement, The select Clause-Removing Duplicates
  - (see also from clause; group by clause; having clause; order by clause; where clause)
  - all keyword in, Removing Duplicates
  - column aliases in, Column Aliases
  - column names in, The select Clause
  - distinct keyword in, Removing Duplicates, Counting Distinct Values
  - expressions in, The select Clause
    - (see also expressions)
  - function calls in, The select Clause
    - (see also functions)
  - literals in, The select Clause
  - subqueries in, Subqueries as Expression Generators
    - (see also subqueries)
- self-joins, Self-Joins-Self-Joins
- self-referencing foreign key, Self-Joins
- SEQUEL language, What Is SQL?
- sequence object, Generating numeric key data
- servers, What Is MySQL?-What Is MySQL?
  - (see also DB2 Universal Database; MySQL; Oracle Database; SQL Server)
- session.time_zone value, Dealing with Time Zones

- set autocommit command, Starting a Transaction
- set command, String Generation
- set implicit_transactions command, Starting a Transaction
- set operators, Set Theory in Practice-The except Operator
  - except and except all, Set Theory Primer, The except Operator-The except Operator
  - intersect and intersect all, Set Theory Primer, The intersect Operator-The intersect Operator
  - precedence of, Set Operation Precedence-Set Operation Precedence
  - union and union all, Set Theory Primer, The union Operator-The union Operator
- set showplan_text on statement, How Indexes Are Used
- sets, Set Theory Primer-Set Theory in Practice
  - combining operations on, Set Theory Primer
  - operation precedence for, Set Operation Precedence-Set Operation Precedence
  - sorting results of, Sorting Compound Query Results-Sorting Compound Query Results
  - table requirements for operations, Set Theory in Practice
- sharding, Sharding-Sharding
- shared-disk/shared-cache clustering configurations, Clustering
- show character set command, Character sets
- show databases command, Using the mysql Command-Line Tool
- show index command, Index Creation
- show table command, Transaction Savepoints
- show tables command, The Sakila Database
- sign() function, Handling Signed Data
- simple case expressions, Simple case Expressions-Simple case Expressions
- sin() function, Performing Arithmetic Functions
- single quotes (' ')
  - enclosing strings, String Generation
  - escape sequence for, Including single quotes-Including single quotes
- single-column grouping, Single-Column Grouping
- single-parent hierarchy, Nonrelational Database Systems
- smallint type, Numeric Data
- sorting
  - localized, with analytic functions, Localized Sorting-Localized Sorting
  - query results (see order by clause)
- Spark, SQL Unplugged, Introduction to Apache Drill
- Spark SQL, Introduction to Apache Drill

- special characters in strings, Including special characters-Including special characters
- sp_executesql procedure, Dynamic SQL Generation
- SQL, What Is SQL?-SQL Examples
  - as nonprocedural, SQL: A Nonprocedural Language
  - conditions in (see conditions; expressions; operators)
  - data statements, SQL Statement Classes, SQL Statement Classes
    - (see also delete statement; insert statement; select statement; update statement)
  - dynamic execution of, Dynamic SQL Generation
  - dynamic generation of, Dynamic SQL Generation-Dynamic SQL Generation
  - functions in (see functions)
  - future of, Future of SQL
  - history of, Preface, What Is SQL?
  - integrating with programming languages, SQL: A Nonprocedural Language
  - interactive execution of, SQL: A Nonprocedural Language
  - new technologies using, SQL Unplugged
  - prevalence of, Why Learn SQL?
  - pronunciation of, What Is SQL?
  - relational model used by, What Is SQL?
  - schema statements, SQL Statement Classes
    - (see also alter table statement; create table statement; drop table statement)
  - sets (see sets)
  - statement classes, SQL Statement Classes-SQL Statement Classes
  - transaction statements, SQL Statement Classes, What Is a Transaction?
    - (see also commit statement; rollback statement; start statement)
- SQL in a Nutshell (O'Reilly), String functions that return strings
- SQL integration toolkits, SQL: A Nonprocedural Language
- SQL Server, What Is MySQL?
  - begin transaction command, Starting a Transaction
  - char and varchar sizes, Text data
  - charindx() function, String functions that return numbers
  - coalesce() function, The case Expression
  - concatenation operator (+), Including special characters, String functions that return strings
  - convert() function, Functions for generating dates
  - create index statement, Index Creation
  - current date and time functions, Functions for generating dates
  - date ranges allowed, Temporal Data
  - dateadd() function, Temporal functions that return dates

  - datediff() function, Temporal functions that return numbers
  - datepart() function, Temporal functions that return strings
  - default index type, B-tree indexes
  - drop index statement, Index Creation
  - for xml clause, The insert statement
  - full-text indexes, Text indexes
  - getutcdate() function, Dealing with Time Zones
  - information_schema schema, Data About Data
  - len() function, String functions that return numbers
  - locking approach, Locking
  - locking granularities, Lock Granularities
  - metadata access, Data About Data
  - modulo operator (%), Performing Arithmetic Functions
  - pivot clause, Result Set Transformations
  - replace() function, String functions that return strings
  - round() function, Controlling Number Precision
  - save transaction, Transaction Savepoints
  - set implicit_transactions command, Starting a Transaction
  - set showplan_text on statement, How Indexes Are Used
  - silent truncation of strings, String Generation-String Generation
  - sp_executesql procedure, Dynamic SQL Generation
  - transaction approach, Starting a Transaction
  - unique keyword, Unique indexes
  - updatable view restrictions, Updating Complex Views
- sql_mode variable, String Generation
- sqrt() function, Performing Arithmetic Functions
- SQUARE language, What Is SQL?
- SQuirrel, SQL: A Nonprocedural Language
- start transaction command, Starting a Transaction
- statement scope, What Is a Subquery?
- storage engines
  - choosing, Transaction Savepoints-Transaction Savepoints
  - InnoDB, Nonexistent Foreign Key, Constraints
- straight_join keyword, Joining Three or More Tables
- strcmp() function, String functions that return numbers-String functions that return numbers
- string functions, String Manipulation-String functions that return strings
- string literals, String Generation-Including single quotes
- strings
  - appending characters to, String functions that return strings

  - building from other data, String functions that return strings
  - character sets for, Character sets-Character sets
  - comparing, String functions that return numbers-String functions that return numbers
  - concatenating, Including special characters-Including special characters
  - converting to temporal values, String-to-date conversions-Functions for generating dates
  - data types for, Character Data, Working with String Data-Working with String Data
  - enum type, Step 3: Building SQL Schema Statements
  - escape sequence for, Including single quotes-Including single quotes
  - extracting substrings from, String functions that return strings-String functions that return strings
  - fixed-length, Character Data
  - generating, String Generation-Including special characters
  - length of, String functions that return numbers
  - silent truncation of, String Generation-String Generation
  - special characters in, Including special characters-Including special characters
  - substrings, adding or replacing in, String functions that return strings-String functions that return strings
  - substrings, finding in, String functions that return numbers
  - temporal data represented in, String representations of temporal data-String representations of temporal data
  - variable-length, Character Data
- str_to_date() function, Functions for generating dates-Functions for generating dates
- subpartition by keywords, Composite partitioning
- subqueries, Derived (subquery-generated) tables, What Is a Subquery?-Data Manipulation Using Correlated Subqueries
  - all operator with, The all operator-The all operator
  - any operator with, The any operator-The any operator
  - between operator with, Correlated Subqueries
  - in case expressions, Searched case Expressions-Searched case Expressions, Conditional Updates
  - containing statement or query for, Derived (subquery-generated) tables, What Is a Subquery?
  - correlated, Correlated Subqueries-Data Manipulation Using Correlated Subqueries
  - data manipulation with, Data Manipulation Using Correlated Subqueries-Data Manipulation Using Correlated Subqueries

  - equality conditions with, Noncorrelated Subqueries-Noncorrelated Subqueries
  - exists operator with, The exists Operator-The exists Operator
  - in from clause, Subqueries as Data Sources-Task-oriented subqueries
  - in having clause, The all operator
  - in and not in operators with, The in and not in operators-The in and not in operators
  - as join tables, Using Subqueries as Tables-Using Subqueries as Tables
  - multicolumn, Multicolumn Subqueries-Multicolumn Subqueries
  - multiple-row, single-column, Multiple-Row, Single-Column Subqueries-The any operator
  - named, in with clause, Common table expressions-Common table expressions
  - noncorrelated, Noncorrelated Subqueries-Multicolumn Subqueries
  - null values handled with, The all operator
  - in order by clause, Subqueries as Expression Generators
  - scalar, Noncorrelated Subqueries-Noncorrelated Subqueries, Subqueries as Expression Generators-Subqueries as Expression Generators
  - scope of, What Is a Subquery?
  - in select clause, Subqueries as Expression Generators
  - in values clause of insert statement, Subqueries as Expression Generators
- substr() function, String functions that return strings
- substring() function, String functions that return strings-String functions that return strings
- sum() function, Aggregate Functions, Reporting Functions-Window Frames
- surrogate keys, The Relational Model
- system catalog (see data dictionary; metadata)

T

- table aliases, Defining Table Aliases
- table links, Table Links-Table Links
  - (see also joins)
- table locks, Lock Granularities
- table partitioning, Table Partitioning
- tables, The Relational Model, What Is SQL?
  - aliases for, Using the Same Table Twice, Self-Joins
  - altering, Generating numeric key data
  - constraints on (see constraints)
  - creating, Table Creation-Step 3: Building SQL Schema Statements
  - deleting, The Sakila Database

- deleting rows from, Deleting Data, Data Manipulation Using Correlated Subqueries
- designing, Table Creation-Step 2: Refinement
- indexes for (see indexes)
- inserting data, Inserting Data-The insert statement
- listing, The Sakila Database
- normalizing, Step 2: Refinement-Step 2: Refinement
- private, Data Security
- schema statements for, Step 3: Building SQL Schema Statements-Step 3: Building SQL Schema Statements
- temporary, Temporary tables
- types of, Tables-Views
- updating, Updating Data
  - (see also update statement)
- viewing information about, Step 3: Building SQL Schema Statements, The Sakila Database, information_schema

- tan() function, Performing Arithmetic Functions
- temporal data, Working with Temporal Data
  - adding date or time intervals to, Temporal functions that return dates-Temporal functions that return dates
  - conversions to and from, Conversion Functions-Conversion Functions
  - converting strings to, Invalid Date Conversions, String-to-date conversions-Functions for generating dates
  - current date or time, generating, Functions for generating dates
  - data types for, Temporal Data-Temporal Data, String representations of temporal data
  - date formats, default, Temporal Data, String representations of temporal data-String representations of temporal data
  - date formats, specifying in queries, Invalid Date Conversions
  - date formats, specifying in str_to_date(), Functions for generating dates
  - date ranges allowed, Temporal Data, Temporal Data
  - generating, Generating Temporal Data-Functions for generating dates
  - interval types for, Temporal functions that return dates
  - last day of month, finding, Temporal functions that return dates
  - returning number of intervals from, Temporal functions that return numbers-Temporal functions that return numbers
  - returning strings from, Temporal functions that return strings
  - string representations of, String representations of temporal data-String representations of temporal data
  - time zones, Dealing with Time Zones-Dealing with Time Zones

- temporary keyword, Temporary tables
- text indexes, Text indexes
- text type, Text data, Working with String Data
- text types, Text data-Text data
- three-way outer joins, Three-Way Outer Joins-Three-Way Outer Joins
- time type, Temporal Data, Generating Temporal Data, String representations of temporal data
- time zones, Dealing with Time Zones-Dealing with Time Zones
- times (see temporal data)
- timestamp type, Temporal Data, String representations of temporal data
- tinyint type, Numeric Data
- tinytext type, Text data
- Toad Data Point, SQL and Big Data
- Toad development tool, Schema Generation Scripts
- to_date() function, Functions for generating dates
- Transact-SQL language, SQL: A Nonprocedural Language
- transaction statements, SQL Statement Classes, What Is a Transaction?
  - (see also commit statement; rollback statement; start statement)
- transactions, What Is a Transaction?-What Is a Transaction?
  - autocommit mode for, Starting a Transaction
  - deadlock detection for, Ending a Transaction
  - ending, Ending a Transaction-Ending a Transaction
  - savepoints for, Transaction Savepoints-Transaction Savepoints
  - schema statements not using, Ending a Transaction
  - starting, Starting a Transaction-Starting a Transaction
- transforming result sets, Result Set Transformations-Result Set Transformations
- tree structures (see B-tree indexes; hierarchical database systems)
- truncate() function, Controlling Number Precision
- tuning queries, How Indexes Are Used

U

- Unicode Explained (Korpela), Character sets
- union and union all operators, Set Theory Primer, The union Operator-The union Operator
- unique constraints, Constraints
- unique indexes, Unique indexes-Unique indexes
- unique keyword, Unique indexes
- Universal Time, Dealing with Time Zones
- unsigned floating-point types, Numeric Data

- unsigned integers, Numeric Data
- updatable views, Updatable Views-Updating Complex Views
- update statement, Updating Data
  - case expressions in, Conditional Updates-Conditional Updates
  - date formats, specifying in, Invalid Date Conversions
  - subqueries in, Data Manipulation Using Correlated Subqueries
- use command, Using the mysql Command-Line Tool
- using subclause, Inner Joins
- UTC (Coordinated Universal Time), Dealing with Time Zones
- utc_timestamp() function, Dealing with Time Zones

V

- values clause, The insert statement-The insert statement, Subqueries as Expression Generators
- varchar type, Character Data, Working with String Data
- varchar2 data type, Character Data
- variable-length strings, Character Data
- versioning, Locking
- vertical bar, double (||), concatenation operator, Oracle, Including special characters
- vertical partitioning, Table Partitioning
- views, Views, What Are Views?
  - complexity hidden by, Hiding Complexity
  - data aggregation from, Data Aggregation
  - data security from, Data Security
  - displaying columns in, What Are Views?
  - in information_schema, list of, information_schema
    - (see also metadata)
  - joins with, What Are Views?, Joining Partitioned Data-Joining Partitioned Data
  - reasons to use, Why Use Views?-Joining Partitioned Data
  - updatable, Updatable Views-Updating Complex Views
  - viewing information about, information_schema
- virtual tables, Views
  - (see also views)
- VPD (Virtual Private Database), Data Security

W

- website resources (see online resources)

- where clause, The where Clause-The where Clause
  - (see also conditions)
  - filter conditions in, Filtering
  - older join syntax in, The ANSI Join Syntax
- wildcards, for search expressions, Using wildcards
- windows, Data Windows-Data Windows, Generating Multiple Rankings, Reporting Functions, Window Frames
- with clause, Common table expressions-Common table expressions
- with cube keywords, Generating Rollups
- with rollup keywords, Generating Rollups-Generating Rollups
- write lock, Locking

X

- XML
  - document databases using, NoSQL and Document Databases
  - output from queries, The insert statement
- --xml option, mysql command, The insert statement

Y

- YARN, Hadoop
- year type, Temporal Data