index

Symbols

@After annotation 143

@AfterReturning annotation 143

@AfterThrowing annotation 143

@annotation(ToLog) 142

@Around annotation 132

@Aspect annotation 129

@Autowired annotation 51, 61-65, 88, 114, 121, 343

class fields, injecting beans 61-63

constructor, injecting beans 64-65

using dependency injection through setter 65

@Bean annotation 51, 101, 129, 260, 281

adding beans to context 33-40

creating method that returns Bean and annotates method with @Bean 34-35

defining configuration class in project 34

making Spring initialize its context using configuration class 35-40

prototype bean scope, declaring 113

singleton bean scope, declaring 101-103

@Before annotation 143

@Component annotation 41, 58, 86, 208, 274

@ComponentScan annotation 41, 62, 88, 106, 129

@Configuration annotation 34

@Controller annotation 171, 227

@DisplayName annotation 332

@EnableAspectJAutoProxy annotation 129

@EnableFeignClients annotation 252

@ExceptionHandler annotation 241

@ExtendWith(MockitoExtension.class) annotation 336

@FeignClient annotation 251

@GetMapping annotation 195, 227

@Id annotation 314

@InjectMocks annotation 336

@Lazy annotation 109

@Mock annotation 336

@MockBean annotation 343

@Modifying annotation 316

@Order annotation 146

@PathVariable annotation 188

@PostMapping annotation 195

@PreDestroy annotation 45

@Primary annotation 40, 91, 93-94

@Qualifier annotation 68, 91, 94-96

@Query annotation 316

@Repository annotation 96, 274

@RequestBody annotation 242

@RequestMapping annotation 171, 181

@RequestParam annotation 184

@RequestParameter annotation 197

@RequestScoped annotation 208

@ResponseBody annotation 227

@RestController annotation 228

@Scope annotation 111

@Service annotation 96, 128

@SessionScope annotation 213

@SpringBootApplication annotation 166

@Target annotation 141

@Test annotation 332

@Transactional annotation 289, 317

@Value annotation 282

Numerics

200 OK 235

200 OK status 235

400 Bad Request 235

404 Not Found 235

500 Error on server 235

A

abstractions, dependency injection with 85-96

auto-wiring from multiple implementations 91-96

choosing objects 85-90

advice 123

advice annotations

alternative 143-144

telling Spring when and which method calls to intercept 132

amount field 292, 313

annotations

intercepting annotated methods 140-143

stereotype annotations

adding beans to context 41-43

object responsibilities with 96-97

AOP (aspect-oriented programming) 9, 122, 126-144

altering intercepted method's parameters and returned value 135-140

alternative advice annotations 143-144

implementing simple aspect 127-135

advice annotation to tell Spring when and which method calls to intercept 132

creating class defining aspect and adding instance in Spring context 131

enabling aspects mechanism for application 130

implement aspect logic 133-135

intercepting annotated methods 140-143

application framework 3

application properties file

customizing data source configuration in 279-280

project initialization service 168

application scenarios 12-16

automation testing app 14-15

development of backend app 12-14

development of desktop app 16

in mobile apps 16

application scope 200

application-scoped beans 218-221

ApplicationContext instance 46

apps

data sources in 283

customizing configuration of 278-282

defined 265-269

using JdbcTemplate to work with persisted data 269-278

REST services exchanging data between 226-227

testing 327-344

integration tests 341-344

unit tests 328-340

transactions 301

defined 287

in Spring 289-290

using in Spring apps 291-301

architectural approaches 347-357

from microservices to serverless 356

monolithic approach 347-350

using service-oriented architecture (SOA) 350-355

complexity added for data persistence 354-355

complexity added in deployment of system 355

complexity added to security of system 353

complexity caused by communication among services 352-353

aspecting the method 9

aspects 150

execution chain 144-149

how aspects work in Spring 123-126

implementing with Spring aspect-oriented programming (AOP) 126-144

altering intercepted method's parameters and returned value 135-140

alternative advice annotations 143-144

intercepting annotated methods 140-143

simple aspect 127-135

assumptions 329

atomicity 287

auto-wiring 91-96

marking implementation default for injection with @Primary 93-94

naming implementation for dependency injection with @Qualifier 94-96

autoconfiguration based on dependencies 162

automation testing app 14-15

B

backend 155

backend apps 12-14

beans

adding to context 29-48

programmatically 45-48

using @Bean annotation 33-40

using stereotype annotations 41-43

web scopes

application-scoped beans 218-221

request-scoped beans 201-208

session-scoped beans 209-218

wiring 74

choosing from multiple beans in Spring context 68-73

circular dependencies 66-67

implementing relationships among beans defined in configuration file 51-60

using @Autowired annotation to inject beans 61-65

<beans> tag 359

Beaulieu, Alan 271, 383

BigDecimal type 274

Boyarsky, Jeanne 271, 383

Bruce, Morgan 356

<build> <plugins> ... </plugins></build> tags 167

C

call/execution 329

Carnell, John 357

catch block 269

CDI (Context and Dependency Injection) 11

CI (continuous integration) 324

circular dependencies 66-67

class fields

defining aspect and adding instance in Spring context 131

injecting values through 61-63

Clean Code (Martin) 80

client side of web app 155

CommentProcessor bean 116

CommentRepository bean 114

CommentRepository type 104

CommentService bean 103, 134

communication complexities 352-353

complexities

added for data persistence 354-355

added in deployment of system 355

added to security of system 353

caused by communication among services 352-353

configuration class

defining in projects 34

implementing relationships among beans defined in 51-60

direct method call between @Bean methods 55-58

using @Bean annotated method's parameters 58-60

initializing context using 35-40

constructor 64-65

context 49, 98, 120

adding new beans to 29-48

programmatically 45-48

using @Bean annotation 33-40

using stereotype annotations 41-43

creating Maven project 23-28

dependency injection with abstractions 85-96

auto-wiring from multiple implementations 91-96

choosing objects 85-90

interfaces defining contracts 76-85

for decoupling implementations 76-79

implementing requirement without using framework 80-85

requirement of scenario 79-80

object responsibilities with stereotype annotations 96-97

prototype bean scope 111-119

declaring using stereotype annotations 114-115

declaring with @Bean annotation 113

in real-world scenarios 115-119

singleton bean scope 100-111

declaring using stereotype annotations 104-106

declaring with @Bean annotation 101-103

in real-world scenarios 107-108

using eager and lazy instantiation 108-111

wiring beans 74

choosing from multiple beans in Spring context 68-73

dealing with circular dependencies 66-67

implementing relationships among beans defined in configuration file 51-60

using @Autowired annotation to inject beans 61-65

XML for configuration 358-359

Context and Dependency Injection (CDI) 11

continuous integration (CI) 324

contracts

interfaces defining 76-85

for decoupling implementations 76-79

implementing requirement without using framework 80-85

requirement of scenario 79-80

convention-over-configuration principle 169

CORS (cross-origin resource sharing) 364

CrudRepository contract 308

curl command 230

cURL tool 229, 380

customizing

avoiding frameworks and 18

data source configuration 278-282

in application properties file 279-280

using custom DataSource bean 280-282

D

DAO (data access objects) 80

data

on HTTP request 182-183

REST services

exchanging data between apps 226-227

using request body to get data from client 242-243

sending from client to server

HTTP request parameters 183-186

path variables 187-188

data sources 283

customizing configuration of 278-282

in application properties file 279-280

using custom DataSource bean 280-282

defined 265-269

using JdbcTemplate to work with persisted data 269-278

data transfer object (DTO) 232

DataSource bean 275, 280-282

DBMS (database management system) 265, 372

adding new database 376-378

connecting to local 373-375

installing client application for 373

installing on local system 372-373

DDL (data description language) 273

DELETE 316, 364

<dependencies> </dependencies> tags 28

dependency starters 162

deployment, system 355

desktop apps 16

DI (dependency injection) 51

through setter 65

with abstractions 85-96

auto-wiring from multiple implementations 91-96

choosing objects 85-90

Dias, Nuwan 357

direct method calls 55-58

dispatcher servlet 173

DTO (data transfer object) 232

dynamic view 177-188

getting data on HTTP request 182-183

using path variables to send data from client to server 187-188

using request parameters to send data from client to server 183-186

E

eager instantiation 108-111

Eclipse IDE tool 380

EJB (Enterprise Java Beans) 11

endpoints, REST

calling 263

using RestTemplate 253-256

using Spring Cloud OpenFeign 249-253

using WebClient 256-263

exceptions at 237-241

implementing 227-231

exception flow 337-338

execution chain, aspects 144-149

F

frameworks

avoiding 17-19

abundant existing customizations 18

security requirements 18

small footprint 17-18

reasons for using 4-7

frontend of web apps 155

G

GET method 189-197, 364

H

handler mapping 173

happy flows 329

Heckler, Mark 167, 382

HikariCP (Hikari connection pool) 269

horizontal scaling 349

<html> tag 182

HTTP (Hypertext Transfer Protocol) 159, 360-367

defined 360

request

as language between client and server 361-365

getting data on 182-183

using parameters to send data from client to server 183-186

response 231-241

as way server responds 365-367

managing exceptions at endpoint level 237-241

sending objects as response body 232-234

setting response status and headers 234-235

session 367

HTTP GET 189

HTTP request body 183

HTTP request header 183

HTTP request method 363

HTTP request parameter 183

HttpEntity 254

HttpHeaders 254

I

i18n (internationalization) 10

id 270

id field 292, 313

IDEs (integrated development environments) 24, 380

initializing context 35-40

INSERT statement 313

Integer type 36

integration tests 323, 341-344

interface segregation 308

interfaces 76-85

for decoupling implementations 76-79

implementing requirement without using framework 80-85

requirement of scenario 79-80

Introducing Maven (Varanasi) 24

IoC (inversion of control) 8

J

JDBC (Java Database Connectivity) 266

JdbcTemplate 19, 264, 269, 275-278, 293, 304

JetBrains IntelliJ IDEA tool 380

join point 123

JPA (Jakarta Persistence API) 309

JSON (JavaScript Object Notation) 233

JSON formatting 369-371

JUnit in Action (Tudose) 324, 383

L

lazy instantiation 108-111

Learning SQL, **3rd ed. (Beaulieu) 271, 383**

LoggedUserManagementService bean 213

Logger type 128

LoggingAspect 144, 146

login 211

LoginController 204

LoginCountService bean 219

LoginProcessor bean 214

Long, Josh 383

M

main class 167

Martin, Robert C. 80

Maven project, creating 23-28

methods

advice annotations intercepting calls 132

direct method call between @Bean methods 55-58

GET method 189-197

POST HTTP method 189-197

returning bean and annotating method with @Bean 34-35

testing value returned by 339-340

microservices 356

Microservices in Action **(Bruce and Pereira) 356**

Microservices Patterns **(Richardson) 357**

Microservices Security in Action **(Siriwardena and Dias) 357**

mobile apps 16

model 82

Model type 181

MongoRepository contract 309

Monolith to Microservices **(Newman) 357**

monolithic approach 347-350

MySQL 372-378

adding new database 376-378

connecting to local DBMS 373-375

installing client application for DBMS 373

installing DBMS on local system 372-373

tools 381

MySQL Server tool 381

MySQL Workbench tool 381

N

name field 292, 313

Newman, Sam 357

NoUniqueBeanDefinitionException 93

O

OCP Oracle Certified Professional Java SE 11 Developer Complete Study Guide **(Boyarsky and Selikoff) 271, 383**

online shopping cart 211

OpenFeign tool 246

OPTIONS method 364

org.springframework group ID 31

ORM (object-relational mapping) 10

P

parameters

altering intercepted method's 135-140

HTTP request parameters sending data from client to server 183-186

wiring beans using @Bean annotated method's 58-60

PATCH method 364

path variables 183, 187-188

PaymentDetails type 242

Pereira, Paulo A. 356

persistence

complexity added for 354-355

extending with Spring Data 11

implementing with Spring Data 322

defined 303-305

overview 306-309

using Spring Data JDBC 311-321

Spring Data Access 10

using JdbcTemplate with 269-278

pgAdmin tool 381

plugin configured by Start.Spring.IO 167

pointcut 123

POJO (plain old Java object) 47

POST HTTP method 189-197

POST method 364

PostgreSQL tool 381

Postman tool 229, 380

price 270

product 270

programmatically adding beans to context 45-48

project initialization service 168

app's main class created by Start.Spring.IO 167

application properties file 168

Spring Boot Maven plugin configured by Start.Spring.IO 167

projects 10-11

extending persistence capabilities with Spring Data 11

Spring Boot 11

<property> tag 359

prototype 199

prototype bean scope 111-119

declaring using stereotype annotations 114-115

declaring with @Bean annotation 113

in real-world scenarios 115-119

prototype bean scope, declaring 113

proxies 80

proxy 124

PurchaseRepository bean 274

PUT method 364

Q

query parameters 183

R

race-condition scenario 107

reactive approach 256

reactive programming 246

Reactive Spring (Long) 383

relationships, bean 51-60

direct method call between @Bean methods 55-58

using @Bean annotated method's parameters 58-60

Rentea, Victor xi

repositories 80, 271

request body 362

request headers 362

request method 362

request parameters 362

request scope 200

request URI 362

request-scoped beans 201-208

request, HTTP

as language between client and server 361-365

getting data on 182-183

using parameters to send data from client to server 183-186

response body 231, 365

response headers 231, 365

response status 231, 365

response, HTTP 231-241

as way server responds 365-367

managing exceptions at endpoint level 237-241

sending objects as response body 232-234

setting response status and headers 234-235

REST (representational state transfer) 244

endpoints 263

calling using RestTemplate 253-256

calling using Spring Cloud OpenFeign 249-253

calling using WebClient 256-263

implementing 227-231

exchanging data between apps 226-227

managing HTTP response 231-241

managing exceptions at endpoint level 237-241

sending objects as response body 232-234

setting response status and headers 234-235

tools 380

using request body to get data from client 242-243

RestTemplate 253-256

RestTemplate tool 246

Richardson, Chris 357

rollback 287

S

Sánchez, Illary Huaylupo 357

security

avoiding frameworks and 18

complexity added to 353

SecurityAspect 144

SELECT query 276

Selikoff, Scott 271, 383

server side of web apps 155

serverless functions 17, 356

servlet container 159

session scope 200

session-scoped beans 209-218

setter injection 65

simplified project creation 162

singleton 199

singleton bean scope 100-111

declaring using stereotype annotations 104-106

declaring with @Bean annotation 101-103

in real-world scenarios 107-108

using eager and lazy instantiation 108-111

singleton bean scope, declaring 101-103

singletons 199

Siriwardena, Prabath 357

SOA (service-oriented architecture) 162, 350-355

complexity added for data persistence 354-355

complexity added in deployment of system 355

complexity added to security of system 353

complexity caused by communication among services 352-353

SpEL (Spring Expression Language) 8

Spring Boot 11, 162

implementing web apps with 198

dynamic view 177-188

using GET and POST HTTP methods 189-197

using project initialization service 168

app's main class created by Start.Spring.IO 167

application properties file 168

Spring Boot Maven parent configured by Start.Spring.IO 167

Spring Boot **(Heckler) 167, 382**

Spring Boot in Action **(Wall) 167**

Spring Boot Maven

plugin configured 167

Spring Boot: Up and Running **(Heckler) 167, 382**

Spring Cloud OpenFeign 249-253

Spring Core 8, 10

Spring Data 322

defined 303-305

extending persistence with 11

overview 306-309

using Spring Data JDBC 311-321

Spring Data Access 8, 10

Spring Data JDBC 311-321

Spring framework 21

application scenarios 12-16

automation testing app 14-15

development of backend app 12-14

development of desktop app 16

in mobile apps 16

aspects in 123-126

avoiding frameworks 17-19

abundant existing customizations 18

security requirements 18

small footprint 17-18

ecosystem 7-11

projects from 10-11

Spring Core 8-10

Spring Data Access feature implementing app’s persistence 10

Spring MVC capabilities for developing web apps 10

Spring testing feature 10

reasons for using frameworks 4-7

transactions in 289-290

Spring in Action, **6th ed. (Walls) 256, 382**

Spring Microservices in Action **(Carnell and Sánchez) 357**

Spring MVC

developing web apps 10

implementing web apps with 198

dynamic view 177-188

using GET and POST HTTP methods 189-197

Spring MVC (model-view-controller) 8

Spring Security in Action (Spilcă**) 202, 382**

Spring testing 8

Spring Tools 380

spring-aspects dependency 127

spring-context dependency 31, 127

spring.datasource property 280

spring.datasource.initialization-mode property 279

spring.datasource.password property 279

spring.datasource.url property 279

spring.datasource.username property 279

SQLYog tool 381

Start.Spring.IO

app's main class created by 167

Spring Boot Maven plugin configured by 167

stereotype annotations

adding beans to context 41-43

object responsibilities with 96-97

prototype bean scope, declaring 114-115

singleton bean scope, declaring 104-106

String type 36

System.out 128

T

target object 123

testing 345

automation testing app 14-15

implementing tests in Spring apps 327-344

integration tests 341-344

unit tests 328-340

Spring testing feature 10

writing correctly implemented tests 325-326

three-tier architecture 354

tools 380-381

IDEs 380

MySQL 381

PostgreSQL 381

REST tools 380

transactionality 123

transactions 301

defined 287

in Spring 289-290

using in Spring apps 291-301

TransferRequest type 297

TransferService 317

try-catch-finally block 135

Tudose, Cătălin 324, 383

U

unit tests 323, 340

UPDATE 316

URI (uniform resource identifier) 363

V

-v option 231

validations 329

var type 34

Varanasi, Balaji 24

W

Walls, Craig 167, 256, 382

weaving 124

web apps 161

developing 10

implementing with Spring Boot and Spring MVC 198

dynamic view 177-188

using GET and POST HTTP methods 189-197

Spring web scopes

application-scoped beans 218-221

request-scoped beans 201-208

session-scoped beans 209-218

web scopes 223

application-scoped beans 218-221

request-scoped beans 201-208

session-scoped beans 209-218

WebClient 246, 256-263

WebFlux 260

wiring beans 74

choosing from multiple beans in Spring context 68-73

circular dependencies 66-67

implementing relationships among beans defined in configuration file 51-60

direct method call between @Bean methods 55-58

using @Bean annotated method's parameters 58-60

using @Autowired annotation to inject beans 61-65

through class fields 61-63

through constructor 64-65

using dependency injection through setter 65

writing Spring integration tests 327

writing tests 325-326

writing unit tests to validate a method's logic 327

X

XML 358-359

Previous chapter

Appendix G. Recommended learning materials for further study

Next chapter

Spring Start Here