

IP BULLET



TECHNICAL SPECIFICATIONS

Model No:	AD-90ARE3BP2
Product Name	IP BULLET CAMERA (PLASTIC) (Series)(2.8 Mm Lens)
Manufacturer	ADIANCE
Make	ARCIS AI
Model	IP BULLET CAMERA (PLASTIC)
Image Sensor	1 / 2.8" CMOS, 3MP, 2.8mm
Total Pixels	3MP
Day/Night	Color Mode, Intelligent Fill Light
Lens	2.8mm
Lens Type	Fixed
IR Distance	Up To 20M
Dynamic Range	HDR
Video Compression	H.264/H.265
Min Resolution	Mainstream:2304*1296

Model No: AD-90ARE3BP2

Frame Rate Max 15fps

Audio Compression AAC, G711

Audio Input Yes, Built in Mic

Audio Output Yes, Built In Speaker

Protocols HTTPS, RTSPS

ONVIF Support

Ethernet Yes, 10-100M Adaptive


SD Card Support

Operating Conditions Upto 50°C

Power Supply DC12V, 1A

Protection IP66, 4000V Lightning protection

PRODUCT DIMENSIONS



Note: All dimensions are in mm



Scan to see how
our AI works



IS 13252(part 1)/
IEC 60950-1
R-72003735
www.bis.gov.in

