Project 1: Highly Available Static Website

Objective: To host a static website on EC2 with high availability across multiple availability zones.

Implementation Steps:

1. **Instance Launch:** Provision an EC2 instance (Amazon Linux 2023) in Availability Zone A.
2. **Security Configuration:** Open Port 80 (HTTP) for web traffic and Port 22 (SSH) for management.
3. **Storage:** Attach an EBS volume to host the website files and configure S3 for secondary backups.
4. **High Availability:** Create an AMI (Amazon Machine Image) of the configured server.
5. **Redundancy:** Launch a second instance in Availability Zone B using the AMI to ensure zero downtime if Zone A fails.








```
download: s3://tera-form/web/contact.html to ../var/www/html/media/web/contact.html
download: s3://tera-form/web/images/hand.png to ../var/www/html/media/web/images/hand.png
download: s3://tera-form/web/images/bwn.png to ../var/www/html/media/web/images/bwn.png
download: s3://tera-form/web/css/popuo-box.css to ../var/www/html/media/web/css/popuo-box.css
download: s3://tera-form/web/css/style.css to ../var/www/html/media/web/css/style.css
download: s3://tera-form/web/images/ftr-icons.png to ../var/www/html/media/web/images/ftr-icons.png
download: s3://tera-form/web/images/icon.png to ../var/www/html/media/web/images/icon.png
download: s3://tera-form/web/images/logo-b.png to ../var/www/html/media/web/images/logo-b.png
download: s3://tera-form/web/images/0.jpg to ../var/www/html/media/web/images/0.jpg
download: s3://tera-form/web/images/logo.png to ../var/www/html/media/web/images/logo.png
download: s3://tera-form/web/images/card.jpg to ../var/www/html/media/web/images/card.jpg
download: s3://tera-form/web/css/bootstrap.css to ../var/www/html/media/web/css/bootstrap.css
download: s3://tera-form/web/images/nob.png to ../var/www/html/media/web/images/nob.png
download: s3://tera-form/web/images/box.png to ../var/www/html/media/web/images/box.png
download: s3://tera-form/web/images/3face.jpg to ../var/www/html/media/web/images/3face.jpg
download: s3://tera-form/web/images/cat.jpg to ../var/www/html/media/web/images/cat.jpg
download: s3://tera-form/web/images/ver-line.png to ../var/www/html/media/web/images/ver-line.png
download: s3://tera-form/web/images/oldman.jpg to ../var/www/html/media/web/images/oldman.jpg
download: s3://tera-form/web/js/easing.js to ../var/www/html/media/web/js/easing.js
download: s3://tera-form/web/index.html to ../var/www/html/media/web/index.html
download: s3://tera-form/web/images/sea.jpg to ../var/www/html/media/web/images/sea.jpg
download: s3://tera-form/web/images/car.jpg to ../var/www/html/media/web/images/car.jpg
download: s3://tera-form/web/js/jquery.min.js to ../var/www/html/media/web/js/jquery.min.js
download: s3://tera-form/web/js/jquery.magnific-popup.js to ../var/www/html/media/web/js/jquery.magnific-popup.js
download: s3://tera-form/web/images/work.jpg to ../var/www/html/media/web/images/work.jpg
download: s3://tera-form/web/js/modernizr.custom.min.js to ../var/www/html/media/web/js/modernizr.custom.min.js
download: s3://tera-form/web/images/face.jpg to ../var/www/html/media/web/images/face.jpg
download: s3://tera-form/web/images/paradot.png to ../var/www/html/media/web/images/paradot.png
download: s3://tera-form/web/images/gl.jpg to ../var/www/html/media/web/images/gl.jpg
download: s3://tera-form/web/work.html to ../var/www/html/media/web/work.html
download: s3://tera-form/web/js/move-top.js to ../var/www/html/media/web/js/move-top.js
[root@ip-172-31-29-118 ~]# cd /var/www/html/
[root@ip-172-31-29-118 html]# ls
media
[root@ip-172-31-29-118 html]# cd media/
[root@ip-172-31-29-118 media]# ls
web
[root@ip-172-31-29-118 media]# mv web/* .
[root@ip-172-31-29-118 media]# ls
contact.html  css  images  index.html  js  web  work.html
[root@ip-172-31-29-118 media]#
```


Copy AMI
Copy Amazon Machine Image (AMI)
Original AMI ID
Region
ap-southeast-2 (Sydney)
AMI copy name
rahul1-image
AMI copy description
[Copied ami-0fa519062846b529f from ap-southeast-2] rahul1-image
Destination Region
Asia Pacific (Mumbai)
Copy tags
Time-based copy - new
Enable time-based copy
Encrypt EBS snapshots of AMI copy


EC2
Amazon Machine Images (AMIs) (1/1)
Recycle Bin
EC2 Image Builder
Actions
Launch instance from AMI
Owned by me
Name
AMI name
AMI ID
Source
Owner
Visibility
Status
rahul1-image
ami-0fa519062846b529f
814421265196/rahul1-image
814421265196
Private
Available
AMI ID: ami-0fa519062846b529f
Details
Permissions
Storage
My AMI usage
AMI ancestry - new
Tags
AMI ID
Image type
Platform details
Root device type
AMI name
Owner account ID
Architecture
Usage operation
Root device name
Status
Source
Virtualization type
Boot mode
State reason
Creation date
Kernel ID
Instances
Images
Elastic Block Store


newer release of "Amazon Linux" is available.
Version 2023.10.20260216:
"/usr/bin/dnf check-release-update" for full release and version update info
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
root@ip-172-31-11-188 ~]# service httpd restart
Redirecting to /bin/systemctl restart httpd.service
root@ip-172-31-11-188 ~]# cd /var/www/html/
root@ip-172-31-11-188 html]# ls
out.html css feature.html hosts-html hosts-html.zip images index.html js
root@ip-172-31-11-188 html]#
i-0d9118281f4e8ee7b (ansible server)
PublicIPs: 18.60.111.192 PrivateIPs: 172.31.11.188


HOSTS
UNLIMITED
WEB HOSTING
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco
BUY NOW
CONTACT US
01/03

Project 2: EC2 Disaster Recovery Simulation

Objective: To demonstrate data restoration capabilities after a complete system failure.

Implementation Steps:

1. **Backup Creation:** Take a snapshot of the EBS volume and create a "Golden AMI" of the production server.
2. **Simulation:** Terminate the active EC2 instance to simulate a hardware or system crash.
3. **Recovery:** Use the AMI and Snapshot to provision a new instance with all original data intact.
4. **Verification:** Confirm that the application and data are fully restored to the pre-crash state.



```
download: s3://tera-form/web/contact.html to ../var/www/html/media/web/contact.html
download: s3://tera-form/web/images/hand.png to ../var/www/html/media/web/images/hand.png
download: s3://tera-form/web/images/bwn.png to ../var/www/html/media/web/images/bwn.png
download: s3://tera-form/web/css/popuo-box.css to ../var/www/html/media/web/css/popuo-box.css
download: s3://tera-form/web/css/style.css to ../var/www/html/media/web/css/style.css
download: s3://tera-form/web/images/ftr-icons.png to ../var/www/html/media/web/images/ftr-icons.png
download: s3://tera-form/web/images/icon.png to ../var/www/html/media/web/images/icon.png
download: s3://tera-form/web/images/logo-b.png to ../var/www/html/media/web/images/logo-b.png
download: s3://tera-form/web/images/D.jpg to ../var/www/html/media/web/images/D.jpg
download: s3://tera-form/web/images/logo.png to ../var/www/html/media/web/images/logo.png
download: s3://tera-form/web/images/card.jpg to ../var/www/html/media/web/images/card.jpg
download: s3://tera-form/web/css/bootstrap.css to ../var/www/html/media/web/css/bootstrap.css
download: s3://tera-form/web/images/nob.png to ../var/www/html/media/web/images/nob.png
download: s3://tera-form/web/images/box.png to ../var/www/html/media/web/images/box.png
download: s3://tera-form/web/images/3face.jpg to ../var/www/html/media/web/images/3face.jpg
download: s3://tera-form/web/images/cat.jpg to ../var/www/html/media/web/images/cat.jpg
download: s3://tera-form/web/images/ver-line.png to ../var/www/html/media/web/images/ver-line.png
download: s3://tera-form/web/images/oldman.jpg to ../var/www/html/media/web/images/oldman.jpg
download: s3://tera-form/web/js/easing.js to ../var/www/html/media/web/js/easing.js
download: s3://tera-form/web/index.html to ../var/www/html/media/web/index.html
download: s3://tera-form/web/images/sea.jpg to ../var/www/html/media/web/images/sea.jpg
download: s3://tera-form/web/images/car.jpg to ../var/www/html/media/web/images/car.jpg
download: s3://tera-form/web/js/jquery.min.js to ../var/www/html/media/web/js/jquery.min.js
download: s3://tera-form/web/js/jquery.magnific-popup.js to ../var/www/html/media/web/js/jquery.magnific-popup.js
download: s3://tera-form/web/images/work.jpg to ../var/www/html/media/web/images/work.jpg
download: s3://tera-form/web/js/modernizr.custom.min.js to ../var/www/html/media/web/js/modernizr.custom.min.js
download: s3://tera-form/web/images/face.jpg to ../var/www/html/media/web/images/face.jpg
download: s3://tera-form/web/images/paradot.png to ../var/www/html/media/web/images/paradot.png
download: s3://tera-form/web/images/gl.jpg to ../var/www/html/media/web/images/gl.jpg
download: s3://tera-form/web/work.html to ../var/www/html/media/web/work.html
download: s3://tera-form/web/js/move-top.js to ../var/www/html/media/web/js/move-top.js
[root@ip-172-31-29-118 ~]# cd /var/www/html/
[root@ip-172-31-29-118 html]# ls
media
[root@ip-172-31-29-118 html]# cd media/
[root@ip-172-31-29-118 media]# ls
web
[root@ip-172-31-29-118 media]# mv web/* .
[root@ip-172-31-29-118 media]# ls
contact.html  css  images  index.html  js  web  work.html
[root@ip-172-31-29-118 media]#
```


Amazon Machine Images (AMIs) (1/1)
AMI ID: ami-0fa519062846b529f
Details
Permissions
Storage
My AMI usage
AMI ancestry - new
Tags


Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
i-0d9118281f4e8ee7b (ansible server)



Project 3: Secure Media Hosting Platform

Objective: To host sensitive media content with restricted access controls.

Implementation Steps:

1. **Restricted SSH:** Configure Security Groups to allow SSH access only from a specific Administrative IP address.
2. **S3 Privacy:** Create a private S3 bucket and disable "Block all public access" to ensure files are not indexed by search engines.
3. **Deployment:** Upload media assets to S3 and serve them through the EC2 web server using IAM roles for secure access.


Edit inbound rules
Inbound rules
Security group rule ID
Type
Protocol
Port range
Source
Description - optional
HTTP
SSH
Custom
0.0.0.0/0
Delete
Add rule
Cancel
Preview changes
Save rules


Identity and Access Management (IAM)
s3-media-access
Summary
Creation date
ARN
Instance profile ARN
Last activity
Maximum session duration
1 hour
Permissions
Trust relationships
Tags
Last Accessed
Revoke sessions
Permissions policies (1)
Policy name
Type
Attached entities
AWS managed


Feb 22 05:26:49 ip-172-31-29-118.ap-southeast-2.compute.internal systemd[1]: Starting httpd.service - The Apache HTTP Server...
Feb 22 05:26:49 ip-172-31-29-118.ap-southeast-2.compute.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
Feb 22 05:26:49 ip-172-31-29-118.ap-southeast-2.compute.internal httpd[26488]: Server configured, listening on: port 80
[root@ip-172-31-29-118 ~]# cd /var/www/html/
[root@ip-172-31-29-118 html]# ls
[root@ip-172-31-29-118 html]# wget https://tera-form.s3.ap-southeast-2.amazonaws.com/index.html
--2026-02-22 05:26:54-- https://tera-form.s3.ap-southeast-2.amazonaws.com/index.html
Resolving tera-form.s3.ap-southeast-2.amazonaws.com (tera-form.s3.ap-southeast-2.amazonaws.com)... 3.5.169.97, 52.95.128.94, 52.95.131.22, ...
Connecting to tera-form.s3.ap-southeast-2.amazonaws.com (tera-form.s3.ap-southeast-2.amazonaws.com)|3.5.169.97|:443... connected.
HTTP request sent, awaiting response... 403 Forbidden
2026-02-22 05:26:54 ERROR 403: Forbidden.
[root@ip-172-31-29-118 html]# mkdir media
[root@ip-172-31-29-118 html]# ls
media
[root@ip-172-31-29-118 html]# cd media
[root@ip-172-31-29-118 media]# ls
[root@ip-172-31-29-118 media]# ls
[root@ip-172-31-29-118 media]# chmod ls
chmod: missing operand after 'ls'
Try 'chmod --help' for more information.
[root@ip-172-31-29-118 media]# chmod 777 media
chmod: cannot access 'media': No such file or directory
[root@ip-172-31-29-118 media]# cd ..
[root@ip-172-31-29-118 ~]# cd /var/www/html/
[root@ip-172-31-29-118 html]# ls
media
[root@ip-172-31-29-118 html]# chmod 777 media
[root@ip-172-31-29-118 html]# ls
media
[root@ip-172-31-29-118 html]# cd media/
[root@ip-172-31-29-118 media]# s1
bash: s1: command not found
[root@ip-172-31-29-118 media]# ls
[root@ip-172-31-29-118 media]# aws s3 sync s3://tera-form /var/www/html/media
download: s3://tera-form/index.html to ./index.html
[root@ip-172-31-29-118 media]# ls
index.html
[root@ip-172-31-29-118 media]#

Project 4: Golden AMI Deployment

Objective: To standardize deployments using pre-configured images.

Implementation Steps:

1. **Base Setup:** Install all necessary updates, security patches, and web server software (Apache/Nginx) on a base instance.
2. **Image Creation:** Capture the state of the instance as a "Golden AMI."
3. **Scaling:** Use this Golden AMI to launch 3–5 identical instances instantly, ensuring consistent configuration across the fleet.

• Verify identical configuration

```
Feb 22 05:26:49 ip-172-31-29-118.ap-southeast-2.compute.internal systemd[1]: Starting httpd.service - The Apache HTTP Server...
Feb 22 05:26:49 ip-172-31-29-118.ap-southeast-2.compute.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
Feb 22 05:26:49 ip-172-31-29-118.ap-southeast-2.compute.internal httpd[26168]: Server configured, listening on: port 80
[root@ip-172-31-29-118 ~]# cd /var/www/html/
[root@ip-172-31-29-118 html]# ls
[root@ip-172-31-29-118 html]# wget https://tera-form.s3.ap-southeast-2.amazonaws.com/index.html
--2026-02-22 05:28:54--  https://tera-form.s3.ap-southeast-2.amazonaws.com/index.html
Resolving tera-form.s3.ap-southeast-2.amazonaws.com (tera-form.s3.ap-southeast-2.amazonaws.com)... 3.5.169.97, 52.95.128.94, 52.95.131.22, ...
Connecting to tera-form.s3.ap-southeast-2.amazonaws.com (tera-form.s3.ap-southeast-2.amazonaws.com)|3.5.169.97|:443... connected.
HTTP request sent, awaiting response... 403 Forbidden
2026-02-22 05:28:54 ERROR 403: Forbidden.

[root@ip-172-31-29-118 html]# mkdir media
[root@ip-172-31-29-118 html]# ls
media
[root@ip-172-31-29-118 html]# cd media
[root@ip-172-31-29-118 media]# ls
[root@ip-172-31-29-118 media]# ls
[root@ip-172-31-29-118 media]# chmod ls
chmod: missing operand after 'ls'
Try 'chmod --help' for more information.
[root@ip-172-31-29-118 media]# chmod 777 media
chmod: cannot access 'media': No such file or directory
[root@ip-172-31-29-118 media]# cd
[root@ip-172-31-29-118 ~]# cd /var/www/html/
[root@ip-172-31-29-118 html]# ls
media
[root@ip-172-31-29-118 html]# chmod 777 media
[root@ip-172-31-29-118 html]# ls
media
[root@ip-172-31-29-118 html]# cd media/
[root@ip-172-31-29-118 media]# sl
bash: sl: command not found
[root@ip-172-31-29-118 media]# ls
[root@ip-172-31-29-118 media]# aws s3 sync s3:///tera-form /var/www/html/media
download: s3:///tera-form/index.html to ./index.html
[root@ip-172-31-29-118 media]# ls
index.html
[root@ip-172-31-29-118 media]#
```





Project 5: Cross-Region Backup Strategy

Objective: To protect the business against a total AWS Region outage (e.g., N. Virginia going offline).

Implementation Steps:

1. **Snapshotting:** Create an EBS snapshot in the primary region (Region A).

2. **Cross-Region Copy:** Use the AWS "Copy Snapshot" feature to move the data to a backup region (Region B).
3. **Restoration:** In the event of a regional disaster, launch an EC2 instance in Region B using the copied snapshot.






EC2
Snapshots (1)
Select a snapshot above.


EC2
Amazon Machine Images (AMIs) (1/1)
AMI ID: ami-00c0bca4e549f69bc
Details
Permissions
Storage
My AMI usage
AMI ancestry - new
Tags


Amazon Linux 2023
i-0691fb2017c65d99f (server)

Project 6: Static Website Hosting using Amazon S3

Aim:

- To host a static website using Amazon S3 by configuring bucket settings, enabling static website hosting, and applying appropriate permissions.

Procedure:

- Create an S3 bucket in Asia Pacific (Sydney) region.
- Upload website files (index.html, contact.html, work.html, css, js, images).
- Enable Static Website Hosting in bucket properties.
- Disable Block Public Access settings.
- Add bucket policy to allow public read access (s3:GetObject).
- Access the website using the generated S3 website endpoint URL.

Screenshots:






Requester pays
Static website hosting


Bucket policy

Amazon S3
Requester pays
Static website hosting

Project 7: Cross Region Replication

Aim:

copying your data (like EBS Snapshots or S3 objects) from one geographic region (e.g., US-East-1, N. Virginia) to another (e.g., US-West-2, sydney), you protect your application against a total regional outage.

Procedure:

- Creating bucket in the region of the Sydney and enabling the version.
- Creating another bucket in the region of Virginia and also enabling the version.
- Bucket is global so it will appear in all the regions but data are the region specific.
- For that we will create replica and gave destination region as Virginia.
- Upload the entire file to share with the destination region.
- After uploading the file it will appear in the Virginia region.

Amazon S3 > Buckets > rahu-testbucket > Replication rules

Replication rules

Replication enables automatic and asynchronous copying of objects across buckets in the same or different AWS Regions. A replication configuration is a set of rules that define what options should be applied to a group of objects during replication.

Replication configuration settings

Create replication job | Edit

Configuration settings affect all replication rules in the bucket.

Source bucket
rahu-testbucket

Source Region
Asia Pacific (Sydney) ap-southeast-2

IAM role
s3cr_role_for_rahu-testbucket_1

Replication rules (1)

View details | Edit rule | Delete | Actions | Create replication rule

Use replication rules to define options you want Amazon S3 to apply during replication such as server-side encryption, replica ownership, transitioning replicas to another storage class, and more. Learn more

Replication rule name	Status	Destination bucket	Destination Region	Priority	Scope	Storage class	Replica owner	Replication Time Control	KMS-encrypted objects (SSE-KMS or DSSE-KMS)	Replica modification sync
replica	Enabled	s3://virginia-bkt100	US East (N. Virginia) us-east-1	0	Entire bucket	Same as source	Same as source	Disabled	Do not replicate	Disabled

Amazon S3 > Buckets > rahu-testbucket

Amazon S3
- Buckets
  - General purpose buckets
  - Directory buckets
  - Table buckets
  - Vector buckets
- Access management and security
  - Access Points
  - Access Points for FSx
  - Access Grants
  - IAM Access Analyzer
- Storage management and insights
  - Storage Lens
  - Batch Operations

Account and organization settings
AWS Marketplace for S3

rahu-testbucket

Objects | Metadata | Properties | Permissions | Metrics | Management | Access Points

Objects (6)

Copy S3 URI | Copy URL | Download | Open | Delete | Actions | Create folder | Upload

Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more

Find objects by prefix | Show versions

Name	Type	Last modified	Size	Storage class
contact.html	html	February 24, 2026, 11:38:34 (UTC+05:30)	5.2 KB	Standard
csv/	Folder	-	-	-
images/	Folder	-	-	-
index.html	html	February 24, 2026, 11:38:33 (UTC+05:30)	17.5 KB	Standard
js/	Folder	-	-	-
work.html	html	February 24, 2026, 11:38:33 (UTC+05:30)	7.5 KB	Standard


Amazon S3 > Buckets
General purpose buckets
All AWS Regions
Directory buckets
General purpose buckets (2) Info
Buckets are containers for data stored in S3.
Copy ARN
Empty
Delete
Create bucket
Find buckets by name
Name
AWS Region
Creation date
Asia Pacific (Sydney) ap-southeast-2
US East (N. Virginia) us-east-1
Account snapshot Info
View dashboard
Updated daily
Storage Lens provides visibility into storage usage and activity trends.
External access summary Info
Updated daily
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.


Amazon S3 > Buckets > vrginia-bkt100
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and insights
Storage Lens
Batch Operations
Account and organization settings
AWS Marketplace for S3
vrginia-bkt100 Info
Objects
Metadata
Properties
Permissions
Metrics
Management
Access Points
Objects (8)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Find objects by prefix
Show versions
Name
Type
Last modified
Size
Storage class
contact.html
html
February 24, 2026, 11:58:54 (UTC+05:30)
5.2 KB
Standard
css/
Folder
images/
Folder
index.html
html
February 24, 2026, 11:58:33 (UTC+05:30)
17.3 KB
Standard
js/
Folder
refs/
Folder
work.html
html
February 24, 2026, 11:58:33 (UTC+05:30)
7.5 KB
Standard

AWS Hands-On Project Assignment

Project: 08

Highly Available Web Application with Auto Scaling & Monitoring

In this assignment, students will design and deploy a highly available and scalable web application architecture on AWS. The goal of this project is to apply practical knowledge of AWS services including Application Load Balancer, Auto Scaling Groups, CloudWatch monitoring, and SNS notifications.

Learning Objectives

• Understand how load balancing distributes traffic across multiple servers.

• Configure Auto Scaling to automatically adjust compute capacity. • Monitor infrastructure using Amazon CloudWatch.

• Configure SNS notifications for operational alerts.

• Build a highly available and fault tolerant architecture. Architecture Components

• EC2 Instances (Web Servers)

• Application Load Balancer

• Auto Scaling Group

• Amazon CloudWatch

• Amazon SNS



Launch an EC2 instance and install Apache or Nginx web server.



Create an Application Load Balancer and configure a target group.



- Create a Launch Template using the AMI.
- Create an Auto Scaling Group with minimum 2 and maximum 4 instances.
- Attach the Load Balancer to the Auto Scaling Group.





Configure scaling policies based on CPU utilization.





• Create CloudWatch alarms to monitor CPU usage




eNno
Home
About
Services
Portfolio
Team
Dropdown
Contact
Get Started
Elegant and creative solutions
We are team of talented designers making websites with Bootstrap
Get Started
Watch Video


CPU utilization (%)
View in metrics
Close

```
A newer release of "Amazon Linux" is available.
 Version 2023.10.20260302:
Run "/usr/bin/dnf check-release-update" for full release and version update info
   ,     #_
   -\_  ####_        Amazon Linux 2023
  -- \_#####\
  --     \###|
  --       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   --       V~' '->
    ___        /
      ~~._.   _/
         _/ _/
       _/m/'
Last login: Mon Mar  9 09:30:04 2026 from 13.239.158.3
[ec2-user@ip-172-31-14-221 ~]$ stress --cpu 4 --timeout 800
stress: info: [2809] dispatching hogs: 4 cpu, 0 io, 0 vm, 0 hdd
^C
[ec2-user@ip-172-31-14-221 ~]$ sudo su
[root@ip-172-31-14-221 ec2-user]# cd
[root@ip-172-31-14-221 ~]# stress --cpu 4 --timeout 800
stress: info: [3192] dispatching hogs: 4 cpu, 0 io, 0 vm, 0 hdd
^C
[root@ip-172-31-14-221 ~]# stress --cpu 4 --timeout 1000
stress: info: [3351] dispatching hogs: 4 cpu, 0 io, 0 vm, 0 hdd
^C
[root@ip-172-31-14-221 ~]# pkill stress
[root@ip-172-31-14-221 ~]#
```




EC2
Instances (2)
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
Availability Zone
Public IPv4 DNS
ec2-instance
Select an instance


EC2
Instances (1)
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
Availability Zone
Public IPv4 DNS
ec2-instance
Select an instance


CloudWatch
Log events
Actions
Start tailing
Create metric filter
You can use the filter bar below to search for and match terms, phrases, or values in your log events.
Clear
1m
30m
1h
12h
Custom
UTC timezone
Display
Message
Favorites and recents
Logs
Log Management
Log Anomalies
Live Tail
Logs Insights
Contributor Insights
Metrics
All metrics
Explore
Streams
Network Monitoring
Flow monitors
Internet monitors
Synthetic monitors
Back to top


MY IP
IP LOOKUP
HIDE MY IP
VPNS
TOOLS
LEARN
My IP Address is:
IPv6: 2406:7400:94:a2fe:6802:53cb:55c1:75e5
IPv4: 49.207.58.254
My IP Information:
Your location may be exposed!
ISP: Broad Band Internet Service Provider India
City: Bengaluru
Region: Karnataka
Country: India
HIDE MY IP ADDRESS NOW
Show Complete IP Details
Location not accurate?
Update My IP Location