BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 20 Out of 20 (Sec-A)/ 1 marks

```
const fs = require('fs');
fs.readFileSync('data.txt');
```

What type of operation?

A. Asynchronous

B. Event driven

C. Synchronous blocking

D. Stream

Select Your Answer

- A
- C

Mark As: Review Doubtful

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 19 Out of 20 (Sec-A)/ 1 marks

```
const fs = require('fs');
fs.appendFileSync('a.txt', 'Hello');
```

What does it do?

A. Deletes file

B. Appends Hello to file

C. Overwrites file

D. Reads file

Select Your Answer

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 18 Out of 20 (Sec-A)/ 1 marks

```
const url = new URL('http://localhost:3000/about');
console.log(url.pathname);
```

Output?

A. localhost

B. /about

C. 3000

D. http

Select Your Answer

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 17 Out of 20 (Sec-A)/ 1 marks

```
const http = require('http');
http.createServer((req,res)=>{
res.statusCode=404;
res.end('Not Found');
}).listen(9000);
```

What status is sent?

A. 200

B. 500

C. 404

D. 302

Select Your Answer

- A
- C

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 16 Out of 20 (Sec-A)/ 1 marks

```
const path = require('path');
console.log(path.dirname('/home/user/app.js'));
```

Output?

A. /home/user

B. app.js

C. /home

D. user

Select Your Answer

A

C

Mark As: Review Doubtful

Sec-A (Time: No Limit)

Question No. : 15 Out of 20 (Sec-A)/ 1 marks

```
const path = require('path');
console.log(path.normalize('/test//demo/../file.txt'));
```

What does normalize do?

A. Deletes file

B. Cleans path structure

C. Creates path

D. Reads path

Select Your Answer

- A
- C

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 14 Out of 20 (Sec-A)/ 1 marks

```
const fs = require('fs');
fs.writeFileSync('test.txt', 'NodeJS');
console.log('Done');
```

What is the result?

A. File is created with content NodeJS

B. File is empty

C. Error occurs

D. Nothing happens

Select Your Answer

- A
- C

Mark As: Review Doubtful

Sec-A (Time: No Limit)

Question No. : 13 Out of 20 (Sec-A)/ 1 marks

```
const path = require('path');
console.log(path.resolve('test', 'demo.txt'));
```

What does resolve do?

A. Deletes path

B. Creates file

C. Resolves to absolute path

D. Reads path

Select Your Answer

- A
- C

Mark As: Review Doubtful

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 12 Out of 20 (Sec-A)/ 1 marks

```
const path = require('path');
console.log(path.join('folder', 'file.txt'));
```

Output?

A. folder/file.txt

B. folderfile.txt

C. /folder/file.txt

D. Error

Select Your Answer

- A
- C

Mark As: Review Doubtful

Sec-A (Time: No Limit)

Question No. : 11 Out of 20 (Sec-A)/ 1 marks

```
const http = require('http');
http.createServer((req,res)=>{
if(req.method=='POST'){
res.end('POST Request');
}
}).listen(5000);
```

When will response be sent?

A. On GET request

B. On POST request

C. On DELETE request

D. Always

Select Your Answer

A

C

Sec-A (Time: No Limit)

Question No. : 10 Out of 20 (Sec-A)/ 1 marks

```
const fs = require('fs');
fs.readFile('abc.txt', 'utf8', (err, data) => {
console.log(data);
});
```

What is true about this code?

A. It reads file synchronously

B. It blocks event loop

C. It reads file asynchronously

D. It deletes file

Select Your Answer

- A
- C

Mark As: Review Doubtful

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 9 Out of 20 (Sec-A)/ 1 marks

```
const http = require('http');
http.createServer((req,res)=>{
console.log(req.url);
res.end();
}).listen(4000);
```

What does req.url represent?

A. Server port

B. HTTP method

C. Requested URL path

D. Hostname

Select Your Answer

A

C

Mark As: Review Doubtful

Shot on OnePlus

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 8 Out of 20 (Sec-A)/ 1 marks

```
const path = require('path');
console.log(path.basename('/home/user/file.txt'));
```

What is the output?

A. /home/user/file.txt

B. file

C. file.txt

D. txt

Select Your Answer

A

C

Mark As: Review Doubtful

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 7 Out of 20 (Sec-A)/ 1 marks

```
const fs = require('fs');
fs.unlink('test.txt',(err)=>{
if(!err) console.log('Deleted');
});
```

What does unlink do?

A. Create file

B. Rename file

C. Delete file

D. Read file

Select Your Answer

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 6 Out of 20 (Sec-A)/ 1 marks

```
const path = require('path');
console.log(path.isAbsolute('/test/file'));
```

Output?

A. true

B. false

C. undefined

D. error

Select Your Answer

A

C

Mark As: Review Doubtful

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 5 Out of 20 (Sec-A)/ 1 marks

```
const path = require('path');
console.log(path.extname('index.html'));
```

Output?

A. html

B. .html

C. index

D. .index

Select Your Answer

A

C

Mark As: Review Doubtful

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 4 Out of 20 (Sec-A)/ 1 marks

```
const url = new URL('https://example.com:8080/path');
console.log(url.port);
```

Output?

A. https

B. 8080

C. path

D. example.com

Select Your Answer

- A
- C

Mark As: Review Doubtful

BCSE 0455-Full Stack Using Server Side

Sec-A (Time: No Limit)

Question No. : 3 Out of 20 (Sec-A)/ 1 marks

```
const fs = require('fs');
fs.rename('old.txt','new.txt',(err)=>{});
```

Purpose?

A. Delete file

B. Rename file

C. Copy file

D. Read file

Select Your Answer

- A
- C

Mark As: Review Doubtful

CSE 0455-Full Stack Using Server Side

c-A (Time: No Limit)

Question No. : 2 Out of 20 (Sec-A)/ 1 marks

```
const url = require('url');
const parsed = url.parse('http://site.com/page?id=10', true);
console.log(parsed.query.id);
```

Output?

A. page

B. 10

C. id

D. undefined

Select Your Answer

Sec-A (Time: No Limit)

Question No. : 1 Out of 20 (Sec-A)/ 1 marks

Consider the following Node.js code:

```
const http = require('http');
http.createServer((req, res) => {
res.write('Hello');
res.end();
}).listen(3000);
```

What will happen when you open http://localhost:3000?

A. It will throw an error

B. It will print Hello in browser

C. Server will stop immediately

D. Nothing will happen

Select Your Answer

- A
- C

Mark As: Review Doubtful

Shot on OnePlus