## EE3900: Assignment-2

## Nelakuditi Rahul Naga - AI20BTECH11029

Download all python codes from

https://github.com/Rahul27n/EE3900/blob/main/ Assignment 2/Assignment 2.py

and latex-tikz codes from

https://github.com/Rahul27n/EE3900/blob/main/ Assignment\_2/Assignment\_2.tex

1 QUESTION: MATRIX Q2.16(II)

It is given: 
$$\mathbf{A} = \begin{pmatrix} -1 & 2 & 3 \\ 5 & 7 & 9 \\ -1 & 1 & 1 \end{pmatrix}$$
 and  $\mathbf{B} = \begin{pmatrix} -4 & 1 & -5 \\ 1 & 2 & 0 \\ 1 & 3 & 1 \end{pmatrix}$ ,

then verify that  $(\mathbf{A} - \mathbf{B})^{\top} = \mathbf{A}^{\top} - \mathbf{B}^{\top}$ .

## 2 SOLUTION

We clearly have,

$$\mathbf{A} - \mathbf{B} = \begin{pmatrix} 3 & 1 & 8 \\ 4 & 5 & 9 \\ -2 & -2 & 0 \end{pmatrix} \tag{2.0.1}$$

Therefore the transpose of A - B is given by :

$$(\mathbf{A} - \mathbf{B})^{\mathsf{T}} = \begin{pmatrix} 3 & 4 & -2 \\ 1 & 5 & -2 \\ 8 & 9 & 0 \end{pmatrix}$$
 (2.0.2)

Now,

$$\mathbf{A}^{\mathsf{T}} - \mathbf{B}^{\mathsf{T}} = \begin{pmatrix} -1 & 5 & -1 \\ 2 & 7 & 1 \\ 3 & 9 & 1 \end{pmatrix} - \begin{pmatrix} -4 & 1 & 1 \\ 1 & 2 & 3 \\ -5 & 0 & 1 \end{pmatrix} \quad (2.0.3)$$

$$\mathbf{A}^{\top} - \mathbf{B}^{\top} = \begin{pmatrix} 3 & 4 & -2 \\ 1 & 5 & -2 \\ 8 & 9 & 0 \end{pmatrix}$$
 (2.0.4)

Therefore from (2.0.2) and (2.0.4) we can conclude that  $(\mathbf{A} - \mathbf{B})^{\mathsf{T}} = \mathbf{A}^{\mathsf{T}} - \mathbf{B}^{\mathsf{T}}$ .