

Experiment 6

Create Product Catalog Application using ASP.NET MVC Architecture (Controllers, Models, Views, Routing)

Source :

[RouteConfig.cs](#):

```
using System.Web.Mvc;
using System.Web.Routing;

namespace Experiment_06
{
    public class RouteConfig
    {
        public static void RegisterRoutes(RouteCollection routes)
        {
            routes.IgnoreRoute("{resource}.axd/{*pathInfo}");

            routes.MapMvcAttributeRoutes();

            routes.MapRoute(
                name: "Default",
                url: "{controller}/{action}/{id}",
                defaults: new
                {
                    controller = "Product",
                    action = "Index",
                    id = UrlParameter.Optional
                }
            );
        }
    }
}
```

Site.css

```
body {
    padding-top: 50px;
    padding-bottom: 20px;
}

/* Set padding to keep content from hitting the edges */
.body-content {
    padding-left: 15px;
    padding-right: 15px;
}
```

```
/* Set width on the form input elements since they're 100% wide by default */
input,
select,
textarea {
    max-width: 280px;
}
```

HomeController.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;

namespace Experiment_06.Controllers
{
    public class HomeController : Controller
    {
        // GET: Home
        public ActionResult Index()
        {
            return View();
        }
    }
}
```

ProductController.cs

```
using Experiment_06.Models;
using System.Collections.Generic;
using System.Linq;
using System.Web.Mvc;

namespace Experiment_06.Controllers
{
    public class ProductController : Controller
    {
        // Temporary Product List
        private static List<Product> products = new List<Product>
        {
            new Product
            {
                Id = 1,
                Name = "Laptop",
                Description = "HP Laptop with 8GB RAM",
                Price = 55000,
            }
        }
    }
}
```

```
        Category = "Electronics",
        Stock = 10
    },

    new Product
    {
        Id = 2,
        Name = "Smartphone",
        Description = "Android Smartphone with 128GB Storage",
        Price = 25000,
        Category = "Electronics",
        Stock = 15
    },

    new Product
    {
        Id = 3,
        Name = "Headphones",
        Description = "Wireless Bluetooth Headphones",
        Price = 3000,
        Category = "Accessories",
        Stock = 20
    }
};

// =====
// 1. DISPLAY ALL PRODUCTS
// URL: /Product/Index
// =====

public ActionResult Index()
{
    return View(products);
}

// =====
// 2. PRODUCT DETAILS
// URL: /Product/Details/1
// =====

public ActionResult Details(int id)
{
    Product product = products.FirstOrDefault(p => p.Id == id);

    if (product == null)
    {
        return HttpNotFound();
    }
}
```

```
        return View(product);
    }

    // =====
    // 3. CREATE PRODUCT - GET
    // URL: /Product/Create
    // =====

    public ActionResult Create()
    {
        return View();
    }

    // =====
    // 4. CREATE PRODUCT - POST
    // =====

    [HttpPost]
    public ActionResult Create(Product product)
    {
        if (ModelState.IsValid)
        {
            if (products.Count > 0)
            {
                product.Id = products.Max(p => p.Id) + 1;
            }
            else
            {
                product.Id = 1;
            }

            products.Add(product);

            return RedirectToAction("Index");
        }

        return View(product);
    }

    // =====
    // 5. EDIT PRODUCT - GET
    // URL: /Product/Edit/1
    // =====

    public ActionResult Edit(int id)
    {

```

```
        Product product = products.FirstOrDefault(p => p.Id == id);

        if (product == null)
        {
            return HttpNotFound();
        }

        return View(product);
    }

// =====
// 6. EDIT PRODUCT - POST
// =====

[HttpPost]
public ActionResult Edit(Product product)
{
    if (ModelState.IsValid)
    {
        Product existingProduct =
            products.FirstOrDefault(p => p.Id == product.Id);

        if (existingProduct == null)
        {
            return HttpNotFound();
        }

        existingProduct.Name = product.Name;
        existingProduct.Description = product.Description;
        existingProduct.Price = product.Price;
        existingProduct.Category = product.Category;
        existingProduct.Stock = product.Stock;

        return RedirectToAction("Index");
    }

    return View(product);
}

// =====
// 7. DELETE PRODUCT
// URL: /Product/Delete/1
// =====

public ActionResult Delete(int id)
{
    Product product = products.FirstOrDefault(p => p.Id == id);
```

```
        if (product == null)
        {
            return HttpNotFound();
        }

        products.Remove(product);

        return RedirectToAction("Index");
    }
}
}
```

Product.cs

```
using System;
```

```
namespace Experiment_06.Models
{
    public class Product
    {
        public int Id { get; set; }

        public string Name { get; set; }

        public string Description { get; set; }

        public decimal Price { get; set; }

        public string Category { get; set; }

        public int Stock { get; set; }
    }
}
```

Create.cshtml

```
@model Experiment_06.Models.Product
```

```
@{
    ViewBag.Title = "Add Product";
}
```

```
<style>
    body {
        background: #f4f7fb;
        font-family: "Segoe UI", Arial, sans-serif;
    }
```

```
.create-page {
    min-height: 100vh;
    padding: 40px 20px;
}

.create-container {
    max-width: 850px;
    margin: auto;
}

/* Header */
.create-header {
    background: linear-gradient(135deg, #2563eb, #4f46e5);
    color: white;
    padding: 30px 35px;
    border-radius: 20px 20px 0 0;
    box-shadow: 0 12px 30px rgba(37, 99, 235, 0.18);
}

.create-header h1 {
    margin: 0 0 8px;
    font-size: 28px;
    font-weight: 700;
}

.create-header p {
    margin: 0;
    opacity: 0.9;
    font-size: 14px;
}

/* Form Card */
.form-card {
    background: white;
    padding: 35px;
    border-radius: 0 0 20px 20px;
    box-shadow: 0 10px 30px rgba(15, 23, 42, 0.08);
}

.form-row {
    margin-bottom: 22px;
}

.form-label {
    display: block;
    margin-bottom: 8px;
    font-weight: 600;
    color: #374151;
    font-size: 14px;
}
```

```
}

.form-control-custom {
    width: 100%;
    padding: 12px 14px;
    border: 1px solid #d1d5db;
    border-radius: 9px;
    font-size: 14px;
    outline: none;
    transition: 0.2s;
    background: #fff;
}

.form-control-custom:focus {
    border-color: #2563eb;
    box-shadow: 0 0 0 3px rgba(37, 99, 235, 0.10);
}

textarea.form-control-custom {
    resize: vertical;
    min-height: 110px;
}

.button-row {
    margin-top: 30px;
    display: flex;
    gap: 12px;
}

.save-btn {
    border: none;
    background: #2563eb;
    color: white;
    padding: 12px 22px;
    border-radius: 9px;
    font-weight: 600;
    cursor: pointer;
    transition: 0.2s;
}

.save-btn:hover {
    background: #1d4ed8;
    transform: translateY(-1px);
}

.cancel-btn {
    display: inline-block;
    background: #f3f4f6;
    color: #374151;
    padding: 12px 22px;
```

```
border-radius: 9px;
text-decoration: none;
font-weight: 600;
}

.cancel-btn:hover {
    background: #e5e7eb;
    text-decoration: none;
    color: #111827;
}

.required {
    color: #dc2626;
}
</style>

<div class="create-page">

    <div class="create-container">

        <!-- Header -->

        <div class="create-header">

            <h1>+ Add New Product</h1>

            <p>
                Enter the product information below to add it to your catalog.
            </p>

        </div>

        <!-- Form -->

        <div class="form-card">

            @using (Html.BeginForm())
            {
                @Html.AntiForgeryToken()

                <div class="form-row">

                    <label class="form-label">
                        Product Name <span class="required">*</span>
                    </label>

                    @Html.TextBoxFor(
                        model => model.Name,
```

```
        new
        {
            @class = "form-control-custom",
            placeholder = "Enter product name"
        }
    )
</div>

<div class="form-row">

    <label class="form-label">
        Description
    </label>

    @Html.TextAreaFor(
        model => model.Description,
        new
        {
            @class = "form-control-custom",
            placeholder = "Enter product description"
        }
    )

</div>

<div class="form-row">

    <label class="form-label">
        Price <span class="required">*</span>
    </label>

    @Html.TextBoxFor(
        model => model.Price,
        new
        {
            @class = "form-control-custom",
            type = "number",
            step = "0.01",
            placeholder = "Enter price"
        }
    )

</div>

<div class="form-row">
```

```
<label class="form-label">
    Category <span class="required">*</span>
</label>

@Html.TextBoxFor(
    model => model.Category,
    new
    {
        @class = "form-control-custom",
        placeholder = "Example: Electronics"
    }
)

</div>

<div class="form-row">

    <label class="form-label">
        Stock <span class="required">*</span>
    </label>

    @Html.TextBoxFor(
        model => model.Stock,
        new
        {
            @class = "form-control-custom",
            type = "number",
            placeholder = "Enter available stock"
        }
    )

</div>

<!-- Buttons -->

<div class="button-row">

    <button type="submit" class="save-btn">
        ✓ Save Product
    </button>

    @Html.ActionLink(
        "< Back to Catalog",
        "Index",
        "Product",
        null,
        new { @class = "cancel-btn" }
    )

</div>
```

```
        </div>
    }
</div>
</div>
</div>
```

Details.cshtml

```
@model Experiment_06.Models.Product
```

```
@{
    ViewBag.Title = "Product Details";
}
```

```
<div class="container">
    <h2>Product Details</h2>
    <hr />
    <div class="panel panel-primary">
        <div class="panel-heading">
            <h3 class="panel-title">
                @Model.Name
            </h3>
        </div>
        <div class="panel-body">
            <p>
                <strong>Product ID:</strong>
                @Model.Id
            </p>
            <p>
                <strong>Product Name:</strong>
                @Model.Name
            </p>
            <p>
                <strong>Description:</strong>
                @Model.Description
            </p>
            <p>
```

```
        <strong>Price:</strong>
        ₹ @Model.Price
    </p>

    <p>
        <strong>Category:</strong>
        @Model.Category
    </p>

    <p>
        <strong>Stock:</strong>
        @Model.Stock
    </p>
</div>

</div>

<br />

@Html.ActionLink(
    "Back to Product List",
    "Index",
    "Product",
    null,
    new { @class = "btn btn-default" }
)

</div>
```

Edit.cshtml

```
@model Experiment_06.Models.Product
```

```
@{
    ViewBag.Title = "Edit Product";
}
```

```
<div class="container">

    <h2>Edit Product</h2>

    <hr />

    @using (Html.BeginForm())
    {
        @Html.AntiForgeryToken()

        @Html.HiddenFor(model => model.Id)
```

```
<div class="form-horizontal">

    <div class="form-group">

        @Html.LabelFor(
            model => model.Name,
            new { @class = "control-label col-md-2" }
        )

        <div class="col-md-6">

            @Html.TextBoxFor(
                model => model.Name,
                new { @class = "form-control" }
            )

        </div>

    </div>

    <div class="form-group">

        @Html.LabelFor(
            model => model.Description,
            new { @class = "control-label col-md-2" }
        )

        <div class="col-md-6">

            @Html.TextAreaFor(
                model => model.Description,
                new { @class = "form-control", rows = 4 }
            )

        </div>

    </div>

    <div class="form-group">

        @Html.LabelFor(
            model => model.Price,
            new { @class = "control-label col-md-2" }
        )

        <div class="col-md-6">

            @Html.TextBoxFor(
```

```
        model => model.Price,
        new
        {
            @class = "form-control",
            type = "number"
        }
    )
</div>
</div>

<div class="form-group">
    @Html.LabelFor(
        model => model.Category,
        new { @class = "control-label col-md-2" }
    )

    <div class="col-md-6">
        @Html.TextBoxFor(
            model => model.Category,
            new { @class = "form-control" }
        )
    </div>
</div>

<div class="form-group">
    @Html.LabelFor(
        model => model.Stock,
        new { @class = "control-label col-md-2" }
    )

    <div class="col-md-6">
        @Html.TextBoxFor(
            model => model.Stock,
            new
            {
                @class = "form-control",
                type = "number"
            }
        )
    </div>
</div>
```

</div>

</div>

<div class="form-group">

<div class="col-md-offset-2 col-md-6">

```
<input type="submit"
      value="Update Product"
      class="btn btn-primary" />
```

@Html.Raw(" ")

```
@Html.ActionLink(
    "Cancel",
    "Index",
    "Product",
    null,
    new { @class = "btn btn-default" }
)
```

</div>

</div>

</div>

}

</div>

Index.cshtml

@model IEnumerable<Experiment_06.Models.Product>

```
@{
    ViewBag.Title = "Product Catalog";
}
```

```
<style>
* {
    box-sizing: border-box;
}

body {
    margin: 0;
    background: #f4f7fb;
    font-family: "Segoe UI", Arial, sans-serif;
    color: #1f2937;
}
```

```
.catalog-page {
    min-height: 100vh;
    padding: 40px 20px;
}

.catalog-container {
    max-width: 1200px;
    margin: auto;
}

/* Header */
.catalog-header {
    background: linear-gradient(135deg, #2563eb, #4f46e5);
    border-radius: 22px;
    padding: 32px 36px;
    color: white;
    margin-bottom: 28px;
    box-shadow: 0 15px 35px rgba(37, 99, 235, 0.20);
}

.header-content {
    display: flex;
    justify-content: space-between;
    align-items: center;
    gap: 20px;
}

.header-left h1 {
    margin: 0 0 8px 0;
    font-size: 32px;
    font-weight: 700;
}

.header-left p {
    margin: 0;
    opacity: 0.88;
    font-size: 15px;
}

.add-btn {
    display: inline-block;
    padding: 12px 20px;
    background: white;
    color: #2563eb;
    text-decoration: none;
    border-radius: 10px;
    font-weight: 600;
    transition: 0.2s ease;
    white-space: nowrap;
}
```

```
}

.add-btn:hover {
    background: #eff6ff;
    transform: translateY(-2px);
    text-decoration: none;
    color: #1d4ed8;
}

/* Stats */
.stats {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 20px;
    margin-bottom: 28px;
}

.stat-card {
    background: white;
    border-radius: 16px;
    padding: 22px;
    box-shadow: 0 5px 20px rgba(15, 23, 42, 0.06);
    border: 1px solid #e5e7eb;
}

.stat-title {
    font-size: 13px;
    color: #6b7280;
    margin-bottom: 8px;
    text-transform: uppercase;
    letter-spacing: 0.5px;
}

.stat-value {
    font-size: 25px;
    font-weight: 700;
    color: #111827;
}

/* Table Card */
.table-card {
    background: white;
    border-radius: 20px;
    overflow: hidden;
    box-shadow: 0 8px 30px rgba(15, 23, 42, 0.07);
    border: 1px solid #e5e7eb;
}

.table-header {
    padding: 22px 26px;
```

```
border-bottom: 1px solid #e5e7eb;
}

.table-header h2 {
    margin: 0;
    font-size: 20px;
    color: #111827;
}

.table-header p {
    margin: 5px 0 0;
    color: #6b7280;
    font-size: 14px;
}

.product-table {
    width: 100%;
    border-collapse: collapse;
}

.product-table thead {
    background: #f8fafc;
}

.product-table th {
    padding: 15px 20px;
    text-align: left;
    font-size: 12px;
    text-transform: uppercase;
    letter-spacing: 0.5px;
    color: #64748b;
    font-weight: 700;
    border-bottom: 1px solid #e5e7eb;
}

.product-table td {
    padding: 18px 20px;
    border-bottom: 1px solid #eef2f7;
    font-size: 14px;
    vertical-align: middle;
}

.product-table tbody tr {
    transition: 0.2s ease;
}

.product-table tbody tr:hover {
    background: #f8fbff;
}
```

```
.product-id {
    width: 50px;
    color: #64748b;
    font-weight: 600;
}

.product-name {
    font-weight: 700;
    color: #111827;
    font-size: 15px;
}

.description {
    color: #6b7280;
    max-width: 250px;
}

.price {
    font-weight: 700;
    color: #16a34a;
    white-space: nowrap;
}

.category {
    display: inline-block;
    padding: 6px 11px;
    border-radius: 20px;
    background: #eef2ff;
    color: #4338ca;
    font-size: 12px;
    font-weight: 600;
}

.stock {
    font-weight: 600;
}

/* Action buttons */
.actions {
    white-space: nowrap;
}

.action-btn {
    display: inline-block;
    padding: 7px 11px;
    border-radius: 7px;
    text-decoration: none;
    font-size: 12px;
    font-weight: 600;
    margin-right: 4px;
}
```

```
        transition: 0.2s ease;
    }

    .details-btn {
        background: #eff6ff;
        color: #2563eb;
    }

    .details-btn:hover {
        background: #dbeafe;
        text-decoration: none;
        color: #1d4ed8;
    }

    .edit-btn {
        background: #fff7ed;
        color: #ea580c;
    }

    .edit-btn:hover {
        background: #ffedd5;
        text-decoration: none;
        color: #c2410c;
    }

    .delete-btn {
        background: #fef2f2;
        color: #dc2626;
    }

    .delete-btn:hover {
        background: #fee2e2;
        text-decoration: none;
        color: #b91c1c;
    }

    /* Footer */
    .catalog-footer {
        text-align: center;
        color: #94a3b8;
        font-size: 13px;
        padding: 25px 0 5px;
    }

    /* Responsive */
    @@media (max-width: 900px) {

        .header-content {
            flex-direction: column;
            align-items: flex-start;
        }
    }

```

```

    }

    .stats {
        grid-template-columns: 1fr;
    }

    .table-card {
        overflow-x: auto;
    }

    .product-table {
        min-width: 900px;
    }
}
</style>

<div class="catalog-page">
    <div class="catalog-container">
        <!-- Header -->
        <div class="catalog-header">
            <div class="header-content">
                <div class="header-left">
                    <h1>&img alt="Shopping Cart Icon" data-bbox="340 565 360 580"/> Product Catalog</h1>
                    <p>
                        Manage and explore your products in one place.
                    </p>
                </div>
                @Html.ActionLink(
                    "+ Add Product",
                    "Create",
                    "Product",
                    null,
                    new { @class = "add-btn" }
                )
            </div>
        </div>
    </div>

    <!-- Statistics -->

```

```
<div class="stats">

    <div class="stat-card">

        <div class="stat-title">
            Total Products
        </div>

        <div class="stat-value">
            @Model.Count()
        </div>

    </div>

    <div class="stat-card">

        <div class="stat-title">
            Total Stock
        </div>

        <div class="stat-value">
            @Model.Sum(p => p.Stock)
        </div>

    </div>

    <div class="stat-card">

        <div class="stat-title">
            Catalog Value
        </div>

        <div class="stat-value">
            ₹ @Model.Sum(p => p.Price * p.Stock)
        </div>

    </div>

</div>

<!-- Product Table -->
<div class="table-card">

    <div class="table-header">

        <h2>All Products</h2>
```

```
<p>
    Complete list of available products
</p>

</div>

<table class="product-table">
    <thead>
        <tr>
            <th>ID</th>
            <th>Product</th>
            <th>Description</th>
            <th>Price</th>
            <th>Category</th>
            <th>Stock</th>
            <th>Actions</th>
        </tr>
    </thead>
    <tbody>
        @foreach (var product in Model)
        {
            <tr>
                <td class="product-id">
                    #@product.Id
                </td>
                <td>
                    <div class="product-name">
                        @product.Name
                    </div>
                </td>
            </tr>
        }
    </tbody>
</table>
```

```
<td>

    <div class="description">
        @product.Description
    </div>

</td>

<td class="price">
    ₹ @product.Price
</td>

<td>

    <span class="category">
        @product.Category
    </span>

</td>

<td class="stock">
    @product.Stock
</td>

<td class="actions">

    @Html.ActionLink(
        "View",
        "Details",
        "Product",
        new { id = product.Id },
        new { @class = "action-btn details-btn" }
    )

    @Html.ActionLink(
        "Edit",
        "Edit",
        "Product",
        new { id = product.Id },
        new { @class = "action-btn edit-btn" }
    )

    @Html.ActionLink(
        "Delete",
```

```

        "Delete",
        "Product",
        new { id = product.Id },
        new
        {
            @class = "action-btn delete-btn",
            onclick = "return confirm('Are you sure you
want to delete this product?');"
        }
    )
</td>
</tr>
}
</tbody>
</table>
</div>

<!-- Footer -->
<div class="catalog-footer">

    Product Catalog Application • ASP.NET MVC 5

</div>
</div>
</div>

_layout.cshtml
<!DOCTYPE html>
<html>
<head>

    <meta charset="utf-8" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>@ViewBag.Title - Product Catalog</title>

    <!-- Existing CSS -->
    <link href="~/Content/Site.css" rel="stylesheet" type="text/css" />
    <link href="~/Content/bootstrap.min.css" rel="stylesheet" type="text/css" />

    <script src="~/Scripts/modernizr-2.6.2.js"></script>

```

<style>

```
/* =====
GENERAL
===== */

body {
    margin: 0;
    padding-top: 70px;
    background: #f4f7fb;
    font-family: "Segoe UI", Arial, sans-serif;
    color: #1f2937;
}

/* =====
NAVBAR
===== */

.custom-navbar {
    position: fixed;
    top: 0;
    left: 0;
    right: 0;
    height: 70px;
    background: rgba(255, 255, 255, 0.97);
    border-bottom: 1px solid #e5e7eb;
    box-shadow: 0 4px 20px rgba(15, 23, 42, 0.06);
    z-index: 9999;
}

.navbar-container {
    max-width: 1200px;
    height: 70px;
    margin: auto;
    padding: 0 20px;
    display: flex;
    align-items: center;
    justify-content: space-between;
}

/* =====
BRAND
===== */

.product-brand {
```

```
text-decoration: none !important;
color: #2563eb !important;
font-size: 21px;
font-weight: 700;
letter-spacing: -0.3px;
transition: 0.2s;
}

.product-brand:hover {
    color: #1d4ed8 !important;
}

/* =====
NAVIGATION
===== */

.product-nav {
    display: flex;
    align-items: center;
    gap: 8px;
    margin: 0;
    padding: 0;
    list-style: none;
}

.product-nav li {
    margin: 0;
}

.product-nav a {
    display: inline-block;
    padding: 10px 16px;
    border-radius: 9px;
    text-decoration: none !important;
    color: #4b5563 !important;
    font-size: 14px;
    font-weight: 600;
    transition: all 0.2s ease;
}

.product-nav a:hover {
    background: #eff6ff;
    color: #2563eb !important;
}
```

```
/* Add Product Button */

.add-product-btn {
    background: #2563eb !important;
    color: white !important;
    box-shadow: 0 4px 12px rgba(37, 99, 235, 0.20);
}

.add-product-btn:hover {
    background: #1d4ed8 !important;
    color: white !important;
    transform: translateY(-1px);
}

/* =====
   MAIN CONTENT
   ===== */

.main-content {
    max-width: 1200px;
    margin: auto;
    padding: 30px 20px 20px;
}

/* =====
   FOOTER
   ===== */

.custom-footer {
    max-width: 1200px;
    margin: 30px auto 0;
    padding: 22px 20px;
    text-align: center;
    color: #94a3b8;
    font-size: 13px;
    border-top: 1px solid #e5e7eb;
}

.footer-title {
    font-weight: 600;
    color: #64748b;
    margin-bottom: 5px;
}
```

```
/* =====
MOBILE
===== */

@@media (max-width: 768px) {
    body {
        padding-top: 60px;
    }

    .custom-navbar {
        height: 60px;
    }

    .navbar-container {
        height: 60px;
    }

    .product-brand {
        font-size: 17px;
    }

    .product-nav a {
        padding: 8px 9px;
        font-size: 12px;
    }

    .main-content {
        padding: 20px 12px;
    }
}
</style>

</head>

<body>

<!-- =====
NAVIGATION BAR
===== -->

<nav class="custom-navbar">

    <div class="navbar-container">

        <!-- Application Logo / Name -->
```

```
@Html.ActionLink(
    "🛒 Product Catalog",
    "Index",
    "Product",
    new { area = "" },
    new { @class = "product-brand" }
)

<!-- Navigation -->

<ul class="product-nav">
    <li>

        @Html.ActionLink(
            "Products",
            "Index",
            "Product",
            null,
            new { }
        )

    </li>

    <li>

        @Html.ActionLink(
            "+ Add Product",
            "Create",
            "Product",
            null,
            new { @class = "add-product-btn" }
        )

    </li>
</ul>

</div>

</nav>

<!-- =====
      MAIN CONTENT
      ===== -->
```

```
<div class="main-content">
```

```
    @RenderBody()
```

```
</div>
```

```
<!-- =====
```

```
    FOOTER
```

```
===== -->
```

```
<footer class="custom-footer">
```

```
    <div class="footer-title">
```

```
         Product Catalog
```

```
    </div>
```

```
    <div>
```

```
        © @DateTime.Now.Year – ASP.NET MVC 5 Product Management System
```

```
    </div>
```

```
</footer>
```

```
<!-- =====
```

```
    JAVASCRIPT
```

```
===== -->
```

```
<script src="~/Scripts/jquery-1.10.2.min.js"></script>
```

```
<script src="~/Scripts/bootstrap.min.js"></script>
```

```
@RenderSection("scripts", required: false)
```

```
</body>
```

```
</html>
```

[Global.asax.cs](#)

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;
using System.Web.Routing;
```

```
namespace Experiment_06
{
    public class MvcApplication : System.Web.HttpApplication
    {
        protected void Application_Start()
        {
            AreaRegistration.RegisterAllAreas();
            RouteConfig.RegisterRoutes(RouteTable.Routes);
        }
    }
}
```

Output:

Product Catalog
Products + Add Product

Product Catalog
Manage and explore your products in one place. + Add Product

TOTAL PRODUCTS
3

TOTAL STOCK
45

CATALOG VALUE
₹ 985000

All Products
Complete list of available products

ID	PRODUCT	DESCRIPTION	PRICE	CATEGORY	STOCK	ACTIONS
#1	Laptop	HP Laptop with 8GB RAM	₹ 55000	Electronics	10	View Edit Delete
#2	Smartphone	Android Smartphone with 128GB Storage	₹ 25000	Electronics	15	View Edit Delete
#3	Headphones	Wireless Bluetooth Headphones	₹ 3000	Accessories	20	View Edit Delete

Product Catalog Application • ASP.NET MVC 5

Product Catalog
Products + Add Product

Product Catalog
Manage and explore your products in one place. + Add Product

TOTAL PRODUCTS
4

TOTAL STOCK
55

CATALOG VALUE
₹ 1005000

All Products
Complete list of available products

ID	PRODUCT	DESCRIPTION	PRICE	CATEGORY	STOCK	ACTIONS
#1	Laptop	HP Laptop with 8GB RAM	₹ 55000	Electronics	10	View Edit Delete
#2	Smartphone	Android Smartphone with 128GB Storage	₹ 25000	Electronics	15	View Edit Delete
#3	Headphones	Wireless Bluetooth Headphones	₹ 3000	Accessories	20	View Edit Delete
#4	Headphone	use for listening	₹ 2000	Electronics	10	View Edit Delete

Product Catalog Application • ASP.NET MVC 5

GitHub URL: <https://github.com/Rahul728280/.Net.git>