

Experiment 4

Build Online Event Registration Portal using ASP.NET Controls & Validation

Source:

Registration.aspx.cs

Registration.aspx.

Source Code:

Registration.aspx.c

S :

```
using System;
using System.Text;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace WebApplication1
{
    public partial class Registration : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {
            ValidationSettings.UnobtrusiveValidationMode =
                UnobtrusiveValidationMode.None;
        }

        protected void btnRegister_Click(object sender, EventArgs e)
        {
            // Check all validations
            if (!Page.IsValid)
            {
                return;
            }

            // Check Terms & Conditions
            if (!chkTerms.Checked)
            {
                lblResult.ForeColor =
                    System.Drawing.Color.Red;

                lblResult.Text =
                    "Please Accept Terms & Conditions";

                return;
            }
        }
    }
}
```

```
}

// Get selected skills
StringBuilder skills = new StringBuilder();

foreach (ListItem item in cblSkills.Items)
{
    if (item.Selected)
    {
        skills.Append(item.Text + " ");
    }
}

// Display result
lblResult.ForeColor =
    System.Drawing.Color.Blue;

lblResult.Text =
    "Registration Successful<br/><br/>" +

    "Name: " + txtName.Text + "<br/>" +

    "Email: " + txtEmail.Text + "<br/>" +

    "Mobile: " + txtMobile.Text + "<br/>" +

    "College: " + txtCollege.Text + "<br/>" +

    "Department: " +
    rblDepartment.SelectedValue + "<br/>" +

    "Event: " +
    ddlEvent.SelectedValue + "<br/>" +

    "Gender: " +
    rblGender.SelectedValue + "<br/>" +

    "Skills: " +
    skills.ToString() + "<br/>" +

    "Address: " +
    txtAddress.Text;
}
}
```

Registration.aspx.

```
<%@ Page Language="C#" AutoEventWireup="true"
    CodeBehind="Registration.aspx.cs"
    Inherits="WebApplication1.Registration" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
```

```
    <title>Event Registration Form</title>
```

```
    <style>
```

```
        body {
            font-family: Arial;
            background-color: #f5f5f5;
            margin: 0;
            padding: 40px;
        }

        /* Main Form Box */
        .form-box {
            width: 750px;
            margin: auto;
            background-color: white;
            border: 2px solid #333;
            border-radius: 10px;
            padding: 30px 40px;
            box-shadow: 0px 3px 10px #aaa;
        }

        /* Heading */
        .heading {
            text-align: center;
            font-size: 28px;
            font-weight: bold;
            margin-bottom: 30px;
        }

        table {
            border-collapse: collapse;
            margin: auto;
        }

        td {
```

```
        padding: 7px;
        vertical-align: top;
        font-size: 18px;
    }

    .label {
        width: 140px;
    }

    .input {
        width: 180px;
        height: 28px;
    }

    .address {
        width: 300px;
        height: 100px;
    }

    .validation {
        color: red;
        font-weight: bold;
        font-size: 16px;
        padding-left: 25px;
    }

    .register {
        padding: 7px 20px;
        font-size: 16px;
        cursor: pointer;
    }

    .result {
        color: blue;
        font-weight: bold;
        font-size: 16px;
    }
</style>

</head>

<body>

<form id="form1" runat="server">

    <!-- Main Form Container -->

    <div class="form-box">
```

```
<div class="heading">
    Event Registration Form
</div>

<table>

    <!-- NAME -->
    <tr>
        <td class="label">
            Name
        </td>

        <td>
            <asp:TextBox
                ID="txtName"
                runat="server"
                CssClass="input">
            </asp:TextBox>
        </td>

        <td class="validation">

            <asp:RequiredFieldValidator
                ID="rfvName"
                runat="server"
                ControlToValidate="txtName"
                ErrorMessage="Enter Name"
                Display="Dynamic">
            </asp:RequiredFieldValidator>

        </td>
    </tr>

    <!-- EMAIL -->
    <tr>
        <td class="label">
            Email
        </td>

        <td>
            <asp:TextBox
                ID="txtEmail"
                runat="server"
                CssClass="input">
            </asp:TextBox>
        </td>

        <td class="validation">
```

```

        <asp:RequiredFieldValidator
            ID="rfvEmail"
            runat="server"
            ControlToValidate="txtEmail"
            ErrorMessage="Enter Email"
            Display="Dynamic">
        </asp:RequiredFieldValidator>

        <br />

        <asp:RegularExpressionValidator
            ID="revEmail"
            runat="server"
            ControlToValidate="txtEmail"
            ValidationExpression="^[^@\\s]+@[^@\\s]+\\.\\.[^@\\s]+$"
            ErrorMessage="Invalid Email"
            Display="Dynamic">
        </asp:RegularExpressionValidator>

    </td>
</tr>

<!-- MOBILE -->
<tr>
    <td class="label">
        Mobile
    </td>

    <td>
        <asp:TextBox
            ID="txtMobile"
            runat="server"
            CssClass="input"
            MaxLength="10">
        </asp:TextBox>
    </td>

    <td class="validation">

        <asp:RequiredFieldValidator
            ID="rfvMobile"
            runat="server"
            ControlToValidate="txtMobile"
            ErrorMessage="Enter Mobile"
            Display="Dynamic">
        </asp:RequiredFieldValidator>

        <br />
    
```

```

        <asp:RegularExpressionValidator
            ID="revMobile"
            runat="server"
            ControlToValidate="txtMobile"
            ValidationExpression="^[0-9]{10}$"
            ErrorMessage="Enter 10 Digit Mobile"
            Display="Dynamic">
        </asp:RegularExpressionValidator>

    </td>
</tr>

<!-- COLLEGE -->
<tr>
    <td class="label">
        College
    </td>

    <td>
        <asp:TextBox
            ID="txtCollege"
            runat="server"
            CssClass="input">
        </asp:TextBox>
    </td>

    <td class="validation">

        <asp:RequiredFieldValidator
            ID="rfvCollege"
            runat="server"
            ControlToValidate="txtCollege"
            ErrorMessage="Enter College"
            Display="Dynamic">
        </asp:RequiredFieldValidator>

    </td>
</tr>

<!-- DEPARTMENT -->
<tr>
    <td class="label">
        Department
    </td>

    <td colspan="2">

        <asp:RadioButtonList

```

```
ID="rblDepartment"
runat="server">

<asp:ListItem>Computer</asp:ListItem>
<asp:ListItem>IT</asp:ListItem>
<asp:ListItem>Mechanical</asp:ListItem>
<asp:ListItem>Civil</asp:ListItem>

</asp:RadioButtonList>

</td>
</tr>

<!-- EVENT -->
<tr>
<td class="label">
    Event
</td>

<td colspan="2">

<asp:DropDownList
    ID="ddlEvent"
    runat="server"
    Width="200px">

<asp:ListItem Value="">
    Select Event
</asp:ListItem>

<asp:ListItem Value="Hackathon">
    Hackathon
</asp:ListItem>

<asp:ListItem Value="Coding Competition">
    Coding Competition
</asp:ListItem>

<asp:ListItem Value="Workshop">
    Workshop
</asp:ListItem>

<asp:ListItem Value="Seminar">
    Seminar
</asp:ListItem>

</asp:DropDownList>

</td>
```


</tr>

<!-- GENDER -->

<tr>

<td class="label">

Gender

</td>

<td colspan="2">

<asp:RadioButtonList

ID="rblGender"

runat="server"

RepeatDirection="Horizontal">

<asp:ListItem>Male</asp:ListItem>

<asp:ListItem>Female</asp:ListItem>

</asp:RadioButtonList>

</td>

</tr>

<!-- SKILLS -->

<tr>

<td class="label">

Skills

</td>

<td colspan="2">

<asp:CheckBoxList

ID="cblSkills"

runat="server">

<asp:ListItem>C#</asp:ListItem>

<asp:ListItem>Java</asp:ListItem>

<asp:ListItem>Python</asp:ListItem>

<asp:ListItem>AI</asp:ListItem>

</asp:CheckBoxList>

</td>

</tr>

<!-- ADDRESS -->

<tr>

```
<td class="label">
    Address
</td>

<td colspan="2">

    <asp:TextBox
        ID="txtAddress"
        runat="server"
        TextMode="MultiLine"
        CssClass="address">
    </asp:TextBox>

</td>
</tr>

<!-- TERMS -->
<tr>
    <td class="label">
        Terms
    </td>

    <td colspan="2">

        <asp:CheckBox
            ID="chkTerms"
            runat="server"
            Text="I Accept Terms & Conditions" />

    </td>
</tr>

<!-- REGISTER -->
<tr>
    <td></td>

    <td colspan="2">

        <asp:Button
            ID="btnRegister"
            runat="server"
            Text="Register"
            CssClass="register"
            OnClick="btnRegister_Click" />

    </td>
</tr>
```

```
<!-- RESULT -->
<tr>
  <td colspan="3">

    <asp:Label
      ID="lblResult"
      runat="server"
      CssClass="result">
    </asp:Label>

  </td>
</tr>

</table>

</div>

</form>

</body>
</html>
```

Output:

Event Registration Form

Name

Email

Mobile

College

Department

☐ Computer

☐ IT

☐ Mechanical

☐ Civil

Event

Gender

☐ Male ☐ Female

Skills

☐ C#

☐ Java

☐ Python

☐ AI

Address

Terms

☐ I Accept Terms & Conditions

Register

Event Registration Form

Name	Rahul kumar
Email	rahulkumar.128721@marwadi
Mobile	1234567890
College	marwadi university
Department	☒ Computer ☐ IT ☐ Mechanical ☐ Civil
Event	Hackathon
Gender	☒ Male ☐ Female
Skills	☒ C# ☐ Java ☐ Python ☐ AI
Address	Balazi park bedi goun
Terms	☒ I Accept Terms & Conditions
Register	

Registration Successful

Name: Rahul kumar
Email: rahulkumar.128721@marwadiuniversity.ac.in
Mobile: 1234567890
College: marwadi university
Department: Computer
Event: Hackathon
Gender: Male
Skills: C#
Address: Balazi park bedi goun

GitHub URL: <https://github.com/Rahul728280/.Net.git>