




MANUAL TOOLS COMPANY

Manufacturer of Coke Oven Machinery

PRODUCT BROCHURE



COAL CHARGING CAR

Top Feed - Coke Oven Machinery Series

4 - 20 T

HOPPER CAPACITY

4 Nos.

CHARGING MOUTHS

60 - 80 m/min

TRAVEL SPEED



Ravindra Kr. Agarwal, Proprietor

Dhanbad, Jharkhand, India | +91 9430707348

www.manualtoolsco.com

Coal Charging Car

Top Feed - Coke Oven Machinery Series

AT A GLANCE

A rail-mounted charging car (larry car) for top charging of coke ovens. Four conical hoppers deliver measured coal into the oven chambers.



KEY SPECIFICATIONS



HOPPER CAPACITY

4 - 20 Tons



TRAVEL MOTOR

15 HP (Elec.)



CHARGING MOUTHS

4 Nos.



OPERATION

Gravity Feed

SPECIFICATIONS

Hopper Capacity	4 / 8 / 15 / 20 Tons
Long Travel Motor	15 H.P.
Travel Speed	60 - 80 m / min
Charging Mouths	4 Nos.
Hopper Plate	8 mm, Conical
Slide Gates	Motorised, 3 H.P.

DESIGN & DURABILITY

- ✓ Four conical hoppers in 8 mm plate
- ✓ Worm reducer travel gearbox
- ✓ Motorised slide gates with manual override
- ✓ Telescopic sleeves limit smoke leakage

BUYING INFORMATION

Lead time	Made to order. Ask us for the current lead time.
Warranty	1 year, as on all our machinery.
Installation	Installation supervision and commissioning available.
Custom builds	Capacity, motor power and dimensions matched to your plant and drawings.

REQUEST A QUOTATION

+91 9430707348

Custom sizes and capacities built to order.
www.manualtoolsco.com | Dhanbad, Jharkhand, India

HOW IT WORKS

01 Bunker Filling

The car stops under the coal tower and its 4 hoppers are filled with a measured coal blend.

02 Alignment

The car travels to the empty oven; telescopic sleeves align with the charging holes to limit smoke leakage.

03 Gravity Discharge

The bottom slide gates open and coal flows into the oven by gravity.

APPLICATIONS

Coke Ovens Top-charged by-product recovery coke oven batteries.

Steel Plants Continuous production of metallurgical coke.

COMMON QUESTIONS

What travel system is used?

Rail-mounted track wheels driven by a 15 HP slip-ring or squirrel cage motor.

How many charging mouths?

Standard configuration is 4, matching the 4 charging holes on the oven top.

Is the discharge automated?

Slide gates are motorised (3 HP) for semi-automatic operation, with a manual override wheel.

What safety features are included?

Hydraulic buffers, electromagnetic brakes, travel alarms and operator cabin heat shields.

Can it handle wet coal?

Yes, the steep conical hoppers help wet coal flow.

PRODUCT GALLERY



ALSO FROM MANUAL TOOLS COMPANY

Coal Crusher (5 No.)

Single Disc - Fine Coal Disintegrator

Coal Crusher (5 No.)

Double Disc - High Capacity Disintegrator

Coke Cutter Machine

Double Drive, Drum Type - Industrial Series

Ring Type Coke Cutter

Double Drive - Segmented Manganese Steel Rings

Haulage Machine

10 HP / 10 Ton - Coke Oven Extraction Series

Door Lifting Power Winch

Coke Oven Gate Lifting Equipment

Vibrator Screen Machine

Multi-Deck Series - Industrial Grading & Sorting

Pusher Machine

With Roller Stamping Arrangement

Conveyor Components

Idlers, Rollers & Pulleys - Industrial Handling Systems

REQUEST A QUOTATION

+91 9430707348

Custom sizes and capacities built to order.

www.manualtoolsco.com | Dhanbad, Jharkhand, India